## A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LIV.—No. 26. [NEW SERIES.]

## NEW YORK, JUNE 26, 1886.


\$3.20 per Annum. [POSTAGE PREPAID.]

## DUCKER'S PORTABLE BARRACK AND FIELD HOSPITAL.

The Society of the Red Cross in Europe has, for several years, given particular attention to the subject of portable field hospitals and other improved appliances for the care of sick and wounded soldiers. Though those who seek the conservation of life in the midst of its

the more humane method of settling international differences by arbitration is appealing each year with increasing earnestness to the conscience of Christendom, there is still an immense field for the ministrations of

military destroyers. Despite the deadliness of modern instruments of warfare, it is conceded that a greater proportion of soldiers die from lack of sufficient care and from exposure than from the immediate effects of the (Continued on page 404.)



DUCKER'S PORTABLE BARRACK AND FIELD HOSPITAL.

# Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors. PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

### TERMS FOR THE SCIENTIFIC AMERICAN.

Clubs.—One extra copy of THE SCIENTIFIC AMERICAN will be supplied tratis for every club of five subscribers at \$3.20 each; additional copies at same proportionate rate. Postage prepaid.

Remit by postal or express money order. Address
MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

### The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUFFLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, postage paid, to subscribers, all newsdealers throughout the country. Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, postage free, on receipt of seven dollars. Both papers to one address or different addresses as desired.

The safest way to remit is by draft, postal order, express money order, or registered letter. is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size

registered letter. Address MUNN & CO., 361 Broadway, corner of Franklin Street, New York

## Scientific American Export Edition.

The SCIENTIFIC AMERICAN Export Edition is a large and splendid periodical, issued once a month. Each number contains about one hundred large quarto pages, profusely illustrated, embracing: (1) Most of the plates andpages of the four preceding weekly issues of the SCIENTIFIC AMERICAN, with its splendid engravings and valuable information; (2) Comercial, trade, and manufacturing announcements of leading houses. Terms for Export Edition, \$5.00 a year, sent prepaid to any part of the world. Single copies, 50 cents. 137 Manufacturers and others who desire to secure foreign trade may have large and handsomely displayed announcements published in this edition at a very moderate cost.

The SCIENTIFIC AMERICAN Export Edition has a large guaranteed circulation in all commercial places throughout the world. Address MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

NEW YORK, SATURDAY, JUNE 26, 1886.

#### Contents.

(Illustrated articles are marked with an asterisk.)

Balloon voyage, transcontinental 401
Barrack and field hospital, portable. Ducker's 408
Boiler feeder, McGehee's 403
Books and publications, new 409
Boring, the deepest 405
Buck, water, the 407
Business and personal. 407
Car couplers, car builders perplexed about 407
Eighant, hairy\* 407, 403
Eighant, hairy\* 407, 403
Eighant, hairy\* 407
Eighant,

TABLE OF CONTENTS OF

## SCIENTIFIC AMERICAN SUPPLEMENT

No. 547.

For the Week Ending June 26, 1886.

Price 10 cents. For sale by all newsdealers.

- I. BIOGRAPHY.—Baron Paul Shilling.—A brief account of the Rus sian scientist who did so much for the development of the electro magnetic telegraph.—With portrait.
- III. ELECTRICITY.—Prof. Joseph Henry and the Magnetic Telegraph.—A memorial address delivered by EDWARD N. DICKERSON, LL.D., on the presentation of a tablet to Princeton College designed to commemorate the contributions to the electric telegraph of Prof. Joseph Henry.—An interesting sketch of the man, and of his independent discovery of magneto-electricity, a few weeks after the announcement of Faraday in England.—Prof. Henry's life at Princeton, and his selection for the directorship of the Smithsonian Institution.—His experiments in electric telegraphy and his further improvements.
  - Improvements. Spinished the electric deligraphy and is full state of the An As olute Electrometer giving Continuous Indications.—By BICH An and BIONDLOT.—An electrometer counded upon the attraction of two concentric cylinders.—I flaure.

    The New Invention of the Messrs. Bell.—The system of photographing sound waves from the vibrations of a sheet of water.—The joint invention and its application in reproducing conversations... 873
- 1V. ENGINEERING AND MECHANICS.—Bridge over the Dnieper.

  —The dimensions and construction of the third longest bridge in Europe.—The provision for railway and road travel.—Perspective view and 2 figures showing details.

  —Foundation—M. Gaertner's "foundation mantle," which can be readily taken apart and re-8732

moved as soon as the foundations are sufficiently above the water line.—Its use in Galicia.

The Hydra-headed Rail.—The system of permanent way devised by Messrs. Cowdery and Thomas.—2 figures.

Wrought Iron Water Pipes.—By Hamilton Smith.—The use of thin sheet iron pipes in the hydraulic mining operations of California, and as conduits for the water supply of Virginia City and other municipalities.

- V. MISCELLANEOUS.—The Royal Society Soiree.—The recent re-union of the members at Burlington House, London, and the dis-play of articles of scientific interest in biology, astronomy, chemis-try, electricity, and geology.
- VI. NAVAL ARCHITECTURE.—The Institution of Naval Architects.—Their recent session.—Abstract of presidential address and professional papers on speed of war ships, forced draught, dimensions for screw propellers, flexible shafting, the use of "basic" steel in ship building, and other subjects.

  The Japanese Ironclad Naniwa.—The details of the construction and armament of the new war ship recently built for the Mikado by Sir W. G. Armstrong & Co.—Perspective view and deck plan.

### THE BENEFITS OF THE PATENT LAWS.

In the discussion of the oleomargarine bill in the House of Representatives, effort was made to bring a point against it as being a manufacture based on patents. One member declared that he had a hundred patents before him relating to it. This point was made, it is obvious, to gain the good will of the House for the measure, by invoking its dislike of the present patent laws. Extraordinary as such reference appears, it was Georgia, took up the issue, and said in reply, partly to Mr. Holman: "He is hardly driven again to say this years ago. bill is against a monopoly patent. He absolutely says that the patent clause of the Constitution is a curse rather than a blessing.

Mr. Holman.--No; not that.

Mr. Hammond.—I cannot argue such a proposition in my limited time. But the history and the experience of this Government will show no other clause, except those that protect life, liberty, and property, that has been half as valuable to this country. Let me call attention to some facts which illustrate this. We may put our wives down to knitting stockings for themselves and their children, or we may turn to a machine that will knit seven pairs for one mill. What rest to the wife! What comfort to the babes! With patent pegwood we peg sixty million pair of shoes per annum in the United States at a cost of five pairs to a cent! Millions of feet are shod that but for that invention would be crippled by the hard frosts of winter. Sir, the Patent Office has changed the whole current of modefn life. It has given fewer hours of labor, and to more men less consumption of human muscle, a broader sweep of human mind. . . . The foundation of that change is the constitutional clause on which is based the Patent Office. It has increased wages, it has increased mental strength and physical strength, mental comfort and physical comfort. When gentlemen are driven, in support of this bill, to denounce any part, and especially that part, of the Constitution of the United States, they are indeed hardly driven." [Applause.]

This shows that in Congress there is some recognition of the benefits of those statutes, and interference with them is resented by one leading member as an attack to some extent on the Constitution.

Again Mr. Hammond had to return to the charge, in answer to his former opponent. Just as gracefully and eloquently as before, he defended the patent statutes against the unreasonable attack made on them. He holds Mr. Holman closely to the issue he had raised.

"The gentleman from Indiana [Mr. Holman] got away from the issue made between him and myself as to that clause in the Constitution which declares that 'to promote the progress of science and useful arts, patents may be granted for limited times.' He undertook to raise a prejudice by speaking against 'patent monopolies' and the laws as passed. The law is one thing, the Constitution another. If the law is wrong, it ought to be changed. The Constitution was the thing which he attacked, and is the thing which we swear to support.

Mr. Chairman, in the price of every acre of land in this country on the eastern or western shore, you see the value of the patent rights. What would our Western lands be worth but for improved corn-droppers and corn-shellers, and improved plows, thrashers, and binders? What would they be worth but for the improved machinery which has tunneled our mountains, which has bridged our rivers, which carries our produce to the ocean, and from the eastern shore to the great world beyond?

thing. It is a fact that every dollar of gold which was RICAN SUPPLEMENT, No. 510.] Of the twelve then ever dug cost three—not to the man who dug it out. selected for subsequent service tests, only seven were, It is but one who finds it, and he gets rich. But the by the committee's report at this last meeting, recomothers who are hunting, the others who are wearing mended "as most worthy of trial" in a large way hereout their hands and eyes in fruitless search, are spend- after, to "demonstrate their ultimate worth," five styles ing their dollars. It was not the man who undertook of coupler formerly recommended being thus inferento find oil in Pittsburg, but the man who struck it, tially condemned. The committee gave no reasons, that made a fortune. The world profited by the in- when questioned, for their action in this particular, furdustry of the searchers for gold, and the world reaps a ther than that the service trials were as yet very incombenefit from the find of the finder. That they got rich plete, an admission which different members of the affects not the question.

placed in every man for his protection, as a stimulus the five styles of coupler that were dropped; and this for his ambition and energy, which makes anxiety to be impression seemed to be so general that the whole car rich, is the mainspring which has led to all the coupler question is yet concededly an open one. inventions of this world which are worth talking

It is because we have the best patent laws and patent may be indorsed by five members of the Association. organization on the face of the earth. Why is it that these very systems denounced as monopolies are is to-day available any automatic coupler which a utilized by every one of us, except that they bring but railroad company would be sustified in applying to good? Take this telephone. How many use it, simply to save the expense of servants?

printing was invented, there was no patent office.

pares with the most magnificent steam vessel which floats a flag. [Applause.]

When the gentleman from Pennsylvania was a boy his neighbors, perhaps himself, lived in a cabin, with nothing to hang their coats upon but a peg, and nothing to sit upor but a stool. Under the impulse to inventive talent given by the hope of securing for inventors during a limited time the exclusive benefit to the cogitation of their brains, the homes of the poor seriously made. It is most satisfactory to see how it and the rich have been made comfortable. And the was met. The Hon. Nathaniel J. Hammond, of cottage of the workingman to-day outvies in comforts and luxury the dwellings of the kings of a hundred

Mr. Chairman, look at the item of wages for a moment. Go back fifty years, and compare the wages then paid with the present rates. Take the history of New England recently published, and compare the wages of a shoemaker of to-day with what they were then. These mechanical improvements have been developed in every department. Yet shoemakers' wages are doubled and in some departments trebled in fifty years. One man to-day can make three hundred pairs of boots each day by a Yankee machine; but more boots are wanted, and bought for little money. I do not care where you go or what you see, it is better and cheaper because of inventions. Inventions are made because they are protected by the Constitution. The thousands and thousands of dollars that are wasted in vain endeavor, the sleepless nights, the toilsome days, all at last crystallized in some man's success, bring a glad fruit to the Patent Office, and ask it to make the contract according to constitutional promise. The inventor says, 'Give me this for a limited time, and at the end it shall belong to the world.' And the world makes by the bargain every time." [Applause.]

The fact must be regretted that there was any need for such words. Their bearing should form a part of the creed of every legislator. But it is, on the other hand, a subject of congratulation for all that when the necessity arose there was some one ready to say them, and able to say them so well. The parenthetical "applause" shows how well this direct statement was received, and illustrates the fact that the House of Representatives is not dead to the issue. The menacing attacks on the patent statutes at any moment may come before the House. When this time comes, we trust that the members will not be found wanting, and that such wrong measures, although urged by the Committee on Patents, will receive speedy death at the hands of the whole assembly. If opposed with such spirit and eloquence as disclosed in the quoted remarks, they never will pass by the majority that a similar measure received some years ago.

This defense of the patent statutes comes with added grace and force from a Southerner. He does not represent a section devoted to invention. But he is ready and willing to offer a tribute from the agriculturists of the South to the inventors of the North, who have made their work easy and profitable to them. We spare our comments of Mr. Hammond's remarks, as we feel that we can add nothing to their force.

## CAR BUILDERS PERPLEXED ABOUT CAR COUPLERS.

At the annual convention of the Master Car Builders' Association, which opened at Niagara Falls, June 8, there was quite an excited discussion relative to car couplers. It will be remembered that the Executive Committee of the Association conducted, in September last, a series of tests of car couplers at Buffalo, as a result of which twelve special styles of couplers were recommended for further trial in actual service, out of forty-two that were then experimented with. [For particulars of these trials, with illustrations of Mr. Chairman, let us look at the philosophy of this the couplers experimented with, see Scientific Ameconvention thought should have prevented the com-That grand impulse of selfishness which God has mittee from making a report discriminating against

The trials of couplers are to be further continued by the committee, but new consideration will be Why is it we outdistance any nation of the earth? given by these examiners only to such couplers as The committee express doubt "as to whether there its cars," as other companies would still use different couplers, and the danger to train men would thereby The gentleman from Indiana [Mr. Holman] said when be increased rather than diminished. It is rather recommended that "the safest course for railroad com-

getting into practice "uniformity in style and construction of drawheads and deadwoods."

The report of the committee caused a most animated with. There is not any particular style of coupling that has yet received more than a sort of negative recommendation, but the lines are pretty clearly laid down that new couplers shall be calculated to couple readily with such other styles as are at present in most In a communication to the Franklin Institute, which general use. The field for further competition is therefore still wide open, and inventors are urgently invited to occupy it until they succeed in working out the difficult problem, and constructing a device which will of chlorophyl and cosin, as follows: command approval. The demand for such improvement is now felt to be the more urgent, inasmuch as New York State requires an approved safety coupler on all cars built after July 1, while in Massachusetts and Michigan similar laws are already in operation, and public opinion seems to insist upon such legislation in most of the other States. The master car builders and the railroads would be only too happy to comply with such laws, if they could find a coupler which would adequately answer the practical requirements of the railway business of the country; but until they are satisfied that such a style of coupler has been found, the Association think a waiting policy is the best one for genius will yet furnish a satisfactory way out of their

### A TRANSCONTINENTAL BALLOON VOYAGE.

The largest balloon in the world, according to the San Francisco Chronicle, has recently been built in actually increasing the sensitiveness to other colors. that city by Mr. A. P. Van Tassel. It has a capacity of 150,000 cubic feet of gas, and has been constructed for the special purpose of enabling the well known aeronaut to undertake a journey across the continent, from ocean to ocean. The height from the floor of the wicker car to the top of the gas reservoir is 119 feet, and of the dilated reservoir alone 68 feet. The envelope is made of finely woven cloth, manufactured expressly for the purpose, and is varnished, as usual, in order to make it gas tight. The car has accommodation for fifteen persons. It is about twenty-one feet in circumference, and the sides are thirty-four inches high. The supporting ropes are kept in place by the usual "concentrics." Hydrogen gas will be used for inflating the balloon. The cost of the structure is stated to be \$6,000. Mr. Van Tassel has had considerable experience in aerial traveling, having crossed the Wichita Mountains, 15,000 feet above sea level. His present attempt is more ambitious than any he has yet made. A careful study of the aerial currents leads him to believe that by seeking the proper stratum of air he can be carried eastward at high speed, possibly 100 miles an hour. The greatest difficulty will probably be due to the Rocky Mountains, which modify the movements of the air currents over a large area of the continent. It is expected that the voyage will be begun some time about the 1st of July. Should it survive the trip, the giant balloon will be taken back to San Francisco, where it will be placed on exhibition.

## ELECTRIC LIGHTING AS AN INVESTMENT.

With a view to put at rest the question whether local electric lighting companies are profitable investments, we have recently addressed a circularletter to the general managers of a number of such companies, both East and West, asking for their experience in the matter. We have directed our inquiry in this instance particularly to those operating the Thomson-Houston

We have received answers from all parts of the country, and the general tenor of the replies is that many of their local companies are earning better dividends than are yielded by the majority of other new enterprises. The question of profit rests first with the locality, and then, if this be judiciously chosen, with the system employed and the ability displayed in the man-

Of those who have stated the exact profits of their Omaha, Nebraska, where a company, operating four 30 light dynamos, had earned at the end of the first three months after incorporation 41/2 per cent on the investment, or at the rate of 18 per cent per annum. Two more dynamos of the same capacity have since been added to their plant. The gentlemen connected with this company are so well pleased with these results that they procured a franchise for operating in Des Moines, Iowa. They began by running 65 arc lamps, but have since increased their plant.

Replies have also been received from Washington, St. Louis, Worcester, Terre Haute, Auburn, Me. Salem, Mass., Quincy, Ill., Kansas City, etc., which confirm these results, and state emphatically the belief of the writers in the desirability of electric lighting as an investment.

These conclusions, although derived from the work ing of the particular lighting system we have named, may be equally valid and reliable for other systems applying a plain solution of chlorophyl. I have an 1860-65 having been numerous.

now before the public, although we are advised that a greater number of local companies are operating their system than any other, and we find these companies debate, from which it was plain that the question of uniformly successful so far as our inquiries have extendobtaining a satisfactory safety car coupler is still one ed. There is room for great extensions of these local of the most important that railroad men have to deal lighting companies in all parts of this and foreign countries.

### ----PHOTOGRAPHIC NOTES.

Chlorophyl and Eosin Orthochromatic Plates. we take from the Brit. Jour. of Photography, Mr. Fred. E. Ives, of Philadelphia, Pa., relates some interesting experiments recently made on the combination

The subject of color sensitive photographic processes has received a great deal of attention during the past vear or two, but there has been, and is still, a great diversity of opinion in regard to the capabilities of the various color sensitizers. In illustration of this fact I will mention that Becquerel, who first tried chlorophyl, stated that with it he made plates from one-fifth to onetenth as sensitive to the red of the spectrum as to the blue or violet. Dr. Vogel estimated that eosin-stained plates were eight times more sensitive to the vellowgreen of the spectrum than to the blue. I myself stated that plates stained with myrtle-chlorophyl, according to my published method, required even less exposure the companies, in the hope that American inventive through a yellow glass than eosin plates. Captain Abney stated that, according to his experience, stained plates were always many times more sensitive to blue and violet than to any other color; and many persons have believed that the color sensitizers acted more by reducing the blue and violet sensitiveness than by

> For the purpose of proving the capabilities of chlorophyl and eosin, I have made four photographs of the lime light spectrum, one on a plain emulsion plate, one on a chlorophyl-stained plate, one on an eosin-stained plate, and one on a plate stained with both chlorophyl and eosin. The spectrum was projected by means of an optical lantern and a flint glass prism, with a slit measuring one-fiftieth of an inch. It will be understood that the different colors have not exactly the same relative intensity in this spectrum that they have in the solar spectrum, but the difference is insignificant. Short wires were placed so as to cast shadows on the sensitive plate, to aid in the comparison of results. Some of these wires, which I have marked, occupy the position of Fraunhofer lines in the solar spectrum. All plates were prepared with the same collodio-bromide emulsion, and received the same exposure and development.

> The plain emulsion plate shows very little action, except in the blue, violet, and ultra-violet; the maximum of sensitiveness is in the middle of the violet. (It should be noted here that with gelatino-bromide dry plates the maximum of sensitiveness is in the indigo blue, about G, and they are also relatively more sensitive to green and yellow.)

> The chlorophyl plate shows a very strong action all through the visible spectrum-strongest in the red, orange, and dark green; weaker in the blue and violet; and weakest in the yellow-green. In the red, below C, the plate shows about five times as much sensitiveness as in any part of the violet; in the orange red, twice as much; in the yellow-green, one-half as much; and in the dark green, one and a half times as much. The violet sensitiveness appears to be slightly reduced near H. This experiment proves that my chlorophyl plates are remarkably sensitive to all colors, as I have many times asserted that they were, and that they are twenty-five to fifty times more color sensitive than those which Becquerel employed in his experiments. They are probably 400 or 500 times more sensitive to red than unstained plates.

The eosin plate shows no action in the red and orange, very little in the yellow, a great deal in the yellow-green, and considerable in the dark green. The railway excursions will be made to a number of action of eosin is strongest exactly where the action of points of engineering interest in Colorado. These chlorophyl is weakest; it gives about the same degree of sensitiveness to yellow-green that chlorophyl gives will probably include Greeley and the extensive to red, but in a broader band. The violet sensitiveness irrigation works in its vicinity, Georgetown, Leadbe exactly the same as in an unstained plate.

The chlorophyl-eosin plate shows by far the most remarkable result of all. Neither sensitizer appears to have retarded the action of the other, but rather to have aided it, so that the weakest portion of this photograph below F is stronger than the strongest portion in the blue and violet! Nearly a year ago I recommended that chlorophyl and eosin be used together in practical isochromatic photography, and this experiment proves that the combination possesses the advantages which I claimed for it.

I have found that, in order to secure the best results with the chlorophyl-eosin process, fresh, strong, bluemyrtle chlorophyl solution must be used, and the amount of eosin must be strictly limited, otherwise, the plate will not be so sensitive to yellow and to bluegreen. I now prefer to apply the eosin by simply tinting it with water in which the plate is to be washed, after

over-exposed negative of a bright chrome card, which I made on one of these chlorophyl-eosin plates, with an exposure of one minute in the light of a coal oil lamp having a single small Argand burner and nickel reflector. No color screen was used, but, owing to the yellowness of the coal oil flame, all the colors have photographed correctly. An unstained plate, with same exposure and development, showed only the high lights of the picture very faintly.

### The Law as to Party Walls.

A party wall in law is the wall dividing lands of different proprietors, used in common for the support of structures on both sides. At common law an owner who erects a wall for his own buildings which is capable of being used by an adjoining proprietor, cannot compel such proprietor, when he shall build next to it, to pay for any portion of the cost of such wall. On the other hand, the adjoining proprietor has no right to make any use of such wall without consent of the owner, and the consequence may be the erection of two walls side by side, when one would answer all purposes. This convenience is often secured by an agreement to erect a wall for common use, one-half on each other's land, the parties to divide the expense; if only one is to build at the time, he gets a return from the other party of half what it costs him. Under such an agreement, each has an easement in the land of the other while the wall stands, and this accompanies the title in sales and descent. But if the wall is destroyed by decay or accident, the easement is gone, unless by a deed such contingency is provided for. Repairs to party walls are to be borne equally; but if one has occasion to strengthen or improve them for a more extensive building than was at first contemplated, he cannot compel the other to divide the expense with him. In some States there are statutes regulating the rights in party walls, and one may undoubtedly acquire rights by prescription on a wall built by another, which he has long been allowed to use for the support of his own structure.—Building.

## Mineral Ultramarine.

J. R. Jackson, F.R.S.-The preparation of ultramarine is as follows: The pieces of lazulite the most rich in color are picked out, they are washed, and then plunged into vinegar, and if the color does not change, the quality is esteemed good. The stones are then again repeatedly heated, and plunged each time into vinegar. By this means they are easily reduced to an impalpable powder. This is then well worked up into a paste with resin, white wax, and linseed oil, to which some add Burgundy pitch. The paste is then put into a linen bag and kneaded under water, which at first assumes a grayish color, resulting from the impurities that are first separated from the mass. This water is thrown away and replaced by fresh, and the kneading recommenced, when the water becomes of a fine blue. This is poured off and allowed to settle, the precipitate being ultramarine of the finest quality. The repetition of the process furnishes color of inferior quality in succession, and finally the residuum, being melted with oil and kneaded in water containing a little soda or potash, vields what is termed ultramarine ashes. The inalterability of ultramarine is a most valuable quality; but this very property is injurious to the effect of old paintings, for while the other colors have changed, this, preserving its original brilliancy, all harmony is destroyed, as may be observed in many old paintings and frescoes.

## Convention of Civil Engineers.

The Annual Convention of the American Society of Civil Engineers will be held at Denver, Colorado, on July 2, 3, and 5. Sessions for professional discussion, and one for the transaction of business, will occupy the three days. At the close of the Convention, several excursions have not yet been fully arranged, but ville. Gunnison, and Pueblo. It is proposed that they shall terminate at Colorado Springs, where the engineers will separate for their respective homes. A large attendance is anticipated, and in consequence very favorable transportation rates have been secured. Mr. Henry Flad, the President of the Society, will deliver the annual address during one of the sessions of the Convention.


DAVID VAN NOSTRAND, a well known New York publisher and importer of scientific books, died June 14, in the 75th year of his age. He was first employed in a city bookstore when 15 years old, and subsequently became acquainted with many military and scientific men, who gave him orders for books, relying upon his good judgment for their selection. He thus, as well as from the natural bent of his tastes, developed a business especially in the line of military and scientific books, his military publications during the war of

#### Generating Steam by Slag.

Mr. Brotherton, Superintendent of the American Smelter, at Leadville, Col., has patented a plan for generating steam for motive power at the smelters through the use of slag. By this method the slag is dumped into large shallow vessels, which are afterward run under boilers, and the heat used in generating steam. An experimental test of the method resulted in maintaining 75 pounds pressure on a vertical boiler for seven days. If the plan proves practical, it will result in a saving to the smelter of \$1,200 to \$1,500 a month.

## IMPROVED HAND TRUCK.

In eyes secured to the side edges of the platform, which is mounted on wheels in the usual way, are journaled rods extending beyond the lower end of the platform. The outer parts of the rods are bentat right angles to form arms, and the extremities are bent inward and pointed, to engage with the article to be carried, as shown in the left of the cut. The other ends of the rods are bent toward each other, forming arms, which serve as levers for turning the rods to move the lower arms toward each other. The upper and lower arms are bent in planes approximately at right angles with each other; when not to be used, the lower arms are folded one over the other upon the edge of the truck, which can then be used in the ordinary way. When a stove or similar article is to be handled, small attachments are slipped over the grip points, when the stove can be easily carried, whether it be on its legs or not, by one man, who




SMITH'S IMPROVED HAND TRUCK.

need not touch it with his hands. This feature makes the truck particularly valuable in handling such articles as spools of barbed wire.

This invention has been patented by Mr. Charles W. Smith, of Belmond, Iowa.

## IMPROVED TOOL GRINDER.

The accompanying engraving represents an improved machine for sharpening machinists' tools of all kinds. The corundum wheel, the grade of which varies to suit the kind of work to be done, runs in water, thereby avoiding all danger of drawing the temper from hardened tools. A wheel made of this material cuts faster than the ordinary grindstone, is more accurate, and much cleaner. This grinder occupies a space only 12 by 22 inches. No water flies from the wheel, as it is covered with a hood, except where the grinding is done.




THE LITTLE GIANT TOOL GRINDER.

The manufacturers of this grinder—the New York Supply Company (limited), of 50 and 52 John Street, New York city—have adopted a special corundum wheel, which, by reason of its porous nature, is constantly moist, and, in consequence, all danger of drawing the temper of the tools is obviated.

#### A NEW HAND TRUCK.

Mr. Brotherton, Superintendent of the American Smelter, at Leadville, Col., has patented a plan for generating steam for motive power at the smelters sacks, and other heavy articles into wagons. In the through the use of slag. By this method the slag is



CALDWELL'S NEW HAND TRUCK.

grooves, in which slide bars of a frame, to the lower part of which are attached plates that overlap the side bars of the main frame. A toe is formed at the lower end of the plates. To the centers of the cross bars of the sliding frame is secured a rack bar, the teeth of which mesh with a pinion on a shaft driven by gearing operated by a crank handle at the side of the main frame. By properly turning the handle, the frame and its load can be raised, a pawl and ratchet wheel preventing the gearing from turning back. To the legs of the frame is hinged the forked upper end of a long leg, upon which the truck is supported when raised into an inclined position, so that the crank can be conveniently operated to raise the frame and load. When the load has been raised to the required height, it is held in place by the pawl, and can be placed in the wagon by swinging the upper part of the truck forward upon the toe as a fulcrum. When not in use, the leg is held against the under side of the truck by a spring clamp.

This invention has been patented by Mr. John Caldwell, P. O. box 87, Wilmington, Del.

## Woolen as a Sanitary Measure,

A new philosophy of clothes is announced to the world under the title of Dr. Jaeger's Sanitary Woolen System, which seems already, after a trial of only four years, to have taken a strong hold upon many of the people of England and Germany, where the manufacture of the woolen fabrics and garments is conducted, subject to the scrupulous inspection of Dr. Jaeger himself, and conformably to his discoveries [and theories respecting it as a cure and preventive of disease.

His claims in its behalf are broad and sweeping, and apparently extravagant. Nevertheless, his doctrine is rapidly gaining converts in both countries. The London Times speaks of it as having been adopted by some of "our most eminent sanitary reformers, while in Germany it has not only revolutionized the trade of Stuttgart, where its founder practices, but the clothes are worn and highly appreciated by such men as Count Von Moltke, who may be expected to apply the principles in question to the German army."


Everybody knows that almost everybody is the victim of some kind of ailment or infirmity; but hardly anybody would have suspected, till Dr. Jaeger revealed the results of his investigations and discoveries, that many of the ills that flesh is heir to are the effects of the "material and form of the ordinary clothing of the present day." But this is precisely what Dr. Jaeger claims to have proved, while he professes to have found a very general, though by no means a universal, remedy. It lies in the renunciation "of all material of vegetable fiber (linen or cotton) or silk in clothing and edding," and the substitution "of clothing and bed ding of animal wool throughout, so constructed as to afford to the body the maximum of protection from chill and damp, with the minimum of impediment to the escape of the exhalations from the skin."

He rests his theory chiefly on the well known properties of wool, which make it a poor conductor of heat, while it is highly permeable and transmissive to the exhalations of the skin. The London Lancet calls this the "rallying point" of his system, and the Sanitary Record (London, Feb. 15, 1884), says: "The underclothing has been extensively worn since its introduction, and has received a general consensus of approval on its intrinsic merits."

Any one curious to see these novel articles of clothing, from a collar to an overcoat, from a shoe to a necktie, and from chemise to shawl, will soon have an opportunity afforded them at 827–829 Broadway, where a large exhibition and salesroom is soon to be opened by the "Dr. Jaeger Sanitary Woolen System Co."

#### MUFFLER FOR STEAM VALVES.

This muffler, the invention of Mr. Thomas E. Hill, of Rahway, N. J., is for deadening or preventing the unpleasant hissing sound of escaping steam from the valves of steam engines. The main casting is formed with an outer circular casing and with inner upwardly projecting concentric flanges, which form annular chambers and a central circular chamber, the bottom of which is formed by a valve fitted in an opening in the casting. This valve is held to its seat against the pressure of steam by a spring arranged in a box that may be lifted against the pressure of the spring by suitable levers. The pressure of the spring upon the valve can be adjusted by means of a bolt, the upper end of which screws into the center of the top plate, and the lower end of which bears against a plate resting on top of the spring. It will be seen that by turning this bolt, which passes loosely through the upper or neck portion of the box inclosing the spring, the latter can be made to exert more or less pressure upon the valve. Held within the casing is a deflector formed with two downwardly projecting concentric flanges, which enter the annular chambers formed in the casting. This construction compels the steam escaping from the valve to take a circuitous course through the chambers, in which it is diffused and its pressure reduced; it finally issues in




HILL'S MUFFLER FOR STEAM VALVES.

many small jets from the numerous holes formed in the top plate.

## FEEDING STAND FOR POULTRY.

The side, end, and center frames of the feeding stand are provided with rods in their panels, which are separated sufficiently from each other to allow the fowls to gain access to the feed. One-half of the roof is fixed, while the boards forming the other are hinged and provided with arms for limiting their motion when opened. In one compartment of the stand is a hopper, having openings in the bottom, which can be closed by a valve operated by a hand lever, pivoted to the frame as shown, or opened to allow the feed to escape. Below the hopper is placed a bar so shaped as to divide the grain entering from the hopper into the feed trough. In the other compartment is placed a metallic water trough, between which and the end of the compartment is formed a receptacle for soft feed. The grain from the hopper flows into the compartment, and is spread evenly on all sides by the bar; the flow of the grain is checked by the partial filling of the feed trough. As the grain is consumed, its place is supplied



McDONALD'S FEEDING STAND FOR POULTRY.

by fresh grain from the hopper, and in this manner a continuous supply is maintained in the trough, and the fowls are prevented from scattering or wasting the

This invention has been patented by Mr. Samuel McDonald, of Cochran's Mills, Pa.

## NEW POWER PUNCHING PRESSES.

The press illustrated herewith represents one of a series of improved punching presses which have just been put on the market by the Ferracute Machine Co. of Bridgeton, N. J. These presses are especially adapted for cutting, punching, and forming heavy metals in the manufacture of such articles as nuts and washers, hardware, drop forgings, etc. The frame is cast in the form of a square tubular column, with massive internal ribs, and widening out into a well extended base. The general design is such as to give the most strength and to permit of the most convenient handling of the dies and material. The heavy forged steel crank shaft extends from the front to the back, and is arranged with a special view to making it easy to attach cams for working automatic devices. The front end of the crank pin is arranged with a view to the same purpose The wide slide bar is of dovetail section, extends up to the shaft, and, having great length of bearing, gives firmness and accuracy in the working of dies. The gib for the slide bar is clamped fast to a flat face, so that itcannot work loose, and is provided with a new eccentric adjustment for taking up wear, instead of the usual set

A simple and durable automatic clutch is so arranged that the shaft cannot make more than one revolution by one action of the treadle. It consists of a sliding wedge, which causes a pin to enter one of the holes in the steel part of the fly wheel hub. The fly wheel of course runs loose on the shaft, when out of action. There being four holes (or more in the geared presses) on the wheel, the operator never has to wait more than one-fourth of a revolution for the press to start, and the time thus saved is considerable in fastrunning presses. This clutch is provided also with a "safety pin" to lock it, allowing the shaft to be revolved to any position, and the dies adjusted, while the fly wheel is in motion, thus dispensing with the need of a countershaft. The sliding wedge of the clutch is so arranged that it can be made to stop the shaft at the exact point required, without the use of a friction

By means of a treadle lock, operated in either direction with the foot, the treadle can be fastened down for continuous running. The die clamps consist of hook-headed steel bolts, sliding in long true holes, which firmly hold the dies without the need of removing nuts, etc. A new spring fly wheel obviates the great difficulty heretofore experienced with automatic clutches, especially in large heavy presses, due to the inertia of the shaft, pitman, and other parts, which contact with the stop when the slide bar reaches the top of the stroke, but which have to be instantaneously thrown into comes heated, and gear when the clutch is tripped. Without this device, the result has been, at each starting of the press, a heavy blow, equal in many cases to that of a

sledge upon an anvil. This blow not only makes a very unpleasant noise and jar, but rapidly deteriorates the various parts of the wheel, shaft, and clutch which receive the impact. The new spring wheel is furnished with a yielding disk, which starts the shaft gradually, making the press run more easily and quietly, and giving it capacity for a much higher speed, without incurring the evils due to a violent percussion of the parts, and the consequent noise.

The shelf shown in cut may be bolted to either side of the press, and the pan can be slid into the opening in the front of the base, to catch the punchings or such articles as drop through the dies.

It may also be reversed, and used as an inclined chute to catch work and slide it over to the left of the press. The smallest press in this series will cut an inch round hole in one-eighth inch iron, while the largest will cut the same size hole in one inch iron. They are so arranged that gearing can be added to adapt them to work requiring slow motion and great power. The weight of the press illustrated is 3,000 pounds, and the height from floor to top of fly wheel is 75 inches. It will easily punch a one inch hole through half inch iron.


## The Wax Process for Engraving.

By means of the new and ingenious little instrument known as the hyalolyphotype, or hot pen, drawings can be made on glass or glassy substances with a waxy composition, which is solid and somewhat hard at ordinary temperatures. The pen is so contrived that it can be heated by either gas or an electric current, and the waxy material flows easily from the heated pen, setting so quickly on the glass that cross hatching can be done more rapidly than with ordinary pen and ink, without risk of blocking up the angles; corrections, too, can be made with the greatest ease by means of a penknife, which leaves the surface afterward intact. After the drawing has been made, the plate is etched by fluoric acid, and

typed, used direct, or applied to any purpose for which C. K. McGehee, of Liberty, Miss. engraved surfaces are required.

## BOILER FEEDER.


The steam cylinder is secured in the middle of the base plate, and has the usual slide valve and piston. the latter being provided on each side with a hollow plunger which projects beyond the cylinder and is pro vided at its outer end with a cap. Near each cap is an adjustable ring, having a downwardly projecting forked lug sliding on a raised guide secured to the base. Into



McGEHEE'S BOILER FEEDER.

each of the hollow plungers projects a cylinder, held at one end in the end plate, in which it communicates with the inlet and outlet valve, as shown in the sectional view. The inlet valves at each end lead to a channel in the base, in the center of which the inlet pipe is held: and the outlet valves lead to a similar channel in the opposite side of the base, communicating with the discharge pipe, which is provided with an air chamber and check valve. The slide valve is so arranged as to be operated at each stroke by one of the rings secured to the ends of the plunger.

The piston moves forward and backward, and imparts a reciprocating motion to the plungers, which slide over the stationary cylinders. This action draws water into the cylinders through the inlet valves and their channel, and discharges it on the return stroke through the outlet valves and their channel into the boiler. The machine being double acting, a constant



NEW POWER PUNCHING PRESS.

A.H.MARKLEY PHILA.

when complete it can be either electrotyped, stereo- through it. This invention has been patented by Mr.

### Steel Wire Gun.

The Times states that the new experimental 9.2 in. vire gun has just been tried at the Government proof butts, Woolwich Arsenal, with satisfactory results. The War Department have issued orders for the construction of several more guns of the same description. The Government pressure test for the gun was 65 tons to the square inch. The new weapon weighs 25 tons, and is 33 ft. long. The steel wire is coiled round the inner tube at the breech and nearly up to the trunnions, and consists of 78 layers. The wire is made in lengths of 2,400 yards, and weighs 20 lb. to the yard. It is flat, and put on by a specially designed machine at a pressure of about 40 tons to the square inch. The lengths are joined together by being brazed and riveted over a considerable length. After the wire has been put on, a steel jacket is shrunk on over it.

## Fireproofing and Preserving Compound.

BY NOTZ & KONRAD.

A solution is made of 10 kil. sulphate of ammonia, 1 kil. carbonate of ammonia, ½ kil. borax, 100 grm. bichloride of mercury in 30 lit. of water.

To which solution the extract of 2 kil. peppermint is added, which is obtained by hot maceration of the herb in 6 lit. water; then 150 grm. phenic acid are added, and lastly 6 kil. tungstate of soda diluted with 94 lit. water, in order to prevent the formation of crystals of the various salts and to maintain the fluidity of the chloride of lime which is formed. The whole is vigorously stirred, and heated to 70° C. At the same time, the communication is opened with a retort in which 1 kil. Peruvian balsam and 300 grm. camphor are distilled off in 2 kil. ether, and the distillate stirred in with the above mass. The tissues impregnated with the composition are rendered incombustible, imputrescible, and are never attacked by insects, worms, etc.-Mon. d. l. Teint.

## Transporting Natural Gas,

Colonel Thomas P. Roberts, of Pittsburg, Pa., obtained a patent for a process of transporting natural

> gas long distances, which he is confident overcomes all the difficulties resulting from friction and consequent loss of pressure. He proposes, instead of forcing the gas, to draw it at low pressure through large conduits by means of exhaust fans at distances varying from ten to forty miles, according to the character of the ground to be traversed. These fans, which would be boxed into the conduit, would be about sixteen feet in diameter, and would be driven by engines of about twenty horse power. They would only revolve at the rate of from thirty to fifty times a minute—a slow rate as compared with the 2,000 revolutions a minute made by blast engine fans. The pipes would be made of sheet iron, about five feet in dia-

> The patent provides for an alternative method. This is to lay a second pipe under the other one when ascending a hill. This pipe is to be perforated with burners, the heat from which will rarefy the gas. At the top of the hill a tank of water will be placed, from which a pipe would be laid over the gas pipe on the descent of the hill. This pipe also will be perforated to discharge a spray over the gas pipe, thus causing a condensation of the gas. This system will cause the main to act as a siphon, and will maintain an even flow over the hill.

> The main feature of this process is that the gas is allowed to flow at about or a little below nominal pressure, and that thus the friction of the gas is reduced to almost nothing. The velocity of the gas would under this system, Colonel Roberts estimates, be not quite ten miles an hour, and the force required would be a small fraction of an ounce per square inch. The only leakage to be provided for would be the air trying to get into the pipe, and paint, Colonel Roberts says, would be ample to prevent this. The estimated cost of this method of transportation, including fans, pipes, right of way, etc., would be about \$3, and it would supply three million cubic feet of gas per hour.—The Coal Trade Journal.

> THE greatest length of Lake Michigan is 300 miles; its greatest breadth, 108 miles; mean depth, 690 feet; elevation, 506 feet; area, 23,000 square miles.

## DUCKER'S PORTABLE BARRACK AND FIELD HOSPITAL.

(Continued from first page.)

bullets of the enemy. There is, therefore, every inducement to reduce this unnecessary fatality by providing proper shelter and treatment for both the wounded and the strong. With the charitable purpose of lessening these dangers, an exhibition was held at Antwerp on the 1st of September, 1885, under the auspices of the Society of the Red Cross, and the inventors of the world were invited to contribute the products of their ingenuity. The object of the exhibition was to develop the best possible design for a either in war or in time of peace. The requirements of the proposed structure were as follows:

"The barrack should be capable of being easily converted into a hospital, and vice versa; it should be so constructed that it could be set up and taken down with ease, transported without difficulty, and, as far as possible, interchangeable in all its respective parts, and should be able to resist the varying temperatures and withstand the violence of the wind: it should be waterproof, and so simple in its construction that no skilled workmen would be necessary in its manipulation."

A circular containing these requirements having come into the possession of Mr. Wm. M. Ducker, of Brooklyn, he addressed himself to the solution of the problem, and in a short time produced a structure in accordance with the specifications of the society. He forwarded a full sized model to Antwerp, where it was placed on exhibition, in competition with seventy-six other designs from all parts of the world. Mr. Ducker's model attracted much attention, and was very favorably commented upon by the medical and military gentlemen acting as judges. It is a representative American invention, for it combines in an eminent degree lightness and portability with strength and convenience. In recognition of his valuable services in the interests of humanity, Mr. Ducker received a silver medal, contributed by the Empress of Germany, and has also been honored by a message from the Emperor congratulating him upon the excellence of his design. He is now in correspondence with several European governments, with reference to the adoption of his baraque" in their respective countries.

The merits of Mr. Ducker's design lie in the care with which all the details have been worked out, for, apparently, no condition has remained unsatisfied.

We show in our illustration an exterior view of the baraque, as set up for use, its appearance when loaded on a truck ready for transportation, the medal awarded by the Empress, the interior of the baraque when used as a hospital, the manner of erecting the structure, and the details of its construction. The main building is 34 ft. long and 17 ft. wide. The height is 10 ft. 3 in. at the ridge pole, and 6 ft. 6 in. at sides. It is built in sections, for convenience in transportation, and can be put up without the use of nails or screws. Two men can erect the baraque without the least difficulty, and in little more than an hour's time, as all the parts lock into each other and are perfectly interchangeable. Each side consists of six double sections. These are made of strong, light frameworks of wood, hinged together, and covered on the outside with leather board or other light, waterproof material.

To each double section there are attached, as shown, a bed, table, and chair, while in the panel over the table there are a glass window sash, opening inwardly, and a slatted shutter opening outwardly. During transportation the hinged section is shut together, in closing these several articles and protecting them from damage. The end of the baraque is also made in sections. The ridge pole is divisible into two or three parts, and is provided with suitable slots, into which the rafters are keyed. When the structure is set up, a standard army duck roof extends over all. The floor is made in similar sections, which key into the sides and into a central longitudinal shaft. The floor being 8 inches above the ground, all dampness is avoided. The central shaft is provided with three registers, and may be used either for hot or cold air, or for disinfectants. Ordinary inequalities in the ground are provided After a few minutes' burning the wire will frequently for by adjustable feet attached to the side sections and | begin to show a red heat in its upper coil. But before is a small annex at each end, to be used for heating and other purposes.

Each baraque, it will be seen, thus gives sleeping accommodation for twelve men. Every provision has been made for the comfort of the invalid. A rope suspended from the rafter over the bed permits him to raise himself; a chair back is provided when he wishes to sit up; a small slate is tacked over the bed to receive any memoranda the physician or nurse may want to make. In short, the baraque is remarkably complete. And yet, when ready for transportation, it weighs, with all its furnishings, only about 2,500 pounds, and has the great advantage of being all in large pieces. There is absolutely nothing to get lost, for everything is fastened securely in place. It is also probable that the baraque will be utilized to some extent by the health authorities of several American cities, in order to provide comfortable temporary hospitals in case of epidemics. It

ber of purposes, where shelter of a temporary or semipermanent character is required. The inventor is to be congratulated for the distinction he has won in the face of European competition and for the material aid he has rendered to those whose mission it is to save life.

## THE SPHEROIDAL STATE OF WATER.

T. O'CONOR SLOANE, PH.D.

Water, when not in contact with anything, or when the force of adhesion is not called into action, generally may be said to assume the spheroidal state. This means that it gathers itself together into a mass approximatbarrack or field hospital, which might be utilized ing more or less closely to the shape of a sphere. In the experiments with lycopodium, illustrated in our last issue, an instance of this was shown where solid globules of water rolled about freely upon a surface strewn with the substance in question, and preserved a shape approximating to that of a sphere. These globules were in the spheroidal state, strictly speaking, but not so in the usual application of the term. It is commonly restricted to those cases in which a high temperature in the immediate vicinity of a mass of water is the proximate cause of its assuming this

> Every one has noticed that when drops of water fall on a hot range they do not spread out and evaporate, but, instead, form little balls and roll about on the hot metal until they disappear or roll off. The hotter the range, the more perfect is this effect. The experiment illustrated in the cut is the development of this phe

> A cup of bright metal, preferably of considerable thickness, is to be provided. This is most readily made



THE SPHEROIDAL STATE OF WATER.

out of a silver coin, a quarter or half dollar or a silver or trade dollar. The coin is placed over a hole, bored through a solid piece of wood, the hole being of nearly its own diameter. A piece of hard wood, cylindrical, with rounded end, is held with its rounded end upon the coin and driven down by several hard blows with a hammer. This hollows or cups the coin. If a silver dollar is used, it should be hammered until a cup nearly a quarter of an inch deep is formed. A quarter dollar will answer if an eighth of an inch in depth.

A support has now to be provided, and this is readily made out of wire. In the cut a helix of somewhat heavy wire acts as standard. For heat, an alcohol lamp may be used, and it is for such that the spiral support is especially adapted. But there is no necessity for an alcohol flame. A common gas flame will do perfectly. In this case the cup can be held in a cleft piece of wood, which will last some time before it is completely destroyed by the heat. The arrangement shown is very neat. The spiral is made of such size as to fit snugly around the neck of the lamp, and is open enough not to seriously interfere with the flame.

When all has been thus arranged, the lamp is lighted. this occurs the cup may be considered ready. A little water must be poured into it, a teaspoon being a convenient implement for this purpose. Instead of at once beginning to boil, as might have been expected, the fluid collects into an oblate spheroid, and, rolling about from side to side, lies upon the hot surface without a sign of boiling. As long as the lamp is lighted this continues, except that the globule grows smaller and smaller, and after a considerable interval disap-

However familiar with the phenomenon, it is difficult to avoid the impression that the lamp is at fault, and that the coin is not hot enough to evaporate the water faster. But this is corrected by observing the anomalous form that the water assumes, and by the second phase of the experiment, that shows itself when hot, and a large globule of water introduced, and the furnishes, indeed, pleasant accommodation for a num-| seen. The globule rolls about restlessly from side to | iron.

side as before, until the heat falls sufficiently, when it suddenly loses its shape or collapses, fills the cup, and bursts into violent ebullition. If all is rightly proportioned, it will boil away completely, leaving the cup dry. In other words, the cup will not boil water until it becomes cool.

The explanation is not so simple as it was formerly considered. It was in the older textbooks asserted that the water rested on a cushion of steam, and so did not come in contact with the metal. This is measurably true, but the present theory is a modification of this, and asserts that it rests on a "Crookes' layer" of steam—a layer whose molecules beat back and forth from metal to water, and so prevent them from touching each other. It is known that they do not touch, as light can be seen under the globule when a flat plate is used in place of a cup. But if a mere steam cushion were the separating agent, it would not be clear why it is not squeezed out, requiring more and more steam to replace it, so as to exact a most rapid evaporation of the drop, instead of the slow one that actually takes place. The Crookes' layer, with the disposition of the component molecules to vibrate or oscillate in straight lines, does away with much of the difficulty.

The peculiar condition of water has often been invoked to explain boiler explosions. The assumption was, that in such cases the water by excessive heat was kept from contact with some of the plates until the heat fell enough for contact to be established, when the rapid evolution of more steam was supposed to effect the explosion. If, however, the relative weight of a boiler and the water contained are considered, as well as the high specific heat of water and the low specific heat of iron, the explanation will appear a very poor one.

Many other substances can be brought into this state, water being by no means the only one. Even solids rapidly subliming may form and rest upon a similar protective Crookes' layer. Thus solidified, carbonic acid gas may be held in the hand or in the mouth without injury, because there is no contact. If by pressure such contact is established, a severe 'burn" is produced by the intense cold. The solid is continually evolving carbonic acid gas, that maintains a Crookes' layer and prevents it from touching the

By use of a powerful lamp and larger cup, considerable amounts of water may be thus treated, and the experiment performed with increased effect. In such cases, a very peculiar phase is the increasing violence of the final ebullition. If the cup is of heavy metal, the boiling that begins slowly grows more and more violent, until the water is exhausted, or nearly so, producing a regularly increasing or crescendo sound. The general proportions given by the coin cup described may be followed in making larger ones, and copper may be used instead of silver, with good results.

## Notice to Subscribers.

This issue closes another volume of the Scientific AMERICAN and SCIENTIFIC AMERICAN SUPPLEMENT, and with it a number of semi-annual subscriptions expire.

The publishers have no apprehension but that every one whose name is on the subscription list will continue the paper, and the object of this notice is to suggest to present subscribers if they cannot induce some of their acquaintances to also become subscribers to one or both editions of the paper. They will be assured a greater income from the weekly perusal of the paper than they could possibly gain by so small an investment in any other way; and a word to that effect from a subscriber would have a beneficial effect upon a friend who is less familiar with the nature of the paper, and consequently hesitates about sending his name to be enrolled upon our subscription list.

No public library or reading room is complete without both the Scientific American and Scientific AMERICAN SUPPLEMENT, and the patrons of any of these institutions that do not have the papers on their files should insist upon the managers or librarians procuring them.

RATES FOR THE SCIENTIFIC AMERICAN PUBLICATIONS. SCIENTIFIC AMERICAN SUPPLEMENT ...... 1 Scientific American and Supplement...... 1
(Proportionate rates for half year.)

The safest way to remit is by check, postal order, express order, or registered letter, made payable to the order of Munn & Co., and address all letters to 361 Broadway, New York.

## For a Rust Joint.

For making a rust joint that will bear heat, cold, and rough usage, the following formula has been highly recommended: Ten parts iron filings, three parts chloride of lime, and enough water to make into paste. the lamp is extinguished. The cup is to be made quite Put the mixture in between the pieces to be joined and bolt them together, leaving until dry. After twelve lamp extinguished. For some time nothing new is hours the cement has been known to break off the solid

## Sorrespondence.

#### Machine for Sawing Rails,

To the Editor of the Scientific American:

I notice in a recent number of the Railway Register an article on the rail mill at Greenbush, N. Y. We have had one at Grand Island since 1879, also run by an eighty horse power engine at the rate of 3,000 revolutions per minute.

The saw is forty in. in diameter, five-sixteenths inch thick, made of Bessemer steel, with a smooth edge.

Two one-half inch pipes keep a constant current of water on it, notwithstanding which the rail for oneeighth inch in front of the edge is made red hot by

The saw was made for iron rails, which it cuts in from twenty to forty-five seconds. It has been tried Mirrors, to give distance, abound in every suitable on steel rails, though it did not work. It is believed by the present general foreman, B. C. Howard, that the reason is that the feed is too fast, and he intends to demonstrate by a series of experiments whether or not steel rails can be cut by it. A CONSTANT READER. Grand Island, June 10, 1886.

### How to Clean a Farm Horse.

One of the most important things to be observed in the management of farm horses is their cleaning, and yet it may be safely stated that nothing is more ne glected by the majority of farmers. The horse should never be cleaned or harnessed while it is eating breakfast. Let horses eat their food in peace, for many, from sanguine temperament or greed, bolt their oats when handled during the time of feeding. Harness can be quickly enough put on after the feed is eaten, and time should then be taken to comb the mane and tail and use a wisp of straw on the body and legs. When the horses come in at dinner time, they should at once be unharnessed. The feed is then to be given, and before the harness is again put on, the horse should be thoroughly rubbed down with a wisp of straw or hay. If the horses are very warm on coming in, they should be rubbed down immediately after the removal of the harnes

The chaning or grooming, which should be done at night, chasists first in currying the horse with the currycomb to free him of the dirt adhering to the hair, and which, being now dry, is easily removed. A wisping of straw removes the roughest of the dirt loosened by the currycomb. The legs ought to be thoroughly wisped, not only to make them clean, but to dry up any moisture that may have been left in the evening; and at this time the feet should be picked clean by the foot picker-i. e., an iron instrument made for the purpose—of any dirt adhering between the shoe and the foot. The brush is then to be used to remove the remaining and finer portions of dust from the hair, which is cleared from the brush by a few rasps along the currycomb. This wisping and brushing, if done with some force and dexterity, with a combing of the tail and mane, should render the horse pretty clean, but there are more ways of grooming a horse than one, as may be witnessed by the careless and skimming way in which many hired hands do it. The skin of the farm the trustees of the Lick Observatory invited me to horse should at all times be clean if not sleek, and a slap of the hand upon the horse will show if there is of the great 36 in. refractor which Mr. Alvan Clark loose dust in the hair. The currycomb should not be is at present making for them. They mentioned at used below the knees, as it is apt to cause injury. For cleaning the legs and feet, nothing is better than the to three other optical firms. In the working out of water brush; and when fitting a horse for the showyard, it may also be used on the body with water, or even a little kerosene, but the latter is not required for the instrument and of the dome under the control of lows: common cleanliness, but merely to impart a temporary

How many farmers can say that their horses are cleaned as thoroughly as we have advised in the above a How much longer would horses live, work, and remain healthy if the above suggestions were put into practice? These are questions which it will be well to consider and answer at leisure.—Farmer's Review.

## Treatment of Acute Rheumatism.

a communication from Dr. L. Grinevitski, of Rostoffon-the-Don, who writes that for more than twenty years he has treated acute articular rheumatism with nitrate of potash, two drachms being given daily in raspberry sirup, and a dose administered every two hours. Together with this internal medication he prescribes an ointment for use morning and evening of the following composition: Olei hyosc., 1 oz.; ung. or close the valves, as hydrarg. cinerei, 2 dr.; ext. acon., 1 dr. He has tried stopped by electricity. all ordinary remedies, and finds that on the whole this plan of treatment is more satisfactory than any other, being especially valuable in those cases where salicylates fail to give relief. Generally the disease is brought to an end in from one to two weeks, according to its severity and the time the treatment was commenced. When commenced at the onset of the attack, and before more than one joint was affected, the others were usually spared altogether.—Lancet.

### A Photographic Bailway Car.

Mr. F. J. Haynes gives the following account of his new car in a recent number of the Photographic Times:

This car is built after the latest pattern of Pullman cars, 66 feet long, 12 wheels, air brake, air signal, and all the other improvements. The observation end consists of two large plate glass windows, and glass door running nearly to the floor. This room is used as a reception room. It is 8 ft. 6 in. by 16 ft., carpeted and furnished as a parlor, the panels between the windows being used for the display of specimens. Electric bells connect this room with the culinary department and dark room, and by a series of calls the assistant operator knows when making a sitting all about the plate, size, etc. A stationary desk occupies one corner, while a wardrobe with similar exterior finish fills the other.

The toilet rooms and a section consisting of a double upper and lower berth occupy the next eight feet of the car. Of course, all are familiar with sleeping cars, and know that when the berth is "made up" there is nothing to indicate its use. The seats make a convenient place for friends to occupy. The operating room is 24 ft. long, and with short-focus instruments we have sufficient distance for standing figures on a cabinet.

Owing to the uncertainty of always having the car in the same position, I had the light the same on both sides of the car. The top light is covered with iron shutters to protect it from flying missiles, and when in use does not open up but half. If the car is standing on a north and south track, we are compelled to change the light in the middle of the day, but it is easily controlled. The top light is of ground plate glass; the sides clear. Curtains on spring rollers are at the command of the operator. We have four Seavey grounds and Scovill Manufacturing Co.'s cameras. When the car is in motion, the backgrounds and camera stands are fastened securely to the floor.

In the rear end of the car is the kitchen and porter's room, dark room, runway, and all the necessary sinks, cupboards, etc. The range and heater are in the kitchen, and a six barrel water tank is fastened near the ceiling in this room, which is filled from the outside. As we simply make negatives and proofs in the car, the printing and finishing department is dispensed

We finish all work at headquarters in Fargo, mailing the finished pictures to customers. We bill a town the same as any traveling show, and advertise for a certain number of days. The novelty of the thing attracts everybody, and, of course, "artistic photography" is in demand the world over.

The cost of the car was \$13,000, with about \$2,000 in furniture and accessories, etc. Aside from portraits, I do a large amount of landscape work, chiefly for the Northern Pacific Railroad Company, with a 20 × 24 camera.

#### Design for the Great Telescope Mounting and Dome of the Lick Observatory.

At a recent meeting of the Royal Astronomical Society, London, Mr. Grubb said: About three months ago make a design for the equatorial mounting and dome the same time that a similar invitation had been sent that design, I found it desirable to make a model. I have endeavored to bring all the required motions of the observer with as little physical exertion as possible. The object glass will be 36 in. in diameter, and the length of the telescope tube 57 ft.; the dome will be 70 ft. in internal diameter, and 80 ft. external diameter. To carry out my idea, it will be necessary that small water engines should be arranged in connection with the telescope and with the dome. The observer, on entering the building, will pick up a small instrument attached to a rope of insulated wires. It is made to fold like a book, so that it can be put in the observer's pocket. It contains keys, by touching which he will The last number of the Russkaya Meditsina contains | be able to control the motions of the instrument and of the dome without moving from his chair. It is not desirable to give electricity too much to do in an observatory, and I do not propose that it should be used for opening and shutting the valves of the engines directly; that will be done by a mechanism which will be wound up every day by an assistant, and consists of a barrel and four weights. This apparatus will open or close the valves, and it will be set in motion or

> In the model which I have here, the engines are represented by a piece of clockwork, and the clockwork is controlled by little electro-magnets. The observer, on entering the observatory, would take up the little keyboard, which would be hanging near the door, and by a pressure upon the first key would light up the observatory with electric lights. He would then press same time open the shutter, which can, by a contriv-11885, was about \$25,000.

ance under the control of the observer, be anchored to the wall of the observatory, so that when the dome is moved the shutter is pulled open. A third key will move the te' cope in R. A., and a fourth will move it in declination. Lastly, we have to get the observer into position to observe. Instead of making him climb into an observing chair, which would require to be 25 ft. high, and would be very heavy to move, there is a key which causes the whole floor to move up or down. so that the observer can be brought up to within a few feet of the level of the eyepiece, and can comfortably sit on a low chair without fear of falling or accident. I am sure that an observer cannot do his best work if he is perched up at a great height above the floor, or if he has to employ any exertion in moving his seat or the instrument. The machinery which would raise the floor of the Lick Observatory would be strong enough to allow a ton and a half of observers to be carried up with it. Such a force might do some damage if the wrong key were touched, and the floor went up while the observer had his eye at the eyepiece. I have, therefore, thought it well to provide against such an accident by hanging a weight near to the eye end of the telescope, which, when it touches the ground, would instantly cut off the water supply, and nothing could happen after that.

The President: It makes one feel quite envious to think of the luxuries to be provided for the astronomer of the future. The most charming part of the contrivance to me is the movement of the floor. The life of an astronomer with a key in his hand, which he only has to touch to make all these movements, seems almost ideal—something that one might dream of, but could not hope to realize.

Mr. Common: I had the pleasure of seeing this model at the Royal Institution, and I rather hoped that it was the actual model of what they were going to have at Mount Hamilton; but I fear that it is not so. I had a letter from Prof. Holden the other day, in which he says: "The glass for this lens is now finished, and we hope that during the early part of 1887 we may see the object glass finished and perhaps delivered in California. Our large dome will undoubtedly be finished during the current year, and we look forward to commencing serious work during the year 1887." I saw in last month's Century Magazine that there is a proposal to make what they call a seven-eighths dome. That is a spherical building, or seven-eighths of a sphere, erected round the instrument. The upper hemisphere would correspond to the ordinary observatory dome with its shutters, and the lower three-eighths of the sphere would be furnished on the inside with tiers of steps, so that the observer could always get up to the eye end of the telescope. Everything which contributes to the comfort of the observer and the dispatch of business is of the utmost importance. It doubles the value of the observatory.

## The Deepest Boring.

The deepest bore hole in the world is at Schladebach, near Kotschau Station, on the railway between Corbetha and Leipzig, and has been undertaken by the Prussian Government in search for coal. The apparatus used is a diamond drill, down the hollow shaft of which water is forced, rising again to the surface outside the shaft of the drill and inside the tube in which the drill works. By this method cores of about 50 feet in length have been obtained. The average length bored in twenty-four hours is from 20 to 33 feet, but under favorable circumstances as much as 180 feet has been bored in that time. Other deep holes are as fol-

Domnitz, near Wettin	3,287	feet.
Probat-Jesar. Mecklenburg		
Sperenberg, near Zossen	4,173	"
Unseburg, near Stassfurt	4,242	"
Lieth-Elmshorn, Holsteiu	4,390	"
Sahladahaah	4 515	66

The dimensions of the bore hole at Schladebach are

epths from surface.	Each size bore, Feet.	Diameter, Inches.
189 0	<del>109*6</del>	<del>11 0</del>
605.7	416·1	9:0
661.8	56.1	7:3
1,906.5	1,244.7	4.7
2,259.8	353.3	3.6
3,543.4	1,283.6	2.8
4,069.9	526.5	1.97
4,514 <sup>.</sup> 6	444·7	1.88

The various strata passed through are as follows:

Soil and sand, about	16	feet.
Clay	66	"
Sandstone (Bunter)		"
Anhydrite	59	"
Brine spring		
Magnesian limestone (Zechstein)	144	"
Gypsum	36	"
Anhydrite	295	"
Marl-slate (Kupfersheifer)	3	• •
Sandstone (Rothliegendes)	3,435	66

The bore hole, which in January, 1885, had reached a depth of 4,560 feet, was commenced in June, 1880, but left after a year's work, recommenced at the end of another key, which would move the dome, and at the 1882, and is still progressing. The cost up to January,

#### WOOD WOOL.

For some time past there has been found in the market a very interesting product consisting of extremely thin and slender shavings of wood, that are comparable to paper cut for packing, and that go by the name of "wood wool." This product was first introduced into France as a packing material. It weighs about any intelligent man can operate it.—La Nature. forty or fifty per cent less than the materials generally used for such a purpose. Its beautiful appearance, its fineness, and its extreme cleanness at once brought it

into favor with shippers. It was afterward found that the material was well adapted for the manufacture of mattresses, for bedding for cattle, for the filtration of liquids, and for stuffing horse collars, etc., the most suitable species of wood being selected for each of these purposes. Its elasticity causes it to be considered as the best material for bedding, after horse hair; and it is even preferable to any other substance when it is derived from resinous wood, since it does not then absorb moisture.

In workshops, wood wool is tending to replace cotton waste for cleaning machines, and it has likewise found an application on the rolling stock of railways for lubricating car axles. While it has the same property that cotton waste has of absorbing oil, it costs ten times less than that material.

All these advantages explain why the use of it, which is so extensive in America, is rapidly becoming general in

France.

The accompanying engraving represents a new machine for the manufacture of this interesting product. It consists of a cast iron frame resting upon three supports of the same material, and carrying a driving shaft, which is actuated by two pulleys, fast and loose. To this shaft there is fitted a fly-wheel, one of the spokes of which is provided with a pin that receives one of the extremities of a connecting rod, while the of the glory of the victory. other extremity of the same is connected with the knife carrier. This latter, which also rests upon the years in the manufacture of gunpowder for heavy ordiron frame, slides in iron guides, and carries a set of peculiar knives arranged in such a way that the wood is cut in both the backward and forward motions of the knife carrier.


The wood is held upright on the machine by a lever

with a counterpoise, and on the sides by a stop at one side and a movable jaw at the other, that permits of introducing blocks of a few fractions of an inch in length. The wood is shoved forward under the knives by means of a click, that causes it to advance the requisite distance at every revolution of the flywheel.

The wood used by preference in this machine is Riga fir. The blocks of wood must, at a maximum, be 0.465 millimeter in length, 0.4 millimeter in width, and 0.32 millimeter in thickness, and consequently the most economical and practical thing to do is to purchase commercial fir planks (which are 0.32 millimeter in width and 0.08 in thickness) and cut them to the desired length of 0.465 milli-

It takes a power of about four horses to actuate this machine. The production may reach 1,500 or 1,700 pounds of "wool" per day of ten hours. It is unnecessary to have a special workman to run the machine;

## PRISMATIC GUNPOWDER.



WOOL. MACHINE FOR MAKING WOOD

Austria and Germany, and is beginning to extend in | Commons during the debate on the navy estimates, | or removed should the pressure require to be varied. when the Parliamentary Secretary stated that the Nile and Trafalgar would probably be the last heavily armored ships of their class, it would appear that the long contest between guns and armor has resulted in a victory for the aggressive force. To what extent this is due to the weapons themselves, and how far to the powder and projectiles used, it would be hard to determine, but certainly the explosive deserves a large share

> The advances made within the last two or three nance have been very great, and these advances have been due in a great measure to the development of more perfect mechanical devices for the necessary pro-

The hydraulic plant for making prisms necessi-

to operate upon four superposed pieces of wood at tates a considerable outlay, which private manufacturers in England were reluctant to incur, until the form of powder likely to be required was definitely settled by the Government authorities. In the mean time the resources of the Royal Gunpowder Factory at Waltham Abbey were insufficient to meet the demands of the War Department for prismatic "cocoa" powder, and private manufacturers in England not having the necessary appliances for its manufacture, large con-From the statements recently made in the House of tracts were entered into with German manufacturers.

In the mean time, one of our leading firms engaged in gun. powder manufacture been experimenting with a new form of prismatic powder, and having brought their researches to a satisfactory conclusion, decided to erect a thoroughly efficient plant of the most approved description, in order to manufacture what is now officially known as "Brown X prismatic gunpowder."

The result is the hydraulic press which we illustrate, and which Messrs Taylor & Challen have recently completed, to the order of Messrs. Curtis & Harvey. This eminent firm of gunpowder manufacturers have works at Hounslow, Bedfont, and Tunbridge, and also in Scotland and in South Wales. It was at the Tunbridge works that the new plant was erected, and it was there that we had an opportunity lately of seeing it in operation.


The accumulator is weighted with cast iron segments, which may readily be put on

When fully weighted, the pressure is 1,050 lb. per square inch.

Three men are required to work each machine. one to manipulate the valves and two to attend to the charger and remove the prisms of powder as they are produced. The operations are as follows: The various conical hoppers, A, which are contained in the carriage of the charger shown on the left of the engraving, are filled with loose grain powder. The charger is then run forward into the press and locked there. By the movement of two levers, which are shown in position in our engraving, the powder is made to fall from the hoppers into the charging tubes, B, 64 in number. These are set to hold the required quantity of powder, and great care has to be taken to fill them completely, as exact uniformity is one of the most necessary con-

> ditions of getting a powder that will pass the very severe tests now demanded by the government

of a lever the charging tubes are carried over 64 corresponding phosphor-bronze bushes in the bush block, C. The charges of powder then fall into these bushes, and the charger is withdrawn from the press. The operator at the valves then



PRESS FOR THE MANUFACTURE OF PRISMATIC GUNPOWDER.

which forces down the plunger block. Attached to this are 64 phosphor-bronze hexagonal plungers; these enter the bushes, which they fit with great accuracy. At the same time that the top ram is brought down the bottom ram are caused to ascend. To the latter is attached the plunger block, E, to which are attached 64 rately fit the bushes in the bush block. In this way the pressures shall not exceed 16 tons.

pressed between the plungers. Under ordinary conditions of atmosphere, the pressure is kept on for about ten to twenty seconds, the time varying with the different descriptions of powder.

The top plungers are then lifted, and the lower plungers are raised to eject the prisms from the bushes. The prisms are pushed off, clear of the press, on to a wooden tray, to be removed by an attendant. The bottom ram is lowered again into its first position, and the charger is run into the press again ready for the next operation. In this way each machine will make 64 pasms every two minutes. It is necessary, however, that each prism should have a hole through its center in a line with its axis.

These holes are formed in the following manner: The bottom plungers have holes bored through, which are of the same diameter as the holes required in the prisms. This allows a number of phosphor-bronze rods, one to each prism, to pass through the plungers and then through the powder in each bush. These rods stand nearly level with the top of the bush block, and are firmly held by the plate, H, so that the

the prisms are ejected from the bushes, they are stripped from the rods. It is indispensable that all the prisms produced should be of exactly one size, and should contain precisely similar quantities of powder. Their uniformity is tested by means of immersing them in a bath of mercury, the readings being taken off on a very accurately marked scale. In working the machines, a separate valve is used for each operation, and an ingenious automatic arrangement has been devised to prevent the attendant turning a wrong valve, so as to bring down the top ram when the charger is in the machine. There is also a safety arrangement to prevent damage to the machine should a pipe burst.

We have referred to the necessity that exists for pro-

ducing all the prisms of a definite and uniform size and specific gravity, in other words, that there should be exactly the same amount of gunpowder, compressed to the same degree, in each specimen. It is this point that has principally engrossed the attention of the makers of the apparatus, and the result is a beautifully accurate piece of mechanism. It has only been by the great-

est care in finishing to gauge and in the adjustment of parts that the success undoubtedly achieved by this machinery has been attained. The tests of powder, such as this, now required by the War Office are of the most severe description, as may be gathered from the following details, which represent some of the principal points in the official specification of tests.

Size of Prisms.—The prisms to be of the following dimensions: height,  $24.8 \pm 0.2$  millimeter: diameter (over sides) 34.7 millimeters  $\pm$  0.2 millimeter. The hole to be 10 milli-

meters in diameter. The prisms to be gauged as follows: 219 prisms should fit easily in a metal frame 705 millimeters long, 352 millimeters wide, and 25.3 millimeters high, and should offer no resistance to a straight edge drawn over the top of the frame.

Density.—The absolute density of the finished powder must not be less than 1.80.

Moisture.— The finished powder must not contain more than 2.2 per cent nor less than 1.7 per cent. Velocity.—A charge of 295 lb. of powder in the 12 in.

beech-loading gun (of a gravimetric density of  $\left(\frac{33.2}{0.835}\right)$ shall give a mean muzzle velocity for the five rounds of not less than 1,900 ft. per second nor more than 1,940 around a field.

allows water at pressure to flow in above the top ram, ft. per second, to a proof cylinder having a total weight of 714 lb. The mean of the deviations of the muzzle velocities of the several rounds, from the mean velocity of the five rounds, shall not exceed 10 ft.

Pressure.—The mean pressure indicated on firing, as above, by the compression of copper cylinders, adjusted in crusher gauges, is not to be greater in any one round hexagonal plungers, that also correspond to and accu- than 16½ tons on the square inch, and the mean of all

the charges of powder contained in the bushes are These very stringent tests are perhaps the best com-



THE WATER BUCK.

prisms are pressed with these rods in the middle. When | ment we could have on the great strides the art of | pairs or in small groups. making explosives has made within the last few years. It is not so very long since—well, within the memory of living powder makers-that gunpowder was gunpowder, without any very striking difference for whatever purpose it might be required. The "velocity" tests show a wonderful departure from those simple times; and although the restrictions laid down in this respect may seem unnecessarily severe, and even arbitrary at first glance, on further inquiry we believe there will be found to be sound reason at the bottom of them, and it is only by their strict observance that the accurate practice necessary in modern warfare can be insured. We are glad to learn, therefore, that Messrs. Curtis & Harvey, as English makers, have in the twenty may be seen speeding, like goats, up the steep

THE WATER BUCK.

The collection of animals at Central Park has recently been enriched by the addition of the water buck (Kobus ellipsiprymnus). This specimen, the first that has been brought to this country, is associated in a group of water-loving antelopes with the leche (K. leche), the pookoo (K. vardoni), and the nsunnu (K. lucotis). The horns of these closely allied African species are of good size, only present in the males, transversely wrinkled, curved forward and a little inward at the tips.

> The water buck and the sing sing antelopes are much alike, the latter wanting a white elliptical patch which is found near the base of the tail in the former. At the shoulders they stand four feet six inches, and the pale horns are two and a half feet long. The body color is a brownish gray, with lighter marking about the eyes and neck.

> These animals frequent the lakes and marshes of eastern Africa. They are excellent swimmers, and probably have just the same habit as the moose, of walking upon the bottom of a pool or stream with little else than their nostrils protruded above the surface. The water antelope, savs Mr. Drummond, is an extremely fine animal, and so plentiful that there are probably more of them shot than of any other of the large antelopes. The large ringed horns which in the males crown the brow bear a strong resemblance to those of the reed buck (reitbok), while the habits and general appearance of both species are almost identical. Both frequent thickets and reedy places near the water, and are principally found in

The hair of the species of water buck inhabiting eastern Africa is very long and coarse, while that of the one found in central Africa, the sing sing, is remarkably soft, and highly prized by the natives as being so. In fact, the hair on the neck of the specimen now at Central Park is long enough to produce quite a mane. The name kring-gaat, given to this species by the Dutch, has reference to the white ring about the rump. Its range is extensive, from eastern, through central, Africa up to Abyssinia, where it is called the mehedihet.

It is said to climb well in spite of its rather heavy build, and at times herds of from a dozen or less up to

> sides of the rocky hills of the country. They are, however, never found far from the water, offering in this respect a curious contrast to many species of African antelopes who inhabit the treeless wilderness of the arid plateaus, and never see water. Baker says the flesh is scarcely fit to eat, but that the natives greedily swallow the hot blood of the male buck when its throat is cut.

> One curious habit is attributed to these allied species which is worth mention. It is said by De


> > Kirk that the antelopes are generally found feeding in small herds. In the heat of the day it rests in the long grass, and may be approached within fifty yards before starting. Should the female have young unable to run far, she places her foot upon its shoulder, and presses it to the ground, after which

it never moves until almost trodden upon, and is expected to remain in the same spot until the return of the mother.

The specimen at Central Park has not yet developed its horns to the greatest size, ar is still young. It bears confinement

tively poor quality of its flesh and the coarseness of its hairy coat would, however, render it useless for any economic purpose.

It seems somewhat strange that Africa should have developed such an extraordinary variety and number of species of antelopes, when the great western continent can produce but a single species (the pronghorn). but no more singular, perhaps, than that no species of bear is found in the former country.



(FOR DESCRIPTION SEE NEXT PAGE.) "Brown X prismatic" produced a powder that has passed the government examination, and fulfilled thetests enumerated to

the fullest extent, and that British guns can in future well, and suggests easy domestication. The comparabe fired with British powder.—Engineering.

REFERRING to baseball, which seems to rage like an epidemic this season, has induced the suggestion that the average man in a large city must have an easy time, plenty of means, and limited hours of employment, when 8,000 can devote three afternoons each week to watching eighteen full-grown men toss a ball

### A HAIRY ELEPHANT.

especially of naturalists, was directed to a couple of very extraordinary elephants imported from Sumatra. One of these creatures, although full grown, was no larger than a goat; and the other, here illustrated by a drawing from a photograph, though larger, was still more noticeable on account of the singular approximation exhibited in shape and general appearance to the extinct elephant or mammoth (Elephas primigenius), the resemblance being still further enhanced by a heavy growth of rusty brown and black hair. This hair, as shown in the illustration, is thickest on the chin, head, and along the back, on which it forms a sort of mane. The lowness of the forehead, the peculiar situation of the eye and ear, the abrupt falling off at the hinder quarter, are features peculiar to this creature among living elephants, and irresistibly remind one of the restorations of the manumoth given in encyclopedias and text-books.

In order to show this more clearly, drawings of the heads of the two living species, the Asiatic and African, together with that of the restored extinct Siberian elephant, are given. As is well known, this last species has been found in Siberia in a frozen state, beautifully preserved, with the hair and tissues in so excellent a condition that microscopical sections have been made of them, and these two agree in appearance and character in a very remarkable manner with those of the animal represented. Can it be that this is an instance of what is called by Huxley "breeding back," or is it only a sport of nature, one of those experimental varieties occasionally thrown off from the parent stock, that are, according to the development theory, the origin of new species? In either case it comprises a state and collection of facts that involve questions for discussion and decision of the greatest possible interest to naturalists. Nor is the ladder, leaving those whose rooms are not so favorably likeness this animal bears to the Siberian mammoth one based upon a merely supposititious restoration, for these extinct elephants are discovered from time to time in as excellent a state of preservation as if they had recently died. No less than four such animals have been discovered since the beginning of this century, the last one as late as eighteen hundred so excited that they could not act for themselves, but and forty-six. A young Russian engineer, Benkendorf by name, who was employed by the government in a survev of the coast of the mouth of the Lena and Indigirka, was dispatched up the latter stream in the year mentioned, in command of a small iron steam cutter. He writes the following account to a friend in Germany: "In 1846, there was a most unusual term of warm weather in Northern Siberia. Already, in May, exceptionally heavy rains poured over the moors and bogs, storms shook the earth, and the streams carried not only ice to the sea, but large tracts of land thawed by the masses of warm water furnished by the southern rains."

After an eight days' journey, meeting many hinderances and perils from the ice floods and drifts, Benkendorf and his companions reached a place called Ujandina. Here they found the river had torn itself a new channel, leaving in its former bed only an insignificant stream. "Afterward," he says, "we landed on the new shore, where we made a wonderful discovery. The stream tore up the soft, wet ground like chaff, so that it was dangerous to go near the brink. Suddenly our hunter, always vigilant, called loudly and pointed to a strange, misshapen object, which rose and sank in the boiling turbulence of the waters. I had seen it before, but had not noticed it particularly, considering it only driftwood. Now we all hastened to the spot on the shore, had the boat drawn near, and waited until the mysterious thing should again Our patience was tried, but at last a show itself. black, horrible, giant-like mass was thrust out of the water, and we beheld a colossal elephant's head, armed with mighty tusks, with its long trunk moving in the water in an unearthly manner, as though seeking for something lost therein.

Breathless with astonishment, I beheld the monster only twelve feet from me, with his half-opened eyes yet showing the whites. . . . Picture to yourself an elephant with a body covered with thick fur, an elephant thirteen feet high and fifteen feet in length, with tusks eight feet long, thick, and curving outward. The animal was fat and well grown; death had overtaken him in the fullness of his powers. His great ears lay fearfully turned up on his head. About the shoulders and back he had stiff hair, about a foot in length, like a mane. The long, outer hair was deep brown and coarsely root. The top of the head looked so wild, and was so penetrated with pitch, that it looked like the rough bark of an old oak tree. On the sides it was cleaner, and under the outer hair there appeared everywhere a wool very soft, warm, and thick, and of a yellow-brown color. The giant was well protected against the cold. The whole appearance of the animal was fearfully wild and strange. It had not the appearance of our present elephants. It head was rough, the brain case low, but the trunk and mouth were much larger. The teeth were very powerful. I could not divest myself of

Some time since the attention of scientific men, and life, as though at any moment it might start up, and with a ferocious roar destroy us."

> Much in this graphic description, making allowances for the comparatively pygmy proportions of the Sumatra elephant, reminds one of its appearance. It is nevertheless a very intelligent animal, and has been taught many tricks, among which may be adduced that of riding on a velocipede and walking a tight rope. It was lately in the possession of Mr. Reiche, the celebrated importer of wild animals, and the photograph from which the illustration appended was copied, was taken on his private grounds at Hoboken, New Jersey.

#### Fire Escapes.

After each large fire wherein the inmates of buildings, being cut off from egress, meet with fatal results. there is a general cry for a more rigid enforcement of the law compelling owners of large blocks and hotels and workshops to erect suitable fire escapes. Now, the question arises, What constitutes a suitable fire escape? In the first place, I would like to argue pro and con. regarding the fire escape that is generally used now-a common iron ladder bolted either to the front or side of a building, as an example we will say a hotel. Now, in case of a fire, this is all that is desired to save a man's life under certain conditions; that is, provided a man is a sailor, used to climbing, and also that he sleeps in the same room that the ladder reaches. But with circumstances other than these, a ladder is a mere mockery, for the following reasons: It is never to be supposed that one woman or child in a hundred would have presence of mind enough to first find and then descend a ladder. Again, the persons whose rooms the ladder reaches, upon retiring lock and bolt their doors, and very likely in case of fire will quickly descend the situated to escape as best they can. I have never yet learned where a stationary ladder was the means of saving human life.

The Milwaukee hotel fire, a few years ago, gives us a good example of the inefficiency of the stationary ladders upon that building. Nearly all the inmates were even those who would do so were driven back by the dense smoke, and in order to keep from suffocating were obliged to stay at the windows, and as a result were slowly burned to death. At a recent fire chiefs' convention, the opinion was given that a fire escape that depended upon the inmates of buildings for action was practically useless.

What is needed is an escape that is manipulated by persons on the ground—one that can be raised, lowered, and moved to any window in the building, and rescue three or four men, women, or children at one time. There are patent fire escapes innumerable, some embracing ideas that are mithout doubt very ingenious, but they all contain this one great fault, they are not handled by persons on the ground. Again, architects and builders should take into consideration the fact that fire escapes, as they are now made, are not an enhancement to the good appearance of buildings. - F. C. B., Amer. Builder.

## Excavations at Pompeii.

A correspondent writes as follows to the N. Y. Journal of Commerce:

It seems odd to speak of a dead city as a growing one. But that is exactly the case with Pompeii. There are many cities in Italy that do not grow half as fast as the one buried by the ashes of Vesuvius 1,800 years ago. A person visiting it at intervals of a year notices a marked enlargement of its boundaries. The Italians, you know, are the champion diggers. They make the shovel fly when they attack the grave of Pompeii. We saw a gang of them at work there. A Government overseer watched them like a hawk. He wanted to be sure that they pocketed no jewelry, coins, or objects of art or utility yielded by the excavations. The only produce of their toil in that line as we stood by was a bit of iron, which the guide column. The spades busily plied were gradually bringing to light a beautiful house. The floors were mosaic, with simple but graceful designs in scroll pattern-nearly as fresh of color as if laid yesterday. The walls bore frescoes of fainter tints-grinning masks, fawns, cupids, birds, fish, and fruit. It had evidently been the home of a well-to-do citizen of Pompeii. The nervous movements of the workmen betrayed their anxiety. They were hoping at every moment to make a valuable "find." Perhaps they might hit upon a great iron chest, studded with round knobs like a boiler, and full of gold, money, or ornaments, or they might strike another wonder in marble or bronze, or they might be startled by coming suddenly upon a skull or other human remains. In the latter event, the work is suspended till a careful inspection is made.

The responsible and intelligent person in charge proceeds to ascertain if the dead Pompeiian has left a a feeling of fear as I approached the head; the broken, mould of himself or herself in the plastic ashes. If for its true value, one cent,

widely opened eyes gave the animal an appearance of so, he prepares a mixture of plaster of Paris, breaks a hole in the crust, and slowly pours in the liquid till the mould is full. When it has hardened, the casting is tenderly removed. Lo! there is a rough image, showing some poor creature in the agonies of death, prone on the floor, face downward.

Thus, most usually, were the inhabitants of the doomed city caught by the destroying angel. The skull, or leg, or arm, or whatever other part of the skeleton has not relapsed into its original dust, may attach itself to the plaster cast in the proper place, or may require to be joined on by a pardonable "restoration." In either case, the effect is thrilling in its horrible reality. Nothing in painting or sculpture can shock the beholder more than these self-produced and truthful statues exhibited in the museum, which is the first and most interesting thing shown to visitors. But, though neither gold nor silver, nor the minutest scrap of a skeleton, nor anything else of importance was unearthed for my benefit, I quitted the new excavations with reluctance to examine those parts of Pompeii with which the world is already familiar through the medium of books and pictures. I found myself quite at home in the bakery, the wine shop, at the oil merchant's, at the houses of Pansa, of Sallust, of the "Tragic Poet," and the rest. The high stepping stones across the streets looked familiar, as if I had trodden them before. The deep ruts cut by the carts as they groaned up the hill, coming from the ancient Stabia, were like friendly landmarks. So fully have literature and art made us acquainted with this disinterred city.

The guide tells me that only about one-third of Pompeii has yet been uncovered. I take his word for it. He is also of the opinion that the best parts of the city have already been dug out. He evidently wishes that the work would stop. He is very human in this, for he finds it tiresome to show people about the present Pompeii. Treble its size, and his labor would be threefold. And he is forbidden to accept money. But I imagine that this very stern prohibition does not prevent persons from offering him (say) a couple of francs on "the sly," or him from accepting them.

It may be true, as our guide insists, that the temples, forums, baths, theaters, and fine houses now above ground surpass anything of the kind that may hereafter be discovered at Pompeii. But the Italian Government is not disposed to take that for granted. Liberal sums are yearly appropriated to push on the work. It bears fruits. A new temple or amphitheater may not be struck every year, but something is constantly being turned up to instruct the world in the manners and customs of the old Romans, so well reflected in the representative city of Pompeii. Of bronze or stone statues, household implements, and tools of trades, the yield is immense and steady. These may be counted by the thousand in the splendid museum at Naples. One can see so many articles of luxury and use exactly similar to those he buys nowadays, that he is fain to pause and try to remember what besides the steam engine, the photograph, and the electric telegraph we moderns have invented. There being no more room at Naples to store these treasures, the excess of them is huddled together in the courtyards and houses of Pompeii herself. It is estimated that at the present rate this mine of antiquities will not be worked out in fifty years.

## Machinery and its Possibilities.

Those who entertain the opinion that the possibilities of labor saving machinery are nearly exhausted, and that the whole field of art industry in which it may be advantageously employed has been already covered by inventive genius, are greatly mistaken. That the achievements of human ingenuity have been wonderful goes without saying, and there are reasons to believe that future triumphs in this direction will be even greater and more fruitful. We are forced to this conclusion by reason and analogy. Who would have believed, only a very few years ago, that the difficult and complicated processes which are now every day being wrought out by machinery in various branches called a hinge, and the fragment of a small marble of manufacture would have been possible? Thus it is that the problems unsolved by one generation become accomplished facts by another. Who shall say that what now seems impossible and improbable may not be successfully attained by those who will come after us? In the hands of the modern scientific inventor. matter becomes almost miraculously endowed with life and intelligence, and with great accuracy performs those functions which the most skilled manual labor executes but slowly and imperfectly.—Manufacturers'

> A MAN in London proposes for a paltry sixpence to furnish a miraculous preparation that will enable any one to turn pennies into sovereigns. The writer recollects in his boyish days that he tried to convert pennies into silver quarters with a solution of nitrate of mercury, and the trouble he experienced was not merely that he could not pass the transmuted coin for 25 cents, but the storekeeper was reluctant to receive it

### ENGINEERING INVENTIONS.

An automatic attachment for locomotives has been patented by Mr. Norman F. Chase, of Montrose, N. Y. This invention supplies a novel construction whereby certain devices upon the locomotive may be operated by a person on the track or at a station to signal the engineer or stop the locomotive.

A car coupling has been patented by Mr. Noble K. Parks, of Pilot Grove, Ind. By this in vention the reversible coupling bar is formed at one end with spring clamping jaws and at the other end with an arrow shaped head to adapt it to be reversed in the drawhead, to present either the clamping jaws or the arrowhead at the forward open end of the drawhead, as may be required.

A freight car door lock has been patented by Mr. James Abbott, of Elmira, N. Y. A shaft with a squared upper end is journaled in the car roof, rods connecting with the inner end of the shaft extend to the sides of the car, and a hasp is pivoted on the roof of the car, and provided with an aperture for receiving the upper end of the shaft, making a simple and safe lock, to be operated from the roof of the car.

A steam engine has been patented by Mr. James S. McCoy, of Brooklyn, N. Y. The slide valve is carried by and within the piston, around which a steam space is formed in the cylinder, so that the piston is rendered almost entirely frictionless, the steam inlet port to the cylinder being immediately below the piston, whereby the pressure of steam will counteract the weight of the piston, with various other novel fea-

## MISCELLANEOUS INVENTIONS.

A clay tempering machine has been patented by Mr. Frank Middleton, of Richmond, Va. This invention relates to novel construction of the main frame and to the method of transmitting and applying the power, whereby the mechanism is simplified and greater steadiness of frame and machinery ob

A vulcanizable gilding rubber has been patented by Mr. Jehu H. Wood, of Lebanon, O. This invention covers, as a new article of manufacture, a shee of vulcanizable rubber, to which coatings of chloride of silver have been applied, together with a novel process of applying such coating, more especially for use in making dental plates.

A belt clasp has been patented by Mr. George E. Zeltmacher, of Brooklyn, N. Y. This inven tion covers a novel device, whereby belts can be readily adjusted to an increased or diminished length, so that they will remain securely in place when adjusted and the device will not disfigure or otherwise injure

A cotton gin has been patented by Mr. Franklin H. Lummus, of Brooklyn, N. Y. Connected with the saws and brush cylinder is a combined carding brush and fire extinguisher, having a continuous unbroken surface of bristles, so arranged that draught through or between the bristles is prevented and a fire extinguishing surface is produced.

A shank lasting apparatus has been patented by Mr. Frank B. Beyerle, of New York city. It has jaw arms with pivoted jaws, and links pivotally connecting the ends of the jaw arms to allow relative longitudinal movement, with other novel features, the invention being an improvement on a former patented invention of a similar tool.

An apparatus for manufacturing double film photographic sensitive paper has been patented by Mr. Henry J. Newton, of New York city. The apparatus embraces guiding, tension, and wiping devices, supported in bearings adjustable in reverse directions, to regulate their distances apart upwardly and laterally, for evenly distributing sensitive emulsion on both side of the paper simultaneously.

An anchor for fence posts has been patented by Mr. Jacob V. Higgins, of near Three Bridges, N. J. The anchor base plate has an aperture to receive an iron fence post, there being an upwardly projecting neck around the rim of the aperture, and this plate is intended to be placed so low that the top of the piece will be below the surface of the ground, in which, being loose on the post, it can work up or down with the action of the frost without tilting the pos

A combined latch and lock has been patented by Mr. Joshua B. Hutson, of Richmond, Va Combined with the sliding bolt of the lock is a sliding frame, intermediate between the knob nut and key and the bolt of the lock, with means for locking the sliding frame, to prevent it from being moved by the knob nut or key, while permitting the free movement of the bolt. the invention being an improvement on a former pat ented invention of the same inventor.

## NEW BOOKS AND PUBLICATIONS.

PROCEEDINGS OF THE DAVENPORT ACADEMY OF SCIENCES. Vol IV. Davenport, Iowa: Published by the Academy, 1886.

This fourth volume of the proceedings of the Davenport Academy of Sciences contains a number of papers of permanent scientific value. Mr. J. C. Arthur continues his "Contributions to the Flora of Iowa," which have already attracted favorable notice in previous volumes. Dr. C. C. Parry has a number of botanical papers; and in his chief contribution "Chorizanthe," he has undertaken a complete revision of the genus, which has been received by botanists generally, and has been adopted at the Royal Herbarium Kew Gardens, England. The descriptions of new Blastoids and Crinoids from the Hamilton group are accompanied by fine illustrations. But perhaps the chief interest of the volume centers in its archæological contributions. Some of these are of more than usual merit. Dr. Hoffman of the Bureau of Ethnology has an illustrated paper on Aboriginal Art in California and Queen Charlotte's Island. An article on the Ancient Pottery of the Mississippi Valley, by Mr. William H. Holmes, of the U. S. Geological Survey, is accompanied duced to one dollar. By druggists.

by excellent illustrations drawn by the author, who is a skillful artist as well as archæologist. Mr. Harrison and Mr. Preston have papers respectively on mound explorations in Iowa and Illinois. The Elephant Pipes and Inscribed Tablets in the Museum of the Academy have been carefully described by Mr. C. E. Putnam. There are in addition a number of biographical and miscel laneous papers, which make a total contents ver creditable to the Academy.

## Business and Personal.

The charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue

Wanted-Back volumes of Scientific American Address N. H., Box 773, New York city.

Blake's Belt Studs are the strongest and best fastening for Leather and Rubber Belts. Greene, Tweed &

Moneyless Inventors! Capital furnished for procur ing your patent for half interest in same. Corr nce confidential. Address "Patent," care W. H. Ohler, 18 Locust St., Portland, Me.

Wanted-Propositions from builders of ice machines to erect a 25 ton machine for W. H. Howe, Nashville,

Send to the Railroad Gazette, 73 Broadway, Nev York, for a catalogue of Locomotive, Track, and other railroad books.

Emery Wheels of unusually superior quality for wet grinding. The Tanite Co., Stroudsburg, Monroe Co., Pa. Guild & Garrison's Steam Pump Works, Brooklyn, N. Y. Pumps for liquids, air, and gases. New catalogue

Nickel Plating.—Sole manufacturers cast nickel anodes, pure nickel salts, polishing compositions, etc. \$100 \*Little Wonder." A perfect Electro Plating Machine. Sole manufacturers of the new Dip Lacquer Kristaline Complete outfit for plating, etc. Hanson, Van Winkle & Co., Newark, N. J., and 92 and 94 Liberty St., New York.

Send for catalogue of Scientific Books for sale by Munn & Co., 361 Broadway, N. Y. Free on application.

Cotton Belting, Rubber Belting, Hose, and Packing. All kinds. Greene, Tweed & Co., 83 Chambers St., N. Y.

The Knowles Steam Pump Works, 44 Washington St., Boston, and 93 Liberty St., New York, have just issued a new catalogue, in which are many new and improved forms of Pumping Machinery of the single and duplex, steam and power type. This catalogue will be mailed free of charge on application.

Machinery for Light Manufacturing on hand and built to order. E. E. Garvin & Co., 139 Center St., N. Y. es & Dies. Ferracute Mach. Co., Bridgeton, N. J

Iron Planer, Lathe, Drill, and other machine tools of modern design. New Haven Mfg. Co., New Haven, Conn.

If an invention has not been patented in the United States for more than one year, it may still be patented in Canada, Cost for Canadian patent, \$40. Various other eign patents may also be obtained. For instructions address Munn & Co., SCIENTIFIC AMERICAN patent agency, 361 Broadway, New York.

Grimshaw.-Steam Engine Catechism.-A series of thoroughly Practical Questions and Answers arranged o as to give to a Young Engineer just the information required to fit him for properly running an engine. By Robert Grimshaw. 18mo, cloth, \$1.00. For sale by Munn & Co., 361 Broadway, N. Y

Timber Gaining Machine. All kinds Wood Working Machinery. C. B. Rogers & Co., Norwan, Conn.

Hercules Lacing and Superior Leather Belting made by Page Belting Co., Concord, N. H. See adv. page 382.

Nystrom's Mechanics.—A pocket book of mechanics and engineering, containing a memorandum of facts and connection of practice and theory, by .1. W. Nystrom, C.E., 18th edition, revised and greatly enlarged, plates, 12mo, roan tuck. Price, \$3.50. For sale by Munn & Co., 361 Broadway, New York city.

Iron and Steel Wire, Wire Rope, Wire Rope Tram ays. Trenton Iron Company, Trenton, N. J.

Supplement Catalogue.-Persons in pursuit of infor mation of any special engineering, mechanical, or scientific subject, can have catalogue of contents of the Sci-ENTIFIC AMERICAN SUPPLEMENT sent to them free The SUPPLEMENT contains lengthy articles embracing the whole range of engineering, mechanics, and physical science. Address Munn & Co., Publishers, New York.

Iron, Steel, and Copper Drop Forgings of every de cription. Billings & Spencer Co., Hartford, Conn.

Greene, Tweed & Co., Railroad and Manufacturers' Supplies, have removed to 83 Chambers St., city.

We are sole manufacturers of the Fibrous Asbestos Removable Pipe and Boiler Coverings. We make pure os goods of all kinds. The Chalmers-Spence Co. 419 East 8th Street, New York.

Steam Hammers, Improved Hydraulic Jacks, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

60,000 Emerson's 1886 Per Book of superior saws, with Supplement, sent free to all Sawyers and Lumbermen. Address Emerson, Smith & Co., Limited, Beaver Falls, Pa., U. S. A.

Safety Elevators, steam and belt power: quick and smooth. D. Frisbie & Co., 112 Liberty St., New York.

"How to Keep Boilers Clean." Send your address for free 88 page book. Jas. C. Hotchkiss, 93 John St., N. Y. Barrel, Keg, Hogshead, Stave Mach'v, See adv. p. 366. Brass and Iron Working Machinery, Die Sinkers, nd Screw Machines. Warner & Swasey, Cleveland, O Split Pulleys at low prices, and of same strength and appearance as Whole Pulleys. Yocom & Son's Shafting

Works, Drinker St., Philadelphia, Pa. Pat. Geared Scroll Chucks, with 3 pinions, sold at same rices as common chucks by Cushman Chuck Co., Hart-

"We say at night, 'Would God the day were here,' And say at dawn, 'Would God the day were dead.'" How well Swinburne has emphasized the feelings of thousands of earth's fairest daughters, who are laid prostrate by disease's fell hand. But, instead of the anguish of despair, what a song of joy ascends from the hearts of those ladies who have used Dr. Pierce's "Favorite Prescription," and by its means been restored to the glorious sunshine of health. It is a positive remedy for those derangements, irregularities, and weaknesses so common to our best female population. Price re-



#### HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information, and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and though we endeavor to reply to all, either by letter or in this department, each must take his turn.

Special Written Information on matters of

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of Minerals sent for examination should be distinctly marked or labeled.

(1) A, H. M. asks: In a dynamo not using batteries or permanent magnets, where is current of electricity generated that makes the field magnets electro magnets? A. In the armature, and thence part or all the current is carried around the field mag-

(2) L. J. asks about cleaning petroleum pipes. If a powerful magnet be fixed in the scraper, would a compass passed on the outside not indicate the scraper's position? Is the pipe stoneware or iron? A. The pipe is iron. A magnet in the scraper might to a slight extent deflect or affect a poised iron or steel unmagnetized needle. The compass would be useless, as the metal of the pipe would affect it. Two difficulties in connection with any such plan are: 1. The metal pipe would, by distributing the magnetism, act as a magnetic shield, so that it is questionable if any evidence of its presence could be obtained. 2. A strong magnet, by attraction to the sides of the pipe, would help to obstruct the movement.

(3) J. S. M. asks for description of the Jamin magnet, its form and construction, and the quality of steel used. A. Jamin's horseshoe magnets are made of plates of steel magnetized separately and arranged one within the bend of the other, or concentrically. For tempering, etc., consult SUPPLEMENT, Nos. 302 and 318.

(4) D. B., of Ohio.—A State court has no authority to prohibit the use of a patent pending the action in a suit brought thereon, which necessarily involves the question of infringement.

(5) O. J. S. asks (1) if coal gas decreased in bulk one-half will develop double the pressure. A. It will. 2. How many cubic feet of coal gas would be contained in a reservoir 15 inches diameter and 3 feet in length, at a pressure of 200 pounds per square inch? A. 49.2 cubic feet.

## TO INVENTORS.

An experience of forty years, and the preparation of more than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess un equaled facilities for procuring patents everywhere. In addition to our facilities for preparing drawings and specifications quickly, the applicant can rest assured that his case will be filed in the Patent Office withou delay. Every application, in which the fees have been paid, is sent usually to the Patent Office the same day the papers are signed at our office, or received by mail often hear from other sources. A synopsis of the pa tent laws of the United States and all foreign countrie may be had on application, and persons contemplating the securing of patents, either at home or abroad, are in accordance with the times and our extensive facilities conducting the business. Address MIJNN & CO. office Scientific American, 361 Broadway, New York

## INDEX OF INVENTIONS

## AND EACH BEARING THAT DATE.

	Air and steam brake, automatic, E. J. Cosgrove 343,230	ı
	Animal shears, J.J. Harrell 543,240	l
,	Axle box, H. R. Underhill	ŀ
	Axle, wagon, N. I. Holmes 343,272	Ì
Ė	Axles, roller bearing for, C. S. Simpson	l
	Bag holder, La Bar & Patton: 343,276	t
	Balcony, A. S. Cuff	l
	Bar. See Culm bar.	l
	Beebive, J. F. Walker	1
	Belt clasp, G. E. Zeltmacher 343,415	l
	Bicycles, luggage carrier for, C. H. Ross 343,549	ı
	Billard cue tip, J. Ferming 843,235	l
	Billiard register, automatic, J. J. Gleason 343,169	ŀ
	Blackboard and perforated desk top, combined.	l
٠.	F. E. Eller 3,164	ı
	Board. See Game board. Wagon shoveling	l
	board.	l
l	Boat. See Portable boat.	l
	Boiler. See Locomotive boiler. Steam boiler.	l
	Boiler or other furnace, steam, Blanchard &	ı
	Jones	l
	Boilers, water feeder for, J. Austin 343,529	l
•	Book covers, paper back for, J. A. Crane343,438, 343,439	
	Book, index, A. L. Baer	1
	Boot, felt, W. H. Kimball 343,460	
	Boot or shoe lasting machine, W. C. Cross 343,440	ļ
	Boot or shoe soles, machine for trimming the lips	l
l,	of channeled, E. S. Harris	ı
,	Boot or shoe soles, machine for turning up the lip	ı
,	of channeled, E. S. Harris 343,453	
٠	Bottle, show, G. L. Keeler 343,179	
١	Bottle stopper, E. C. Boughton	
:	Box. See Axle box.	ļ
,	Brake. See Air and steam brake. Car brake.	١
•	Sled brake. Wagon brake.	١
	Bread cutter, H. V. Harts 343,311	

	409
	<del></del>
Bread knife, J. Wagner	343,509
Brick, machine for making pressed, J. C. Pietz.	843,896
Bridge, C. F. T. Kandeler	
Bridge, draw, J. G. Johnson	
Broom holder, S. C. Dayan Burner. See Lamp burner.	040,00%.
Butter carrier, S. A. Currier	343,301
Button, N. F. Palmer	348,277
Button fastener, G. W. Prentice	
Button fastener packing case, F. H. Richards.	
Button setting instrument, F. H. Richards Buttons and other articles, die for making, J.	
Haistead	
Cable system traction, C. H. Bowen	
Calipers, G. W. Jopson	343,178
Calipers, micrometer, D. McArthur	
Calipers, spring, C. S. Rogers	
Car brake, J. W. Stark	
Car brake and starter. F. Tompkins (r)	
Car brake, automatic, G. Shone	843,204
Car coupling, P. A. Aikman	
Car coupling, P. Brinkerhoff	
Car coupling, F. A. Casey	
Car coupling, J. C. Mitchell	
Car coupling, F. S. C. Norris	
Car coupling, N. K. Parks.	343,488
Car door lock, freight, J. Abbott.	
Car, dumping, J. J. Souder	
Car heater, W. C. Dunn	
Car seat, C. H. Woodmansee	
Cars, device for operating street, M. C. Tully	
Cars, registering door for street, H. B. Comer	
Carbon black, apparatus for manufacturing, J.	
Dysart	
edges of, A. H. Postel.	
Carpet stretcher, Britton & Truesdale	
Carpet stretcher, Lane & Hale	
Carpet stretcher, E. B. Willix	
Carrier. See Butter carrier. Cartridge carrier	
Cartridge carrier, W. Splitt	
Case. See Button fastener packing case.	040,437
Cash carrier, T. M. Kenney	348,539
Cash carrying device, automatic, Hayward	
Simonton, Jr	
Casing cap and tubing tester and cleaner, co	
bined, W. V. Hardman	
Caster, stove, L. A. White	
Casting metal, chill for use in, J. J. Carr	
Casting traps, mould for, C. F. Carr	
Cement, manufacture of hydraulic, H. Mathey,	
Chair. See Easy chair. Surgical chair.	to 343,184
Check row wires, anchor for, R. Faries	343.305
Chemical engine, H. A. Hutson	343,217
Chimney cap. E. Mignault	343,186
Chuck, lathe, J. H. Westcott	
Cigar bunching machine, Thurnau & Hampe	
Circuit closer, H. H. Hoffman	
Cleaner. See Cotton cleaner.	010,212
Clevis, R. Montfort	343,474
Clothes drier, W. A. Waldron	348,555
Cock, stop, W. Swabel	343,283
Coller for horses brosst A. W. Tourges	
Color on wall paper, cloth, etc., compound i	
producing, J. H. Lange	
Colter, plow, G. Stevens	
Comb. See Curry comb.	
Conduit, underground, A. Wyckoff	
Converter for making Bessemer metal, H.	
Gantt	343,448
Cooking utensil, J. Farrell	
Corn meal, etc., packing and preserving, F. Do	
sey	

addition to our facilities for preparing drawings and	Cooking utensil, J. Farrell
specifications quickly, the applicant can rest assured	
that his case will be filed in the Patent Office without	Copying apparatus, N. C. Stiles
delay. Every application, in which the fees have been	Corn meal, etc., packing and preserving, F. Dor-
paid, is sent usually to the Patent Office the same day	sey
the papers are signed at our office, or received by mail,	Corset, A. Rammoser
so there is no delay in filing the case—a complaint we	Corsets, forming and finishing the edges of the
often hear from other sources. A synopsis of the pa-	front sections of, F. M. Baker 843.421
tent laws of the United States and all foreign countries	Cotton gin, I. F. Brown
may be had on application, and persons contemplating	Cotton gin, F. H. Lummus 343,380
the securing of patents, either at home or abroad, are in-	Cotton gin attachment, Stone & Platt 343,260
vited to write to this office for prices, which are low, in	Coupling. See Car coupling. Lamp coupling.
accordance with the times and our extensive facilities	Pipe coupling.
for conducting the business. Address MUNN & CO.,	Cracker machine, A. Ruger 343,343
office Scientific American, 361 Broadway, New York.	Crane, hydraulic, H. Aiken 343,417
	Cross head, G. R. Cullingworth
ARREST CO. C.	Crusher. See Rock crusher.
INDEX OF INVENTIONS	Culm bar, S. M. Hess
	Cultivator, corn planter, rake, and roller, P. P.
T	Gardner
For which Letters Patent of the	Cultivator, distributer, and planter, D. M. John-
United States were Granted,	son
a = 0	Curry comb, T. J. Johnson
June 8, 1886,	Curtain fixture, W. N. Buckley
J 4 2000,	Curtain fixture, T. McGuire
AND EACH BEARING THAT DATE.	Cutter. See Bread cutter. Pipe cutter. Rotary
AND EACH BEARING THAT DAIL.	cutter.
FOR	Dental vulcanizer, F. W. Seabury 345,495
[See note at end of list about copies of these patents.]	Dentist's vulcanizing apparatus, automatic regu-
Adding machine, L. W. Swem 343,506	lator for, C. F. Scattergood
Air and steam brake, automatic, E. J. Cosgrove 343,230	Derricks, stay for oil well and other, G. H. Ander-1
Animal shears, J.J. Harrell 543,240	son
Axle box, H. R. Underhill 343,350	Digger. See Potato digger.
Axle, wagon, N. I. Holmes 343,272	Door check, J. Conn
Axles, roller bearing for, C. S. Simpson	Door roller, P. E. Gansz
Bag holder, La Bar & Patton: 343,270	Door securer, M. Simon
	Door securer, M. Simou
Bag holder, Le Bar & Patton       343,276         Balcony, A. S. Cuff.       343,226         Bar. See Culm bar.       343,226	Door securer, M. Stanou
Bag holder, La Bar & Patton       \$43,276         Balcony, A. S. Cuff.       \$43,226         Bar. See Culm bar.       Beebive, J. F. Walker       343,212	Door seeurer, M. Stanon
Bag holder, Ls Bar & Patton       343,276         Balcony, A. S. Cuff       343,226         Bar. See Culm bar       343,212         Beebive, J. F. Walker       343,212         Belt clasp, G. E. Zeitmacher       343,415	Door seewer, M. Simou
Bag holder, Ls Bar & Patton       343,276         Balcony, A. S. Cuff       343,226         Bar. See Culm bar.       343,212         Beebive, J. F. Walker       343,212         Belt clasp, G. E. Zeitmacher       343,415         Bicycles, luggage carrier for, C. H. Ross       343,549	Door seewer, M. Statou
Bag holder, La Bar & Patton       \$43,276         Balcony, A. S. Cuff.       \$43,226         Bar. See Culm bar.       \$42,212         Beebive, J. F. Walker       \$42,212         Beit clasp, G. E. Zeitmacher       \$43,415         Bicycles, luggage carrier for, C. H. Ross       \$43,549         Billard cue tip, J. Ferming       \$43,235	Door seeurer, M. Stanon
Bag holder, La Bar & Patton       343,276         Balcony, A. S. Cuff.       343,226         Bar. See Culm bar.       343,212         Beebive, J. F. Walker       349,212         Beit clasp, G. E. Zeitmacher       343,415         Bicycles, luggage carrier for, C. H. Ross       343,549         Billard cue tip, J. Feming       343,225         Billiard register, automatic, J. J. Gleason       343,169	Door scener, M. Simon
Bag holder, La Bar & Fatton       343,276         Balcony, A. S. Cuff.       343,226         Bar. See Culm bar.       348,212         Beebive, J. F. Walker       348,212         Belt clasp, G. E. Zeltmacher       343,415         Bicycles, luggage carrier for, C. H. Ross       343,439         Billard cue tip, J. Feming       343,235         Billiard register; automatic, J. J. Gleason       343,169         Blackboard and perforated desk top, combined	Door seewer, M. Simou   343,401
Bag holder, La Bar & Patton       \$43,276         Balcony, A. S. Cuff.       \$43,226         Bar. See Culm bar.       \$43,212         Beebive, J. F. Walker       \$49,212         Belt clasp, G. E. Zeitmacher       \$343,415         Bicycles, luggage carrier for, C. H. Ross       \$43,549         Billard cue tip, J. Ferming       \$43,235         Billiard register; automatic, J. J. Gleason       \$33,169         Blackboard and perforated desk top, combined, F. E. Eiler       \$,164	Door seeurer, M. Stanon
Bag holder, La Bar & Patton	Door scener, M. Stanon
Bag holder, La Bar & Patton   343,276     Balcony, A. S. Cuff.   343,226     Bar. See Culm bar.   349,212     Beit clasp, G. E. Zeitmacher   349,212     Beit clasp, G. E. Zeitmacher   343,415     Bicycles, luggage carrier for, C. H. Ross   343,435     Billard cue tip, J. Feming   343,235     Billard register, automatic, J. J. Gleason   343,169     Blackboard and perforated desk top, combined   F. E. Eller   3,164     Board. See Game board. Wagon shoveling   343,245     Board. See Game board. Wagon shoveling   343,245     Board. See Game board.   343,245     Bard. See Game board.   343,245     Bard	Door seewer, M. Simon Doubling and twisting yarns, machine for, W. W. Taylor
Bag holder, La Bar & Fatton	Door seeurer, M. Stanon
Bag holder, La Bar & Fatton	Door seeurer, M. Stanon
Bag holder, La Bar & Fatton	Door seearer, M. Stanon Doubling and twisting yarns, machine for, W. W. Taylor
Bag holder, La Bar & Fatton	Door seearer, M. Simou   343,401
Bag holder, La Bar & Patton	Door seeurer, M. Staton
Bag holder, La Bar & Fatton	Door seeurer, M. Stanon   343,401
Bag holder, La Bar & Patton	Door seearer, M. Stanou Doubling and twisting yarns, machine for, W. W. Taylor
Bag holder, La Bar & Patton   343,276	Door seeurer, M. Stanon.
Bag holder, La Bar & Fatton	Door seewer, M. Staton   343,401
Bag holder, La Bar & Patton	Door scener, M. Stanon
Bag holder, La Bar & Patton	Door seeurer, M. Stanon
Bag holder, La Bar & Fatton	Door seewer, M. Staton   343,401
Bag holder, La Bar & Fatton	Door seearer, M. Stanou Doubling and twisting yarns, machine for, W. W. Taylor
Bag holder, La Bar & Patton	Door seeurer, M. Stanon
Bag holder, La Bar & Fatton	Door seearer, M. Stanou Doubling and twisting yarns, machine for, W. W. Taylor
Bag holder, La Bar & Fatton	Door seeurer, M. Stanon.
Bag holder, La Bar & Fatton	Door seeurer, M. Stanou Doubling and twisting yarns, machine for, W. W. Taylor
Bag holder, La Bar & Fatton	Door seeurer, M. Stanon

410	<i></i>	· · · &
Feed water purifier and boiler cleaner, combined, E. G. T. Colles	Paper boxes, corner fastener for, C. T. Remus Paper, cloth, etc., ornamenting the surface of, J.	343,340
Feeding stand, poultry, S. McDonald	Paper fixture, toilet, C. C. Johnson	343,321
Fence, W. M. Berry	Pattern and work holding device, J. W. White	348,215
Fence, portable wire, J. F. Hanna.         343,17           Fence post anchor, J. V. Higgins.         343,37	Pen and pencil holder, F. P. Peiter Photographic paper negatives, holder for, E. B.	343,391
Fencing, machine, for making spur wheel, J.  Willoughby	manufacturing double film, H. J. Newton	348,387
Filter, A. J. Giberson       343,51         Filtering apparatus, W. Neracher       343,25         Firearm, magazine, T. G. Bennett       343,32	Pipe cutter, A. H. Esten	
Firearm. magazine, W. Mason	from the moulds of cement, J. Sharpe Planter, corn, H. H. McCord	343,250
Fire extinguisher, hand, A. W. Porter	Planter, seed, W. E. Moffatt	
Flue cap and ventilator, F. E. Heinig	Pliers, F. H. Richards	343,547
Fusible plug, W. H. Bailey	PhippsPneumatic indicator, G. W. Baird	343,530
Game, board, A. E. Seliger	Potato digger, H. B. Utter343,553,	343,554
Gas, apparatus for the manufacture of, W. F. M. McCarty343,525	Pricking machine, Leavitt & Kittredge	343,180
Gas burner, automatic safety, Strong & Haines 343,285 Gas, manufacturing heating and illuminating, W. F. M. McCarty	Printing press feed guide, J. T. Hawkins	343,454
Gas regulator, M. J. Berry	Protector. See Lip protector. Puzzle, Collins & Odell.	343,516
Gate, W. Mason       343,382         Gate, M. B. Mills       343,245         Gearing, B. D. Whitney       343,355	Rail straightening machine, A. J. Gustin	
Glassware, process of and apparatus for pressing, J. Haley	Johnson	<b>343,32</b> 0
Glove fastener, S. Porter.         343,545           Glue, manufacture, of, W. P. Upham         343,500           Glue, manufacture, of, W. P. Upham         343,500	Railway switch, automatic street, M. Dudley	<b>34</b> 3,366
Governor, steam engine, W. A. Bole	Railway switch, street. F. D. Robison	343,398
Grain separator and elevator feeder, B. D. Crocker	Razor strop and case, combined, J. F. Inghram Reflect or, street, J. C. Forsberg	343,521
Grate, W. Fitzgerald	Refrigerator, I. Osgood.	3 <b>4</b> 3,3 <b>3</b> 6
Guns, cartridge feeder for machine, L. F. Bruce. 343,533 Gypsum, calcining, E. W. Marsh	Register. See Billiard register.	343,869
Hand jack, W. J. Robertson       343,341         Harness, W. D. Hill       343,315	Rein holder, F. Root	
Harness pad, W. H. Bennet         343,424           Harrow, W. W. Robinson         843,527	Rock drill, J. B. Maas	
Harrow tooth, J. B. Wilson       343,288         Harvester grain wheel, H. E. Pridmore       343,544         Hay rake, horse, J. H. Jones       343,538	Rolling plastic material, machine for, A. J.	343,523
Heater. See Car heater. Steam and hot water heater.	Rolling tubes, machine for, E. Little	843,325
Heating apparatus, J. L. Brink       343,219         Heel nailing machine, F. F. Raymond, 2d       343,389	Rotary engine, J. J. St. Lawrence	343,206
Hides, machine for working, E. B. Light		343,895
holder. Music holder. Pen and pencil holder. Rein holder. Shade holder.	Sash fastener, G. F. Shaw	343,256 343,457
Hoof trimming device, J. Bernadac	Saw tempering apparatus, W. B. Barry	348,358
Horseshoe nails, manufacture of, C. H. Burckett. 343,235 Horseshoer's knife, J. Bernadac	Scholar's companion, T. D. Richardson	343,201
Hub, wheel, M. L. Smith	Seat. See Car seat. Secondary battery circuits, system for controlling.	
Ice machines, device for regulating the flow of liquids in, H. C. F. Cramer	J. M. Pendleton	
Indicator. See Steam engine indicator.  Iron. See Tailor's gas iron.	S. Rowell et al	343,280
Jack. See Hand jack. Lifting jack. Knife. See Horseshoer's knife.	Sewerage or drainage apparatus, house, H. C. Lowrie	
Lamp, arc, O. A. Moses.       348,188         Lamp burner, E. B. Requa.       343,545         Lamp coupling, W. H. Briggs       343,156	Sewing machines, blind stitching attachment for,	
Lamp, electric arc, O. F. Jonsson       343,242         Lamp, gas, G. E. Slaughter       343,344         Lamps, holder for incandescent electric, L.		
Heinze		
H. C. Daniels	Shoe, G. A. Weld	343,410
Lasting apparatus, shank, F. B. Beyerle       343,360         Latch, W. H. Taylor       348,348         Latch and lock, combined, J. B. Hutson       343,376	Shutter fastener, W. McConnell	343,338
Latch and lock, combined, A. A. Kellogg 343,459 Lathes, beading attachment for, N. A. Dickin-	Siding machine, J. Lynch	343,328 343,347
son	Skins, machine for removing, fleece, wool, hair,	i
Leather thongs for the manufacture of fly nets, treating, J. W. Ringrose	Sled, bob, O. S. Raymond	343,200
Lids, covers, etc., fastener for, L. G. Kregel 343,245 Life.saving car, S. S. Bradford	Sleigh, bob, W. H. Allen	343,156 343,406
Lifting jack, J. W. Hawkins	Soldering machine, W. E. Vincent	
Liquid holder, C. S. Pinkham (r)		
Lock, A. Wellard         343,290           Locomotive boiler, T. Poore         343,278	Spool or bobbin, G. O. Boynton	343,361
Locomotives, automatic attachment for, N. F.           Chase		İ
Loom, lappet, G. H. Hodges	Stay for garments, H. Moschcowitz	343,476
Looms for weaving wire, etc., take-up and let-off mechanism for, Wright & Hitchcock		
Magnet, electro, E. B. Cutten       343,227         Malleting machine, Leavitt & Kittredge       343,540         Mat, F. Greenland       343,308	Steam engine, J. S. McCoy	343,385
Measuring piece goods, F. P. Desbrueres et al 343,303 Meat cutting machine, Hellings & Everett 343,314	Steam engine indicator, C. W. Barnaby	343,291
Mechanical movement, Crompton & Wyman (r) 10,735 Meter. See Electric meter. Mill. See Hulling mill. Sawmill. Windmill.	Stone, composition for making artificial, H. Poole	343,198
Mills, shifting device for, N. T. De Golyer	Stove and furnace grate, A. Sloan. Stove, lamp, Goodell & Kyle	48,535
Mortising and boring machine, H. A. Axtell 343,217 Motor. See Electric motor.	Stove platform, W. Westlake (r) Stoves, fireback for cooking and other, M. D. Jud-	10,734
Music holder, D. E. Smith       343,403         Nails, die for barbing wire. R. Berchtold       343,425         Necktie fastener, B. M. Fish       343,236	Stoves, portable oven for gas and other, A. B.	
Necktie fastener, B. M. Fish       343,236         Nut cracker, C. R. Watrous       343,351         Nut lock, M. P. Wheeler       343,285	Stoves, portable oven for gas and oil, W. H. Dah-	1
Oar tip, metallic, J. F. Wilsey	Strap. See Trunk strap. Street receiver and stench trap, T. J. O'Brien	ł
Ore concentrator, wet, J. Hubert	fying sugar liquors, etc., F. G. Wiechmann	
Painter's scraping device, O'Neill & O'Neil       \$43,192         Pamphlet jacket, E. S. Morse       \$43,475	Surgical instrument, P. F. Francke	
Paper and other fabrics, process of and apparatus for coating, E. G. Sparks	joint for, W. A. Wright	



ALL KINDS OF INJURIES

RECEIVED IN

## TRAVEL, WORK, OR SPORT

OF HARTFORD, CONN.

## BEST AND CHEAPEST LIFE POLICY

IN THE WORLD!

Indefeasible, Non-Forfeitable, World-Wide. ASK AGENTS TO SHOW A COPY.

Assets, \$8,417,000.

Surplus, \$2,096,000.

PAID POLICY-HOLDERS, \$11,500,000. RODNEY DENNIS, Secretary.

JAMES G. BATTERSON, President.

Switch. See Electric switch. Railway switch. Tailor's gas iron, Upham & Fay..... . 343,409 Telephone, J. F. McLaughlin..... 848,384 Thread, etc., machine for winding coverings upon, 
 Tobacco spud, J. B. Hyzer.
 343,318

 Tongs, roofing, T. B. Beeson.
 343,422

 Tool, combination pocket, O. P. Eiterich.
 343,534

| Tree and plant cover, fruit, J. W. Crow. 343,538
| Tricycle, W. L. Fay. 343,658
| Trimming frame, T. B. Ollis. 343,191
| Trunk strap, G. J. Carney. 343,222
| Truss, C. H. Nicolls. 343,388 

Tuck marker, J. P. Lavigne..... 

 Valve, ball, H. C. Lowrie.
 343,337

 Varnish, colored, A. Muller-Jacobs.
 343,331

 Vehicle bodies, tool for handling, G. M. Peters.
 343,195

 Vehicle running gear, S. Burdsall.
 343,296

 Vehicle running gear, J. H. Miller.
 343,484

 Vehicle, two-wheeled, F. P. McKeon
 343,484

 Vehicle, two-wheeled, C. W. Noyes
 343,53

 Vehicles, two-wheeled, J. W. Vorwick
 343,282

 Vehicles, king bolt for, W. F. Bidwell
 343,282

 Ventilating annaratus for huildings, L. J. Wing
 343,282

 Vise, A. Montant...... 343,187

 Wire splicer, F. S. Pearson.
 343,194

 Work support, E. L. Mansfield
 348,381

## DESIGNS.

Curtain fabrics, etc., decoration of, C. Wheeler, 16,730 to 16,732

16,750 to 10	0,102
Finger rings, setting for, W. Dattelbaum 16	6,722
Fringe, G. F. Hensel 16	6,724
Fruit or table knife, F. W. Brittin 16	5,721
Hammer, J. E. Selsor	6,729
Hydrant, J. C. Kupferle 16	6,727
Quilting and embroidery pattern, W. Koch16,725, 16	6.726
Table, J. Ernewein	3,723
Toy savings bank, Shepard & Adams 16	3,728
TRADE MARKS.	ı
TIME MITTERS.	

TRADE MARKS.
Beer, Anheuser-Busch Brewing Association 13,368
Blood purifier and a remedy for diseases of the
liver and kidneys, G. I. Nowitzky 13,374
Cigars, J. M. Aydelott
Cigars, Hargitt & Mackle 13,371
Feathers, ostrich feathers, and feather trimmings,
fancy, E. Lewinsohn 13,373
Hose, rubber, Revere Rubber Company 13,384
Hosiery, B. F. Larrabee
Lard, G. Cassard & Son
Lard, refined, W. Burnet 13,382
Lard, refined, W. T. Wells
Mineral waters, C. Miller 13,383
Oil, lubricating, F. H. Reinhard 13,378
Pianofortes, G. M. Guild
Remedy for rheumatism and other similar dis-
eases, Pfaelzer Brothers & Co 13,381
Scales having torsion pivots, weighing, United
States Torsion Balance and Scale Company 13,380
Stoves, cooking and heating, Fones Brothers 18,377
Tobacco, plug, Pemberton & Hill Tobacco Manu-
facturing Company 13,379
Towels, Turkish, E. A. & C. A. Corr 13,376

A printed copy of the specification and drawing of any patent in the foregoing list, also of any patent issued since 1866, will be furnished from this office for 25 cents. In ordering please state the number and date of the patent desired, and remit to Munn & Co., 361 Broadway, New York. We also furnish copies of patents granted prior to 1866; but at increased cost, as the specifications, not being printed, must be copied by

Canadian Patents may now be obtained by the inventors for any of the inventions named in the forepoing list, at a cost of \$40 each. For full instruction
address Munn & Co., 361 Broadway, New York. Other ..... 343,550 foreign patents may also be obtained.

## Advertisements.

Inside Page, each insertion - - - 75 cents a line. Back Page, each insertion - - - \$1.00 a line. The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.



A fire-proof insulator of heat and sound. Samples and price list free. U.S. MINERAL WOOL CO., 22 CORTLANDT STREET, N. Y.

REMOVAL OF SEWAGE.—BY W. H. White, C.E.—The five methods in use in Europe, and their relative values. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 527. Price 10 cent. To be had at this office and from all newsdealers.

# Lists sent. N.Y. Machinery Depot, Bridge Store No. 16, Frankfort Street, N. Y.

STAMPED METAL GOODS, and other Articles in Brass and other Metals (the Dies and Tools for making same). Patent Noveties, Electri-cal Inventions, Special Machinery, Castings, &c. Manu-factured to order by M. MARTIN, Manufacturer, P. O. Box 285, New Brunswick, N. J.



PORTABLE BRIDGES, - DESCRIPtion of a novel system of portable bridges devised by Mr. Alfred Cottrau, of Naples. Illustrated with 14 charvers of Contained in Scientific American Supplement, 0.466. Price 10 cents. To be had at this office and from all newsdealers.



TRANSMISSION OF POWER TO A DIE. TRANSMISSION OF POWER TO A DIR-tance.—By Arthur Achard. A paper read before the Institution of Mechanical Engineers. Being a summary of the practical results obtained in the transmission of power to a distance by different modes. I. Transmission of Power by Wire Ropes, and the formulæ for calcula-tion. II Transmission by Compressed Air, with formulæ. III. Transmission by Pressure Water, with formulæ. III. Transmission by Flectricity. General results ob-tained by the several methods. This is one of the most valuable, practical, and comprehensive papers on the subject recently published. Contained in Scientific American Supplement, Nos. 274 and 275. Price to cents each. To be had at this office and from all payesdealers.



Kaestner Priction Clutch, Gearing, Pulleys, COUPLINGS CHAS. KAESTNER & CO.,

Builders of General and Spe-808-811 S. Canal Street, Send for Catalogue. Chicago, Ill.

SLATE ROOF COVERINGS.-BY JOHN Slater. Characteristics of good slate, sizes of slate, lay ing slate. Contained in SCIENTIFIC AMERICAN SUPPLE-MENT NO. 498, Price 10 cents. To be had at this office and from all newsdealers.

PERFECT

## **NEWSPAPER FILE**

The Koch Patent File, for preserving newspapers, magazines, and pamphlets, has been recently improved and price reduced. Subscribers to the SCIENTIFIC AMERICAN SUPPLEMENT can be supplied for the low price of \$1.50 by mail, or \$1.25 at the office of this paper. Heavy board sides; inscription "SCIENTIFIC AMERICAN," in gilt. Necessary for every one who wishes to preserve the paper.

Address \*\*TUNN 2.00

MUNN & CO., Publishers Scientific American.

THE ONLY PRACTICAL ELECTRIC MOTORS



ILLUSTRATIONS.	Fire escape, Wetmore's	Propeller, screw	MISCELLANY.	Cameras, detective. 17 Can handle, new 178 Canal. Panama 67, 374	Desk, Pohl's
A  Aiming stand, universal	Fly, fluttering 356 Furnace, boiler. Backus 323 Furnace for fine coal 355 Furnace for plumbers 322 Furnace, nelting, glass 183 Furnaces, feeding coal to 66	Propeller, screw	Figures preceded by a star (*) refer to illustrated articles.	Canal, Ship, new	Developer, soda and ammonia. 198   Diabetes, treatment of
Art in the garden 263, 329, 375	G	Quilting frame, Davis' 147	Academy, French. prizes	Cane, an extensible         *85           Capital, idle, too much         17           Car Builders' Association         89,38           Car coupler, Gray's         *90           Car coupling, Chappell's         *32	Diph theria.
Artist's residence	Gas burner, sutomatic       34         Gas burner, self-closing       370         Gas, natural, use of       127         Gas well, natural       233         Gasometer, Johnson's       226         Gate, end, for wagons       242	Railway, cable, New York. 63 Railway, cable, New York. 63 Railway, inclined plane. 111 Railway safety switch. 231 Railway stelegraphy. 119 Roadrumer, California. 55 Rods, vibrating, observation. 180	Acid, carbonic, and steam	Car coupling, Harrington's *19 Car coupling, improved *27 Car coupling, Westover's *21 Car coupling, trial ii Car door lock *25 Car, railway, photo 40	Developer, soda and ammonia.   183
Barrel head, novel       226         Basin, wash, Reld's       386         Bayonets, testing       179         Bed, folding       130         Bed, spring, and fire escape       226         Bedstead, adjustable       114, 259	Gate, farm. Wilson's     338       Gauge, glass cutting     163       Gauge, pressure     306       Gear for vehicles     34       Glass cutting gauge     163       Glass, window, manufacture     175	Rods, vibrating, observation	Air of sea   249     Alcohol, fatal effects   176     Alcohol in bushel of corn   102     Alcoholism, effects of   200     Alum, Arizona   357     Aluminum bushes   367     Aluminum bushes   367     Aluminum bushes   368	Car starters. Car wheels, inaccuracies. Car wheels, new process. Cars, coal, a mile of. Cars drawn by electricity. Cars of Transcapping Railway.	Drawing room, an ornate
Beltows, Campbell's. 38 Belt, machinery, Babcock's. 244 Bicycle leg. 120 Bicycle, treadle for. 105 Bill file. 370 Billiard cue tip. 277	Governor valve	Sash fastener, Gibbon's   258	Aluminum in Ohio 377 Aluminum, iron and steel 113 Aluminum, manufacture 362 Amblystoma vs. axoloti 37 Anchor for stove pipes 3772 Animals, markings 67	Cars, repairs of, by contract 28 Cars, street electric 37 Carding buttons *8 Carmine, purifying 4 Carriage, steam *2 Carriage staam new *18	Drills, manure, trial of   373
Boats, torpedo, construction   275	Gun, naval, ten inch 166 Gunpowder, prismatic 406  H  Hammer steam radial 184	Saw tooth, Wilson's         176           Sawing machine.         180           Sawing machine, marble         84           Screw forging machine         262           Screw propeller         136           Sediola, Italian         327	Air engine, McKinley	Carriage, steam, l'almer's	Dyeing apparatus, Wood's*350   Dynamite shells, firing
Bedd spring, and fire escape. 228 Bedstead, adjustable. 114, 229 Bedlows, Campbell's. 98 Bell, machinery, Babcock's. 244 Bicycle leg. 120 Bicycle, treadle for. 126 Bill file. 570 Billiard cue tip. 277 Bilds in Japan. 388 Boats, torpedo, construction 275 Bob-sleigh, improved. 130 Boller, boat, compact. 211 Boller feeder, new 408 Boiler turnace. Backus. 323 Boiler, steam, Cooper's. 275 Rottle and stopper, improved. 120 Brace, ratchet, who invented? 312 Bracket, shingling. 386 Brickwork. 99 Bridge, Harlem River. 43 Bridge, Harlem River. 47 Bug gy-top support. 130 Bulkhead doors. 388 Bullfrog, the Burners, gas, automatic. 34 Burners, gas, Sherman's. 370 Butchers, feathered. 71	Hammer, welding, James' 19 Hand tool. Krayer's. 38 Handle for cans. 178 Hay loader, Spilman's. 355 Hay stacker, Loseman's 322 Hen coop, impromptu 210	Separator, grain. 4 Sewer tunneling machine. 390 Shell, nitro-glycerine. 131 Ship Duguesclin. 388 Shutter worker, Naylor's. 371 Shuttle, loom, Shand's. 339	Architects, clients, and builders. \$8 Architectural designs. *215 Architectural work, zinc. 223 Armor for vessels *201 Art Gallery, Layton. *23 Art in the garden. *268, *329	Cattle bones.       27         Cattle dehorning       31         Cathedral of Granada       "16         Cattle, pygmy       *94         Celfar walls, damp       38         Cel wall markings       13	Earth axial change of     114       Earth closets     215       Earth in the stable     35       Barth's past     218       Easel, enlarging, new     118       Echoes at sea     244
Brushing machine	Honey extractor	Skid, spiked.   3.81, 145, 209, 273, 385     Sky, night.   3.81, 145, 209, 273, 385     Sky condensation of	Art in the household	Cement for cast iron	Eclipse of sun
Burners, gas, Sherman's	Houses, New Guinea	Snow plow, new	Awards for workmen	Chemical phenomenon. 255 Chemistry, relations of gov'ment 18 Chimney and ventilator. *50 Chimneys, tall 20 Chimneys, three 19 Chloral, denger of 18	Electrical apparatus
Can handle, new 178 Cane, an extensible	Lee nechine Termen 5	Speed Indicator, Herden's   399	Bacteriotherapy   238	Chlorophyl and eosine plates. 40 Cholera 5 Cholesterine fat 18 Chucking machine *88 Churn, improved *14 Cities, liability of 18	Drills, electro-magnetic.
Car coupling, Improved         275           Car door lock         555           Carding buttons         83           Carriage, steam         22           Carriage, steam, new         185           Carriage, steam, Palmer's         161	Insect destroyer, Manning's   19   Ironciad Dugue soin   383   Iron, meteoric   89   Iron, sad, improved   210   Ironing board   98   Ironingtable   210	Steam boiler, Cooper's.         275           Steam, by friction.         69           Steam carriage.         22           Steam carriage, new         185           Steam disinfecter.         227           Steam engine, Webb's.         307	Balloon new	Civil Engineers, Society of . 6. City of New York, prospect. 24. Clays, American, and uses. 37. Clamp, floor, McRae's. 489. Clamp, keying. 924. Climate, modifying the . 34.	5 Electric works, Brush *908  Electricity at Salpetri ere *9  Electricity, cars drawn by 198  Electricity, industrial 200  Electricity, production of 291  Electricity, steering by 64
Carriages, old         327           Cathedral of Granada         167           Cattle, pygmy         249           Chairs, rocking         242           Charlot, Scythian         327           Chemical vegetation         361	J Jar cover, new 163 K	Steam valves, nuffler for 402 Steamer for the Nile 168 Steamer for the Rourgone 271 Steel process, Clapp-Griffiths. 191 Stone channeling machine. 115 Stone saw wire 147	Barometer as health guide 57 Barometers, floral 152 Barbados 278 Barrack, portable *399 Barrel head, novel *286 Basin, wash, Reid's *386	Close to roleoping cars. *5 Clottes drier, automatic. *24 Clothes drier, Bogle's. *9 Con b house, St. Louis. *29 Coal, blasting with lime. 16 Coal breater the lorgest 311	Electro-magnetic drills
Car coupling, Gray's 397 Car coupling, Harrington's 194 Car coupling, Huproved 275 Car door lock 275 Card door lock 385 Carriage, steam 285 Carriage, steam 185 Carriage, steam, new 185 Carriage, steam, Palmer's 151 Carriage, steam, Palmer's 152 Carriage, steam, Palmer's 154 Carriage, steam, Palmer's 157 Cattle, pykmy 249 Chairs, rocking 242 Charlot, Scythian 287 Chemical vegetation 381 Chimney and ventilator 386 Chucking machine 387 Churn, improved 146 Clamp, floor, McRae's 386 Clamp, keying 242 Clock a novel 38 Clock a novel 38 Clock for sleeping cars 51	Keg. convertible	Stone steps, High Bridge	Batrachians, philogeny of \$28 Bayonets, British 101 Bayonets, testing 179 Beams, cast iron 388 Bed, folding 180 Bed, spring 288	Coal gas, calorific power of	Embalming 200  Emulsion, gelatino-bromide 200  Emergy, distribution of *131  Engine, air, McKinley *842  Engine and boiler, Lovegrove 248  Engine and boiler, small *278
Ciothes drier, automatic   244	Lambs. feeding.       281         Land roller, Twick's.       274         Lathe, pipe cutting.       198	T	Bellows, (amphell's*98	Coal tar, sugar from 21 Coast survey 24 Cocaine, artificial 301, 28 Cocaine for killing animaleules 133 Cocaine in seasickness 138 Coffee eating habit 38 Cold air machines, new use for 17 Colliery manager, the 245, 325, 37	5
Cooker, Aladdin	Lightning arrester, Beit's 291	Telegraph inst. learner's 180	Belt. machiner y, Babcock's *224   Belts. leather, tests for \$23   Bible. wrong use of 116   Bicycle leg *120   Bill file *370   Bill file *370   Bill file *277   Birds, A merican, protection 128   Birds killed by electric light 344	Collery manager, the 245, 325, 376 Color contrast 56 Color contrast 56 Color, traces, detection of 26 Colors, complementary 13 Colors, harmony of Colors, mineral, manufacture of 34	Engineers, civil, convention
Coop, hen, impromptu. 210 Corn cultivator 366 Corn planters 210 Counter, mechanical 195 Coupling, car, Chappell's 323 Coupling, car, Cray's 307 Coupling, car, Harrington's 194 Coupling, car, improved 275 Coupling, car, Westover's 210 Coupling, wason, new 280	1000motive, farm	Tinte calculator	Birds   nests in Japan   1938	Colors, mineral, manufacture of. 34 Comet, isrooks'	Engineering societies
Coupling, wagon, new         290           Cover for jars.         163           Cow milker, Roth's         146           Crab, oyster         151           Crane, sixty ton         39           Crate, for fruits         274           Crlb, adjustable         259	Machine, wood wool	Toads, tree. 264 Tool grinder, improved. 402 Tooth for saws, new. 177 Top, traveling. 277 Tower, observatory. 37 Track clearer. 386 Transformers, electrical 131	Blasting coat with   Blacking, electric, cost   \$70	Colors mineral, manufacture of. 34   509, 37   Comet, Brooks' new. 341, 399, 37   Comet, Brooks' new. 35   Comet, Brooks' No. 3. 35   Comet, Fabry's. 19   Comet, how captured. 7. 7   Comets Fabry and Barnard 28   Cmet sthe May. 38   Comet, how captured. 7. 7   Comets Fabry and Barnard 28   Comets, two new. 400   Commerce, inter-state   Concrete as a fireproof material. 27   Concrete, cheap. 38   Concrete construction. 38   28   28   28   28   28   28   28	Etna, eruption of.
Cover for jars.   163	Miker, cow, Roth's   66	Transformers, electrical   131     Trap, spring   88     Treadle for bicycles   106     Trellis for garden crops   114     Trick, match, simple   276     Trough, watering, Boies'   15     Truck, hand, Caldwell's   402     Truck, hand, Caldwell's   402     Truss and supporter   260     Tunnel, Big Bend   77     Tunnel, Mersey   156     Tunneling machine, sewer   390     Turf cutter Mineo's   822     Tunnel transformers   180     Turf cutter Mineo's   822     Turf cutter Mineo's   823     Transformers   180     Turf cutter Mineo's   823     Transformers   824     Turf cutter Mineo's   825     Turf cutter Mineo's   825     Transformers   825     Transformers   825     Turf cutter Mineo's   825     Turk cutter Mineo   825     Turk cutter Mineo   825     Turk cutter Mineo   825	Boats, life, steam	Concrete machine	Exhibition, Edinburgh   198
Dam, Davis Island.         207           Damper regulator.         136           Dashboard attachment.         370           Desk, Pohl's.         162	Moon. photograph of the	Truss and supporter	Boiler oxit, compact	Contract with municipality. 18. Cooker, Aladdin. 810 Coop, hen, impromptu. 211 Corn, oil, etc., from. 880 Copper, combustion of. 18. Copper, drop forged. 183	Eyes, using one's
Dilatancy	N Neck yoke attachment 146 Needles, floating 377 Newspaper stand and file 338	Tympan	Boiler, instantaneous   136     Boiler, keep it clean   54     Boiler, steam, care of   20     Boiler, steam, cooper's   275     Boilers, dangerous   37     Boilers, keeping clean   191     Bones, cattle   274     Boots, squeaky   52     Borax, test for   88     Boring, the deepest   405     Bottle and stopper, improved   120     Bottle wash laboratory   22	Coop, hen, impromptu	Fall of 250 feet, a
Drier för grain, etc         18           Drill, Johnson's         312           Drill, Packer's         312           Drilling machine, radial         134           Dust pan, Shaw's         340           Dyeing apparatus, Wood's         390			Boring the deenest 405	Cough, whooping, cure of 395	Factoring for pooleges *50
E         Electric Works, Brush         908           Electricity at Salpetriere         9           Electro-magnets         102	Oil testing machine	Viaduct, Tay, new	Brain.Gambetta	Coupling, car, improved.       *27         Coupling, car, Westover's.       *21         Coupling, wagon, new       *29         Couplings, car, trial       18         Cover for jars.       *16         Cow milker, Roth's.       *14	Fence post, Hicks'
Elephant, sacred	Packing box, Beach's	Wagon dumping	Brick wall	Cow with the legs. 24 Crab oyster *15 Crane, mining. 25 Crane, sixty ton 88 Crank defended. 10 Crate for fruits 77	Fiter, patent, English
Engine, automatic.       198         Engine, condensing       86         Engine, flour mill       8         Engine, rotary, Boots'       217         Engines, expansion       326         Engineers of Mersey Tunnel       164	Piers of Tay Viaduct.   1: Pinch-bar, lever.   30: Pipe cutting lathe   19: Piston packing, metallic.   5: Piston packing, rubber   30: Pianing machine   118. 35: Pianing machine	Water, now to carry in a sieve. 311 Water, spheroidal state. 404 Water works, automatic. 177 Well, gas, natural 233	Bugs, an invasion of	Cream tartar         8           Crib. adjustable         25           Crusher and stamp mill         29           Crystal balls, manufacture         26           Cuff adjuster, improved         *16           Curious request         21	Fire escape, new
Exhibition, Edinburgh 199	Plates, dry, gelatino-bromide 24 Platform gear, Holman's 38	Wheel shaping machine	Burns, nitric acid	Customers, unprofitable 228 Cut out, automatic, Belt's *291	Fires, origin of
r arm gate, wilson's	riow, snow. Poitras. 19. Pneumatic action for organs. 35. Posts, base for. 25. Poutry, feeding standfor. 40. Press, copying. 29. Press, gunpowder. 40. Press bay and orters.	Wine, strong, tears of 377 Wood sawing machine. 138 Wooddwool 400 Wool, wood 400 Workshop of Jas. Watt. 393 Wrench, Gales' 38	Cable, anti-induction. 69 Cable grips. 83 Cactuses, spines in 151	Dam, Davis Island	Fireproof material, concrete as. 276   Fireproofing compound. 408   Firing in coal mines. 120   Fish, age of . 281   Fish, frozen . 277   Fish, poisonous
Fire damp apparatus. 47 Fire escape, Ilse's 274 Fire escape, eww. 226 Fire escape, Rose's, 4	Press, hop 16 Press, printing, home made 27 Press, punching, power 40 Printing press, home made 37	Wrench and drill	Caligraphy *150 Camellia, fluid extract 176 Camera, a cheap 276 Camera, novel 369	Decisions, law recent. 181 Decision trade mark201, 243, 351, 356 Defense, national	Fishes, temperature of the fishes, temperature of the fishers, Gloucester 23 Fishing with dynamite 310 Fishing with dynamite 370 Fishing with dynamite 370

Flooring glass   57   Flour mill engine   **   **   Fluids, properties of   296   Flying futtering   **   **   **   **   **   **   **	I I I I I I I I I I I I I I I I I I I	Meteors, velocity of	Plates, sensitive, backing.	Slag, table ware from   2011	Torpedo catcher
Foundation, deepest.         276           Foundations, tubular, sinking.         166           Fren ch Academy prizes.         165           Frilling, remedy for         337           Frost bite. treatment         41           Frosting brass work         232           Fuel, calorific power         388	Ice spicules	Milk, frozen, in fevers.   371   Milker, cow, Hoth's   *146   Mill, Du Bose's   *5   Milling and sletting machine   *67   Milling machine   *64   Mills, American   218   Mining precautions   285	Platting without electricity 256 Plow and cultivator. *i14 Plow, Hodgson's. *18 Plow, snow. *178 Plow, snow. Penarkable. *194 Plow, snow. remarkable. *144 Pleumatic action for organs. *365 Pneumonia. *161 Pneumonia and ozone. 368 Pneumonia apidemic of. *55 Poisoning from squill. *24 Polariscope, use of. *138 Pompeii, excavations at. *138 Pompeii, excavations at. *137 Post, fance, Hieks. *24 Post, parcels, English. *25 Postage rates, increase. *268 Postage rates, increase. *268 Postage stamp, inventor of. *256 Potato, origin of. *277 Poultry freeding in France. *177 Press, copying. *230 Press, printing, compound. *278 Press, printing, home made. *276 Press, punctiins, power *438 Press, punctiins, power *28 Printing, iuminous. *256 Printing, iuminous. *256 Printing, juminous. *256 Printing, juminous. *257 Printing, juminous. *256 Printing, juminous. *257 Printi	Slag, table ware from   2011	Trade mark decision . 201, 243, 341, 356   Trade mark in signs
ruel. consumption of engine. 195 Fuel. economy of	Institute, Stevens	Mining, novel feature in	Pompeli, excavations at.	Soda in Californía	Trade mark in signs. 181 Transformers. 181 Transformers. 181 Transportation, water, inland 129 Trap, spring. *22 Treadle for bicycles. 105 Trees in Mexico. 277 Trees in Mexico. 277 Trees sanitary value. 375 Treilis for garden crops. 111 Trichiniasis, fatal. 382 Trick match. simple. *276 Trough, watering. Boies* 402 Truck, hand. Caldwells. 402 Truck, hand. Smith's 402 Truck, hand. Smith's 402 Truck, hand. Smith's 402 Trunel, a deadly. 188 Tunnel, a deadly. 189 Tunnel, water Cleveland. 189 Tunnel, water Cleveland. 189 Tunnel, water Cleveland. 189 Tunnelmers of the andersts. 389 Tunnelmers of the andersts. 389 Turf cutter, Mineo's 822 Turf cutter, Mineo's 822 Trymans Squire's 233 Type and overlay 289 Type and overlay 289 Type and overlay 289
Furnace, electric, Cowles. 325 Furnaces, feeding coal to. *65 Furnace for fine coal. 355 Furnace for plumbers. *322 Furniture, library. *246	186, 202, 218, 234, 250, 265, 297, 330, 346, 378  Inventions, engineering10, 25, 42, 55, 74, 90, 106, 120, 138, 155, 169, 186, 202, 218, 234, 250, 265, 282, 291, 314, 330, 346, 363, 378, 394, 409  Inventions, India caling for our 210	Minutes worth saving	Potato, origin of. 377 Poultry breeding in France. 146 Poultry, feeding stand for. *402 Preserving compound. 403 Press, copying. *290 Press, gunpowder. *406	Speed, high, on the ocean. 9 Speed indicator. Herden's. *209 Sphinx, Expytian. *359 Spontaneous combustion. 69 Spring, lumber wagon. *274 Spring, vehicle. *18 Spring the automatical *24	Truss and supporter. *260 Tunnel, a deadly. 198 Tunnel, Big Bend. *55 Tunnel Mersey 159 Tunnel water Cleveland 80 Tunneling machine, sewer. *390 Tunneling archers. *390
Gaining and active ring. 376 Galveston barbor 386 Game within arctic circle. 197 Garden paths, laying out \$329 Gardening, ornamental 376 Gas encerting 197	Inventions, mechanical	Mug. shaving, new *370 Museum, American *238, 272 Museum, National 228 Museum of hygiene 137 N	Press, hop       *162         Press, printing,       373         Press, printing, home made.       *276         Press, bunching, power       *403         Price of life       233         Printing, luminous       225	Square, Searreant's. *4 Stable, earth in the. 35 Stammering, to cure 21, 58 Stamp, counting house. *146 Stand, aiming, universal. *388 Statue of Liberty. 259	Turf cutter, Mineo's
Gas burner, automatic #34 Gus burner, self closing #370 Gas, cosl, caloride power 359 Gas engine, Otto 94 Gas holder, a large 289 Gas, hydrogen 184	Inventions, notable	Natural history in Philadelphia. 340 Natural history notes 151, 281, 376 Navigation, aerial 250 Navy, British, electric light in. 180 Navy, merchant, of world 185 Nebula, new, discovery 182	Printing press, bome made. 276 Prints, glazing. 385 Prints, to prevent curling. 176 Prizes of French Academy. 165 Propeller, screw. 186 Proportiest, restangular. 238 Proportiest, restangular. 288 Pruning implement. 178 Public domain, extansition. 112 Public domain, extansition. 182 Pulley, expanding. *82 Pulverizer, Howand's *291 Pump, steam, Empire. *44 Pumps, chat about. 340 Pumps, Chat about. 340 Pumps Roots' *217 Pumping engines, Brooklyn. *223 Punching press, power. *408 Puriller, middlings. *34 Push or being pushed. 55	Sodium, cheap. Sodium, cheap. Solder, separation from old zine. Solder separation from old zine. Sore throat, cure for	U Ultramarine. mineral 401 University, California 6
1976   1976	Inventor, another, gone Inventors, laboratory for 49 Inventors, laboratory for 49 Inventors, new, reward for 88 Inventors, opportunity for 10 Inventors, unsuccessful 160 I mentors, youthful 180 I mentors, youthful 185 Iron and steel ended 181 Iron and steel corrosion 234 Ironciad Daguescin 234 Iron magnetic quantities 273 Iron magnetic quantities 273 Iron meteoric 29 Iron mountain, Swedish 29 Iron, 324, improved 210 Ironciad, peppering an 31 Ironing board, new 48	Nectics yoke attachment, 146 Necdies, floating *877 Negative, how to intensity 328 Negative, reproduction of 357 Nerve force and coloration 48 Newspaper stand and file 338 Newspapers, American 375	Public domain, extansion	Steam crat.   natest.   117	V   Vaccination, philosophy   200   Valve for wash basins   *146   Valve, governor*   596   Valves, steam, muffler for   402   Van Nos trand. D., death of   401
Gas system, regenerative 370 Gas transportation 269 Gas well, cost of drilling 391 Gas well natural 223 Gas well remarkable 98 Gas wells fired by lightning 372 Gases, sp. grav. balance for 217 Gasometer, Johnson's 226 Geta and for wagens 2242	Iron mountain, Swedish	Nicke Izing process       280         Night sky.       -3, *81, *145, *209, *273, *853         Nitrogen, absorption of       51         Nitrogen, combustion of       182         Nitroglycerine shells       *131         Noises, mysterious       339	į . Q	Steam yacht 213 Steamboats, small, licenses. 224 Steamboats wanted 306 Steam y for the Nite 1563	Van Nostrand, D., death of.       401         Vaporizing device.       *226         Varnish. shellac, clear.       905         Vegetation, chemical.       *361         Vehicle spring.       *18         Vehicle wheel.       *18         Vehicles, gear f       *94         Venice.       276         Ventilation, best mode.       6         Ventilation, best mode.       6         Ventilation, best mode.       8
Gate, farm, Wilson's*338 Gauge, glass cutting*163	Jar cover*163 Joint, rust	Obelisk, Central Park 310 Obesity, treatment of 46 Observatory, Luck, dome 405 Ocean bottom, how lighted 72 Oli cup, adjustable. 274 Oli cup, Slanker's 258	Question of the day, great	Steamer Oregon   192, 256, 837     Steamer to run 50 miles an hour 359     Steel and iron, aluminum   113     Steel, cast. hardening of   160     Steel process, Clapp-Griffiths   171     Steel ships   185     Steel structure of   391	Ventice.
Gauge pressure. "336 Gear for vehicles "34 Ge atine, purifying 129 Genmanium, new metal 229 Ghosts and haunted houses 312 Gidling watch plates (13). 347 Glass cutting gauge 185 Glass floorings 57 Glass, impermeability 200 Glass, win ow manufacture 175 Glanders and farcy 313 Gloucester fishers 332	Keg, convertible	Oil cup adjustable     274       Oil cup, Slanker's     258       Oil, etc., from corn     389       Oil, removal of     386       Oil stains, removal of     258       Oil testing machine     *149       Oil well ocean     958	Railroad hands, medical atten 226 Railroad tie plantations 209	Stereoscope, new form	W
Glanders and farcy 313 Gloucester fishers 552 Gold, Alaska 197 Gold and silver in the arts 274 Gold, dissemination 69 Goeds, sale of 151 Government by space of farce 757	Ladder, fire escape	Oils lubricating 211 Old age, hyriene of 32 Old age, premature, how to avoid 26 Orange, Osage, for silkworms 87 Orange trees 373 Ordnance supplies 891 Orange these 997	Railway, electric, Van Depoele. 7   Railway, inclined plane.   111   Railway, La Guayra.   137   Railway monopolies.   370   Railway practice in Italy.   198   Railway, ship,   acific   Railway, ship,   Tehuantepee.   85   136, 224, 276   224, 276	Stone artificial 279 Stone channeling machine 115 Stone, in inous 884 Stone, preservation of 7 Stones aw wire 147 Stones, lithographic, artificial 199 Stones, precious, American 80 Stones, sensoning 353	Walls, Utick
Governor valve	Lands, FlorIdan, reclaimed. 245 Lanoline. 184 Land roller, Twick's. 274 Lantern condensers. 51 Lantern lide apparatus. 357 Lantern lides, making. 186 Lender, weste in thing. 58	Oregon, sinking of 192 Organs, old 193 Organs, pneumatic action for 336 Orthochronatic plates 401 Oxygen gas apparatus 385 Oyster crab 151	136, 224, 276   Railway telegraphy   119   Railways in China   240   Railways introduction of   241   Rainfall, diminished   181   Rainfall, our average   96   Rattlesnakes   148	Stones aw wire.  Stones, lithographic, artificial.  Stones, precious, American.  Stones, precious, American.  Stones, seusoning.  375  Stonework, cleaning.  385  Stop motion, new.  388  Stoppers, fixed, removal.  387  Stove grate, Bally's.  389  Stove, Taylor's  Strainer and cut-off.  \$25  Street cleaning.  388	Walls, cellar, damp.       385         Wallsdifferent cost of       305         Walls party, law as to       401         Walls, strength of       88         War ships, motive power       228         War s removal of       338         Wash bottle, laboratory       2         Washing machine       "194         Waste pipes, cleaning       41         Watch prot ctor       370         Water, acrated, apparatus       *55
Grips, cable 83 Grips, railway 259 Grotto of Marie de Medici. *263 Gum, chewing, fattening 227 Gum, ferment 200 Gun, Ericsson. 35, 64	Lathe, pipe cutting \$198 Lathe, screw cutting \$179 Law as to party walls 401 Law decisions, recent. 181 Laws, patent, benefit 400 Lead pencil marks, removal 129	Ozokerite ties	Rectangular proportion. 258 Refrigerating machine 528 Refrigerating machine 102 Resir occurrence 102 Resir as mounting medium 133 Rheumatism, treatment 405 Rifle rances, safety devices for 266 Rifle Remington 202	St red cleaning   Roston   216     St reets, lighting cost of   195     Strikers whole number of   336     Success in life   68     Sulphur in coal, origin   836     Summer house, design for   *182	Watch prot ctor
Gun, Mefford 372 Gun, naval, ten inch 165 Gun, steel wire 403 Gunpowder, prismatic 406 Gunpowder, prismatic 320 Guns, foundations for 320	Leather, artificial	Pain, seat and origin of 112 Paint, black, dead 46 Paint, finish and polish 144 Paint, iron 279 Paint to preserve ties 197 Paintings, copying 49	Bight and left handed 37, 137 Right of way 181 Roadruner, California 55 Roads, to improve 244 Rocks, classification of 528 Rods, yibrating, observation 130 Rust joint 404 Rust, to prevent 245	Surgery, manual, for players. 36 Switch for dovetating machine. *50 Switch selety railway. 231	Water, soda, what is it?
Gunnery, high science. 53 Gutta percha. 248  Ha mer, welding, James'. *19	Library, decorations of 340 Library, national 375 Licenses for small steamboats. 224 Life, mistakes of 278 Life preserver, Badia's 342 Life, price of 332	Palace, (ce, 5t. Paul. 113 Paper for wrapping up silver 195 Paperpipes 1112 Paper, rendering tough 87 Paper, sand, use of 185 Paper, transparent 192	Rust, to prevent. 245 S Saccharine substances. 264 Sad iron, impr ved. 220	### Swords, electrical	Water, how to carry in a sieve. *311 Water, soda. what is it 7
Hand 100), Krayer's "388 Hands, care of the 322 Hands, to clean the 322 Handle for cans, new "178 Hardware, production of 154 Harvester, cotton, U.S. 163 1jsy loader, Spilman's "355	Light at deep sea depths. 245 Light at deep sea depths. 245 Light, electric, in the Brit. Navy 180 Light, ejectric on balloons. 16 Light, gas, powerful 197 Lighting, e, ectric, profit. 401	Paper, waterproof   135	Sare, maryin   185	Tanks, water, for fire purposes. 341 Tax on drummers. 184 Tea kettle. Ford's. *572 Tea, peach root. 291 Teeth extracting with pistol. 180 Teeth. separating device for. *283	Wave, cold, great. 84 Wax process for engreying. 465 Weavers, handloom, hat of . 557 Well finding
Hay Stapter, Oseman's 322  Health, the nation's 310  Hearing, improvement of 52  Heat, lack of 200  Heat from incandescent lamps 181  Heat of various lamps 276  Heating factories, method 32	Lightouse, Eddystone 36) Lighthouse illumination 24i Lighting streets, cost of 195 Lightning arrester, Belt's 231 Lightning arrester, "Oven's 231 Lightning rous, directions for 195 Lightning rous, directions for 193	Patent bills before Congress   288     Patent bills before Congress   288     Patent fortune for a	Saw mills anote's "ask saw, rail 445 Saw, utone, wire "147 Saw tooth, Wilson's "178 Saw without teeth 290 Sawing machine "150 Sawing machine, marble. "34	Telegraph inst., learner's *80 Telegraph life saved by 40 Telegraphy, history of. 389 Telegraphy, nallway 119 Telemeter, universal 177 Telephone, Bell not, inventor. 21	Well system driven 222 Wells, gas, red by lightning 377 Westinghouse, George 290, 379 Whale, right, Atlantic 117 Whaler and whaling 44 Whales off Long Island, 5
Heliogravure, mezzotint. 357 Heliogravure. 357 Hen Cop. Impromptu. *210 High Bridge, stone steps at *351 Hoe, R. M. death of 384 Holes, bors, deep. 405 Honey extractor \$2	Kilauea, extinction of. 271 Knife, table, improved 972 Knowledge, gateway of 7  L  Ladder, fire escape 4 Lake Michigon, length 403 Lambs, feeding 921 Lamp, magnesium 209 Lamps, heat from 181 Lamps, heat from 181 Lamps, heat of 276 Lands, Floridan, reclaimed 245 Lanoline 184 Land roller, Twick's 974 Lantern condensers 51 Lantern lide apparatus 357 Lantern lides making 186 Larder, waste in the 53 Lathe, pipe cutting 179 Law as to party walls 401 Law decisions, recent 181 Laws, patent, benefit 400 Lead pencil marks, removal 129 Led shot, analysis of 61 Lesther, artificial 99 Lec ures, Sibley College 49, 64 Legislation, Congressional 368 Legislation, Congressional 368 Legislation, obnoxious 368 Legislation, obnoxious 368 Lewing app, for builders 384 Leveling app, for builders 384 Leveling app, for builders 384 Liberre cultivation 242 Life, price of 232 Lifeboats, steam 380 Light at bottom of sea 181 Light at deep sea depths. 245 Lightings, eetric, profit 401 Lighting spectric, in the Brit, Navy 180 Light, ges, powerful 197 Lighting streets, cost of 195 Lighting streets, cos	Patent register, ruined by 72     Patent system, our 230     Patents, decisions relating to 161, 225     Patents, English, 1885   85     Patents, Extension of 94     Patents, Japanese 5	Scarlet Lever	Telephone caveat, Meucci's. 104 Telephone controversy 128 Telephone decision. New Orleans 384 Telephone, growth of 188 Tele pone, Guthrie's. 246 Telephone invention of 66	What is thought of us 20 What is thought of us 20 Wheat antiquity of 147 Wheat production, cost of 177 Wheel shaping machine 259 Wheel, vehicle 279 Wheels, car, inaccuracies 27
10nor to whom honor is due	Locomotive, cost to run a	Patents, State interference.         304           Peacock, argus.         *313           Peat fuel, Russian         \$7           Petrifaction of organic bodies.         54           Petroleum, frozen. for steamers.         261           Petroleumin Denver         386	Sea. signa is at         256           Sea, wonders of the         152           Sea weed, gigantic         281           Selenium, new source of         101           Selenium plates, electrical         3           Separator, wheat         4           Sewage process         264	Telephone nutsneii	Wheels, car. new process
Horse power, Grabill's	Loom, shuttle, Shand's*389 Looms, American	Petroleum in New Mexico     233       Petroleum ripes, cleaning     355       Photo-printing     73       Photographer's association     369       Photographic car     405       Photographic notes     173       494     405       Photographic notes     177       193     196       177     198       192     196       177     198       192     196       177     198       192     196       177     198       193     192       194     196       195     196       197     198       197     198       198     192       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198       198     198	Sewer tunneling machine. **381 Sewing machine. Singer. 165 Shad. transportation of	Telescope mounting, design	Wire gun, steel
Hospital, field. *399 House bill 4.488. 337 House, farm, how to clean 405 House, how a wise man built a. 117 House lighting, electric. 100 House, summer, design for *182 Houses, New Guinea. *152	Machine, wood wool. 4406 Machinery and its possibilities 408 Machinery, accidents from. 211 Magenta, how made 293 Magnesium, decline in price. 357 Magnesium imp. 209 Magnesium light in photog. 34. 177	Photographing a tiger. 100 Photographs, balloon. 289 Photographs, balloon. 289 Photographs, exhibit of. 65, 289 Photographs, spectacle. 118 Photography, stronomical. 230 Photography by lightning. 327	Ship canal, new       9         Ship Duguesclin.       *883         Ship railway, Pacific       56         Ship railway, Tehuantepee       .24         Ship railway trains       21         Ship's obats       862         Ship's Signals       18	Throat, sore, cure for 17 Thunderstorm in a clear sky. 225 Tle, ra iroad, plantations. 209 Tles, cross, railway. 37 Tles, cookerite. 388 Tles, paint to preserve. 197 Tbs, wood, preserving. 117	Wood, preservation of
How she converted him 155 Hughes Prof. honors to 68 Human body, development 244 Hvdraulic machinery *6 Hydrogen gas. 194 llydrophobia, cure of 40 Hydrophobia, prevalence of 2	Magnesium, révolution in 359 Magnetism, réstoration 259 Man, remarkable 373 Manufacturers, duty of 295 Manufacturers and machinery 67 Marble sawing machine, 484 Marsh, Prof. O. 2 277	Photography, subsqueous. 248 Phylloxera, preventive of. 359 Planoforte, Metzdorff. 149 Planofortes, old. 149 Pictures, colored, photographing 177 Pigeons, care of. 248 Pigments under various lights 248	Ships, steel	Tiles, encaustic. 246 Time calculator. **226 Time notation. 151 Times we live in. 89 Tin, Cornwall. 248 Tin, new form of. 212 Tintoretto's house **268	Water sanks for fire purposes. 31 Water works, Brocklyn. 23 Waters, mineral, of U. States. 23 Wat. James, anniversary. 32 Wat. James, anniversary. 32 Wat. James, anniversary. 32 Wat. James, anniversary. 32 Well system. diven. 35 Well gas, natural. 35 Well, gas, cost of drilling. 35 Well, gas, natural. 32 Well, gas, natural. 32 Well, old, ocean. 32 Well, gas, red by lighting. 37 Westinghouse, George. 290 Well, gas, red by lighting. 37 Westinghouse, George. 290 Well, gas, red by lighting. 37 Watels, gas, red by lighting. 37 Watels, gas, red by lighting. 37 Whale, right, Atlantic. 32 Whaling interests, California. 64 Watels, car, handrid. 32 Wheat is thought on 147 Wheel snapping machine. 329 Wheel, well-off, ocean. 32 Wheels, car, nacouracies. 30 Wheat is thought of 32 Window and coor heeds. 39 Window and c
Hydrogen, weight of 64 Hygiene, museum of 187 Hygiene of oid age 382 Hypnone 257	Mast, fron, taking down   233   Match trick, simple   276   Meals, resting after   256   Mechanics, amateur   49   Medal of honor   883   Medical shop, dollar   7   Memory, to strangthan   116	Pinch bar lever	Shows, trave ing Japanese   199	Tire and tire bolt, Hitt's	Yacht Atlantic *819 Yacht, steam 218
Ice cutting machine \$322 Ice formation, curious. \$55, \$810 Ice formation, regular. 17 Ice house, cheap. 129 Ice in the sick room \$34 Ice machine, Jarman \$5 Ice palage 45 Buri \$5	Men, young, bring up   120	Plant roots, influence electricity 281 Plate bending machine. 222 Plate, developed, appearance. 33 Plates; dry, coating, etc. 97 Plates; glestino-bromide. 247 Plates, orthochromatic. 401	Silver and gold in the arts. 274 Silver, paper for wrapping up. 35 Silver stains, removal of. 233 Silver stains, to remove. 5 Sid, spiked. 250 Sky, night. 3, *21, *145, *209, *273, *353 Slag gangarating stamp by	Tooth for saws, new*         *178           Top, traveling         *83           Tornado at St. Cloud         277           Tornadoes         309           Torpedo boats, construction         *275           Torpedo boat, fast         117           Torpedo boats posts submarina         140	Zine
	*	- man king or hanging at [	200 - 200 -		

# Steam Engines.

JUST PUBLISHED.

# Modern Steam Engines.

An elementary treatise upon the Steam Engine, written in plain language, for use in the workshop as well as in the drawing office; giving full explanations of the construction of modern Steam Engines, including diagrams showing their actual operation; together with complete but simple explanations of the operations of various kinds of valves, valve motions, link motions, etc., thereby enabling the ordinary engineer to clearly understand the principles involved in their construction and use, and to plot out their movements upon the drawing board. By Joshua Rose, M. E. author of "The Complete Practical Machinist." Illustrated by 422 engravings. In one volume, quarto, 520 pages. Price \$8.00, free of postage to any address in the world.

\*\*Essential Structure of the pages.\*\* Price \$8.00, free of postage to any address the world.\*\*

An illustrated circular 8 pages, 4to, giving the con tents of this remarkable book, will be sent free to any one who will furnish his address.

HENRY CAREY BAIRD & CO.,

INDUSTRIAL PUBLISHERS, BOOKSELLERS & IMPORTERS 810 Walnut Street, Philadelphia, Pa., U. S.A.

# HASWELL'S **Engineers**' Pocket-Book.

NEW EDITION,

## **Enlarged and Entirely Rewritten**

FROM NEW ELECTROTYPE PLATES.

Mechanics' and Engineers' Pocket-Book of Tables, Rules and Formulas pertaining to Mechanics, Mathematics, and Physics, including Areas, Squares, Cubes, and Roots, &c., Logarithms, Steam and the Steam-Engine, Naval Architecture, Masonry, Steam Vessels, Mills, &c.; Limes, Mortars, Cements, &c.; Orthography of Technical Words and Terms, &c., &c. Forty-fifth Edition, Revised and Enlarged. By CHARLES H. HAS-WELL, Civil, Marine, and Mechanical Engineer, Member of American Society of Civil Engineers, Engineers' Club of Philadelphia, N.Y., Academy of Sciences, Institution of Naval Architects, England, &c. Pages xxx. 902. 12mo, Leather, Pocket-Book Form, \$4.00 Sent prepaid to any address on receipt of the price. Ad-

MUNN & CO., 361 Broadway, New York. Our catalogue of books sent free to any address.



## FOREIGN PATENTS. Their Cost Reduced.

The expenses attending the procuring of patents in most foreign countries having been considerably reduced the obstacle of cost is no longer in the way of a large proportion of our inventors patenting their inven-CANADA.-The cost of a patent in Canada is even

less than the cost of a United States patent, and the former includes the Provinces of Ontario, Quebec, New Brunswick, Nova Scotia, British Columbia, and Mani-

The number of our patentees who avail themselves of the cheap and easy method now offered for obtaining patents in Canada is very large, and is steadily increas

ENGLAND.—The new English law, which went into force on Jan. 1st. 1885, enables parties to secure patents in Great Britain on very moderate terms. ABritish patent includes England, Scotland, Wales, Ireland and the Channel Islands. Great Britain is the acknowledged financial and commercial center of the world, and her goods are sent to every quarter of the globe. A good invention is likely to realize as much for the patentee in England as his United States patent produces for him at rome, and the small cost now renders it possible for almost every patentee in this country to secure a pa tent in Great Britain, where his rights are as well pro-

tected as in the United States.

O'THER COUNTRIES.—Patents are also obtained on very reasonable e terms in France, Belgium, Germany, Austria, Russia, Italy, Spain (the latter includes Cuba and all the other Spanish Colonies), Brazil, British Iudia, Australia, and the other British Colonies.

experience of FORTY years has enabled the publishers of THE SCIENTIFIC AMERICANTO establish competent and trustworthy agencies in all the principal foreign countries, and it has always been their aim to have the business of their clients promptly and properly done and their interests faithfully guarded.

A pamphlet containing a synopsis of the patent laws of all countries, including the cost for each, and other info ation useful to persons contemplating the pro curing of patents abroad, may be had on application to

MUNN & CO., Editors and Proprietors of THE SCI ENTIFIC AMERICAN, cordially invite all persons desiring any information relative to patents, or the registry of trade-marks, in this country or abroad, to call at their offices, 361 Broadway. Examination of inventions, consultation, and advice free. Inquiries by mail promptly

Address

MUNN & CO. Publishers and Patent Solicitors,

361 Broadway, New York. ANCH OFFICES: No. 622 and 624 F Street, Pacific Building, near 7th Street, Washington, D. C.

## Joshua Rose's Great Treatise on NEW YORK BELTING AND PACKING COMPY. NOVELTY ELECTRIC CO.



NEW YORK BELTING & PACKING CO. Emery Wheel.

JOHN H. CHEEVER, Treas.

J. D. CHEEVER, Dep'y Treas. Warehouse: 15 Park Row, opp. Astor House, New York. Branches: 308 Chestnut St., Phila., 167 Lake St., Chicago, 52 Summer St., Boston.

GUARANTEED TO CONSUME 25 to 75 ANY OTHER GAS ENGINE PER CENT. LESS GAS THAN Per BRAKE-HORSEPOWER PHILADELPHIA and CHICAGO.

THE CHEAPEST AND BEST ! Unoto Engraving © 67 PARK PLACE NEW YORK ENGRAVING FOR ALL ILLUSTRATIVE AND ADVERTISING PURPOSES

SANITARY EXAMINATION OF DRINK ing Water.—By Prof. E. R. Angell. The odor of water and how to detect it. Tests and their applications. Nitrates and Nitrites. Lead and iron. Test for lead, Tests for organic matter. A valuable paper. Contained in Scientific American Supplement. No. 462. Price 10 cents. To be had at this office and from all newsdealers.

The only Real Treatise on the Subject. The Windmill as a Prime Mover. Comprehending everything of value relating to Windmills, their Use, Design, Construction, etc. With many fine illustrations. By A. R. WOLFF, M.E., Consulting Engineer. 8vo, cloth, sulting Engineer. 8vo, cloth, \$3.00 Mailed prepaid on the receipt of theprice. Address

MUNN & CO., 361 Broadway, New York.

HEAT IN RELATION TO CHEMICAL HEAT IN RELATION TO CHEMICAL Action. By Henry Allen. A review of some of the results that have recently been obtained by experimenters in the branch of physics known as thermo-chemistry. Description of apparatus used by M. Berthelot in his calorimetric determinations. The fundamental principles of thermo-chemistry explained. Decomposition of water by metals. Action of hydrochloric acid. Sulphides. Nitric acid. Contained in SCIENTIFIC AMEURAN SUPPLEMENT, NO. 291. Price 10 cents. To be had at this office and from all newsdealers.



APPLICATIONS, with Testimonials, to fill the Natural Philosophy; Drawing (Free Hand and Mechanics; natural Philosophy; Drawing (Free Hand and Mechanical), and Mining Engineering; will be received by the Secretary of the Board of Trustees of the Virginia Agricultural and Mechanical College until July 27, 1886. Salary \$1,550.

Address PROF. W. H. GRAHAM, Secretary of Board Va. A. & M. College, Blacksburg Montgomery Co., Virginia.



File Card. For cleaning Files. Sent post paid on receipt of 15 cents. Steel Name Stamp. For mark Steel Name Stamp. For marking name on wood, metal, tools, etc. 1-16 or 1-8 letters. 1-16 is best size for Tools. Price 25 Cr. 1-16 or 1-8 letters. 1-16 is best size for Tools. Price 25 Cr. 25 letters. 1-16 is best size for Tools. Tracking to Compare 1-16 letters. 1-16

Send 4 cts. for large illus. catalogue of tools, etc. The JOHN WILKINSON CO., 77 State Street, Chicago, Ill.



DIRI AIR REFRIGERATING MACHINE. Description of Hall's improved horizontal dry air refrigerator, designed to deliver about 10.00 cubic feet of cold air per hour, when running at a speed of 100 revolutions per minute, and capable of reducing the temperature of 30° above to 50° below zero. With five figures, showing plan and side elevation of the apparatus, and diagrams illustrative of its performance. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 2885. Price 10 cents. To be had as this office and from all newsdealers. DRY AIR REFRIGERATING MACHINE



ROCK BREAKERS AND ORE CRUSHERS.

We manufacture and supply at short notice and lowest rates, Stone and Ore Crushers containing the invention described in LettersPatent. issued to Eli W. Blake June 15th. 1858, together with New AND VALUABLE IMPROVEMENTS, for which Letters Patent were granted May 11th and Juny 20th, 1880. to Mr. S. L. Marsden. All Crushers supplied by us are constructed under the superintendence of Mr. Marsden, who, for the past twenty years, has been connected with the manufacture of Blake Crushers in this country and England.

FARREL FOUNDRY AND MACHINE CO., Manufrs., Ansonia, Coun. COPELAND & BACON. Agents. New York.

REFRIGERATING and Ventilating Machines Jarmans Patent. YORK MFG. CO., York, Pa.



## CHARTER'S CAS ENGINE.

Warranted equal to any in Power and Economy, and Superi-or to all in Simplicity and Com-pactness. Gives an Impulse at every Revolution.

Engines and Pumps Combined. 🗆 Williams & Orton Mfg. Co.,

P. O. Box 148.

STERLING, ILLS.

UNILATERAL HALLUCINATIONS.-A paper by Dr. W. A. Hammond, treating of the unilateral hallucinations of sight and hearing. Contained in SCHENTIFIC AMERICAN SUPPLEMENT. No. 523. Price 10 cents. To be had at this office and from all news-

## 🕺 New Catalogue of Valuable Papers

contained in Scientific American supplement, sent free of charge to any address. MUNN & CO.. 361 Broadway, N Y.



## POLISHING FELTS. ALFRED DOLGE.

MANUFACTURER, NEW YORK.

SCIENTIFIC METHOD IN MECHAN-ical Engineering.—A lecture by Prof. Coleman Sellers, showing what part that systematic, scientific method should play in the most ordinary mechanical occupa-tions. Contained in SCIENTIFIC AMERICAN SUPPLE-MENT, No. 523. Price 10 cents. To be had this office and from all newsdealers.

## PULLEYS. Order from our "Special List."

JOHN T. NOYE MFG CO., BUFFALO, N. Y.



CITY OF TORONTO, CAMPA
TO CIVIL ENGINEERS.

Applications will be received on or before twelve o'clock noon of FRIDAY, the 2d day of JULY, 1886, addressed to the undersigned, from engineers of the highest professional standing, to fill the office to be created in this City of "Commissioner of Public Works and Health," who shall act as Consulting Engineer, and direct and supervise all matters pertaining to the various tion of the following Committees, viz.; Works, Water, Health, Property and Exhibition; the present officers in charge of the several departments referred to, or of others to be appointed in their place, to act as his assisting the charge of the several departments referred to, or of others to be appointed in their place, to act as his assisting to the various works of the city. The remuneration, however, shall be fixed for a period of five years from the date of his appointment.

The acceptance of any application to be entirely in the discretion of the Council, and the names of unsuccessful applicants will not be made public. EFOE,

Chairman Executive Committee.

Executive Committee Chamber.

City Hall, Toronto, May, 1886.

THE COPYING PAD.—HOW TO MAKE and how to use; with an engraving. Practical directions by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by which the copies are made: how to apply the written by the copies are made: how to appl

position, Properties, mode of preparation, with 2 engravings of apparatus. Contained in SCIENTIFIC AMERICAN SUPPLEMENT No. 496. Price 10 cents. To be had at this office and from all newsdealers.




HARRISON CONVEYOR!

Handling Grain, Coal, Sand, Clay, Tan Bark, Cinders, Ores, Seeds, &c. Send for BORDEN, SELLECK & CO., { Manufers, } Chicago, IIL

Agents for Ball System of Electric Lighting. Estimate for every description of Electric Work. Store and Factory, 5th and Locust Sts., Philadelphia.

CONSTRUCTION OF STABLES. paper by A. W. Wright, describing a model stable just thished for the North Chicago City Railway. Contained in SCIENTIFIC AMERICAN SUPPLEMENT. NO. 463.
Price 10 cents. To be had at this office and from all newsdealers.

## THE HALL TYPE WRITER.



Is the best in the market. Extremely Portable. Weighs only 7 pounds.

PRICE \$40.

No Inked Ribbon; Interchangeable Rubber Type; Perfect manifolding; 15 styles of type in English; also Greek, German, Italian, Norwegian, Swedish, French, Spanish, Russian, &c.; descriptive pamphlet free. Address Hall Type Writer Co., Salem, Mass.

THE REASONING FACULTY OF ANImals—By Joseph F. James. An interesting paper, in which the author contends that instincts in animals are not of divine origin, but come into existence in obedience to natural laws, and in many cases ought to rank with the reason of man. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, NO. 298. Price 10 cents. To be had at this office and from all newsdealers.

For the use of Manufacturers, Mechanics, and Scientific Amateurs. The best late collection published of such a wide variety of information.

FIRST SERIES-Bookbinding; Candles; Drawing; Electro-Metallurgy; Engraving; Gilding; Japans; Photography; Pottery; Varnishing, etc. 450 pages, with illustrations,

SECOND SERIES-Industrial Chemistry; Cements and Lutes; Confectionery, Essences, and Extracts; Dyeing, Staining, and Coloring; Gelatine, Glue, and Size; Inks; Paper and Paper Making; Pigments, Paint, and Painting, etc.

Paper and Paper Making; Pigments, Paint, and Painting, etc.

THIRD SERIES.—Alloys, Electrics, Enamels and Glazes, Glass, Gold. Iron, and Steel, Lacquers and Lacquering, Lead, Lubricants, Mercury, Nickel, Silver, Tin, Vanadium, Zinc, etc. 480 pages, 183 illustrations,


FOURTH SERIES.—Waterproofing; Packing and Storing; Embalming and Preserving; Leather Polishes; Cooling Air and Water; Pumps and Siphons; Desicating; Distriling; Emulsifying; Evaporating; Filtering; Percolating and Macerating; Electrotyping; Stereotyping; Bookbinding; Straw-plaiting; Musical Instruments; Clock and Watch Mending; Photography, etc.

Send for our complete Catalogue of books, free to my address.

In ordering single volumes, be particular to mention the "series" wanted.

Sent postpaid by MUNN & CO., 361 Broadway, New York, on receipt of price.

EDUCATION OF THE AMERICAN EDUCATION OF THE AMERICAN Citizen.—A lecture by Prof. R. H. Thurston on the theme: "How may we best aid in those mightly social movements and those tremendous political changes which mark the mightly progress of the race toward a better and a more prosperous future?" Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 524. Price 10 cents. To be had at this office and from all newsdealers.



WITHERBY, RUGG & RICHARDSON, Manufacturers of Patent Wood Working Machinery of every description. Facilities unsurpassed. Shop formerly occupied by R. Ball & Co., Worcester, Mass. Send for Catalogue.

THE VACUUM AUTOMATIC BRAKE. Full description of the apparatus, illustrated with 10 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, NO. 5223. Price 10 cents. To be had at this office and from all newsdealers.

Cure Guaranteed! Dr. Sinclair's old English Specific is a positive cure for epilepsy, fits, &c. Pleasant to use; prompt and effective; contains no bromide. Send for circular. E. S. PECK, 16 Murray St., New York.

Whose VITALITY 18
EXHAUSTED or Power PIREMATURELY WELL BY MIND A perfect and reliable cure in the FRENCH HOSPITAL REMEDIES
FRENCH HOSPITAL REMEDIES
FRENCH HOSPITAL REMEDIES
Discrimated by Prof. JEAN CIVILALE, of Paris, France
Observations and being reputly and the profit of the pro Adopted by all French Physicians and being rapidly and successfully introduced here. All weakening lossess and trains promptly checked. TREATISE giving newspaper and medical endorsements, c., FREE, Consultation (office or by mail) with cits eminent doctors FREE CIVIALE AGENCY, No. 174 Fulton Street, New York

# **CURE 解DEAF**

PECK'S PATENT IMPROVED CUSHIONED EAR DRUMS Perfectly Bestore the Hearing, and perform the work of the natural drum. Invisible, comfortable and always in position. All conversation and even whispers heard distinctly. Send for cillustrated book with testimonials FREE. Address or call on F. Hiscox, 853 Broadway, New York, Mention this paper.

MORE CATARRH. The Great German MORE CATARKH. The Great German H. Remedy is a positive cure. Free sample package and book for 4 cents in stamps, E. H. MEDICAL CO., East Hampton, Conn.

TO WEAK MEN suffering from the effects of youthful exmanhood, etc. I will send a valuable treatise (sealed) containing full particulars for home cure, free of charge. Address Prof. F. C. FOWLEE, Moodus, Com.

## CURES GUARANTEED TO MEN ty, Lost Vigor, Exhausted Vitality, etc. A TRIAL PACKAGE of the celebrated MARSTON BOLUS, with Soaled Treaties and Testimonials, sent on receipt of 3 stamps. Marston Romedy Co., 19 Park Place, New York.

**WEAK, UNDEVELOPED PARTS** 

y enlarged and strengthened. Simple, untailing mt. Full explanation, references, &c., sent scaled ERIE MEDICAL CO., BUFFALO, N. Ye.

## Aldvertisements.

Inside Page, each insertion - - - 75 cents a line Back Page, each insertion - - - \$1.00 a line.

The above are charges per agate line—about line.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

## To Business Men.

The value of the SCIENTIFIC AMERICAN as an adver tising medium cannot be overestimated. Its circulation is many times greater than that of any similar journal now published. It goes into all the States and Territo ries, and is read in all the principal librar es and reading rooms of the world. A business man wants something more than to see his advertisement in a printed newspaper. He wants circulation. This he has when he advertises in the SCIENTIFIC AMERICAN. And do not let the advertising agent influence you to substitute some other paper for the SCIENTIFIC AMERICAN, when selecting a list of publications in which you decide it is for your interest to advertise. This is frequently done, for the reason that the agent gets a larger commission from the papers having a small circulation than is allowed on the SCIENTIFIC AMERICAN.

For rates see top of first column of this page, or ad-

MUNN & CO., Publishers,

361 Broadway, New York.




FIRE AND WATER-PROOF BUILDING FELT FIRE-PROOF PAINTS, STEAM PACKINGS, BOILER COVERINGS, ETC.

Samples and descriptive Price List free by mail.

H. W. JOHNS M'F'G CO., 87 MAIDEN LANE, N. Y. CHICAGO. PHILADELPHIA. LONDON.

ON SEWAGE DISPOSAL-BY PROF. H. Robinson. Sewage disposal on land. Sewage disposal by chemical treatment. Sewage disposal by discharge into river or sea. Contained in Scientific AMERICAN SUPPLEMENT, No. 467. Price 10 cents. To be had at this office and from all newsdealers.

LIGHTNING RODS.—DESCRIPTION OF of the arrangement adopted by Mr. Melsens for pro-tecting the Brussels Hotel de Ville against lightning. With 6 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, NO. 525 Price 10 cents. To be had at this office and from all newsdealers.



WIRE-ROPE STREET RAILWAYS OF San Francisco, Cal.—By A. S. Hallidie, M.E. Description, by the inventor, of a system of street railway now in successful operatior, in San Francisco, and which is specially adapted for use in cases where steam locomotives are not permitted, or where the streets are so steep as to make the use of horses difficult or impossible. With 13 illustrations, showing passenger car and dummy with gripping attachment and side section of tube; view of cars and track; section through dummy and roadbed; various views of grip; sections of tubes, pulleys, grips, etc. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, NO. 298. Price 10 cents. To be had at this office and from all newsdealers.



CLARK'S DRYING, VENTI-LATING and EXHAUST

st. Most Effective Price List Free. GEO. P. CLARK.

BOSTON SEWAGE WORKS.-A FULL description of the system, accompanied with a map showing the general arrangement, and discharge into the harbor, and with 26 engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT. No. 524. Price il cents. To be had at this office and from all newsdealers.

WM. A. HARRIS, Providence, R. I. (Park St.) Sixminutes walk West from station Original and Only Builder of the Original and Only Builder of the HARRIS-CORLISS ENCINE
With Harris' Pat. Improvements, from 10 to 1,000 H. P
Send for copy Engineer's and Steam User's
Manual. By J.W. Hill, M.E. Price \$1.25.

# PATENTS.

, continu amine improvements, and to act as Solicitors of Patents

In this line of business they have had forty one years experience, and now have unequaled facilities for the preparation of Patent Drawings, Specifications, and the prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs Munn Co. also attend to the preparation of Caveats, Copyrights for Books, Labels, Reissues, Assignments, and Reports on Infringements of Patents. All business intrusted to them is done with special care and promptness, on very reasonable terms.

A pamphlet sent free of charge, on application, containing full information about Patents and how to procure them; directions concerning Labels, Copyrights Designs, Patents, Appeals, Reissues, Infringements, Assignments, Rejected Cases, Hints on the Sale of Pa

We also send, free of charge, a Synopsis of Foreign Pa tent Laws, showing the cost and method of securing patents in all the principal countries of the world.

MUNN & CO., Solicitors of Patents,

361 Broadway, New York.

BRANCH OFFICES.—No. 622 and 624 F Street, Pacific Building, near 7th Street, Washington, D. C.

## A FAIR OFFER.

If you will put a JENKINS BROS. VALVE on the worst place you can find, where you cannot keep other Valves tight, and if it is not perfectly tight or does not hold Steam, Oils, Acids or other fluids longer than any other Valve, you may return it, and your money will be refunded

To avoid imposition, see that valves are stamped "Jenkius Bros."

## JENKINS BROS.,

71 John St., New York.

13 So. Fourth St., Phila.

79 Kilby St., Boston,





COLORS RED AND BROWN,
for painting ROOFS, HACTORY and FARM BUILDNGS, FENCES, IRON WORK, EXPOSED BRICK
VALLS, &c. Made of Pure Linseed Oil and highest
rades of Iron Oxide. Send for Circular. Address
W. H. STEWART,
74 Cortlandt Street, New Yerk.
READY ROOFING, for new roofs.



VENTILATION.—GREAT IMPORT ance of ventilation. The vitiation of air that is constantly going on in inhabited places, exhaustion of oxygen by gas, candles and lamps. Ventilation by natural and artificial means. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 525. Price 10 cents. To be had at this office and from all newsdealers.



MENTAL CONTAGION IN INEBRIEty; an interesting psychological study.—By T. D. Crothers, M.D. Contained in Scientific American Supplement, No. 474. Price 10 cents, To be had at this office and from all newsdealers. The same number contains a paper by T.L. Wright, M.D., on The Property of Alcohol which Allures the Neurotic to Drink.



THE BEST STEAM PUMP.

THE BEST STEAM PUMP.

Van Duzen's Patent Steam Pump.

Incomparable in cheapness and efficiency. Needs no care or skill; cannot get out of order; has no moving parts.

A Superior Fire Pump.

Instantaneous and powerful, ever ready.

Available, wherever steam pressure can be had, for pumping any kind of liquid (hot, cold, sandy, impure, etc.). We make ten sizes, prices from \$7 to \$75. Capacities from 100 to 20.000 gallons per hour.

State for what purpose wanted and send for Catalogue of "Pumps."

Van Duzen & Tift, Cincinnati, 0.




## THE IMPROVED Rider Hot Air Pumping Engine

For City or Country Residences, Burns Coal, Wood, or Gas. Safe, Simple Durable, 3.000 in use. Send for \* Illustrated Catalogue "A."

SAYER & CO., 37 Dey St., New York.

MACHINERY AND EDUCATION.—A lecture by Dr. R. W. Raymond, pointing out some interesting analogies between the evolution illustrated in the growth of natural forms in the visible world and the development and adaptation of the human mind and thought, as modified by environment and education. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 523. Price 10 cents. To be had at this office and from all newsdeslers.



THE CONVERSION OF HEAT INTO THE CONVERSION OF HEAT INTO useful work.—A series of interesting lectures by Wm. Anderson, M. Inst. C.E., presenting the modern views connected with the conversion of heat into useful work. I. Laws of motion, the principles of work and energy, and the laws of impact. II. Theories of oscillation and vibration. III. Properties of gases and vapors. IV. Transfer of the invisible molecular motion of heat, and its change into the coarser and apparent motion of mechanical work. V. How the waste of heat in furnaces is prevented by the Siemens regenerator. The principle further illustrated. Cowper stoves. The gun as a converter of heat. VI. Heat engines proper. Illustrated with 58 engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENTS, Nos. 498, 499, 500, 501, 502, 503.

Price 10 cents each, or 60 cents for the series. To be had at this office and from all newsdealers.



ELECTRIC

LEATHER BELTING
best and most reliable Beit
ever introduced. Made by
C. A. SCHIEREN & CO.
4. Ferry St., New York; 416



# Riveted Monarch Rubber Belting

BEST IN THE WORLD.

Specially adapted for PAPER MILLS, SAW MILLS, and THRESHING MACHINES.

## THE GUTTA PERCHA AND RUBBER MFG. CO., New York, Chicago, San Francisco, Toronto.

SWIMMING.—DESCRIPTION OF THE method of teaching smimming employed in France; with 6 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, NO. 462. Price 10 cents. To be had at this office and from all newsdealers.

PERFUMES.—A PAPER BY JACOB Jesson, describing various articles used in perfumery, and the mode of preparing essences therefrom, stating had at this office and from all newsdealers.

# VAPORATING FRUIT Land prices FREE. AMERICAN MF. C. CO. Box R. WAYNESBORO, PA.



## THE CURTIS

STEAM TRAP For returning steam condensed un-der pressure automatically into the boiler, whether taken from above or below the boiler lever, without loss or waste. Manufactured by

THE CURTIS REGULATOR CO. BOSTON, MASS. Send for Circular No. 19.



VOLNEY W. MASON & CO.



96 Lake Street, Chicago,

Jesson, describing various articles used in perfumery, and the mode of preparing essences therefrom stating the amount a do cost of material required, and giving over thirty formulas for handkerchief extracts, with the cost of lach. Contained in Scientific American Supplement, No. 472. Price 10 cents. To be had at this office and from all newsdealers.



Barnes' Foot-Power Machinery, complete outfits for Actual Worksnop Business. Read what a customer says:
"Considering its capacity and the accurateness of your No. 4 Lathe, I do not see how it can be produced at such low cost. The velocipede foot-power is simply elegant. I can turn steadily for a whole day and at night feel as little tired as if I had been walking around." Descriptive Catalogue and Price List Free. W. F. & John Barnes Co. Address 1989 Main St., Rockford, Ill.

PHONOGRAPHY or Phonetic Short Hand. Works for self-instruction, by Benn Pitman and Jerome B. Howard, for sale by all book-sellers. Catalogue, alphabet and illustrations sent free. Address, PHONOGRAPHIC INSTITUTE, Cincinnati, O.



## DRAWING INSTRUMENTS.

Illustrated catalogue sent on application to

FRICTION PULLEYS CLUTCHES and ELEVATORS
PROVIDENCE. R. I.

MODERN PALEONTOLOGY, ITS PREsent Condition and Future Task.—By Prof. Carl Vogt.
An interesting paper, in which the author passes in utthe period in earlier times, and points out the proper method of stuying them at the present day, and that, too, in a manner essentially different from the one usually followed, inasmuch as he tries to prove the relation between the extinct types and the modern one usually followed, inasmuch as he tries to prove the relation between the extinct types and the modern can be proved by generation and descent without calling in the intervention of a special power of creation existing separate from the organisms. A powerful argument favor of the doctrine of evolution. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 249 and from all newsdealers.

## HYDRAULIC FLANGED HEADS,

OF IRON OR STEEL, FOR BOILER AND TANK MAKERS. Unequaled for Strength and Uniformity THE DICKSON MANUFACTURING CO.

SCRANTON, PA.

57 Oliver Street, Boston.

112 Liberty Street, New York.

95 MILK ST., BOSTON, MASS.

This Company owns the Letters Patent granted to Alexander Graham Bell, March 7th, 1876, No. 174,465, and January 30th, 1877, No. 186,787.

The transmission of Speech by all known forms of Electric Speaking Telephones infringes the right secured to this Company by the above patents, and renders each individual user of telephones not furnished by it or its licensees responsible for such unlawful use, and all the consequences thereof, and liable to suit therefor.

STEAM CATAMARAN MAY BARrett.—Plans and specificationn of the catamaran May
Barretl, a family cruising boat built for use on rivers
and lakes. Construction of hulls, deck beams, main
deck, upper works, engine and boiler, whoel. With 10
figures. Cotanined in SCIENTIFIC AMERICAN SUPPLEMENT. NO. 472. Price 10 cents. To be had at this
office and from all newsdealers.

Telegraph and Electrical SUPPLIES
Medical Batteries, Inventors' Models, Experimental Work, and fine brass castings. Send for catalogue C. E. JONES & BHO. Cincianati, O. It is important to us that you mention this paper.



## OF THE Scientific American

The Most Popular Scientific Paper in the World. Only \$3.20 a Year, including Postage. Weekly 52 Numbers a Year.

This widely circulated and splendidly illustrated paper is published weekly. Every number contains sixteen pages of useful information and a large number of original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery New Investions, Novelties in Mechanics, Manufactures, Chemistry, Electricity Telegraphy, Photography, Archi-

themistry, tectricity relegraphy, Photography, Architecture, Agriculture, Hotticulture, Natural History, etc.

All Classes of Readers find in the Scientific in

American a popular resume of the best scientific in

formation of the day; and it is the aim of the publishers

to present it in an attractive form, avoiding as much as possible abstruse terms. To every intelligent mind, this journal affords a constant supply of instructive reading. It is promotive of knowledge and progress in every community where it circulates.

Terms of Subscription.-One copy of the SCIEN-TIFIC AMERICAN will be sent for one year—52 numbers—postage prepaid, to any subscriber in the United States or Canada, on receipt of three dollars and twenty cents by the publishers; six months, \$1.60; three months, \$1.00.

Clubs.—One extra copy of the SCIENTIFIC AMERI-CAN will be supplied gratisfor every club of five subscribers at \$3.20 each; additional copies at same proportionate rate.

The safest way to remit is by Postal Order, Draft, or Express Money Order. Money carefully placed inside of envelopes, securely sealed, and correctly addressed. seldom goes astray, but is at the sender's risk. Address all letters and make all orders, drafts, etc., payable to

MUNN & CO., 361 Broadway New York.

## THE Scientific American Supplement.

This is a separate and distinct publication from THE SCIENTIFIC AMERICAN, but is uniform therewith in size, every number containing sixteen large pages. THE SCIENTIFIC AMERICAN SUPPLEMENT is published weekly, and includes a very wide range of contents. It presents the most recent papers by eminent writers in all the principal departments of Science and the Useful Arts, embracing Biology, Geclogy, Mineralogy, Natural History, Geography, Archæology, Astronomy, Chemistry, Electricity, Light. Heat, Mechanical Engineering, Steam and Railway Engineering, Mining, Ship Building, Marine Engineering, Photography, Technology, Manufacturing Industries, Sanitary Engineering, Agriculture, Horticulture, Domestic Economy, Biography, Medicine, etc. A vast amount of fresh and valuable information pertaining to these and allied subjects is given, the whole profusely illustrated with engravings

The most important Engineering Works, Mechanisms, and Manufactures at home and abroad are represented

Price for the SUPPLEMENT for the United States and Canada, \$5.00 a year, or one copy of the SCIENTIFIC AMERICAN and one copy of the SUPPLEMENT, both mailed for one year for \$7.00. Address and remit by postal order. express money order, or check,

## MUNN & Co., 361 Broadway, N. Y.,

Publishers SCIENTIFIC AMERICAN To Foreign Subscribers.-Under the facilities of the Postal Union, the Scientific American is now sent by post direct from New York, with regularity, to subscribers in Great Britain. India. Australia, and all other British colonies; to France, Austria, Belgium, Germany, Russia, and all other European States: Japan Brazil Mexico, and all States of Central and South America. Terms, when sent to foreign countries, Canada excepted, \$4. gold, for Scientific American, one year; \$9, gold, for both Scientific American and Supplement for one year. This includes postage, which we pay. Remit by postal or express money order, or draft to order of MUNN & CO., 361 Broadway, New York.

## PRINTING INKS.

THE "Scientific American" is printed with CHAS. ENEU JOHNSON & CO.'S INK. Tenth and Lombard Sts., Phila., and 47 Rose St., opp. Duane St., N. Y.