
[Entered at the Post Office of New York, N. Y., as Second Class matter. Copyrighted, 1892, by Munn & Co.

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXVI.—No. 25.
ESTABLISHED 1845.

NEW YORK, JUNE 18, 1892.

[\$3.00 A YEAR.
WEEKLY.



THE STEVENS INSTITUTE OF TECHNOLOGY, HOBOKEN, N. J.—(See page 388.)

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

The Scientific American Supplement The Scientific American Supplement is a distinct pape from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.01 year, for the Canada of Mexicontification of the Countries of the Canada Union. Single copies, 16 cents. Sold by all newsdealers throughout the country. See prospectus, last page. Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to any address in U. S., Canada or Mexico, on receipt of seven dollars. To foreign countries within Postal Union, nine dollars a year.

Ruilding Edition. Building Edition.

Building Edition.

THE ARCHITECTS AND BUILDERS EDITION OF THE SCIENTIFIC AMERICAN is a large and splendid illustrated periodical, issued monthly, containing floor plans, perspective views, and sheets of constructive details, pertaining to modern architecture. Each number is illustrated with beautiful plates, showing desirable dwellings, public buildings and architectural work in great variety. To builders and all who contemplate building this work is invaluable. Has the largest circulation of any architectural publication in the world.

Single copies 25 cents. By mail, to any part of the United States, Canada or Mexico, \$2.56 a year. To foreign Postal Union countries, \$3.00 a year. Combined rate for Building Edition, Scientific American, \$5.00 a year. combined rate for Building Edition, Scientific American and Supplement, \$9.00 a year. To foreign countries, \$1.50 a year.

Spanish Edition of the Scientific American.

LA AMERICA CIENTIFICA E INDUSTRIAL (Spanish trade edition of the SCIENTIFIC AMERICAN) is published monthly, uniform in size and typography with the SCIENTIFIC AMERICAN. Every number of La America is profusely illustrated. It is the finest scientific, industrial trade paper printed in the Spanish language. It circulates throughout Cuba, the West Indies, Mexico Central and South America, Spain and Spanish possessions—wherever the Spanish language is spoken. \$3.00 a year, post paid to any part of the world. Single copies 25 cents. See prospectus. MUNN & CO., Publishers, 361 Broadway, New York.

The safest way to remit is by postal order, express money order, draft or bank check. Make all remittances payable to order of MUNN & CO. & CO.
Fig. Readers are specially requested to notify the publishers in case of any failure delay, or irregularity in receipt of papers.

NEW YORK, SATURDAY, JUNE 18, 1892.

Contents

(Illustrated articles are marked with an asterisk.)

Columbus, Boston's fribute to. 385
Contract by correspondence. 385
Doctor, the, and good roads. 393
Edison, honors for. 388
Electrical laboratory, Stevens 388
Institute Stribition, French—distillation 384
Experiment room, Stevens Inst. 383
Famine in India, the 387
Flowers, Cape. 387
Flowers, Cape. 384 Inventions, recently patented... 394 Machine shop, Stevens Inst.*... 383

Agricultural inventions, recent. 394 Microscopic drawing ... 383 Black knot law, the N. Y ... 385 Milk, Pasteurized ... 389 Milk, Pasteurized ... 389 Ore sampler, Hawley's* ... 387 Colorado, Grand Canyon of the* 387 Columbus, Boston's tribute to ... 385 Contract by correspondence ... 385 Contract by correspondence ... 385 Edison, honors for ... 388 Edison, honors for ... 388 Edison, honors for ... 388 Edison, honors for ... 389 Sea water, gold and silver from ... 385 Electrical laboratory. Stevens

TABLE OF CONTENTS OF

SCIENTIFIC AMERICAN SUPPLEMENT

No. 859.

For the Week Ending June 18, 1892.

Price 10 cents. For sale by all newsdealers.

PAGE

V. CHEMISTRY.—Determination of Ferric Oxide and Malysis for Phosphates.—By R. JONES.—Details of a method of analysis for fertilizers.

Photo-Chemical Notices.—By P. ASKENASY and VICTOR MEYER.—Action of light on detonating gas and different observations on the detonating mixture of hydrogen and chlorine.—13734

The Chemical Researches of Jean Servais Stas.—By VAUGHAN CORNISH.—A famous chemist, recently deceased.—Details of his work and achievements in the science.

The Determination of Fluorine.—By AD. CARNOT.—Determination of fluorine as potassium silicofluoride.

VI. DECORATIVE ART.—Keltic Designs.—By A. SAVIL.—The beautiful and celebrated interlaced designs of Celtic art and their great availability for modern uses.—2 illustrations.

VI. GEOLOGY.—When Shall We Have Another Gladial Epoch?—By GARRETT P. SERVISS.—A possibility of an ice invasion and recent theorems with regard to glacial epochs.

VIII. MAGNETISM.—The Compass: Historical, Theoretical, Practical.—By Capt. D. WILSON-BARKER.—The theory and practice of the mariner's compass with suggestions for its proper manipulation.

VIII. MAGNETISM.—The Compass: A consideration of the mariner's compass with suggestions for its proper manipulation.

the mariner's compass with suggestions for its proper manipule ton.

METALLURGY.—Piat's Portable Oscillating Furnaces—A crucible furnace by which metal can be poured directly out of the crucible without removing it from the furnace.—2 illustrations...

The Uses and Applications of Aluminum.—By G. L. ADDENBOOKE.—A valuable contribution to the knowledge of this metal as taken from the English standpoint, with a discussion before the Company of Arts.

The pictures given on other pages of this issue tell a story which has been many times presented in the columns of the Scientific American, but words have been inadequate fully to set forth the details shown in the numerous illustrations. It is a story of governmental neglect of an important department, to call it by its mildest name, and a neglect so obvious, so entirely without excuse, and so detrimental to the inventive skill of the country as to call for universal protest. The inventors have already paid to the government an ample fund, from which better accommodations and enlarged facilities should be provided for the business of the Patent Office. A vigorous protest on account of past inaction and a demand for prompt measures by the present Congress for the relief of the Patent Office should go up to every Senator and every member of the House. Those interested in inventions should not leave it for the press, single-handed, to fight this battle for them. Members of Congress need to feel the effect of direct appeals from their constituents.

CAPE FLOWERS.

It is an interesting fact that the immortelles known as Cape flowers, and which are now used in large quantities by all florists, come from Cape Town in far-off South Africa. The flower is used very generally in the preparation of funeral pieces, its glossy whiteness and the firmness of its petals furnishing just the material which is required. By many people who handle these flowers they are called "capes," and comparatively few are probably aware that they grow wild in large quantities on the South African coast. The plants bearing these flowers grow to a height of from 12 to 16 inches. They are picked by the natives and placed in cones made of paper and kept from the light until dried, when the glossy whiteness, which makes them so desirable for the use of florists, becomes a fixed quality. Some time ago the government authorities came to the conclusion that owing to the peculiar whiteness of these flowers they must be subjected to a chemical process before being exported to this country, and accordingly an investigation was instituted. The late Maria Louisa Pike, who spent many years in Africa, and was entirely familiar with the flora of that country, gave valuable testimony regarding the nature of the plant which bears the immortelle known as Cape flower. It was shown conclusively that the flowers were not subjected to any chemical treatment, but their white, glossy appearance was the result of natural conditions. These flowers grow in great abundance on the table lands back of Table Mountain, Cape of Good Hope, and no reports of them have been obtained from any other locality.

Cape flowers are more generally used by florists than any other of similar character, though the raising of immortelles and their preparation for market is an extensive business. The immortelle plant first became known in Europe about the year 1629, and has been cultivated since 1815. The chief supplies of Helichrysum orientale come from Lower Provence, where it is cultivated in large quantities on ground sloping to the Mediterranean, in positions well exposed to the sun, and usually in plots surrounded by dry stone walls. The finest flowers are grown on the slopes of Bandals and Ciotat, where the plants begin to flower in June.

The flowering stems are gathered in June, when the bracts are fully developed and expanded, the immature flowers being pulled off and rejected. After being dried they are sent to Paris in boxes containing 100 bundles, with the flowers placed outward and the stems in the center. Immortelles are also produced in large quantities in Germany. A well managed plantation is productive for eight or ten years.

FRENCH INTERNATIONAL EXHIBITION OF THE PRO-DUCTS OF FERMENTATION AND DISTILLATION.

It is a striking circumstance that while on this side of the Atlantic associations are formed to oppose and. if possible, to suppress the manufacture of fermented and distilled liquors, and even legislative measures have been taken and sometimes enforced in aid of this movement, we see the opposite tendency on the other side of the Atlantic.

So, for instance, last month an international exhibition was opened in Paris, under the patronage of the government, in the large palace which still stands in the Champ de Mars and was used as a machinery hall the south. during the recent industrial exhibition.

The minister of agriculture is placed at the head of the enterprise, which is advertised as an exhibition of "those large agricultural products about which France glorifies itself," such as those of the grapevine, of wines, brandy, cognac, different kinds of alcohols, alcoholic cordials, and other similar liquors, beer, cider, remarkable results recently obtained in France in the photography of the spectrum.

Speaking Photographs.—Curious experiments with deaf mutes; the production of a series of photographs to be read by dear mutes from the motions of the lips and mouth.—3 illustrations.

XIII. PHYSICS.—On the Utilization of the Waste Forces of Nature.—As suggestive paper on the utilization of waste energy by the application of electricity.

INV. TECHNOLOGY.—Bottled Gases.—The sale of oxygen and other gases in a compressed form; a curious business and details of the method with which it is carried out.

Progress of the Starch Industry.—Export and production of starch in this country.

THE CRIPPLED CONDITION OF THE PATENT OFFICE. but not least, the Rhine provinces their delicious varieties of rieslings, etc.

In addition there are the representatives of various technical schools, special laboratories for research and of educational institutions, as well foreign as French.

The French government, which is specially interested in this industry, from the standpoint of financial revenue, exhibits by documents and apparatus their refined methods to determine the purity of the products, as a protective guarantee for the public health, and the quality, so as to determine the amount of duty to be paid by the manufacturers, while a most interesting feature will be the comparison of the very different methods followed for this purpose in different countries

But the most interesting part of the exhibition is the retrospective museum, showing to visitors curious objects for comparison between the old and the new methods of manufacture, not only in France but also in other countries, and finally the latest improvements in this line, in which France is acknowledged to stand foremost, with Pasteur at the head.

The Threatened Extinction of the Fur Seal Species.

The Russians, who had explored the northwestern part of the American continent, beginning in 1741, and later appropriated it by right of first discovery, called it Eliaska, Aliaska, or Alaska. They thus obtained a territory of more than half a million square miles, not counting the numerous islands and peninsulas along its extensive coast of 7,860 miles in length -being greater than the Atlantic coast line of the United States, and offering a series of most excellent

In addition to all this, a smooth inland sea is formed by the numerous islands referred to, while another chain of islands extends from the promontory of Alaska across the Pacific toward the peninsula of Kamchatka in Asiatic Russia; these islands are called the Aleutians. They were first discovered in 1728 by the celebrated Russian navigator Behring, and carefully explored in 1778 by Cook, while shortly afterward 1786) the Russians discovered that another smaller group northwest of the Alaska promontory appeared to be the principal breeding place selected by the fur seals; this group was called the Pribylov Islands.

The Russians had previously done a limited business in the sealskin trade by catching seals where they could find them, skinning them, drying the skins, and selling them in the Chinese market, where they were easily disposed of, as the Chinese do not pluck nor dye them as we do. The discovery of the chief breeding ground gave an enormous stimulus to the business, and soon a rush was made by the Russian trading organizations in Alaska, and more than 100,000 fur seals were caught every year, so that in 1803 several hundred thousand air-dried pelts had accumulated, far beyond the capacity of the Russian companies to find a market for them in time to anticipate their decay.

The reckless seal catching drew the attention of the Russian government, and a decree was issued to forbid seal hunting from 1803 to 1806, for the double purpose to stop the supply, so as not to depress the value of the stock on hand, and to give the seals a r and let them multiply their posterity in peace. However, while thus the Russian and Chinese markets were glutted, the American and English had no supply; and as Russia had forbidden the chase, they concluded to do what the whalers did some years before when the whales were becoming scarce in the north—they went toward the south pole, where there were plenty of whales, and they reported fur seals also.

As the lands around the south pole were claimed by no one, but free, they applied their methods of quick killing of the seals and salting of their skins, which they found to be far more expeditious than the slow Russian method of drying, which resulted in much delay in the cold and moist regions. They began operations in 1806, and were so successful that in 1826, in the space of twenty years, they had succeeded in exterminating all the seals in the southern frozen regions.

At present the same quick method of killing and salting is applied in Alaska, wherefore, if our government, as well as that of England, does not agree to a united action in preventing the indiscriminate slaughter of the fur seals in the north, the same fate is threatening the northern breeding ground as befell that of

Glycerine Jelly.

Take of gelatine, 300 grains; distilled water, 6 ounces; glycerine, 6 ounces; rect. spirit, 6 drachms; white of egg, 6 drachms; salicylic acid, 12 grains. Let the gelasugar, of various grains, etc., consisting of various tine soak thoroughly in the water, then dissolve in a water bath; add the spirit, and mix well. When cool, but still fluid, add the white of egg, mix, and heat to While other countries have promised their co-boiling point to completely coagulate the albumen; add the glycerine with the salicylic acid in it by the ductions; so Holland exhibits its Dutch gin, so-called aid of heat; mix well and filter, while still hot, through Schiedam schnaps, Belgium its famous faro, Germany paper previously moistened with distilled water. The whole should be kept in a hot chamber while filtering.

When is a Contract by Correspondence Complete?

As a first requisite to the forming of a valid contract, there must be a meeting of minds of the parties thereto. An offer can be revoked before its acceptance, but after the acceptance the offer becomes a promise. The time of acceptance of the offer is the moment of the meeting of minds. It is not a difficult thing to determine this moment in the case of contracts made in the presence of both parties, but the question becomes difficult and very important when the offer and acceptance are made by letter, telegram, messenger, or other wise. At what moment is the contract consummated? Is it the moment of the posting of the answer, or the receipt of same? Is it the moment the message is started on its way, or the moment it reaches and is communicated to the offerer? In general a communication of an acceptance is necessary to a forming of the contract. Is this essential requisite complied with when the party to whom the offer is made does all he can to deliver his acceptance (whether it ever reaches its destination or not), or must the acceptance have reached its destination before it can have the effect of binding the parties?

It is now decided that the acceptance is made when the acceptor has done all that he can to communicate his intention. The moment, then, of dispatch of acceptance is the moment the contract has its beginning, and once having dispatched the acceptance it is irrevocable. It is understood that one making an offer by letter is making that offer continuously during every instant of the time the letter is traveling, so that if the letter is delayed in transit, and on its receipt a letter is at once posted accepting the offer, the contract is complete, even though in the meantime the party offering may have sold the goods which were the basis of the offer. Suppose the letter of acceptance be lost and does not reach the party offering. Is there a contract? The logical result of the position that the contract is made when the acceptance is posted leads us to infer that the question demands an affirmative answer, and such is the law. The settled rule in our courts is that the time of mailing the acceptance is the time the contract is complete, and that the subsequent fate of the letter is immaterial. This is so on the theory that the post office is the agent of the person who makes an offer by post, and the delivery of the letter to the post is the delivery to the agent of the person making the

Suppose that a letter revoking the proposal is mailed before the acceptance is mailed, this does not affect the result unless the revocation is received before the acceptance is mailed. One in making a proposal may state it as a condition to the making of the contract that the notice of the acceptance be received in order to be binding.—Wm. C. Sprague, in The Age of Steel.

Gold and Silver from Sea Water.

The presence of silver and gold in sea water has long been known, but no economical method has ever been invented for extracting them. The investigations of Mr. C. A. Munster, described in the Norsk Tekniak Tiddskrift, and his proposed method of dealing with the matter will be of interest: Sea water was taken from Kristiania Fjord, and 100 liters were evaporated to dryness, giving 1,830 grms. of residue. This was ground and divided into portions of 300 grms., each of which was mixed with 100 grms. of litharge, 100 grms. of pure KNaCO₃, and 4 grms. of carbon from starch, and the silver and gold determined. The result was: 19 mgrms, silver and 6 mgrms, gold per ton of average sea water. By check experiment this result was modified to a final result, the effect of which was that one ton of average sea water contains 20 zing the rise and progress of civilization, first planted mgrms. of silver and 5 mgrms. of gold per ton, worth respectively 0.06 and 0.38 of a cent.

Considering the extremely small amounts of precious metals present, the author considers that no method of precipitation in tanks can possibly be successful. He thinks that the precipitation must be effected in the sea itself, where the water is continuously renewed by a natural current. He proposes that a channel about 60 meters wide between two small islands, well sheltered from sea or wind, where there is a current of about 4 meters per minute, should be selected for the experiment, such rocky islets being common off the Norwegian coast; across this channel 60 plates of galvanized iron, each 2 meters \times 3 meters, should be arranged at an angle of 30° to the stream, and an electric current be sent through the series to precipitate the precious metals. The power required theoretically for this purpose he calculates at only onehalf horse power, and he thinks that to produce a current of such trivial potential difference in practice would only require a few horse power, which could know that the citizens of Boston have built this monucheaply be obtained from water power, wind, or even by ment to Columbus, that the spot where Christian the thermo-electric principle, utilizing the difference of civilization took its first rise in the New World might temperature between the sea and the air. The large anodes required could be cheaply prepared from wood, impregnated with graphite and tar, and carbonized, high conductive power not being required for such a pointing to the site of the first settlement on the globe feeble current. If all the precious metals passing at his feet. It is both confident and easy in pose. The these plates were precipitated, he calculates that over face has the look of one inspired, while the outstretched \$1,500,000 would be obtained per annum, and as the arm gives an appearance of movement and grateful

even $\frac{1}{1000}$ of this amount were obtained, it would still the statue will be mounted on a pedestal ten feet high, pay well. He therefore thinks the experiment well which stands on an elevated knoll, the site of the worth a trial.

Boston's Tribute to Columbus.

There is a bit of sarcasm in the words of the old Spanish chronicler Herrera, when, at the close of a long eulogy of Columbus, he says, "Had he lived in ancient times, statues and temples would have been erected to him without number, and his name would have been inscribed among the stars." For, since the coming of Christ, no greater event has transpired in the world's history than that with which the name of Columbus is inseparably associated. And yet, as a matter of fact, until comparatively recent times, no statues or temples have been raised to his memory. Genoa built him a monument in 1862, and Barcelona another in 1888, while quite recently was unveiled at Madrid a handsome memorial in his honor. In the New World, Mexico, Nassau, New Providence, Lima Cardena and Santo Domingo, all have Columbus monuments, and New York and Chicago will build enduring memorials during the present year. among them all, none is of greater importance, more appropriate in design or grander in the event to be specially commemorated than the monument about to be erected this year at Old Isabella by the Boston Columbus Memorial Committee. This monument is Boston's tribute to the great discoverer and is a veritable work of art. It is taken largely from designs drawn by Richard Andrew, a young student of rare promise at the State Normal Art School, Boston. Much credit is also due Professor George Jepson of the same school, under whose supervision the work has been done and who has taken an active interest in the enterprise from the start. The sculptor is Alois Buyens, of Ghent, a distinguished artist, whose name is well known throughout France and Belgium for works of art of a high order of excellence. After winning the highest honors at the Academies of Ghent Liege, and Brussels he went to Paris, where he spent several years at the Ecole des Beaux-Arts. His latest work, and one which has attracted much attention in Europe, is a colossal statue in bronze of President Brand, of the Orange River Free State, the Washington of the South African republic. About a year ago Mr. Buyens came to this country, and though now commissioned upon a work which will attract universal attention, he is extremely unassuming as to his art. Competent critics who have seen his work pronounce it far above the average.

The monument will be erected on the island of Santo Domingo, where Columbus planted his first settlement and on the spot where he built the first church from which the Christian religion took its rise in the New World. Two events, therefore, are to be commemorated by it—the establishment of Christianity and the rise of civilization in the Western Hemisphere. Two fine bass-reliefs, one on either side of the base, set forth these facts, in a figurative wav—the ideal groupings representing the genius of Christianity and the genius of civilization respectively. The former is a female figure representing Mother Church fostering a little Indian child and pointing to a suspended cross in the distance, the emblem of man's salvation. The latter is an ideal figure, perhaps the goddess Ceres, drawn in a chariot by prancing horses; her arms are filled to overflowing with gifts and flowers, she is bringing the gifts of civilization, and Columbus, at the horses' heads, is pointing the way for her to follow. It is a beautiful group ing, artistic and noble in conception and well symbolthere by Columbus. A third tablet carries the inscription in terse rhythmical Latin sentences, from the pen of Mgr. Schroeder, and interprets the meaning of the monument very closely. It follows the Roman lapidary style, all the letters being capitals, the U's like V's and the J's like I's, with a period after every word except the last of each line, and runs as follows:

ANNO. CLAUDENTE. SAECULUM. XV EX. QUO. COLONI. CHRISTIANI. COLUMBO. DUCE HIC. POST. OPPIDUM. CONSTITUTUM PRIMUM. IN. MUNDO. NOVO. TEMPLUM CHRISTO. DEO. DICARUNT CIVES, BOSTONIÆ, SUB, AUSPICE EPHEMERIS. BOSTONIENSIS CUI. A. SACRO, CORDE, EST. NOMEN NE. REI. TANTÆ. MEMORIA. UNQUAM. DELABATUR HAEC. MARMORI. COMMENDAVIT A. D. MDCCCLXXXXII

Thus, so long as the bronze endures will the world not be forgotten.

The statue itself is of colossal size and represents Columbus in an attitude of giving thanks to God, and

working expenses would be most trivial, if only $\frac{1}{100}$ or gladness to the entire figure. As the picture shows, ancient town, about eight miles in from Cape Isabella, overlooking the sea. The situation is very picturesque, according to Mr. Frederick Ober, who has recently visited it in the interests of the World's Fair. Upon a rock ten to twenty feet in height facing the west, he writes, with a splendid beach to the north, there extends in a gradual ascent toward the mountains a beautiful plain of 500 or 600 feet in width, rising suddenly from the beach. This was the site of Old Isabella. On this beach, Columbus landed with the cavaliers whom he had brought for his first colony in the New World. Here they encamped while they proceeded to build the town, and history says they built a fort, a church, a king's storehouse and a residence for Columbus, all of hewn stone, the ruins of which existed up to a short time ago.

> It is the purpose of the Monument Committee to build the pedestal from these ruins, thus incorporating into the very walls of the memorial an enduring memento of the early Spanish conquerors. Dominican government has granted the site of the town to the committee and the United States consul at Puerto Plata has recently visited Isabella in the interest of the enterprise. He has made clearings and succeeded in locating exactly the site of the ancient church, and preparations will be made at once to begin the foundation.

> The plaster cast of the monument, now on exhibition at the Museum of Fine Arts, Copley Square, Boston, will be taken to Chicopee, in a few days, for casting in bronze. It is expected that the committee will be ready to sail about the middle of July or August, and Boston will thus have the honor of inaugurating the Columbus celebrations in 1892. Among those who have contributed and constitute the committee are Most Rev. John J. Williams, Rev. John O'Brien, Captain Nathan Appleton, Dr. Chas. H. Hall, Hon. A. Shuman, Gen. Chas. H. Taylor, Hon. Chas. F. Donnelly, Hon. W. E. Curtis, Hon. S. M. Allen, Thomas B. Noonan, Esq., Hon. Stephen O'Meara, Hon. Thomas N. Hart, W. R. Richards, Esq., and many others, clergymen and prominent gentlemen of Boston and vicinity.

> No monument in the world commemorates an event so fruitful of good and so pregnant with blessings to mankind as does this proposed monument of Columbus at Old Isabella. It marks a distinct epoch in the progress of humanity. The landing of the Pilgrims, the Declaration of Independence, the founding of the Constitution, were all events of the greatest importance, but were made possible only by the still greater achievement of the discovery and civilization of America, which Columbus so heroically began. And this perhaps is the best of all monuments to his memory. For, grander than sculptured marble or engraved stone and more lasting than tablet of bronze or granite is his memorial in the hearts of the millions of people in the New World to whom he has given a refuge and a home.—T. H. Cummings, Amer. Architect.

The New York Black Knot Law.

The law concerning the black knot of plum and cherry trees, which was recently passed by the legislature of New York, and which is now in force, declares a tree infected by this disease to be a nuisance, and requires the owner of such tree or trees to abate the nuisance. It authorizes the supervisor of any town (or the mayor in the case of a city) to appoint, on the application of three or more resident freeholders of the town, three commissioners who shall be fruit growers and residents of the town. It shall be the duty of these commissioners to examine any tree or trees known to be or suspected of being affected by the disease in their town, and to mark for destruction the part or parts found to be infected by the black knot. If the tree is so badly affected that its total destruction is demanded or necessary, they are to mark it by girdling its trunk. They must then give notice to the owner, who is required within ten days of such notice to cut away and burn the part or parts marked, and in case of the girdled tree to destroy it wholly, burning the affected parts. If he fail to do this within the specified time, the commissioners are to do it for him, and he renders himself liable to a fine not exceeding \$25 or to imprisonment not exceeding ten days, or to both, in the discretion of the court. Any justice of peace in the town has jurisdiction in the case. The commissioners are to receive each \$2 a day for the time actually spent in the discharge of their duties and their necessary expenses. The owner of destroyed trees is debarred from recovering damages against any one destroying the infected trees or parts thereof.


With this law faithfully enforced, the fruit growers of New York may expect to be free from a fungous foe that has inflicted upon them untold losses in the past. -Country Gentleman.

OWING to the fact that counterfeit coins are bad conductors, Professor Elihu Thomson suggests the electric current as a means of detecting spurious money.

AN ACCURATE AUTOMATIC TIME RECORDER.

The illustration represents an improved time-recording mechanism, operated in connection with a standard clock, which gives in permanent printed form the hour and minute at which persons arrive and depart in the morning, at meal time, or at any time of the day or night. It is designed for use in factories, shops, stores,

offices, or wherever the time of the employes is required to be



To the right of the clock, as shown in the main view, is an hung numbered keys, such as

VI 48 21

VI 53 75

VI 36 28

18

★X ¾ò

★ X|| ³ ₂

⋆XIIǯ

★XII 51

XII 57 45

XII58 43

RECORD

STRIP-TIME

RECORDER.

96

XII 56


workman or employe whose time is to be taken is given a number, and when he goes to work he takes

KEY OF TIME RECORDER.

his key from the keyboard, inserts it in the keyhole of the recorder, turns it one-quarter around, and then removes and hangs it up again, before passing on to his work. By this movement of the key he has recorded upon the paper ribbon within the machine the number of his key and the exact hour and minute of his arrival. If he is going out instead of coming in, he holds down the lever projecting through the clock case on the lefthand side, and a star is then printed in front of the hour on the paper strip, as shown in some of the instances given in the accompanying illustration. According to the record shown, it appears that No. 21 arrived between 47 and 48 minutes after 6 o'clock; No. 75 at 6:53; No. 28 at 6:56; No. 56 going out at 10:30, and No. 97 going out at 12:3, etc. The paper strip can be readily removed for filing away as often as desired, thus forming a perfect and indisputable record of the workman's time. A bell rings as each record is made, thus preventing one man from registering for another without the act being detected, and after the key is once inserted it cannot be taken out until it registers, neither can a second registry be made without removing the key.

This time recorder is manufactured

by the Bundy Manufacturing Co., of Binghamton, N. Y., and more than a thousand of them are now



THE BUNDY AUTOMATIC TIME RECORDER.

mercantile establishments. In one instance the time mon shaft, by which the wings are oscillated to cross of over 1,400 employes is thus kept, five of the recorders being used for this purpose, and in several estab- fifty times a minute, thus insuring an accurate division lishments employing over 1,000 hands the time is thus of the dust as well as the coarser particles of the ore, kept, the instruments in every case giving entire satisfaction.

Sea Shore Sands.

The sand of which the bulk of the masses of sea beaches is composed is vastly more durable than the seemingly more resisting pebbles. Pebbles wear out rapidly. Scarcely any, even the hardest, can stand a ling of the body through the water when the legs and year of steady thrashing on the shore, but these sands arms are moved in the usual manner. The improveendure for ages. The reasons for this are simple. In ment forms the subject of two patents issued to Mr. the first place, each grain of sand is an admirable illustration of the principle of the survival of the fittest. If it be not perfectly coherent and very hard, it will not thumb free, afford support for a plate to which is be carried far before its weakness is found out and it hinged a paddle-blade of thin sheet metal, as shown in is broken into mud on the pebble beaches, where it is Fig. 3, the hinged connection being such as to allow generally made and borne away by the sea to the deeper water. Then, because of their smallness, the grains lie with so little interspaces between them that they hold the water next their faces by capillary attraction. When a wave strikes the shore the grains of sand are pounded together, but they do not touch nism for the admission of the each other. If we press on the wet sand with the foot we see that the mass whitens as the pressure is applied, and a part of the interstitial water is poured out; take made, being the Seth Thomas the foot away, and the water returns to the crevices between the grains. Only dry sand will rub grain against grain and give the audible sound which, when casing with the mechanism, and it is sharp and clear, is called singing. No beach will thus creak or sing beneath the foot when it is wet.

This curious endurance of rocky matter, in its comminuted form, of the erosive force of the sea makes the sand the natural protector of the land against the open case or keyboard fixed | fierce assaults of the sea. If sand were easily pulveragainst the wall, in which are ized, if it were readily floated away, if it had, indeed, any other than its actual assemblage of properties, it is shown in full size in the accompanying cut. Each doubtful if the lands could have made good their place in the contest with the ocean. These doughty little champions have certainly kept for our use empires which, but for their good work, would long ago have vanished beneath the waves.—Prof. Shaler, Scribner's Magazine.

The Telephone System in Belgium.

In the early days of the telephone its working in Belgium was entirely in the hands of private companies, but excessive competition among them, and the uncertain character of the concessions granted by the state, retarded its development. It was not until 1883 that the State Department of Post and Telegraphs took the matter seriously in hand, and obtained a law authorizing the government to undertake themselves. or to concede (under fixed conditions) to others, the establishment and working of lines. Thereafter, the Bell Telephone Company bought up the interests of the existing rival companies in Brussels, and secured concessions for the other large towns. Other companies have since obtained concessions in various parts of the country. The charges compare very favorably with those in force in this country. In Brussels and Antwerp \$50 a year is the ordinary charge, and this is the highest rate current in Belgium. In Louvain. Courtrai, and Maline, only \$25 a year is charged, and on the state lines open the rates vary from \$30 to about \$40 a year. This includes the free transmission of telegrams, home and foreign, over the wires, a privilege which is much valued. In 1890, nearly 800,000 telegrams were thus telephonically transmitted

AN IMPROVED ORE SAMPLING DEVICE.

The illustration represents an ore sampler arranged to produce two samples of ore which shall be alike, one serving as a duplicate or check to prove the accuracy of the work performed. The improvement has been patented by Mr. R. C. Hawley, of Pueblo, Col. The in daily use in various manufacturing industries and ore to be sampled is supplied through a hopper, in

which is a rotary screen, or it may be sup plied direct from a crushing machine. Below the hopper is mounted a swinging wing, so that the ore passing down is divided and passes in equal parts into branch hoppers. the latter discharging into the upper end of a casing divided by a partition into two compartments, as shown in the sectional view. The casing is set on a base containing an outlet into which the lower ends of the central compartments discharge, the bulk of the ore passing through this outlet by a door to one side, while in the base are two compartments receiving the samples from either side. Four sets of oscillating wings, as shown, are arranged below the respective hoppers, each dividing the ore into two equal parts, so that the portion finally passing through the outer channels into the sampling compartments will be both alike in quantity and quality.

The several shafts of the oscillating wings have arms on their outer ends connected with each other by links, and also connected by rods with eccentrics on a com-

the stream of ore, preferably about a hundred and the travel of the wings being so short that no draught of air is formed

ATTACHMENTS FOR SWIMMERS' USE.


The illustration represents the use of readily applied attachments, fitting the upper and lower limbs of a swimmer, and designed to facilitate the rapid propel-Patrick Curran, of Hoquiam, Washington. A wristband and bands encircling the hand, but leaving the the joints to flex and the blades to fold inwardly toward the palms when the arms and hands are retract-



CURRAN'S SWIMMING EQUIPMENT.

ed after the stroke. In making the stroke the blades rock outwardly and lie in planes coincident with the flat sides of the extended hands. Equivalents for the hand attachments are furnished for the lower limbs, two fans being applied on each leg, one inside and one outside of each foot, a little above the ankle, reaching well down on the foot when feathered and almost forming a circle when extended. The fans are attached to the legs, as shown in Fig. 2, by means of one piece of canvas buckling in front with three buckles, two below and one above the hinges, and a strap passing across under the foot and fastened to the canvas on both sides. To compensate for the weight of the attachments and to give buoyancy to the body, a life preserver belt may be worn around the breast, or float attachments, may, if preferred, be secured near each elbow and on each shoulder. The entire equipment is designed to reduce fatigue and conduce to safety, while greatly increasing the speed with which a swimmer can propel himself through the water.


DEAD BLACK.—To 2 grains of lampblack add 2 drops of gold size and thoroughly mix. Then add 24 drops of spirits of turpentine and mix. Apply with a thin camel hair brush.



HAWLEY'S ORE SAMPLING DEVICE.

AN IMPROVED BOLT HEADING MACHINE

The needs of blacksmiths and carriage-smiths have been especially considered in the construction of the simple and durable bolt-heading machine shown in the accompanying illustration, although it is equally applicable for any service where it is desired to head bolts rapidly and nicely. It has been patented by Mr. William H. Betts, of No. 134 Dykeman Street, Brooklyn, N. Y. A box at the upper end of the hollow column, as seen in the sectional view, contains the bolt-holding dies, preferably of steel, and having on opposite sides grooves terminating at one end in a square shoulder and at the opposite end in recesses, so that they are adapted to form either a flat head or a



BETTS' BOLT HEADING MACHINE.

head to fit a countersunk hole. These dies serve as an anvil, and when the bolt projecting through them has its head formed, the end of the bolt is hammered down upon the upper faces of the dies. The bolt extends down and rests upon the head of an ejecting plunger, adjustable to fit bolts of different lengths, the lower end of the plunger resting upon the inner end of a treadle lever. Within the box, at one side of the dies, is a binding block mounted on a cam shaft having a hand lever, by which the shaft may be turned to force the block against the dies to hold them firmly in place. The treadle mechanism is necessary, as the bolt when inserted hot between the dies is inclined to stick.

Tin Salt in Gingerbread.

The attention of the Minister of the Interior has re cently been called to the considerable amount of protochloride of tin now used by manufacturers in making gingerbread, the consumption of which in France is considerable. It appears that by the use of this chemical common meal and other ingredients may be used, while the gingerbread will still have the appearance of being of excellent quality. This adulteration has only been going on for some twelve months, but has rapidly developed. The proportion of proto-

chloride of tin used is by no means insignificant. It varies from 500 grammes to 5 kilos. of tin salt to 100 kilos, of flour, producing 200 kilos, of gingerbread. Experiments have shown the chemical in question to be very poisonous. At the last meeting of the Council of Public Hygiene M. A. Riche presented a report of analyses made at the Paris Municipal Laboratory, the most adulterated sample of the bread in question containing 1 per cent of tin. Even if the addition of tin were innocuous, he said he would strongly recommend its prohibition, because it allowed inferior substances to be used in preparing an article of food which is principally consumed by children. M. Riche drew attention to a case of poisoning near Rouen, reported by Dr. Guersant. A servant had carelessly put some chloride of tin in soup instead of ordinary salt. The disagreeable taste prevented some of the family from eating the soup, but those who took only a small quantity showed distinct evidence of poisoning.

A REVOLVING SHIELD FOR CARS.

A metallic turret or shield designed for use in banks, express cars, or any other place liable to attack by robbers or highwaymen, is shown in the accompanying illustration, and has been patented by Mr. John E. Shanafelt, of Lawrence, Kansas. The turret is closed at the top and bottom, and has a door which slides in horizontal ways on its interior. The door and the sides of the turret have sight holes through which a person inside may fire upon an approaching enemy, creasing, the price of grains rapidly rising; the people, the sight holes each having vertically sliding blinds

which is a tubular journal projecting through the car roof, facilitating the revolving of the turret, which is pivoted centrally upon a stud or pin at the bottom. The mechanism for revolving the turret consists of a gear wheel, with an operating handle, meshing with a toothed wheel, both wheels being mounted upon a framework within the turret, and the toothed wheel extending through a slot in the turret bottom, where it engages a circular rack bar in the floor of the car or room where the turret is set up. Caster rollers may, if desired, be attached to the bottom of the turret as an additional support and to facilitate its turning, or the shield may be built in the corner of a room, to be stationary, and of such shape as may be best fitted for different situations. The construction occupies no more space than an ordinary heating stove, is comparatively inexpensive, and is de-

danger.

THE FAMINE IN INDIA.


FRANK VAN ALLEN, MEDICAL MISSIONARY TO MADURA, SOUTH INDIA

The attention of the whole world is directed to the terrible famine in Russia, consequently it is not generally known that a similar scourge is afflicting India. In this country all the horrors which follow in the wake of starvation occur with fearful regularity every fifteen years, or twice in every generation. The last great famine was in 1876, and it was estimated by the government that 5,000,000 (five million) persons died of starvation and the two diseases that go with it—dysentery and famine fever.

The cycle is completed again. Owing to a partial failure of rains, the fearful calamity of another famine was threatened a year ago. This year the rains have entirely failed; however, the famine is not yet at its height, for there are districts here and there where a slender harvest is possible, which for a few weeks will ameliorate the condition of the people who live in these favored parts. When this small supply of grain is exhausted, the famine, which is already very serious, will grip the whole nation in its withering hand, and really affects the low-caste man, because he is driven

there is no hope or help from within their borders until the next rains, nearly a year hence.

No one who has not seen and felt the awful desolation can realize into what a fearful condition a country is plunged by famine. No rain, crops scorched by the intense heat; tanks, whose supply of water has been depended upon for irrigation, empty, and their beds baking in the blazing sun; all vegetation withered, and rivers and wells dry; the scarcity of food inwith their gaunt, emaciated bodies, flocking by the which can be opened or closed at will. The top of the hundreds and thousands to the relief camps estabturret has a central ventilating draught opening, in lished by the British government. All this misery and



SHANAFELT'S REVOLVING SHIELD FOR CARS.

signed to be readily accessible to an express messenger suffering because the blessed rain has been withheld. or other person in charge of valuables in time of In many places fodder for cattle is unattainable, and the people are tearing thatches from buildings to feed the famishing animals. In other localities cattle are being killed in great numbers, as their owners are unable to feed them. Also thousands and thousands have died and are dying of starvation. Every effort is made to keep a certain number alive, which must be done at all hazards, for plowing when the next seeding time comes.

How the people are to maintain themselves until the next annual rains is a most serious question, and will doubtless be answered in the usual way-a large part of the population will be supported by the government at the famine camps. There will be a bare existence of many others, and the death of thousands and even millions of people. The better class will have enough to eat, as they will import grain at enormous prices from other countries.

But the matter of food is not the only problem connected with existence. The question of water becomes a pressing one, and is more serious from the wretched religious caste customs; a high-caste man will not drink from a well if a low-caste man has lowered his water pail into it, and so defiled its contents. This

away and not allowed to come near these wells, and his own being more shallow have become dry. In this emergency the government comes forward, and as a part of the relief work offers to loan money for the digging of wells. The people avail themselves of this offer, and just now there are being dug in one presidency upward of 19,000 (nineteen thousand) wells from loans so made by government. This money is loaned on thirty years' time, with interest at three per cent per annum, and often without sufficient 'security, but is done to relieve the distress of this ill-fated nation.

With all that the English government are doing to alleviate the horrors of the famine, there is much unnecessary suffering, which arises from the peculiarities of the people, particularly the higher castes. For a caste man to eat or drink anything which has been touched by one not of his caste is so degrading that he would rather suffer death. This is a religious matter with him, and there



THE FAMINE IN INDIA-REFUGEES IN A GOVERNMENT CAMP.

is no doubt but multitudes die because they will not accept food at government relief camps or famine kitchens. Many others of not so high caste hold out for a while, then come and partake of the wholesome food. This is too much for their weakened condition, their stomachs refuse to digest it, dysentery results, and in a few days they die.

The one disease accompanying a famine and causing more deaths than either dysentery or actual starvation is famine fever. It is a late attendant, appearing when the people are emaciated and weak, and for it there is no remedy, and the other remedies have no effect on it. When once begun, it becomes widespread. The weak and ill-nourished who have resisted other influences, and but for this might have lived until the next rains, fall easy victims. It is during this period roadside in great numbers; the dying crawl off into the jungles and are eaten by wild animals.

All that a government could do for a famine-stricken country, the English government does for India at these sore times, and deserves much praise for the energetic measures taken. Leave on furlough to all officers of government is forbidden. Those absent on leave are summoned; relief works are begun. These consist of building new roads, canals, etc., and are designed to help those who are able to work. During a famine many such public improvements are constructed which the government would not otherwise afford. For those who are not able to work by reason of their reduced strength, debility, or age, a form of relief is established known as the famine kitchens. to pay, an increase in the number taught calls for an There meals are cooked and given away to all who come. For those who are unable to walk, camps are provided; they are generally located near a kitchen, and are a refuge for thousands. These relief works, famine camps and kitchens are to be found every few miles all over India while a famine lasts. But although the government deals thus energetically with the problem, and grants every alleviation in its power for the distressed country, the suffering and loss of life is those liberal donations which have distinguished this extreme.

STEVENS INSTITUTE OF TECHNOLOGY.

If any one should turn back to the volumes of the Scientific American, between 1871 and 1873, they would find various notices of the Stevens Institute of Technology, then being established in Hoboken, N. J., in which we took a lively interest as being the first institution devoted exclusively to the training of mechanical engineers in this country, and we may indeed say in the world, if we take account of the special future administration of the Institute's affairs in all combination of theory and practice involved in its course of instruction; because in no school before had are Andrew Carnegie, of New York; S. B. Dod, of there been any such combination of the theoretical Hoboken; A. C. Humphreys, M.E., of Philadelphia development of the science of mechanical engineering on a mathematical basis with the practice of the same science as carried out in the foundries and New Jersey; Henry Morton, Ph.D., Hoboken; E. A.

We naturally looked upon the experiment then and there inaugurated with the deepest interest and most cordial sympathy, because we saw how important to the prosperity of those mechanical industries on which our national prosperity rests would be the success of this undertaking, which aimed at nothing less than the education of young men in a way that would fit them to go into the workshops of the country and supply the much needed theoretical knowledge derived Edward Wall, A.M., Professor of Belles Lettres; Cole from the recorded experience of others with the aid of man Sellers, E.D., Professor of Engineering Practice; the potent tools of mathematical methods and practical familiarity with the machines and processes to be handled.

The two factors supplied for the solution of this problem were: A bequest of money and ground, amounting in all to about \$750,000, made by Mr. Edwin A. Stevens, and a faculty of young and energetic professors, headed by President Henry Morton, who had already distinguished themselves in their various departments.

It is now 21 years since this experiment was begun, and as we look at its results to-day we see our brightest anticipations and most sanguine hopes more than realized.

sitions of the greatest responsibility in the workshops tute and its surroundings. and great industrial enterprises of the country, and are in demand beyond the capacity of the Institute to tion running east and west, with three wings running supply them, and, on the other hand, applicants for north, or back from it. Of these wings that to the admission have for several years so much exceeded the capacity of the Institute to accommodate them that considerable numbers have been refused admission, largest wing accommodates in two stories and basenot for lack of adequate preparation (though the scholastic standard has been constantly raised), but because there was absolutely no room to hold them.

When we compare the means available with the work done, we are astonished at the result from a financial standpoint.

It must be remembered that never in the history of the world has an institution of the higher education, and especially one for industrial training, where extensive workshops and laboratories have to be provided and kept running, been self-supporting. In all cases, large subsidies from governments or large endowments tion of New York lying between Eighth and Thirtyfrom private individuals have been required to sup-second Streets.

port such establishments, and that the Stevens Institute should have reached its present dimensions and completeness, with a building fund of but \$150,000 and an annual income derived from less than \$500,000 endowment fund, is simply marvelous in the eyes of any one familiar with the work and means of other institutions in this and other countries.

To be sure some help, timely, if relatively small, has been supplied by President Morton, who, in the words of Mr. Edward B. Wall, M.E., president of the Alumni Association, in a recent address, "has devoted to Stevens his ability, his energy, his time, his tact and his private fortune;" but, for such a work as this, an amount of between \$40,000 and \$50,000 is but a trifling element, except as it may have supplied a great need at a critical time, as when he fitted up and presented that deaths are so numerous. The dead lie by the the new workshop in 1880, established the Department of Applied Electricity in 1883, and endowed a chair of engineering practice in 1888.

The fact still remains that the great success of the Stevens Institute has placed it in the position of a business which has outgrown its plant, and which must refuse orders for lack of capacity to fill them promptly.

With a manufacturing establishment the remedy would be simple, because such an increase in business would warrant an increase in capital invested, which could be secured in the usual ways. But with an educational institution, the case is different. Here there is no increase in earning capacity which will pay interest on the increased investment. On the contrary, as each student costs more than he can, as a rule, afford increase in the endowment fund, or its equivalent.

Realizing this situation, the alumni of the Stevens Institute have taken in hand the raising of an additional endowment fund, which may be used in the erection of new buildings, or otherwise go to the permanent support of the institution.

In this work we wish them all success, and are free to say that we know of no place where one or more of era and this country would do so much good to the community at large and be a more lasting and creditable monument to the donor than the Stevens Institute of Technology.

In this connection we may say that we know personally that the name of any donor would be permanently associated with any department, building, chair or scholarship which he might endow or present.

The names of the trustees and faculty given below are eminently calculated to inspire confidence that the branches will be of the best character. The trustees Wm. Kent, M.E., of New York; Chas. Macdonald, C.E., New York; Hon. A. T. McGill, Chancellor of Stevens, Hoboken; and Mrs. E. A. Stevens, Hoboken.

The faculty consists of: Henry Morton, Ph.D., President; Alfred M. Mayer, Ph.D., Professor of Physics; De Volson Wood, A.M., C.E., Professor of Mechanical Engineering; J. Burkitt Webb, C.E., Professor of Mathematics and Mechanics; Charles W. MacCord, A.M., Sc.D., Professor of Mechanical Draw ing; Albert R. Leeds, Ph.D., Professor of Chemistry Charles F. Kroeh, A.M., Professor of Languages; Rev. James E. Denton, M.E., Professor of Experimental Mechanics and Shopwork; Wm. E. Geyer, Ph.D., Professor of Applied Electricity; Thos. B. Stillman, Ph.D., Professor of Analytical Chemistry; Adam Riesenberger, M.E., Assistant Professor of Mechanical Drawing; Wm. H. Bristol, M.E., Assistant Professor of Mathematics; D. S. Jacobus, M.E., Assistant Professor of Experimental Mechanics and Shopwork Robert M. Anderson, M.E., Instructor in Applied Mathematics. Graduate Assistants: J. H. Cuntz, C. E., M.E.; William J. Beers, M.E. Instructing Mechanic in Workshops: Matthew Lackland.

Referring to our illustration on the title page of this Graduates of the Stevens Institute are filling po- number, Fig. 3 is a general bird's-eye view of the Insti-

The Institute building proper consists of a main porwest, or left side of the engraving, is occupied at pre sent by the Chemical Department. The central and ment the machine shop and foundry; while the easterly wing is occupied by the Department of Applied Electricity.

To the north of this east wing is seen the building of the Stevens School, or preparatory department, where over 250 pupils are now taught.

The arch and tower visible over the east end of the main building constitute the entrance of the Castle Point estate, occupied by the family of Edwin A. Stevens, the founder of the Institute.

To the right is seen the Hudson River and the por-

Fig. 1 is an interior view of the Electrical Laboratory. At the left is the photometer (an inclosure made entirely dark and provided with a "Sugg photometer" and other appliances), and down the middle of the room are a series of brick piers with slate tops, to give steady support to the delicate instruments used in electrical measurements.

Fig. 2 is a view showing a portion of the main workshop. It, however, does not give an adequate idea of the number and variety of "machine tools" present, as many of these are concealed by others or are outside of the range of view.

Fig. 4 shows the Blacksmith Shop and Foundry, with the cupola furnace at the far end, where iron is melted to make castings.

Fig. 5 represents the experiment room of the Department of Experimental Mechanics, in which a great variety of work is carried on, not only with standard machines for determining strength of material, but also with steam and gas engines, pumps, compressors, and the like, in such a manner as to best show their econo-

Mental Improvement after Trephining.

This important subject is treated of in an article in a recent number of the Medical News by Dr. Hugo Engel, of Philadelphia, with special reference to a case in which an operation of this nature was carried out. The patient was a boy fourteen years old, who was said to have been mentally bright and physically healthy until his sixth year, when he became subject to convulsions. These began one day without any apparent cause, and have never since ceased for any length of time. There was no family history of epilepsy or insanity, and there was no accident to account for the onset of convulsions. The fits had been becoming gradually more and more frequent, until at last he was having as many as twenty-one in twentyfour hours. But the interesting point is that the boy's intellect is said to have been, up to the time at which the fits commenced, of a higher order than is usually met with in a boy of his age; but since the fits began a gradual deterioration had been taking place, until he became dull and vicious, and finally seemed simple and almost idiotic and not unfrequently maniacal. There was a peculiar conformation of the skull, the appearance being as if it had been crushed in at the junction of the parietal and frontal bones, and Dr. Engel seems to have regarded this as the result of premature closing of the fontanelles and too early union of the sagittal and coronal sutures, and, from the effect of this on the brain apparently, he was in the state of extreme mal-development which he showed. Except that he was endowed with speech—of a guttural and monotonous character, it is true—he resembled a savage young animal rather than a boy, in his behavior generally. Under a systematic use of the bromides the convulsions became much less frequent and less severe, but no great change was evidenced in the mental condition, and it was decided to operate with the view of relieving the abnormal pressure on the brain, which, from the conformation of the skull, it was thought must be present. Two operations were carried out by removing portions of bone from the right frontal and parietal bones immediately contiguous to the coronal suture. The second operation was carried out after an interval of three months had elapsed from the first. For five weeks after the first and for two weeks after the second operation he had no attacks, but after that they increased in frequency, but never became so frequent as before, while their character was very much changed, so that instead of severe convulsions with clonic spasms, he now had attacks of loss of consciousness, with slight twitchings; but the chief improvement was in his mental condition, and from an idiotic, sulking savage he developed into a bright, lively, and good natured boy. His former irritability and moroseness were replaced by good nature, and now to all inquiries he made intelligent replies, whereas formerly he only sulked when asked questions. He also expressed a wish to go to school, and his perception was wonderfully quickened, so that a complete change was the result of surgical interference in this case. Such a result is, of course, extremely significant; but it remains to be seen in what cases operative measures are likely to effect so much as they apparently did in this case. But at least Dr. Engel and his surgical colleague, Mr. Packard, are to be congratulated on the brilliant success which followed interference in a case which could not, even to the sanguine, have appeared very promising.—Lancet.

Honors for Mr. Edison.

The Society of Arts, London, has awarded the Albert Medal to Mr. Edison in consideration of his distinguished services in the progress of electric lighting, telegraphy and telephony. The Albert Medal was first awarded in 1864, and has often been given to distinguished electricians, among whom may be mentioned Faraday in 1866, Cooke and Wheatstone in 1867, Sir William Thomson in 1879, J. P. Joule in 1880, and Helmholtz in 1888.

THE CROWDED CONDITION OF THE PATENT OFFICE. in a very practical way. In picture 5 we see the head-

The United States Patent Office is not only selfsupporting, but, according to a recent report of the engineering subjects, bridges, railways, masonry, excommissioner, there is a balance of over \$4,000,000 to the cavating, hydraulic engineering, iron structures, fire credit of the Patent Office in the Federal Treasury. This means that the inventors of the country, as a special class, have paid to the government just so much more than the cost of examining and passing upon their applications for patents, and the issue thereof. It is this feature of the patent business, as a branch of the public service, which gives especial significance to the illustrations we to-day present, showing the crowded and congested condition of the Patent Office

That this is no new complaint our readers know well, but the evil is steadily growing, and it is difficult to estimate its possible consequences in thousands of instances of which the public may never hear. To say that the work of a patent examiner requires above all pottery, glass, paving, roofing, paper making, etc. things a clear head, thorough deliberation, wide In view 12 is shown the department of advertising, bagknowledge, and mature judgment, and that to these are to be added, in each special branch, a good acquaintance with what inventors have already done and what has become embodied in the practical work of a wide variety of industries, is to state only the simple facts. But these are by no means the limitations of the examiner's field.

The number of issued patents now mounts up to nearly half a million, to say nothing of the caveats on file and the thousands of applications for pat- only with the greatest difficulty, and this and all the work known as a "Summary of Patent Law." His ents all the time in course of examination. It is a other departments are in striking contrast with the commission as Commissioner of Patents dates July 1,

fundamental principle of the examiner's work that all these, with their numerous complexities and possible constructions, must be held to be at least fairly understood in taking up each new application, to see, in connection with accurately noted dates, what bearing, if any, they have upon the claims of each new petitioner for the protection afforded by a legal title upon which is stamped the seal of the United States Patent Office. And not only must these records of our own Patent Office be consulted, but the patents issued by other governments must likewise come under a similar examination, also all forms of printed records, in periodicals, books, etc. The latter are not, it is true, always held to form the same value as proof of priority or actual invention as a legally issued patent, but the examiner must have them in mind in the understanding and proper construction and possible limitation of an inventor's claims. In all this he acts, in the great majority of cases, as both judge and jury upon the petition of an applicant for a patent.

Perfect system, thorough organization, are necessities in satisfactorily conducting this vast work. Without these conditions, the best legal skill, the most comprehensive technical information, the acutest analytical brains, would lamentably fail to do anything like substantial justice to the thousands of inventors and the public. As a part of this system, all applications for inventions are classified according to their nature or subject. There are now more than two hundred classes and nearly five thousand subdivisions. Such division, involving in

similar lines than a complete separation, calls for an abundance of room, not only for the orderly keeping and arrangement of the records, but for the facilitating of the work of those who have to conduct the examinations. Without such order in arrangement and convenience of access, it is not possible properly to conduct searches, make comparisons, and form reliable judgments. That the work of the Patent

It requires but a glance at our illustrations to comprehend the difficulties under which the work is prosecuted. The views are from photographs made during the ordinary hours of business, and represent the everyday condition of the rooms, the latter, however, appearing larger than they really are, as a necessity in locating the camera to obtain the most essential features. The first view, in room 155, shows the department to which go all applications for patents relating to chemistry, medicines, fertilizers, photography, sugar and salt, this room being the headquarters of all the assistants in this class of work. The room of the In August, 1862, he enlisted as a private in the Twentycommissioner, in the adjoining picture, appears rather fifth Connecticut Infantry, his brother and his steplarger, but is only a little more roomy than a commodious bath room, while that of the assistant com- having already enlisted for three years. He was soon missioner, though apparently the most comfortable of made sergeant-major of the regiment, and at the battle all the rooms shown, is a long distance away from the of Irish Bend in Louisiana, on the 14th day of April, chief clerk and other employes. The picture repre- 1863, he was promoted to be a lieutenant, and was dissenting attorneys making searches suggests the charged from the service with his regiment in August, reality of "searching for knowledge under difficulty" 1863.

quarters of the department which has charge of civil escapes and ladders, etc.

The chief clerk, in view 6, is apparently among the very few favored ones as to room, and the view of room 7 shows that the desk and record cases are very compactly arranged. This room is the principal one of the department of boots and shoes, clasps, buckles and buttons, harness, hose and belting, and leatherworking machinery. In room 30 are examined applications for clutches, conveyors, elevators, hoisting, journal boxes and pulleys, mechanical motors, etc. Room No. 85, shown in view 9, at the top of the page, is devoted to carriages and harness and railway supplies, view 10 showing the electricity headquarters, and view 11 that of artificial stone, lime and cement, clay and gage, packing and storing vessels, etc., while in view 13 are builders' hardware, cutlery, dentistry, locks and latches, safes, surgery, etc., and in view 14 is seen the apartment of the examiner for acoustics, draughting, horology, measuring instruments, optics, etc. Room No. 91, shown in view 16, is devoted to electric lighting and signaling and telegraphy and telephony. One of the draughtsmen's rooms, shown in view 15, indicates that drawings can be made in such quarters



WILLIAM EDGAR SIMONDS, COMMISSIONER OF PATENTS.

many cases rather a grouping and distinguishing of ample room, perfect light and thorough ventilation perature. afforded in the office of the Scientific American. where the work carried on in the preparation of applications for patents is of just the same kind as that prosecuted in the Patent Office at Washington.

The Patent Office examiners have no space for the orderly arrangement of their records, which must in many cases be piled up in out-of-the-way places, inconvenient of access, and therefore almost necessarily in a Office is done as well as it is, under the difficulties of state of chronic confusion; the operative force is closely milk, which most people find unpleasant, and does not the present situation, has long been a subject of ad- crowded into small, poorly ventilated compartments, render the milk difficult of digestion. These pasteurmiration among those best able to judge of what is where work can only be done under the greatest disad- izing machines have not yet been introduced into this vantages, and these evils are rapidly growing worse with the augmentation of records, the increasing number of applications, and the consequent tendency to the further crowding together of the employes. It needs but a glance at the illustrations to convince one that the trouble has long since passed the acute stage.

> William Edgar Simonds, the present Commissioner of Patents, was born in Collinsville, Conn., November 24. 1842. He was educated at the common and high schools of that village and also at the Connecticut State Normal School. He taught school for a year or two. father, the only other male members of the family,

He graduated from the Yale Law School in 1865, and since that time has practiced law in Hartford, Conn. In 1883 he was chairman of the Committee on Railroads in the Connecticut House of Representatives. In 1885 he was the speaker of the Connecticut House of Representatives. In 1888 he was elected a member of the Fifty-first Congress, in which body he served. While a member of the Fifty-first Congress, an international copyright bill was reported by the Judiciary Committee, debated for two days, and failed of passage by a negative majority of about forty. Mr. Simonds then redrafted the bill, adding its famous thirteenth section, and procured its favorable report to the House. On the third day of the short term he secured its passage through the House, after a vigorous fight, by a majority of about forty. By reason of parliamentary tactics and maneuvers, it had to pass the House, in one shape or another, three times subsequently, each time after a fight over it, the last passage being about two o'clock on the morning of March 4, 1891, the day on which Congress adjourned. For this service in connection with international copyright the government of France conferred upon him the Cross of the Legion of Honor. He has filled the lectureship on patent law in the Yale Law School since 1884. Yale University gave him an honorary degree at the 1890 commencement. He is the author of a "Digest of Patent Causes," a "Digest of Patent Office Decisions," a work on "Design Patents," and a small

> 1891, and he entered on the performance of the duties connected with the position on August 1, 1891.

What Organ First Relapses into Slumber?


It is said by scientists to be a fact that all our senses do not slumber simultaneously, but that they fall into a happy state of insensibility one after another. The eyelids take the lead and obscure sight, the sense of taste is the next to lose its susceptibility, then follow smelling, hearing, and touch; the last named being the lightest sleeper and most easily aroused. It is curious that, although the sense of smell is one of the first to slumber, it is the last to awake. Hearing, after touch, soonest regains consciousness. Certain muscles and parts of the body begin to sleep before others. Commencing with the feet, the slumberous influence works its way gradually upward to the center of nervous action. This will explain the necessity of having the feet comfortably warm before sound sleep is possible.

Pasteurized Milk.

All methods of sterilization that are in use in this country have the disadvantage of giving to the milk the taste which is peculiar to boiled milk, and also of rendering it less easily absorbed by the body. In France and Germany a method has been adopted which accomplishes the purpose without injuring the taste of the milk. Machines are in use in Paris and some other cities which will heat great quantities of milk to a temperature of about 155° Fah. for a few minutes, and then cool it rapidly to a low tem-

The method has been called the pasteurization of milk. It does not kill all the bacteria, but it does destroy so many of them that it greatly increases the keeping properties of the milk. Moreover, it almost entirely destroys the danger from disease germs in milk, since nearly all forms likely to occur in milk are killed by this temperature. The advantage of this method is that the temperature of 155° Fah. does not give to the milk the taste of boiled country, and the opportunity exists for some one to develop a thriving business by furnishing pasteurized milk in our large cities. A little experience with its superior keeping properties and a little knowledge of its great wholesomeness would soon create a demand for it in America, as it has already done in the larger cities of France and Germany.—Prof. H. W. Conn, in Popular Science Monthly.

A SPICY EXHIBIT.—At the great exhibition next year, a Pennsylvanian firm will exhibit a map of the United States, 18 feet by 24 feet, made entirely of pickles, vegetables, fruit, etc., preserved by the company which makes the exhibit. The State lines will be accurately shown and the lakes and rivers will be represented by vinegar. The larger cities will be indicated by spices. The whole will be covered with a single piece of plate glass, which is being specially made for the purpose. The expense of this interesting exhibit of the pickling and preserving industry will be



- No. 1. Room No. 155. Examiner J. B. Littlewood and Assistants.
- No. 2. Commissioner of Patents, William E. Simonds.
- No. 3. Attorneys making Searches in the Patent Office.
- No. 4. Assistant Commissioner of Patents, N. L. Frothingham.
- No. 5. Room No. 32, Examiner B. W. Pond and Assistants.
- No. 6. Chief Clerk, Jos. L. Bennett.
- No. 7. Room No. 105, Examiner Jno. D. Hyer and Assistants.
- No. 8. " 30, " W. L. Aughinbaugh and Assts.

VIEWS IN THE PATENT OFFICE—SHOWING ITS CROWDED CONDITION.



No. 9. Room No. 85, Examiner H. P. Sanders and Assistants. No. 13. Room No. 153, Examiner A. G. Wilkinson and Assistants. No. 10. "87, "G. D. Seely "No. 14. "221, "F. A. Seely ""No. 11. "211, "T. J. Hudson "No. 15. One of the Draftsmen's Rooms.

No. 12. "111, "Greely "No. 16. Room 91. Examiner G. Bissing and Assistants.

VIEWS IN THE PATENT OFFICE—SHOWING ITS CROWDED CONDITION.

THE GRAND CANYON OF THE COLORADO. BY H. C. HOVEY.

Tourists should know, to begin with, that, as there is but one Niagara, and a single Mammoth Cave, so there is only one Grand Canyon. The next point to be plainly stated is that the canyons washed by the Colorado River on its way to the Gulf of California are not in the State of Colorado, but sweep down from Utah through northern Arizona. This information is by no means superfluous; for travelers of average intelligence and presumable veracity have repeatedly assured me that they had visited the Grand Canyon, when in fact they had not been within 500 miles of it. They were thinking of the Royal Gorge, or other gorges that are commonplace compared with the enormous and magnificent canyons of the Colorado.

Clarence Dutton's costly atlas of this district is rarely found, except in large libraries. The atlas sheets prepared with skill and conscientious care by the U.S. Geological Survey are not yet accessible to the public. Such progress has been made in Arizona, during the past decade, both as regards exploration and development, that the map makers find it hard to keep up. Meanwhile the maps ordinarily found in the schools, and elsewhere, abound in errors. The accompanying sketch, modified from one by R. B. Stanton, C.E., may be found serviceable so far as the modes of approaching the Grand Canyon are concerned.

Whatever might be true for explorers ready for wild marches and desert work, the only points from which ing been taken under the direction of Mr. T. R. Gabel, if planted by some prehistoric landscape gardener;

the Grand Canyon is accessible for tourists lie along the Atlantic and Pacific division of the Great Santa Fe route. Being the first visitor of the season this year, my experiences may be of use to others. Arriving in Arizona in March, the heavy snow drifts made it impracticable to reach "the Rim" by any route until they had partially melted. But on returning to the Territory, after a fortnight spent in Southern California, I resolved to make the attempt, although warned of its difficulties, and aware that last year there were no visitors prior to May, a month later than the date of

There are four different routes from the line of the railroad. Each of these has its attractions and enthusiastic advocates. The trail from Peach Springs, over which a line of stages is run by Mr. Julius Farley, has the decided advantage of being far shorter than any other, reaching the Grand Canyon in 18 miles, with an easy grade and plenty of water. It first strikes Diamond Creek, which leads into the main canyon at the apex of a great bend. The scenery is picturesque and impressive; and it was here that Lieutenant Ives, in April, 1858, obtained his first view of this wonderland. It was here also that Professor Newberry descended to the inner gorge. If one had the time, and could afford to make more than one trip, he would be rewarded for including the Peach Springs route in his plans. But the walls are lower here than at places reached by other routes, and therefore few tourists

roads. One leads to the junction of the Cataract Can- about the time of my own visit. The conclusion neces- already gave promise of an abundant harvest. On yon with the Grand, an estimated distance of 65 miles, and is traversed by a good stage line, of which Mr. W. and where the widest view is commanded of the sys-W. Bass is the proprietor. In the side canyon just tem of gorges combining to make the Grand Canyon named are numerous sparkling cascades, the finest of so wonderful. This route was chosen for the members which is the "Bridal Veil." In this vicinity dwell the of the International Geological Congress when they peaceful Supai Indians, whose boast it is that in all visited this region last fall, by invitation of Major J. their history as a tribe they have never killed a white W. Powell. It has also been selected by the authoriman. They gain their living by farming, raising ties for the projected Grand Canyon railroad branch term of verdure, with here and there a flowering cacpeaches and other fruits, eked out by gathering acorns from Flagstaff, of which a beginning has already been tus, or a truculent Spanish bayonet. Myriads of and the nuts of the edible pine. There is little profit made. Meanwhile, as I was told, a line of first-class from the chase, now that the bison and antelope are coaches is to be immediately established. Hence I killed off. In reply to my inquiries as to what the government has done for them, I was told by Mr. Bass that appropriations had been made amounting to a total of \$900; but that only \$40 of this money had been paid over to the Indians up to March 10 of this year.

The Supais have a unique burying ground in the Long Canyon. Mr. Louis Buchere, who visited the locality last February, tells me that it is their custom to roll their dead in blankets, along with their guns and accouterments, and deposit them in layers between the rocky shelves under the rim. Their horses are then forced to make the awful leap from the rim to the rocks below, which are actually whitened with the bones of the sacrificed steeds. From others I learned that this heathenish custom is now being abandoned. Mr. Bass kindly offered me every facility for investigation into the condition and customs of this interesting tribe, as well as for exploring more fully the inner trict for thirty years; and Mr. C. H. McClure, who,

gorge as reached by his route; but it was impracticable for me, at that time, to avail myself fully of his generosity. I shall have occasion, in another connection, to refer to the splendid scenery thus brought to view.

Rowe's stage route also starts from Williams, and reaches the Grand Canyon in 60 miles by the odometer. This is sometimes called the Bright Angel trail, because it enters the canyon opposite the mouth of the Bright Angel creek. Half way down the chasm some singular cliff dwellings are seen, and there are others half a mile west of them. Some of them are easily accessible; while others can be observed only from adjacent crags. The doors being on a miniature scale, only 18 inches high by a foot wide, and the windows correspondingly small, these have been styled "Liliputian houses," and the supposition advanced that they were once inhabited by a race of pygmies. But the probability is, in my opinion, that they were not intended for habitations, but for granaries. A series of elevations taken in April last, at mile intervals, shows the highest altitude above the sea level, between Williams and the canyon, to be 6,700 feet, and the lowest 5,650 feet.

The Flagstaff route is somewhat longer than any of the others, being 67 miles by odometric measurement. This distance might be considerably shortened by a resurvey of the road, as it now makes some quite needless windings among the buttes and mesas. Its highest elevation above sea level is 7,436 feet and its lowest is 6,261 feet. These figures are official, hav-

MAPOFTHE GRAND CANYON T REGION 0 7 0 N. DIEGO

THE GRAND CANYON OF THE COLORADO.

now make the trip. From Williams there are two superintendent of the Atlantic and Pacific Railroad at pinyons, the nut-bearing pine, whose young cones sarily is that we strike the rim at its highest altitude, shall describe this mode of approach more fully than the others.

Flagstaff is a good starting point. It stands amid a noble forest of yellow pines that are rapidly being converted into lumber by the Arizona Lumber and Timber Company, of which Mr. D. M. Riordan is the manager, with about 500 employes. The tall tree yet stands to whose top a flag was fastened one Fourth of July-a circumstance suggesting the odd name of the young city. There is an extensive brown sandstone quarry here, from which blocks of any desired size can be taken without flaw or seam. The town is the rendezvous for lumbermen, ranchmen, miners, and cowboys from a wide region around. The Bank Hotel, kept by Mr. Coalter, is the best in Northern Arizona. In its parlors I met Dr. Dorchester, the U.S. Superintendent of Indian Schools; Judge J. M. Sanford, of Williams, who has been familiar with the canyon dis-

with four other practical miners, spent last winter in the profound depths of the Grand Canyon, where there is eternal summer even though the drifts in the upper chasms under the rim may be many feet deep.

Later in the season the trip might be made in carriages, or a large party might charter an omnibus. But my preference was a substantial "buckboard," which I hired from the stables of Mr. E. S. Wilcox, who also accompanied me as driver. We took bedding, rations and fodder, and of course my kodak and geological kit, but as few extras as possible, in anticipation of miry roads and snow drifts.

Winding around the foot of Mt. Eldon, a singular mass of columnar basalt, we took a northwesterly course, following the track made by last year's visitors. West of us sprang aloft the snowy peaks of the San Francisco Mountains, part of a broken range known as the Mogollon Mountains, which were in sight all the These are said to be the highest hills in first day. Arizona. The road, instead of being muddy, was naturally paved with volcanic cinders. Huge blocks of red and black lava lay scattered in wild confusion. These in turn made way for billows of ashes and cinders extending as far as the eye could reach. But it was not a barren region; for these ashes were fertile when irrigated by the melting snows. Our way lay through a vast park adorned by sturdy pines (Pinus ponderosa) from 60 to 100 feet high, and from two to six feet in diameter. These trees stand well apart, as

> and they often rise, like noble shafts of brown marble, for 40 feet before sending out their lowest branches. Except near the railroad this magnificent domain has not yet been invaded by the ruthless lumberman.

> Suddenly we came to the margin of what resembled a broad black seaa cinder plain without the slightest sign of life. Above it swelled the cone of an extinct volcano. As I had heard that there were ancient cave dwellings near the summit, we resolved to explore. Leaving our horses at the foot, an easy climb brought us to the apex, perhaps 600 feet above the plain. Here, in the rugged tuff, were thirty or more rude grottoes of artificial excavation. Their former occupants had a wide prospect, and could hardly have been surprised by any ordinary foe. The only relics we found were countless fragments of water jars. Some of these are chiseled, not painted; others painted inside but not outside; others the reverse. Mr. Wilcox kindly gave me an entire jar exhumed in the vicinity, of elegant proportions, and elaborately decorated with geometric designs resembling the well known "Grecian key." Similar jars were afterward shown to me by Mr. D. M. Riordan; the workmanship in every way excelling the pottery made by the most skillful modern Indians.

At Smith's Tank, where we dined, we met Superintendent Gabel and his surveying party, on their homeward way. Resuming our journey, we presently found the great forest yielding to detached groves of junipers and

our right a trail branched off leading to the Moqui reservation, beyond the Colorado Chiquito. Soon climbing the crest of the divide, we were surprised by one of the finest imaginable landscapes. The mesas were clad by the groves already described. But the broad plain expanded before us clothed with the crisp and silvery buffalo grass not yet entered on its brief prairie dogs had their singular villages on this ample area, with occasionally the larger burrows of the badger and coyote. Above the plain arose the domelike cones of numerous extinct volcanoes, their flanks somber with black cinders, but their tops as radiant as sunset clouds with fiery red lava; while the horizon was bounded by snowy mountain chains. In some of the ancient craters there are lakes, along whose borders may be gathered specimens of native sulphur and various rare minerals.

Night found us at Cedar Ranch, one of the trysting places of the jolly cowboys in the employ of the Arizona Cattle Company, whose hospitality was ample, though primitive. Grouped around a blazing fire of pine knots, we found them ready for conversation on politics, religion, science, commerce, or war. By daybreak they were off for the Coconino Basin, mounted like centaurs, belted and spurred, heavily armed, and each with a lasso at his saddle-bow ready for a "round-up." While they sped away like the wind, we plodded on with our buckboard. We soon entered

a small canyon, whose right wall was rugged lava, while the left was Aubrey limestone. On emerging and climbing an eminence, we saw that this lava wall was the margin of a terrace, several of which were visible, being successive overflows from the volcano around whose base they had been formed. road which, however fine it may be from May to November, was for us but an alternation of stony ridges and miry bogs, with occasionally a lingering snow drift. It was after dark when we rattled at full speed down the long limestone hill leading to the welcome cabin of honest John Hance. Under a sheltering hill, beside a living stream, nestled amid gigantic pines. some of which have been so felled as to fence in the spacious door yard, is the home of this mountaineer. He has probably done more actual exploring of the canyons of the Colorado than any other Arizonian; and it is his boast that, in the period of two years, with his own unaided hands, he made the famous Hance Trail, from the highest rim down to the rivercertainly one of the greatest engineering feats ever accomplished by one man. William Mulvernan, sheriff of Yavapai County, and John Francis, sheriff of Coconino County, assisted by John McGowan and R. A. Ferguson, recently surveyed the Grand Canyon from the head of the Hance Trail, and determined its depth to be 6,675 feet vertically from the rim to the river. The trail covers 4,000 feet of this in 7,050 feet, and the remainder at a much easier grade.

After our tired horses had been cared for, and our own hearty supper duly disposed of-matters demanding our first attention—I was determined to have a look at the canyon, although it was after nine o'clock. In solitude I climbed the hill. The distance from the cabin to the rim is less than 300 yards. But even when within a hundred feet of the mysterious rim, not a sign of the glorious vision awaiting me appeared. For a moment I paused with a natural shrinking from what I knew must lie beyond that calm, untrodden snow bank. The full moon was riding in a cloudless sky. The wind soughed through the tall pines and fragrant junipers. Huge rocks cast their shadows across my way, and seemed to be watching like grim sentinels. At length, resolutely, I advanced through the snow, and stood alone on the dizzy verge. Bending over it in a kind of sacred horror, I beheld, at last, what for many years I had longed to see, the fathomless, boundless abyss, with its myriads of chasms and cliffs, fretted ruins, slender spires and massive towers, all under the beaming stars and flooded by the silvery moonlight. And this sublime chaos, such as cannot be found elsewhere in the whole world, and amid whose depths we were to venture on the morrow, was the Grand Canyon of the Colorado.

The Doctor and Good Roads.

The sentiment in favor of improving country roads is growing every year. It has reached our legislative assemblies, and bills are being introduced in order to secure State aid in the matter. Good roads are things which no class of persons would appreciate more than physicians, and to none would they bring more direct personal comfort, and even practical financial help. On a good road the country doctor can travel ten miles an hour, on a bad one barely five. The time required in doing his work is doubled, the physical weariness is increased, the amount of visiting rendered possible is curtailed. Besides this, the patient suffers, for the doctor's visits are delayed and less numerous. He cannot watch the patient so closely, and he brings to his work a wearied body.

Perhaps the horse would argue most eloquently of all, if he could speak in favor of good roads. His working life would be lengthened and his working days made easier.

With good roads the bicycle could be utilized, and through its invigorating influence, perhaps, the country doctor would cease, as years rolled on, to become obese from too much sitting in a wagon, his wits would be sharper, his professional work better.


By all means, then, let the doctors take up the gospel of good roads and urge forward their construction. They make intercourse more easy, work less burdensome, life more enjoyable; and they are, in fine, an index of the progressiveness and civilization of a community.—Med. Record.

Microscopic Drawing.

Place the body of the microscope horizontal; remove the mirror; put the slide on the stage; condense the light upon it by means of the bull's eye, taking care to center the light; attach the concave mirror to the front of the eyepiece by means of a spring or a piece of thin wood. Have its surface at an angle of 45° with the plane of the anterior glass of the ocular. This will The two leads join each other a little distance down, project an image of the object on the paper beneath. and a single rope runs thence to a windlass, which is If the outer ring of light is circular, there will be no distortion. With a black cloth exclude all outer light, covering both your head and the instrument. Mr. Hopewell Smith draws any section easily in this manner, including magnifications of 600 diameters.


THE WESTERN UNION TIME BALL SERVICE.

Since the fire which destroyed the upper stories of the Western Union Telegraph building, the time ball service has been suspended. The old staff and ball were mounted on the tower in the front of the building. As the new building has been completed another tower Our journey for the last twelve miles of it was over a has been built for special service of the time ball system. This tower is built of open iron work, and through its center a ladder runs up to the top. From the top a staff of hollow iron piping with two feathers running down opposite sides of it rises, and is surmounted by a cap. As regards dimensions, the tower rests on the roof of the main building, 163 feet above



WINDLASS AND ELECTRIC TRIPPING MECHANISM.

the surface of the street. The base of the tower is 24 feet, 6% inches by 25 feet, 4 inches; the top of the tower is 4 feet, 3 inches by 5 feet, % inches; and the height of the tower is 81 feet. A platform 7 feet, 5 inches square surmounts it, and from the center of this the flagstaff rises 20 feet and 6 inches, giving as the total height from the street 264 feet, 6 inches. The time ball is of very light construction; notched rings that fit the staff loosely form the top and bottom elements and are connected by four 1/2 inch iron rods. The contour is secured by hoop iron running in directions corresponding to the latitude and longitude of a globe, and over the whole canvas is fastened. The ball is 3 feet, 6 inches in diameter, and weighs only 35 pounds. The staff passes through its center. To raise it a double lead of rope runs up through the center of the staff; the two ends of the rope pass over two pulleys on opposite sides of the staff near the top and, descending thence, are attached to the ball at the top.



THE WESTERN UNION TIME BALL TOWER.

contained in a box at the base of the tower.

By tripping mechanism the ball is released at noontime and falls down the staff. To receive it an air box is provided at the bottom which cushions its fall, idle men capering about Berlin, the women and dogs This is a circular box 4 feet high and 3 feet, 6 inches in doing the work of men and horses in the country!"

diameter, and therefore of just such size as to receive the ball. A sort of flange or washer of felt is carried around the mouth of the box, so that the ball cannot by any possibility strike any hard material in its descent. As it falls, the air in the box can only escape slowly, so that it forms a true cushioning device.

The tripping mechanism is contained in the box with the windlass. On a flange projecting from one end of the windlass four notches are cut with which a pawl engages as the windlass is wound up, preventing it from unwinding or turning the wrong way. The pawl is carried by an arm pivoted at one end. If the arm were raised, it is evident that the pawl would be withdrawn from the notch and the windlass would be free to unwind. The tripping mechanism effects the raising of this arm. A lever nearly vertical is pivoted at its center, and a roller at its upper end touches the rear end of the pawl lever, which at this point is bent downward. A spring tends to draw the upper end of this lever backward. If it were so drawn, the end of the latter would be raised and the pawl released, owing to the downwardly curved shape of the pawl lever. To prevent the spring from doing this, the lower end of the lever is caught by a projecting bar attached to the armature of an electro-magnet. The whole is so arranged that by connecting the magnet with an active circuit its armature is attracted, which draws the bar out of engagement with the vertical lever. The spring on the latter then draws its upper end back, thereby raising the pawl lever and releasing the pawl. The windlass and tripping devices occupy but little space, the whole being contained in a cubical box only 18 inches each way.

A special clock at Washington is connected to the circuit of the electro-magnet, the whole being on open circuit. When the clock in its motion closes the circuit, which it does precisely at noon, the electro-magnet is excited, its armature is attracted, releasing the vertical lever whose upper end is drawn back and trips or releases the drum of the windlass, and the ball at once begins its descent. From the above it will be seen that it is the beginning of the fall of the ball which marks the time of noon. The system formerly in use was different in several respects from the present one. The one we illustrate is based largely on the results attained at Washington, and its operations will undoubtedly be very perfect. By the time this paper reaches our readers the new service will have been inaugurated.

Hints for Boys.

A gentleman advertised for a boy to assist him in his office, and nearly fifty applicants presented themselves before him. Out of the whole number he selected one, and dismissed the rest. "I should like to know," said a friend, "on what ground you selected that boy without a single recommendation?" "You are mistaken," said the gentleman, "he has a great many. He wiped his feet when he came in, and closed the door after him, showing that he was careful; gave up his seat to that lame old man, showing that he was kind and thoughtful; he took off his cap when he came in, answered my questions promptly and respectfully, showing that he was polite and gentlemanly; he picked up a book, which I had purposely laid upon the floor, and replaced it on the table, while all the rest stepped over it or shoved it aside; and he waited quietly for his turn, instead of pushing or crowding, showing that he was honest and orderly. When I talked with him I noticed that his clothes were carefully brushed, his hair in nice order, and his teeth as white as milk: and when he wrote his name I noticed that his finger nails were clean, instead of being tipped with jet like that handsome little fellow's in the blue jacket. Don't you call these things letters of recommendation? I do, and I would give more for what I can tell about a boy by using my eyes ten minutes than all the letters of recommendation he can give me."

The Telephone in New York.

We are indebted to the Western Electrician for the interesting report under the above heading we recently gave, describing a visit of the members of the New York Electrical Society to the premises of the Metropolitan Telegraph and Telephone Company. Due credit should have been given at the time. The Western Electrician is one of the most enterprising and successful electrical publications in the world.

A PROSPEROUS German residing in America writes of a recent visit to his native country, thus: "One day I saw a review of cavalry in Berlin. There were thousands of men cantering gayly along for the entertainment of the young Emperor—the War Lord as he calls himself. The next day I went into the country, and not very far from the capital I saw a sight that was pitiful enough. One woman was holding a plow, and this was being dragged through the earth by two other women and a dog harnessed together. Here, then, were two pictures—the idle horses and the

RECENTLY PATENTED INVENTIONS. Mechanical Appliances.

METHOD OF KNITTING HOSE.—Frederick W. Simons, Philadelphia, Pa. This improvement provides for knitting simultaneously upon the halves of two leg portions a single web to form a heel on each leg, the heel parts being rounded on the outer side by throwing out of action certain of the needles afterward bringing them successively into action again and afterward severing the parts. The toe is also pe culiarly formed, there being knit continuously upon the leg and heel portions a series of feet, the toe of one foot joining on to the rear end of the sole of the next foot, and being severed therefrom by cutting.

FLUE THIMBLE.—John P. Adams, Fargo, North Dakota. This thimble is preferably designed for engineers in charge of a boiler, to readily expand a leaking flue and hold the flue in expanded position until it is convenient to take the old flue out and insert a new one. It consists of a ring having one or more lengthwise splits, into which wedges may be driven to hold the ring in place in the flue, a conical and hollow mandrel being used in inserting and fixing the ring in place in the end of the flue.

WRENCH. — John Ryan, New York City. This is a simple, durable, and inexpensive tool, in which the handle is in two pieces and practically solid, the adjusting screw being given a support at the handle, which need not be recessed to receive the screw, thus adding materially to the strength of the entire wrench. The adjusting screw is so located that the front face of the body of the wrench need not be nicked in any manner, and may be made perfectly straight if desired.

ADJUSTABLE BRUSH HANDLE.—Charles F. Myers, McKinstry's Mills, Md. This is an improvement on a formerly patented invention of the same inventor, covering a novel construction and arrangement of parts for connecting the handle to the brush, to permit the inclination of the handle to the brush to be quickly changed at the will of the user, and be firmly held to its position when adjusted. There are positive locking clutches on a stationary plate through which passes a swiveling pin, an independent clutch fitting over the locking faces, a screw stem jointed to the swiveling pin, and a handle with a screw thimble adapted to force the clutch up to locking engage ment.

Agricultural,

SEED PLANTER.—Anders Matson, Moline, Ill. This is a device for planting corn or other grain, dropping the grain at regular intervals and marking the places where the next row is to be dropped. This planter has an improved delivery or feeding wheel having a thin rim which rolls upon the ground, and whose hub portion is divided into two sections connected with which is a tapering feed-chute arranged in the place of a spoke, there being a valve at the mouth of the feed-chute connected with a rock shaft engaged by a cam. The invention includes various other novel features, and a covering shovel is secured to the frame to the rear of the delivery chute for the purpose of covering the grain that has been de-

Churn.—James C. George, Coffeyville, Kansas. The churn body is preferably cylindrical, and within it wings are affixed to the side wall, radiating toward the axial center. Motion is given to the churn body by a crank mechanism, and by a rapid rotary movement the cream is thrown alternately in one di rection against the wings and then in an opposite direction, quickly breaking up the butter globules and separating the butyric granules from the whey

PLOW JOINTER.—Charles A. Stringer, Munnsville, N. Y. An adjusting disk has diametrical grooves in one face of different depths at its periphery, one groove crossing the other, the grooves being adapted to receive the plow standard, whereby a jointer may be given many positions and different inclinations. The jointer is an adjustable and reversible device. capable of being quickly and conveniently attached to any plow beam, whether of wood, iron or steel, and without disturbing the standard attached to the beam the jointer proper may be thrown to or from the land, simplifying the work of fitting all styles of plows. The jointer may be easily set and firmly held in place at an exact angle for sward or stubble, and the adjustments are effected with great simplicity.

CHERRY PICKER.—George Morris, Libertyville, Ill. This improvement consists in a pair of spring-pressed jaws pivoted in a ring and provided with knives for severing the cherry stems, there being expansible sections and shoulders at both ends. rings for receiving the thumb and finger, and comconducting them to a can or receptacle.

Miscellaneous,

TELEPHONOGRAPH. - James P. Magenis, North Adams, Mass. This is a combined microphone, telephone, and phonograph, by means of which, while telephoning to a distant station, a record of the words will be kept upon a phonograph cylinder at both ends of the line, a magnetic phonograph cylinder being provided by which the pressure of the stylus upon the record cylinder will be augmented by magnetic attraction instead of by gravity. Combined with a phonograph and diaphragm cell is a stylus-carrying lever with an armature and a magnetic photograph cylinder arranged to act upon the armature, while combined with the lever is an auxiliary armature arranged to be acted upon by a magnet, and a microphone connected with the mouth-piece of the phono graph and connected up in circuit with the distant stylus lever-operating electro-magnet, a telephonic magnet assisting the diaphragm in the production of

CARTRIDGE LOADER. — William H. Hamner, Fort Assinaboine, Montana. This is a simple and durable device for accurately measuring the charge of powder and shot and delivering the desired wads in regular order of loading for each cartridge, and it is adapted to be worked with great ease by hand. Cylinders forming the cartridge holders of various diameters may be readily employed in the device, corresponding to the various diameters of shells to be loaded, the change being quickly made from one to another, and as many wads as desired may be rammed into the she! between the powder and shot and on top of the shot.

RAFTING LOGS. - Abram Van Kooy, Holland, Mich. This invention relates to improved means for connecting logs or timbers, and for towing them. For this purpose main tow lines and spacing blocks are employed, with connecting ropes applied to the tow lines and supplemental lateral tow chains, loosely connected with the main tow lines and having devices for attachment to the logs, there being also a series of devices for limiting the movement of the chains on the tow lines. It is designed by this improved means to so construct rafts that they can be towed with safety on the ocean or the great lakes, each log or timber being held separate and so that the waves cannot force them upon each other, the raft also offering the least possible resistance to the water.

POSTMARKING STAMP HOLDER.—Har rison T. Keith, Vincennes, Ind. Into a hollow longitudinally slitted handle extends a shank formed of a spiral spring, there being fixed to the outer end of the shank a socket for holding the stamp, the device constituting a convenient holder for supporting and manipulating the ordinary postmarking stamp used for canceling postage stamps and marking the mailing office on the envelope. The flexible shank permits the face of the stamp to adjust itself always flatly to the envelope to print evenly with all its letters, while the leverage may be changed to vary the action and relieve the monotony of the stroke, rendering the work less tiresome.

CHILD'S CHAIR. — Horace S. Carley, New York City. This is a light, durable, and sightly chair, having a swinging back which may be locked in different positions, a removable cushioned seat, and an adjustable tongue; it can be expeditiously and conveniently converted from an ordinary chair into a commode, or into a vehicle in which a child may be drawn

METHOD OF DECORATING FABRICS.-Henry G. Bunch, New York City. A pattern plate with cut-out portion representing the design is first placed on the surface of the fabric and an adhesive substance applied through the openings in the plate to the exposed parts of the fabric, after which the pattern plate is removed and flocks are sprinkled on the fabric, the flocks being thus attached to the surface of wool, silk, or other material to form a fabric of highly ornamental appearance. The flocks, of wool, silk, or other material, are previously chopped or cut up to the proper condition for sprinkling, and the fabric may afterward be calendered or otherwise treated to press the flocks and cement tightly together on the body of the fabric.

HINGE FOR PAIL LIDS. — John W. Bowerbank, New York City. This invention provides a hinge more especially adapted for the lids of tin oyster pails, one that is cheap, durable, and inexpensive to manufacture, and will permit the lid to open for nearly the entire area of the pail top. It consists of a transverse wire rod secured in a fold along a straight edge of the lid in combination with two wire rod hook bars secured to the interior of the pail body and passed loosely through poles in the lid near its edge and near the ends of the transverse wire rod

BICYCLE GEAR. — Frank R. Bigelow. Gloucester City, N. J. A differential gear is provided by this invention, comprising a rotatably supported sprocket wheel, a swinging drive shaft box within the wheel support, the driving shaft within the box having a pinion adapted to engage an internal gear of the sprocket wheel when the shaft box is swung. The improvement affords a convenient mechanism to quickly change the speed of the driving wheel and correspondingly alter the efficiency of applied power to propel the vehicle.

Bolt. — Antenor Assorati, New York City. This is a locking bolt for conveniently and firmly uniting two or more objects or parts of articles and effectually preventing them from having play in any direction. It consists of two clamping members having flat straight inner faces and heads formed at their ends upon their outer surfaces, and a locking or key section of the same thickness, with contractile and

BOTTLE BASKET. - Charles A. Knight ceiving the cherries as they fall from the cutters and Brooklyn, N. Y. This basket is more especially designed for carrying bottles containing milk, and has an adjustable handle, with supports of simple and inexpensive construction in the basket to act in conjunction with its sides and form independent compartments for the reception of hottles. The supports in the basket are so formed that the basket may be quickly and conveniently cleaned, and the main supports yield laterally to a limited extent under pressure; so that the bottles are not liable to breakage.

> FENCE.—Julius Baker, Pittsburg, Pa. A metal fence which can be erected in an expeditious, convenient and economical manner is provided by this invention, the fence being light and durable, and the upper and lower rails being located at any desired angle to their supporting posts. Some of the pickets project far enough below the lower rail to enter the earth and assist in supporting the fence, and other intermediate pickets extend to the ground line.

> AWNING WORKER. — John T. Baker, Chicago, Ill. The largest awnings over a door or window may be quickly and easily adjusted by the simple apparatus provided by this invention, which consists mainly of a spring roller to which and to the awning

ever and mechanism between the lever and roller for operating the latter, with a locking device for the roller adapted to be released by the lever.

LATCH. — Aaron Richardson, Uniontown, and Frederick E. Richardson, Manchester, Iowa. This is a simple and durable latch, easily attached to all kinds of doors, and by which the door may be conveniently opened from one side, or locked in open or closed position. A spring-pressed bolt slides in the casing, a handle extending through guideways to one side of the door, and there are two fixed keepers held on the door casing, one adapted to be engaged by the bolt and the other by the handle.

Door Hanger.—Theodore C. Prouty and Claude W. Turner, Evanston, Ill. This device comprises a supporting bar on which a pair of outside arms is pivoted and connected pivotally by a cross arm, middle arms pivoted to the outside arms having two of their ends pivoted together, and a pendent rod being carried by the middle arms. The hanger may also be applied to any object besides a door which is to be held to reciprocate in a straight line, holding the door or object so that it cannot move except in the line of its reciprocation. It may be attached to the top, the bottom, or one edge of the door, and quickly and easily adjusted to level the door.

BLACKING STAND DEVICE. — Matilda A. Popoff, Brooklyn, N. Y. This is a receptacle or holder for liquid blacking, consisting of a box-like body provided with grooves one above the other in which may slide a lid or cover, the latter having an opening through which the neck of a bottle may extend. The receptacle is adapted to receive in locking engagement bottles of various heights, which may be conveniently removed and replaced as desired, the bottle being so held that the dauber may be removed from it with one hand.

STOP BLOCK FOR WAGONS. — John Pomroy, Lake Linden, Mich. A roller upon a spindle s, according to this improvement, held supported by chains in position to be readily placed behind a wagon wheel, or readily removed from such position and suspended from the axle. One of the chains is attached to the axle outside of the wheel, the other being at tached to the wagon inside of the wheel, and the device is designed to be most useful when a wagon is ascend ing steep hills and it is desired to stop to rest the horse or for other purposes.

Vehicle Spring.—Thomas F. McKee, Bloomville, Ohio. This invention relates to springs for use on two-wheeled vehicles, and provides an attachment for connecting the front end of the vehicle body with the shafts, the attachment taking up the move ments of the horse and running gear. The improvement comprises a fastening plate having a socket, a bolt extending through the socket and a ball working therein, a spring encircling the bolt, a second attaching plate through which the bolt passes and a second spring on the bolt between the second plate and a plate on the lower end of the bolt.

COMBINATION ICE PICK.—James F. Loftus and Eben B. Williams, Thorndike, Mass. This is a tool having a head with a handled socket on its upper side, a series of movable picks extending vertically through the head, upon which is mounted a movable plate having holes to register with the picks, the plates having also slots, and fastening bolts extending through the head and the slots in the plate. The tool may be quickly adjusted to break the ice into small pieces, split it or shave it, and will facilitate doing the work very rapidly.

SHUTTER WORKER.—Sarah M. Fisher, Spencer, N. Y. This is a device of simple and economic construction capable of being manipulated from the inside of a room to open or close the blinds, or to hold the blinds locked either in an open or closed position. A sliding and rotating draw rod extending through the window frame outwardly is coupled to a connecting rod, the latter being connected with a block sliding in a bracket attached to the blind, one of the devices being employed in connection with each blind,

WATER SUPPLY SYSTEM.—James W. Fisher, Palouse, Washington, This invention relates to systems in which the water is drawn from the fountain head and supplied to a reservoir through a siphon pipe, and provides a convenient means of closing either or both ends of the siphon pipe, and of filling the pipe. There is a swinging cap on one end of the pipe, with which is connected a lever for opening and closing the cap, there being a pivoted cap on the other end of the pipe and a screw connected therewith for opening and

POCKET LAMP.—Jacob H. Fawkes, New York City. This device consists of two nearly rarallel cylinders, one of which contains lighting caps and the other oil and a wick. By pulling the cylinders apart one of the caps is ignited and lights the wick, which will burn until the cover is put on or the oil exhausted. The lamp may be conveniently carried in the pocket, and may be lighted a great many times without reloading.

ELEVATED CARRIER.—James J. Robinon, River View, West Virginia. This improvement is designed to facilitate logging and the conveying of heavy bodies from point to point at an elevation from the ground. The track may be quickly and inexpensively erected upon ground of any character and the carriage is provided with a brake and mechanism whereby the load may be lifted bodily from the ground and carried as high up as desired with a minimum of labor.

WICK TRIMMER.—Daniel L. Andrews, Denison, Texas. A pair of blades is pivoted upon a flat plate having a guide slot to receive the wick, the cutting edges registering with the slot to cut off the wick that projects through, there being a depending guide tube on each limb of the guide plate. The blades shear the wick from each side edge toward the center simultaneously, and the guides afford means to retain

frame are secured ropes, there being a loosely mounted the implement in correct position for use on lamp wick tubes of different sizes.

> COCK OR TAP.—Ulysse André and Olivier Durand, Barcelona, Spain. A plate is connected with a nut screwed to the cock casing to encircle the plug, a nut being also secured to the plug stem and springs encircling the plug stem between its nut and the casing and between its nut and the plate. The improvement is designed to obviate the gripping of the plug from its entering too far into the casing, the extent of entry of the plug being maintained constant by the use of springs.

Note.—Copies of any of the above patents will be furnished by Munn & Co., for 25 cents each. Please send name of the patentee, title of invention, and date

NEW BOOKS AND PUBLICATIONS.

HENDRICKS' ARCHITECTS' AND BUILD-RECTORY OF AMERICA FOR THE YEARS 1892-93. Published annually by Samuel E. Hendricks & Co. New York City. Pp. 585. Price \$5.

This exhaustive work covers the whole field of building operations and supplies of all kinds, and includes names over the whole area of the United States. Our space will not permit even a statement of the different headings under which addresses are given. It must be enough to state that under some sixty headings, addresses are given for the different States of the Union. Each State is by itself, and its villages and towns are given alphabetically. Not the least important feature is the list of names and addresses of the railroad purchasing officials of the United States and Canada. The book is handsomely printed, and even its advertising pages are of interest.

SCIENTIFIC AMERICAN

BUILDING EDITION.

JUNE NUMBER.-(No. 80.)

TABLE OF CONTENTS.

- 1. Handsome plate in colors of a residence recently erected at Plainfield, N. J. Perspective views, floor plans, etc. Oscar S. Teale, architect. Cost about \$12,000. An excellent design.
- Plate in colors of a cottage erected at Bensonhurst. Long Island, N. Y. Perspective elevations and floor plans. Cost \$3,450 complete. P. F. Higgs. architect, New York.
- Engravings and floor plans of the Crescent Block of six houses erected on Golden Hill, at Bridgeport, Conn. An excellent design. Total cost of six houses \$55,000 complete. Messrs. Longstaff & Hurd, architects, Bridgeport, Conn.
- 4. A handsome residence at Babylon, Long Island, N. Y., recently erected for F. H. Kalbfleisch, Esq. Cost \$17,500 complete. Two perspective views and floor plans. H. J. Hardenberg, New York, architect.
- 5. A school house at Upper Montclair, N. J. Perspective view and ground plans. Cost \$12,200 complete, including heating and ventilating apparatus. Geo. W. Da Cunha, architect, New York.
- 6. Perspective views of several very attractive dwellings located near New York.
- 7. A suburban residence of attractive design erected at Lowerre, N. Y. Cost \$2,800 complete. Floor plans and perspective view.
- 8. The St. James' Episcopal Church at Upper Montclair, N. J. A picturesque design. Cost \$8,000 complete. Messrs. Lamb & Rich, architects, New York. Perspective view and ground plan.
- 9. A residence at Ludlow, N. Y. Perspective and floor plans. Cost \$8,500 complete.
- 10. A comfortable summer residence at Asbury Park, N. J. Perspective and floor plans. Cost \$6,250 complete.
- 11. Proposed railway tower for the Columbian Exposition at Chicago.
- 12. Sketch of the new City Hall, Philadelphia. A
- 13. Miscellaneous contents: Cork pavement. Best treatment of hardwood floors.-'The twin staircase, illustrated.-The electric stair climber, illustrated.-The sick room temperature. builder's goods, illustrated.-Ornamental hardwood floors.-Large winding partition doors.-The "Alberene" laundry tub.-House heating and ventilation.-Nolan's hot water and steam heater, illustrated.-The crushing resistance of bricks.-An excellent motor, illustrated.-A successful hot water heater, illustrated.-The lacquer tree.-A self-retaining dumb waiter, illustrated. -Architectural wood turning, illustrated.

The Scientific American Architects and Builders Edition is issued monthly. \$2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming, practically, a large and splendid MAGAZINE OF ARCHITEC-TURE, richly adorned with elegant plates in colors and with fine engravings, illustrating the most interesting examples of Modern Architectural Construction and allied subjects.

The Fullness, Richness, Cheapness, and Convenience of this work have won for it the Largest Circulation of any Architectural publication in the world. Sold by all newsdealers.

> MUNN & CO., PUBLISHERS. 361 Broadway, New York.

Gear cutter. Glass tube cutter. Tile or brick

Lasting machines, tacking mechanismfor, C. Sin-

Business and Personal.

The charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue

First class cutting-off machines, drills, lathes, planers etc., for sale by W. P. Davis, Rochester, N. Y. Send for

Shingling gauge patent for sale. See page 397. "U.S." metal polish. Indianapolis. Samples free. Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J. 6 Spindle Turret Drill Presses. A.D. Quint, Hartford, Ct. Mixing machinery. J. H. Day & Co., Cincinnati, Ohio,

Universal and Centrifugal Grinding Machines. Pedrick & Ayer, Philadelphia, Pa.

The Improved Hydraulic Jacks, Punches, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

Screw machines, milling machines, and drill presses The Garvin Mach. Co., Laight and Canal Sts., New York.

Centrifugal Pumps. Capacity, 100 to 40,000 gals, per minute. All sizes in stock. Irvin Van Wie, Syracuse, N.Y.

Crandall's patent packing for steam, water, and ammonia. See adv. next week. Crandall Packing Co., Palmyra, N. Y.

Split Pulleys at Low prices, and of same strength and appearance as Whole Pulleys. Yocon Works, Drinker St., Philadelphia, Pa. Yocom & Son's Shafting

Guild & Garrison, Brooklyn, N. Y., manufacture steam pumps, vacuum pumps, vacuum apparatus, air pumps, acid blowers, filter press pumps, etc.

Perforated Metals of all kinds and for all purposes general or special. Address, stating requirements, The Harrington & King Perforating Co., Chicago.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins By mail, \$4; Munn & Co., publishers, 361 Broadway, N. Y.

Canning machinery outfits complete, oil burners for soldering, air pumps, can wipers, can testers, labeling machines. Presses and dies. Burt Mfg. Co., Rochester,

What do you want to buy? We will send without cost to you, catalogues, price lists, and information concerning anything you wish. Paret, Willey & Co., 365 Broadway, New York.

Competent persons who desire agencies for a new popular book, of ready sale, with handsome profit, may apply to Munn & Co., Scientific American office, 361 Broadway, New York.

G. D. Hiscox, 361 Broadway, N. Y., consulting engineer Hydraulics, pneumatics, steam appliances, heating and ventilation, artesian and driven wells, tramways and conveying machinery, mill and factory plants.

South American Agencies.

A gentleman with many years' experience in South American countries, and intimately acquainted with their habits, characteristics, and languages, also the requirements governing international trade, invites com munication from first rate houses who may be desirous of establishing an agency in these countries. Excellent credentials. Address C. H. Lewis, care of London and Brazilian Bank, 71 Wall St., New York.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.



HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and though we endeavor to reply to all either by letter or in this department, each must take his turn.

Special Written Information on matters of

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price

Minerals sent for examination should be distinctly marked or labeled.

(4415) S. D. C. asks: The cheapest and best power (steam or electric) to run a woodworking plant, which requires 40 h. p. to operate it. Our electric plant has plenty of extra power, and they have offered to furnish us electric power for \$5 per h. p. per month. Would it be necessary to have a motor for each machine? Please state difference of cost between the two powers. A. Steam is the cheapest for 40 horse power with a good type of engine and boiler. You can run on from 1,700 to 2,000 lb. of coal per day, or say an average of 22 tons per month, which at \$3 per ton is \$66, and wages of an engineer \$60 per month, Oil waste and sundries \$5 per month, total \$131. Electric power \$5 by \$40 = \$200. One electric motor only, is needed, with part of the time of a man to look after it with oil and sundries will bring the cost to about \$225 per month. Whatever difference there is in your place for coal other than as above, you can make allowance for.

(4416) G. C. F. says: Please give me a formula for making a neutral or alkaline copper bath suitable for copper-plating zinc by the galvanic process. A. The best alkaline copper solution is that introduced by Mr. A. Watt, and subsequently modified by Mr. J. T. Sprague. Dissolve 8 ounces of copper sulphate in 1 quart hot rain water and set aside to cool. When cool, add liquid ammonia while stirring with a stick or glass rod. At first a green precipitate will fall, and then this will dissolve on adding more ammonia, until the whole solution assumes a lovely blue tint. Dilute this with an equal bulk of cold rain water, and add to it enough solution of potassium cyanide, while stirring, to destroy the fine blue color of the ammonia cutter. See Butter cutter. Cigar tip cutter.

sulphate and give the color of old ale to the solution. Set this aside for a few hours, then pass it through a calico filter and make it up to a gallon of solution with rain water. This solution may be worked cold, but the rate of deposition is increased and the deposited copper of improved quality when the solution is heated to a temperature of from 110° to 139° Fah.

(4417) S. McI. writes: Glass and sealing wax, if rubbed on cloth, will attract light substances Is there any way of making a magnet permanent to attract small bits of paper, or other light substances, as an ordinary horse shoe magnet attracts steel? A. Mag-

I

INI	EX OF INVENTION	NS
	r which Letters Patent of th	
	United States were Granted June 7, 1892.	
AND	·	TE.
	ote at end of list about copies of these pate	
Adding Adjusta Air, api	machine, J. W. Wright. table bit, H. O. Davis. aratus for purifying, moistening, and at- perating, L. C. Huck. ke, F. W. Mills. pressor, automatic, B. Beck. le, derivative, R. E. Schmidt	476,350 476,614
tem Air bra Air con	perating, L. C. Huckke, F. W. Millspressor, automatic, B. Beck	176,274 176,546 176,723
Alizarii Alumin ing,	ne, derivative, R. E. Schmidt	176,420 176,256
Amalga Anti-ra Astigm	mator, A. M. Stetsonttler, E. R. Pettitascope, J. K. Underwood	176,497 176,406 176,704
Awning Awning Axle be	s, ventilating, C. A. Lloyd s, device for operating, G. K. Bancroft aring, Botsford & Holtz	476,662 476,439 476,602
Bag. S Baking Bale tie	ee Saddle Dag. Traveling Dag. plate for pies, etc., C. L. Wagandt	476,340 476,654
Barrels Barrels Barrels	plate for piese, etc., C. L. wagandt, , I. A. Kilmer. es, machine for winding, C. Miller, , etc., cover for, E. S. Phelps, , etc., tap socket for, C. J. Mayhew O. Stoddard	476,407 476,665
Battery tery Bed. w	. See Electric battery. Galvanic bat-	476.744
Beer ra Bellows Belt sh	rdrobe, W. S. Gunn. cking trough, J. Kass. J. G. Garcis. ifter for carding machines, J. B. Livsey. and truck, combined, H. C. Hicks. ge dispensing apparatus, W. L. Enegren.	476,652 476,740 476,282
Bench : Bevera Bevera	and truck, combined, H. C. Hicks	476,268 476,452
W. Bicycle Bicycle	ges, method of and apparatus for aerating, Hucks Handle, W. C. Smith support, C. E. Overs W. Smiser	476,645 476,424 476,297
Binder Bit. So Bleachi	temporary, J. F. Brice	11.04
ratu Blue, a tel.	ng by electrolysis, processes of and appa- is for A. E. Woolf (r) paratus for making ultramarine, J. But- See Game board. Multiple switch	11,244 476,447
DOM	ra.	
Bottle Bottle	eeing machine, C. L. Heis'er	476,697 476,342
D. V Box.	stoppers or caps, apparatus for applying, Vickham. See Coin holding box. Letter box. Musi- box. Paper box. Stationery box. Veneer	476,712
	rer, F. V. Ettlinger. blacking, etc., I. Eisenstaedt. See Extension bracket. Insulator	476,453 476.619
Brake.	See Air brake. Carriage brake. Wagon	,
hro.	H. M. Lofton mechanisms, air pump for, M. B. Millsachine, W. C. Vanneman.	476,283 476,756
Brick n Bridle, Bridles	nachine, W. C. Vanneman. S. A. Nolen. , overcheck loop for, Harter & Harsh	476,705 76,675 476,638
Brush, Bucket	S. A. Nolen, , overcheck loop for, Harter & Harsh and toaster, T. Barnett. blacking, W. R. Derr , dumping, W. E. Ludlow s, automatictrip fordumping, W. E. Lud-	476,508 476,449 476,285
Buckle	D. L. Smith	476,567
Butter Butter Butter	cutter, C. G. Bjorlin	476,442 476,634 476,490
Cable, 1 Calenda Calenda	cutter, C. G. Bjorlin print machine, J. C. Harris worker, F. R. C. Struver netallic circuit, C. E. Jackson ar, J. Hochhelmer ar, perpetual monthly, J. Guidinger L. See Photographic camera, mping machine, J. W. Roberts	476,464 476,462 476,262
Camera Can cri	ar, perpetual monthly, J. Guidinger See Photographic camera. mping machine, J. W. Roberts	476,558 476.622
Cans, e Cans, v	See Photographic camera. mping machine, J. W. Roberts. pper, B. P. Field. to, fastening for the caps of, G. J. Record ent for shipping, Lisk & Brown. g or preserving jar, R. C. Sheeley. pling, D. Donahue. ppling, D. Donahue. ppling, W. Greenlees. ppling, W. Greenlees. ppling, W. W. Hubbell. ppling, D. K. Myers. ppling, C. F. Springer. ppling, C. F. B. Woodman. ppling, J. D. Young. mp, R. S. Cox. t. Bushnell & Dryer. t. Sushnell & Dryer. t. Sushnell & Dryer. setor and purifier, G. W. Weaver. et A. N. Parry. e brake, baby, D. B. Stevens. See Elevated carrier. Trace carrier. See Bottle case. gister and indicator, H. M. Neer. sp. polisher for metal, E. J. Case. mial sack, Odell & Howell. te, J. O. Davis. drive, C. E. Hart. 476,535, receiver and transfer table, W. R. Ucht- ng device, S. O. Tuerk.	476,309 476,281 476,690
Car cou	ipling, D. Donahue	476,450 476,630 476,742
Car cou	ipling, A. Hamilton	476,633 476,273 476,749
Car cou	ipling, O. R. Myers	476,401 476,322 476,349
Car cou Car, du Car sea	ipling, J. D. Young	476,351 476,366 476,729
Car ste Cars, fr Carbon	p, F. H. Stanwoodrictional gearing for street, G. B. Braytonpoints, apparatus for trimming, P. Moses.	476,323 476,243 476,292
Carriag Carriag	etor and purmer, G. W. Weavere, A. N. Parrye brake, baby, D. B. Stevens	476,709 476,298 476,325
Cash re	See Edevated carrier. Trace carrier. See Bottle case. Thermometer case. glster and indicator, H. M. Neer	476,295
Casting Catamo Ottle	con poissier for metal, E. J. Case	476,676 476,523
Change mai	ereceiver and transfer table, W. R. Ucht-	476,637 476,703 476,333 476,463
Choppe	or Eag Cotton abonnon	476,333 476,463 476,666
Cigar t Circuit	ip cutter, W. H. Lillys. keyboard system for metallic. J. A	476,660
Cistern Clamp. Clay, o	ly	476,678 476,438
Cleane Clothe Clothe	r. See Cistern cleaner. Cotton cleaner. s drier, G. T. Sampson. s line fastener, W. Leuckert	476,416 476,471
Clutch Coal ar L. I	H. W. Hill	476,641 476,593
Coal or W.	See Fence clamp. See Fence clamp. See Etc., screen for, E. A. Austin. See Stetern cleaner. Cotton cleaner. Grier, G. T. Sampson. Ine fastener, W. Leuckert. H. W. Hill do other minerals, machinery for cutting, C. Atkinson et al. Other minerals, machinery for cutting, C. & L. B. Atkinson. pot, W. H. Wrigley lastener, F. C. Riddle lolding box, R. H. Forsyth horse, Snell & Gillette horse, Snell & Gillette attachment, plow, W. G. Lewis nation lock, A. S. Hobart. mation lock, A. C. Lawrence. ssee, beam, H. Haslam ster, J. Tulloch. ying mechanism, J. M. Dodge. g utensil, A. R. Isaacs. See Refrigerator water cooler. See Refrigerator water cooler. See Refrigerator water cooler.	476,594 476,718
Coin he Collar	tastener, F. C. Riddle Diding box, R. H. Forsyth horse, Snell & Gillette	476,315 476,625 476,569
Combin Combin	attachment, plow, W. G. Lewis nation lock, A. S. Hobart nation lock, A. C. Lawrence	476,396 476,642 476,751
Concer Conve	sses, beam, H. Haslamtrator, J. Tullochying mechanism, J. M. Dodge	476,380 476,500 476,616
Cookin Cooler Corn, 1	g utensil, A. R. Isaacs	476,746
Jr.	hocker. F. R. & J. T. Kondoll	476,599 476,389
Cotton	ahopper, C. W. Williams	476,628 476,586 476,710
Cuff fa	stener, link, C. F. Jenks	476,540 476,659
~ - 101 V	ator, harrow, horse hoe, and vine puller,	**************************************

cutter.	ning	476,695
Cutter head, S. J. Shimer. 476,563 Cycle wheel, J. Vetterlein. 476,433 Dado head, J. W. Oliver. 476,677	ning. Latch, C. A. Westberg. Latch and lock, combined, B. G. Lowrey. Latch handle, C. E. Hart. Leggin, C. E. Goodspeed. Letter box, A. N. Klein. Letter box, C. Shuman. Letter box, W. D. C. Smith. Letter box, who are the second of the second	476,434 476,663
Dado head, J. W. Oliver	Latch handle, C. E. Hart Leggin, C. E. Goodspeed	476,636 476,377
Dam, O. Van Oostrum. 476,706 Damper, stovepipe, A. S. Newby 476,674 Dental engine handpiece, W. M. Speakman. 476,486 Depurator, J. Nixon. 476,548	Letter box, A. N. Klein	176,657 176,692
Depurator, J. Nixon	Letter box, W. D. C. Smith	476,321
Disinfectant, H. Jackson	Lever jack, W. Trewhella.	176,702
Disinfectant, H. Jackson 476,276 Display package, G. P. Knapp 476,765 Door check, Z. Swope 476,323 Door lock and fixture, sliding, W. E. Eastman 476,373	Lifter. See Transom lifter.	176,277
	Linseed cake stripper, F. O. Swannen	176,514 176,327
Drill. See Grain drill. Dust collector. H. L. Day	Liquid dispensing apparatus, Panchaud & Tem-	
Oye, alizarine, R. E. Schmidt	Liquids, centrifugal apparatus for cooling or	
Dye, blue, Ulrich & Lauch	Lock. See Combination lock. Door lock. Nut	176,441
Drill. See Grain drill. Dust collector, H. L. Day. 476,524 Dye, alizarine, R. E. Schmidt. 476,419, 476,431 Dye, black azo, M. Ulrich. 476,387 Dye, blue, Ulrich & Lauch. 476,387 Dye, totler, L. Lauch. 476,387 Dye, tetrazo blue, C. Duisberg. 476,343,476,341 Dye, triphenylmethane, F. Runkel. 476,413, 476,414 Dye, in apparatus, G. M. Undy. 476,580 Dyeing apparatus, G. M. Undy. 476,580 Educational apparatus, W. H. Leek. 476,488 Educational apparatus, W. H. Leek. 476,488 Edicatric battery, R. P. Osgood. 476,296 Electric body wear, R. S. Mears. 476,478 Electric circuits, fuse block for, E. A. Sperry. 476,570 Electric circuits, fuse block for, E. A. Sperry. 476,570 Electric circuits, fuse block for, E. A. Sperry. 476,570 Electric circuits, system of testing, C. H. Rudd. 476,570	heating, C. G. Bjorlin. Lock. See Combination lock. Door lock. Nut lock, Seal lock. Lock, J. Roche. Lock, G. C. Sucro. Lock G. C. Sucro. Locomotive, electric, T. E. Adams. Loom jacquard mechanism, G. W. Stafford. Loop, billet, Nelson & Gelabert. Lubricator, Curtis & Long. Lubricator, Curtis & Long. Lubricator, Curtis & Long. Lubricator gland, F. G. Kellogg. Magnesi um light composition, E. Hackh. Magnet, electro, A. D. Ayres. Malt plow, A. Muntzenberger. Manhole and sewer connection, J. P. Bates. Manger, E. S. Hall. Measuring device, liquid, J. W. Leslie. Measuring store case, self, T. F. Crary. Mechanical movement, A. B. Willcox. Medal, W. W. Hume. Merry-go-round, E. Pohl. Metallic vessels, bottom for, Lisk & Brown. Metals and alloys with o xides, coating, A. E. & A. G. Has well Meter. See Grain meter. Milk can attachment, H. Windle. Mould beet Glar mould. Mould beard, shaping press, W. H. Hodgson.	176,559
Dye, triphenylmethane, F. Runkel	Lock, G. C. Sucro	476,575 476,437
Dyeing apparatus, G. M. Undy	Loom jacquard mechanism, G. W. Stafford	176,428
Educational apparatus, W. H. Leek	Lubricant, W. H. Strickler	176,673 176,57 4
Electric battery, R. P. Osgood	Lubricator, Curtis & Long.	176,253
Electric cable, W. R. Patterson	Magnesium light composition, E. Hackh	176,264
Electric circuits, fuse block for, E. A. Sperry 476,570 Electric circuits, system of testing, C. H. Rudd,	Magnet, electro, A. D. Ayres	176,236 176,293
476,317, 476,490 476,317, 476,496 476,317, 476,496	Manhole and sewer connection, J. P. Bates	476,440
Electric generator or motor, E. A. Sperry	Measuring device, liquid, J. W. Leslie	176,170
Electric lighting system, T. A. Edison476,527, 476,531 Electric lighting system, A. Sechrist	Measuring store case, self, T. F. Crary	476,610 176,715
Electric machine, dynamo, E. Thomson	Medal, W. W. Hume	176,538
Selectric machines and motors, brush holder for dynamo, F. B. Daggett. 476,388 Selectric motor, D. H. Wilson. 476,330 Selectric switch, C. E. Davis. 476,633 Selectric a witch, C. E. Davis. 476,633 Selectrical distribution system of, T. A. Edison. 476,529 Selectrical distribution, system of, H. W. Leonard. 476,544 Selectrolype shells and similar articles, mould for, J. C. Wolfe. 476,717 J. C. Wolfe. 476,717	Metallic vessel closure, T. C. Hogle	176,331 176,745
Electric motor, D. H. Wilson	Metals and alloys with oxides coating A. E. & A.	476,280
Electric switch, C. E. Davis	G. Has well.	476,639
Electrical distribution, system of, H. W.	Microphone, C. Vogt	176,582
Electroplate attachment, C. Keck	Mould. See Cigar mould.	176,502
Electrotype shells and similar articles, mould for,	Mould board, shaping press, W. H. Hodgson	176,271
J. C. Wolfe	draulic motor. Wind motor.	.wa a.a
elevator. Hydraulic elevator.	Mucilage, etc., receptacle for, C. Daler	476,254
Ele vaor, C. N. Judson	Multiple switchboards, circuit for test batteries and cords of, C. E. Scribner	476 492
Elevator door closing apparatus, C. N. Judson. 476,388 Elevator gates, device for closing, C. N. Judson. 476,386 Elevator safety device, E. S. Matthews. 476,289 Endless chain elevator, B. Arnold. 476,507	Motor. See Current motor. Electricmotor. Hydraulic motor, Lydraulic motor, Lydraulic motor, Mowing machine, J. F. Seiberling Mucliage, etc., receptacle for, C. Daler. Multiple switchboards, creuit for test batteries and cords of, C. E. Seribner. Multiple switchboards, keyboard circuit for, O. A. Bell. Muslcal box, H. A. Gautschi. Nail . See Shoe nail. Nail machine, S. E. Groff. Nut, ball bearing, C. R. Pratt. Nut lock, S. C. Hickerson. Nut lock, W. D. Rodgers. Oil burner, C. F. Brostrom. Oil burner, C. F. Brostrom. Oil burner, F. L. McGaban. Oils, etc., apparatus for burning petroleum, O. R.	176 FOO
Endless chain elevator, B. Arnold 476,507	Musical box, H. A. Gautschi	476,458
Engine See Rotary engine 476,588 Engine See Rotary engine 476,588 Envelope, D. Normand 476,549 Evaporating pan, H. F. Thurston 476,701 Excavating apparatus, I. P. Lambing 476,701 Excavating apparatus, I. P. Lambing 476,446	Nail machine, S. E. Groff	176.632
envelope, D. Normand	Nut, ball bearing, C. R. Pratt	476,304
Excavating apparatus, I. P. Lambing	Nut lock, W. D. Rodgers	176,316
Extractor. See Honey extractor. 476,446	Oil burner, F. L. McGahan	410,445 476,294
Eyeleting machine, E. Woodward	Oils, etc., apparatus for burning petroleum, O. R. Routh	476 500
Fefel	Ore screening apparatus, T. A. Edison	476,532
Feeding device for animals, L. M. Reed	Organs into action, device for throwing couplers	±10,267
rence clamp or fastener, wire, C. S. Rogers 476,411 Fertilizer distributer, J. T. Griffith	of, F. W. Hedgeland	476.266 476 201
File, bill, E. B. Putney 476,487	Padlock, S. R. Slaymaker	476,495
Extension bracket, J. G. Brothwell. 476,446 Extractor. See Honey extractor. Eveleting machine, E. Woodward Fabrics, overstitch binding for edges of, H. H. Fefel. 476,454 Feeding device for animals, L. M. Reed. 476,310 Fence clamp or fastener, wire, C. S. Rogers. 476,411 Fertilizer distributer, J. T. Griffith. 476,437 Feller, W. M. Deutsch. 476,337 Filter, W. M. Deutsch. 476,637 Firerarm, revolving, I. N. Archbold. 426,591 Fire engines, automatic fire kindler for steam, S. C. Jackson. 476,539 Fire engines, fire lighting attachments for steam,	Oil burner, F. L. McGahan. Oils, etc., apparatus for burning petroleum, O. R. Routh. Ore screening apparatus, T. A. Edison. Organ coupler, F. W. Hedgeland. Organs into action, device for throwing couplers of, F. W. Hedgeland. Oven, G. R. Moon. Padlock, S. R. Slaymaker. Pan. See Evaporating pan. Paper box, J. E. Baker. Paper box, J. E. Baker. Paper box, P. Lindemeyer. Paper pothiet for toilet, J. T. Hoyt. Paper holder, D. F. Oliver. Paper holder and cutter, roll, E. E. Sentman. Paste making machine, F. H. Shepherd. Pegging jack, W. M. Jones. Pencil sharpener, H. A. Benedict. Perfume holder, W. Hill Pessary, H. H. Taylor. Photographic prints, apparatus for trimming, H. H. Newcomb.	476,237
Firearm, revolving, I. N. Archbold	Paper box, P. Lindemeyer	476,661 476,644
C. Jackson	Paper holder, D. F. Oliver	476,482
K. L. Comes	Paste making machine, F. H. Shepherd	476,320
C. Jackson. 476,539 Fire engines, fire lighting attachments for steam, K. L. Comes. 476,409 Fire scape, S. T. Rawlings 476,409 Fishing reel, R. E. Fenner. 476,621 Fishing reel, A. B. Hendryx 479,536 Fishing reel, A. B. Hendryx 476,370 Flour bin, C. Tangenberg 476,430 Folding machine, Tholen & Murray 476,629 Folding table, Morgan & Osborn 476,400 Fountain. See Soda fountain. Frame, See Kilting framo, Window frame. Furnace, See Glass furnace	Pencil sharpener, H. A. Benedict	476,650 476,361
Fishing reel, A. B. Hendryx	Perfume holder, W. Hill	476,269
Flour bin, C. Tangenberg	Photograph holder, V. J. Augir	476,357
Folding machine, Tholen & Murray	Photographic camera, W. Scorer	476,562
Fountain. See Soda fountain.	H. Newcomb	476,481
Furnace. See Glass furnace.	gel	476.766
Furnace buckstave. M. W. Hes 476.275	Pipe cutter attachment, H. Comstock (r) Planter, corn, E. C. Fisher	11,243 476,624
G. W. Walker	Planter wheel, corn, P. E. Wistrand	476,348 476 578
Furnaces, grate bar and shaker attachment for, G. W. Walker. 476,584 Galvanic battery, M. M. Clark. 476,733 Game apparatus, coin-controlled, M. G. Imbach, 476,732	Planter corn. E. C. Fisher Planter wheel corn. P. E. Wistrand. Planter wheel do be shovel, J. W. Thrush. Plow. sase. W. Hichnon. Plow. salky. C. Arderson. Plow. sulky. S. Arderson.	476,684
	Plow, sulky, S. H. Tinsman	476,579
Game, baseball, M. Ullman 476,334 Game board, N. O. Starks 476,324	Plow, sulky, S. H. Tinsman. Plug cutting tool, F. E. Resche. Pocket attachment, S. Salinger. Pocket knife, B. Von Bultzingslowen.	476,312 476,687
Gang-Diank, warehouse, O. J. D. Doese ager 470.001	Pocket knife, B. Von Bultzingslowen	476,245
Garment, skirt protecting, L. Sittig	Post. See Lamppost. Pot. See Coffee pot. Potato digger, W. H. Van Voorhis	476 763
ing petroleum, etc., into, G. F. Randolph	Pressure gauges, device for testing, C. B. Bos.	410,100
Gas extinguisher, automatic, F. H. Root	worth Printing plate, surface, Mullaly & Bullock	476,512 476,7 5 9
Gas or steam generator, J. M. Goldsmith	Protector. See Ingot protector. Shirt and chest protector.	-
Gas retorts, apparatus for charging J. Ruscoe. 476,825 Gas retorts, apparatus for drawing J. Ruscoe. 476,835 Gate. See Itali way gate. Sliding gate. Swinging gate. Valve gate. Gate, W. M. Grisham. 476,339	Pruning implement, W. Levin	476 202
gate. Valve gate.	Pulley wheels, manufacture of J. Ritchie	476,489
Gear cutter, F. W. Clough	Pump, hydraulic force, M. Long. Punch, ticket, H. M. Grantham	476,398 476,378
Gear cutter, F. W. Clough 476,734 Generator. Gas genera- tor. Gas or steam generator. Steam gene-	Purse, card case, and bill holder, D. A. Lauferty	476,278
rator.	Railway cross tie, metallic, McManes & Lum	476,404
Glass furnace, M. L. Murphy	Railway gate, D. M. Dewitt.	476,738
sel bee	Railway, cross tie, metallic, McManes & Lum	476,241 476,585
Glass tube cutter, J. O. Fowler, Jr. 476,628 Glove fastening, Demange & Hervieu. 476,738 Glove fastening, W. B. H. Dowse. 476,255 Glove fastening, F. A. Richardson. 476,410	Railway signaling system, F. P. Benjamin	476,240 476 cos
Glove fastening, W. B. H. Dowse	Reel. See Fishing reel. Wire reel.	210,000
Governor, G. G. Annable	lantine	476,258
Governor, R. H. Plass	Refrigerator water cooler, E. W. Rider	476,314
man	Fare register.	
Governor, electrical, M. A. Replogle. 476,311 Grain binder cord knotter, C. Colahan. 476,519 Grain drill, P. Kesling. 476,391	Respirator, G. Pozdena. Reversible seat, H. C. Moir. Roll, rolling mill, W. Pollard. Roof, S. R. Hawthorne.	476,474
(+rxin orm, r, Kesing	Roof, S. R. Hawthorne.	476,381
Grain meter, A. N. Calkins 476,608 Gun, breech-loading magazine, A. Burgess 476,246 Gun, machine, I. N. Archbold 476,590	Rotary engine, G. Elrick	476,451 476,369
Gun, rapid-firing, R. Bowers	Rotary engine, G. Elrick Rotary engine, reciprocating, C. W. & E. B. Dake Roundabout, F. S. Baldwin. Ruling and printing machine feeding apparatus, I Maddams	476,597
Guns, ejector mechanism for breech-loading, T. Perkes. 476,485	Saddle C R Criere	476 742
Handle. See Ricycle handle. Latch handle.	Saddle bags and hand case, W. S. Marshall	476,545
Hanger. See Curtain hanger. Harrow, disk, Wiard & Burdick. 476,435 Harvester, J. F. Steward. 476,526	Dabii Dalaille, J. F. Magney	476,432
Harvester, J. F. Steward 476,326 Harvester, corn. R. J. Aultman 476,595	Sasn fastener, L. P. Treadwell476,431.	
Harvester, corn, R. J. Aultman 476,595 Harvester elevator, J. H. Pitkin 476,302 Harvester seat, C. A. Bauer 476,238	Saddle bags and hand case, W. S. Marshall. Sash balance, J. P. Magney. Sash fastener, L. P. Treadwell. 476,431, Scraper, B. F. Shuart. Scraper earth, J. A. Grant.	476,691 476,262
	Screw, device for holding and operating the laws	110,202
Hat ironing implement, A. E. McDonald	Screw, device for holding and operating the laws	110,202
Heater. See Hot water heater. Heal nailing machines, gluing attachment for, F.	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Bald- win	476,721 476,250
Heater. See Hot water heater. Heel nailing machines, gluing attachment for, F. F. Roymond 2d.	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Bald- win	476,721 476,250
Heater. See Hot water heater. Heel nailing machines, gluing attachment for, F. F. Roymond 2d.	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger Seal lock, J. Dowling Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote Seat. See Car seat. Harvester seat. Reversible	476,721 476,250
Hat from in minement, A. E. McDonad 46,805 Heater. See Hot water heater. Heel nailing machines, gluing attachment for, F. Raymond, 2d	Screw, device for holding and operating the jaws of ends of the reins of a temper, O. J. Baldwell lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Rarvester seat. Reversible Seat. See Car seat. Parawers.	476,721 476,250 476,617 476,606 476,258
Hat from in minement, A. E. McDonau 476,80 Heater. See Hot water heater. Heel nailing machines, gluing attachment for, F. F. Raymond, 2d	Screw, device for holding and operating the jaws of ends of the reins of a temper, O. J. Baldwell lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Rarvester seat. Reversible Seat. See Car seat. Parawers.	476,721 476,250 476,617 476,606 476,258
Hat from minimement, A. E. McDonad 40,480 Heater. See Hot water heater the mailing machines, gluing attachment for, F. F. Raymond, 2d. 476,496 Hinge, lock, F. N. Kelsey 476,521 Holges, manufacture of, T. Corscaden. 476,521 Holder. See Paper holder. Perfume holder. Photograph holder. Siding holder. 476,722 Hoof spreader, G. T. Chapman 476,732 Hook. See Hoisting hook. 476,732	Screw, device for holding and operating the jaws of ends of the reins of a temper, O. J. Baldwell lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Rarvester seat. Reversible Seat. See Car seat. Parawers.	476,721 476,250 476,617 476,606 476,258
Hat from minimement, A. E. McDonau 40,480 Heater. See Hot water heater the lailing machines, gluing attachment for, F. F. Raymond, 2d. 476,496 Hinge, lock, F. N. Kelsey 476,496 Hinges, manufacture of, T. Corscaden 476,524 Hoisting hook, R. W. Giese 476,534 Hoider. See Paper holder. Perfume holder. Photograph holder. Siding holder. Photograph holder. Siding holder. 476,722 Hoof spreader, G. T. Chapman 476,732 Hook. See Hoisting hook. 476,732 Hook. See Hoisting hook. 476,732 Hook hair, etc., machine for interlacing curled, 476,405	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldward of the present of the presen	476,721 476,250 476,616 476,616 476,268 476,483 476,483 476,456 476,664 476,664
Hat from minimement, A. E. McDonau 40,480 Heater. See Hot water heater the lailing machines, gluing attachment for, F. F. Raymond, 2d. 476,496 Hinge, lock, F. N. Kelsey 476,496 Hinges, manufacture of, T. Corscaden 476,524 Hoisting hook, R. W. Giese 476,534 Hoider. See Paper holder. Perfume holder. Photograph holder. Siding holder. Photograph holder. Siding holder. 476,722 Hoof spreader, G. T. Chapman 476,732 Hook. See Hoisting hook. 476,732 Hook. See Hoisting hook. 476,732 Hook hair, etc., machine for interlacing curled, 476,405	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldward of the present of the presen	476,721 476,250 476,616 476,616 476,268 476,483 476,483 476,456 476,664 476,664
Hat from minimement, A. E. McDonau 40,480 Heater. See Hot water heater the lailing machines, gluing attachment for, F. F. Raymond, 2d. 476,496 Hinge, lock, F. N. Kelsey 476,496 Hinges, manufacture of, T. Corscaden 476,524 Hoisting hook, R. W. Giese 476,534 Hoider. See Paper holder. Perfume holder. Photograph holder. Siding holder. Photograph holder. Siding holder. 476,722 Hoof spreader, G. T. Chapman 476,732 Hook. See Hoisting hook. 476,732 Hook. See Hoisting hook. 476,732 Hook hair, etc., machine for interlacing curled, 476,405	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldward of the present of the presen	476,721 476,250 476,616 476,616 476,268 476,483 476,483 476,456 476,664 476,664
Hat from Heater See Hot water heater Heater See Hot water heater	Screw, device for holding and operating the laws or ends of the reins of a temper, O. J. Baldwin and lock, J. Dowling. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. Sewing machine. C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shatt or pole support, J. H. Kennet.	476,721 476,250 476,617 476,606 476,258 476,483 476,483 476,647 476,644 476,643 476,725 476,339 476,339
Hat from Heater See Hot water heater Heater See Hot water heater	Screw, device for holding and operating the laws or ends of the reins of a temper, O. J. Baldwin and lock, J. Dowling. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. Sewing machine. C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shatt or pole support, J. H. Kennet.	476,721 476,250 476,617 476,606 476,258 476,483 476,483 476,647 476,644 476,643 476,725 476,339 476,339
Hat from minement, A. E. McDonad 46,305 Heater. See Hot water heater attachment for, F. Raymond, 2d 46,306 Hinge, lock, F. N. Kelsey 476,306 Hinges, manufacture of, T. Corscaden 476,521 Holder. See Paper holder. Perfume holder. Photograph holder. Siding holder. Honey extractor, W. Bayless 476,722 Hook See Hoisting hook. Hook See Hoisting hook 476,722 Hook See Hoisting hook 476,722 Horse hair, etc., machine for interlacing curled, F. Ochs, 190,000 Horses, quarter boot for, Clark & Floyd. 476,301 Horses, quarter boot for, Clark & Floyd. 476,301 Hose coupling, J. Lenty 476,321 Hose coupling, J. Lenty 476,321 Howard of the seed of the see	Screw, device for holding and operating the laws or ends of the reins of a temper, O. J. Baldwin and lock, J. Dowling. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. Sewing machine. C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shatt or pole support, J. H. Kennet.	476,721 476,250 476,617 476,606 476,258 476,483 476,483 476,647 476,644 476,643 476,725 476,339 476,339
Hat from minement, A. E. McDonad 46,305 Heater. See Hot water heater attachment for, F. Raymond, 2d 46,306 Hinge, lock, F. N. Kelsey 476,306 Hinges, manufacture of, T. Corscaden 476,521 Holder. See Paper holder. Perfume holder. Photograph holder. Siding holder. Honey extractor, W. Bayless 476,722 Hook See Hoisting hook. Hook See Hoisting hook 476,722 Hook See Hoisting hook 476,722 Horse hair, etc., machine for interlacing curled, F. Ochs, 190,000 Horses, quarter boot for, Clark & Floyd. 476,301 Horses, quarter boot for, Clark & Floyd. 476,301 Hose coupling, J. Lenty 476,321 Hose coupling, J. Lenty 476,321 Howard of the seed of the see	Screw, device for holding and operating the laws or ends of the reins of a temper, O. J. Baldwin and lock, J. Dowling. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. Sewing machine. C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shatt or pole support, J. H. Kennet.	476,721 476,250 476,617 476,606 476,258 476,483 476,483 476,647 476,644 476,643 476,725 476,339 476,339
Hat from minement, A. E. McDonad 46,305 Heater. See Hot water heater attachment for, F. Raymond, 2d 46,306 Hinge, lock, F. N. Kelsey 476,306 Hinges, manufacture of, T. Corscaden 476,521 Holder. See Paper holder. Perfume holder. Photograph holder. Siding holder. Honey extractor, W. Bayless 476,722 Hook See Hoisting hook. Hook See Hoisting hook 476,722 Hook See Hoisting hook 476,722 Horse hair, etc., machine for interlacing curled, F. Ochs, 190,000 Horses, quarter boot for, Clark & Floyd. 476,301 Horses, quarter boot for, Clark & Floyd. 476,301 Hose coupling, J. Lenty 476,321 Hose coupling, J. Lenty 476,321 Howard of the seed of the see	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin and lock, J. Dowling. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. Sec Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine. G. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machine, Sewing machine for for, C. Sewing machine, Sewing machine for fur, C. Sewing machines, guiding attachment for fur, C. Sewing machine timmer, A. O. Very, Shaft pole support, J. H. Kennet. Shears, Hamann & Schmidt. Shears, Hamann & Schmidt. Shelf bracket, T. Corscaden. Shelf for high spisolves, Lefever & Bremner. Shelf on high spisolves, Lefever & Bremner. Shelf on high spisolves, Lefever & Bremner. Show and the form of the spisolves of the spiso	476,721 476,250 476,617 476,606 476,258 476,483 476,483 476,647 476,644 476,643 476,725 476,339 476,339
Hat froming implement, A. E. McDonad Heater. See Hot water heater and the Heater. See Hot water heater and the Heater. See Hot water heater and the Holder. F. F. Raymond, 2d	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin and lock, J. Dowling. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. Sec Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine. G. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machine, Sewing machine for for, C. Sewing machine, Sewing machine for fur, C. Sewing machines, guiding attachment for fur, C. Sewing machine timmer, A. O. Very, Shaft pole support, J. H. Kennet. Shears, Hamann & Schmidt. Shears, Hamann & Schmidt. Shelf bracket, T. Corscaden. Shelf for high spisolves, Lefever & Bremner. Shelf on high spisolves, Lefever & Bremner. Shelf on high spisolves, Lefever & Bremner. Show and the form of the spisolves of the spiso	476,721 476,250 476,617 476,606 476,258 476,483 476,483 476,647 476,644 476,643 476,725 476,339 476,339
Hat from See Hot water heater. A. E. McDonad Heater. See Hot water heater tachment for, F. Raymond, 2d	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine. C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machine, S. Butte, Sewing machine, C. Sewing machine, C. Sewing machine, Sewing machine, C. Sewing machine, Sewing service, Sewing machine, Sewing service, Sewing machine, Sewing service, Sewing machine, Sewing service, Sewing s	476,721 476,250 476,617 476,608 476,456 476,456 476,456 476,664 476,436 476,436 476,330 476,330 476,503 476,503 476,503 476,503 476,503 476,503 476,503 476,503 476,503 476,503
Hat from minimement, A. E. McDonad 40,480 Heater. See Hot water heater. Heel nailing machines, gluing attachment for, F. F. Raymond, 2d	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seamling machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. Ö. Very. Shaft or pole support, J. H. Kennet. Shears, Hamann & Schmidt. Sheet metal package, E. Allred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding bolder, J. J. Finmand. Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap attountain, O. Zwietnsch.	476,721 476,250 476,6250 476,606 476,258 476,456 476,456 476,647 476,639 476,339 476,353 476,539 476,539 476,539 476,539 476,539 476,539 476,557 476,572 476,572 476,572 476,555 476,555
Hat from minements, A. E. Medeller, See Hot water heater. See Hot water heater. Heel nailing machines, gluing attachment for, F. F. Raymond, 2d	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat seat and Schmidt. Sheet metal package, E. Alfred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey, manufacture of, A. W. Rehnstrom. Soda fountain, O. Zwietusch. Sole, T. W. Trimby.	476,721 476,627 476,626 476,628 476,483 476,484 476,647 476,639 476,639 476,339 476,339 476,339 476,339 476,339 476,339 476,349 476,347 476,547 476,575 476,57
Hat from minements, A. E. Medeller, See Hot water heater. See Hot water heater. Heel nailing machines, gluing attachment for, F. F. Raymond, 2d	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat seat and Schmidt. Sheet metal package, E. Alfred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey, manufacture of, A. W. Rehnstrom. Soda fountain, O. Zwietusch. Sole, T. W. Trimby.	476,721 476,627 476,626 476,628 476,483 476,484 476,647 476,639 476,639 476,339 476,339 476,339 476,339 476,339 476,339 476,349 476,347 476,547 476,575 476,57
Hat from minements, A. E. M. Heater. See Hot water heater. See Hot water heater the landing machines, gluing attachment for, F. Raymond, 2d. 476,306 Hinge, lock, F. N. Kelsey 476,406 Holge, Jock, F. N. Kelsey 476,534 Holsting hook, R. W. Giese. Holder. See Paper holder. Perfume holder. Photograph holder. Siding holder. Honoy extractor, W. Bayless. 476,732 Hook See Holsting hook. Horse hair, etc., machine for interlacing curled, F. Ochs. Horses, quarter boot for, Clark & Floyd. 476,405 Horses, quarter boot for, Clark & Floyd. 476,405 Horses caparter boot for, Clark & Floyd. 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, A. Whelan 476,511 Hot water heater, J. H. Dodds 476,532 Hydraulic motor, reciprocating, A. T. Ballantine, 476,531 Index for letter-copy books, movable, M. Vernon 476,631 Indicator. See Station indicator. Ingot protector, W. R. Hinsdale 476,332 Insulator bracket, T. H. Brady Iron and steel, apparatus for galvanizing wrought or cast, T. Jones. 476,532 Inoning machine, D. C. Tubbs. 476,532 Jack. See Lever jack. Pegging jack. Wagon jack. Jar. See Canning or preserving jar. 476,754 Joint. See Rail Joint. Railway rail Joint. See Rail Joint. Railway rail Joint. Knife. See Pocket knife. Surgical knife.	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat seat and Schmidt. Sheet metal package, E. Alfred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey, manufacture of, A. W. Rehnstrom. Soda fountain, O. Zwietusch. Sole, T. W. Trimby.	476,721 476,627 476,626 476,628 476,483 476,484 476,647 476,639 476,639 476,339 476,339 476,339 476,339 476,339 476,339 476,349 476,347 476,547 476,575 476,57
Hat from minements, A. E. M. Heater. See Hot water heater. See Hot water heater the landing machines, gluing attachment for, F. Raymond, 2d. 476,306 Hinge, lock, F. N. Kelsey 476,406 Holge, Jock, F. N. Kelsey 476,534 Holsting hook, R. W. Giese. Holder. See Paper holder. Perfume holder. Photograph holder. Siding holder. Honoy extractor, W. Bayless. 476,732 Hook See Holsting hook. Horse hair, etc., machine for interlacing curled, F. Ochs. Horses, quarter boot for, Clark & Floyd. 476,405 Horses, quarter boot for, Clark & Floyd. 476,405 Horses caparter boot for, Clark & Floyd. 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, A. Whelan 476,511 Hot water heater, J. H. Dodds 476,532 Hydraulic motor, reciprocating, A. T. Ballantine, 476,531 Index for letter-copy books, movable, M. Vernon 476,631 Indicator. See Station indicator. Ingot protector, W. R. Hinsdale 476,332 Insulator bracket, T. H. Brady Iron and steel, apparatus for galvanizing wrought or cast, T. Jones. 476,532 Inoning machine, D. C. Tubbs. 476,532 Jack. See Lever jack. Pegging jack. Wagon jack. Jar. See Canning or preserving jar. 476,754 Joint. See Rail Joint. Railway rail Joint. See Rail Joint. Railway rail Joint. Knife. See Pocket knife. Surgical knife.	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat seat and Schmidt. Sheet metal package, E. Alfred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey, manufacture of, A. W. Rehnstrom. Soda fountain, O. Zwietusch. Sole, T. W. Trimby.	476,721 476,627 476,626 476,628 476,483 476,484 476,647 476,639 476,639 476,339 476,339 476,339 476,339 476,339 476,339 476,349 476,347 476,547 476,575 476,57
Hat from minements, A. E. M. Heater. See Hot water heater. See Hot water heater the landing machines, gluing attachment for, F. Raymond, 2d. 476,306 Hinge, lock, F. N. Kelsey 476,406 Holge, Jock, F. N. Kelsey 476,534 Holsting hook, R. W. Giese. Holder. See Paper holder. Perfume holder. Photograph holder. Siding holder. Honoy extractor, W. Bayless. 476,732 Hook See Holsting hook. Horse hair, etc., machine for interlacing curled, F. Ochs. Horses, quarter boot for, Clark & Floyd. 476,405 Horses, quarter boot for, Clark & Floyd. 476,405 Horses caparter boot for, Clark & Floyd. 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, A. Whelan 476,511 Hot water heater, J. H. Dodds 476,532 Hydraulic motor, reciprocating, A. T. Ballantine, 476,531 Index for letter-copy books, movable, M. Vernon 476,631 Indicator. See Station indicator. Ingot protector, W. R. Hinsdale 476,332 Insulator bracket, T. H. Brady Iron and steel, apparatus for galvanizing wrought or cast, T. Jones. 476,532 Inoning machine, D. C. Tubbs. 476,532 Jack. See Lever jack. Pegging jack. Wagon jack. Jar. See Canning or preserving jar. 476,754 Joint. See Rail Joint. Railway rail Joint. See Rail Joint. Railway rail Joint. Knife. See Pocket knife. Surgical knife.	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat seat and Schmidt. Sheet metal package, E. Alfred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey, manufacture of, A. W. Rehnstrom. Soda fountain, O. Zwietusch. Sole, T. W. Trimby.	476,721 476,627 476,626 476,628 476,483 476,484 476,647 476,639 476,639 476,339 476,339 476,339 476,339 476,339 476,339 476,349 476,347 476,547 476,575 476,57
Hat from minements, A. E. M. Heater. See Hot water heater. See Hot water heater the landing machines, gluing attachment for, F. Raymond, 2d. 476,306 Hinge, lock, F. N. Kelsey 476,406 Holge, Jock, F. N. Kelsey 476,534 Holsting hook, R. W. Giese. Holder. See Paper holder. Perfume holder. Photograph holder. Siding holder. Honoy extractor, W. Bayless. 476,732 Hook See Holsting hook. Horse hair, etc., machine for interlacing curled, F. Ochs. Horses, quarter boot for, Clark & Floyd. 476,405 Horses, quarter boot for, Clark & Floyd. 476,405 Horses caparter boot for, Clark & Floyd. 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, A. Whelan 476,511 Hot water heater, J. H. Dodds 476,532 Hydraulic motor, reciprocating, A. T. Ballantine, 476,531 Index for letter-copy books, movable, M. Vernon 476,631 Indicator. See Station indicator. Ingot protector, W. R. Hinsdale 476,332 Insulator bracket, T. H. Brady Iron and steel, apparatus for galvanizing wrought or cast, T. Jones. 476,532 Inoning machine, D. C. Tubbs. 476,532 Jack. See Lever jack. Pegging jack. Wagon jack. Jar. See Canning or preserving jar. 476,754 Joint. See Rail Joint. Railway rail Joint. See Rail Joint. Railway rail Joint. Knife. See Pocket knife. Surgical knife.	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat seat and Schmidt. Sheet metal package, E. Alfred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey, manufacture of, A. W. Rehnstrom. Soda fountain, O. Zwietusch. Sole, T. W. Trimby.	476,721 476,627 476,626 476,628 476,483 476,484 476,647 476,639 476,639 476,339 476,339 476,339 476,339 476,339 476,339 476,349 476,347 476,547 476,575 476,57
Hat from minements, A. E. M. Heater. See Hot water heater. See Hot water heater the landing machines, gluing attachment for, F. Raymond, 2d. 476,306 Hinge, lock, F. N. Kelsey 476,406 Holge, Jock, F. N. Kelsey 476,534 Holsting hook, R. W. Giese. Holder. See Paper holder. Perfume holder. Photograph holder. Siding holder. Honoy extractor, W. Bayless. 476,732 Hook See Holsting hook. Horse hair, etc., machine for interlacing curled, F. Ochs. Horses, quarter boot for, Clark & Floyd. 476,405 Horses, quarter boot for, Clark & Floyd. 476,405 Horses caparter boot for, Clark & Floyd. 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, J. Lenty 476,512 Hose coupling, A. Whelan 476,511 Hot water heater, J. H. Dodds 476,532 Hydraulic motor, reciprocating, A. T. Ballantine, 476,531 Index for letter-copy books, movable, M. Vernon 476,631 Indicator. See Station indicator. Ingot protector, W. R. Hinsdale 476,332 Insulator bracket, T. H. Brady Iron and steel, apparatus for galvanizing wrought or cast, T. Jones. 476,532 Inoning machine, D. C. Tubbs. 476,532 Jack. See Lever jack. Pegging jack. Wagon jack. Jar. See Canning or preserving jar. 476,754 Joint. See Rail Joint. Railway rail Joint. See Rail Joint. Railway rail Joint. Knife. See Pocket knife. Surgical knife.	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat seat and Schmidt. Sheet metal package, E. Alfred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey, manufacture of, A. W. Rehnstrom. Soda fountain, O. Zwietusch. Sole, T. W. Trimby.	476,721 476,627 476,626 476,628 476,483 476,484 476,647 476,639 476,639 476,339 476,339 476,339 476,339 476,339 476,339 476,349 476,347 476,547 476,575 476,57
Hat from minimement, A. E. McDonad Heater. See Hot water heater and machines, gluing attachment for, F. F. Raymond, 2d	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat seat and Schmidt. Sheet metal package, E. Alfred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey, manufacture of, A. W. Rehnstrom. Soda fountain, O. Zwietusch. Sole, T. W. Trimby.	476,721 476,627 476,626 476,628 476,483 476,484 476,647 476,639 476,639 476,339 476,339 476,339 476,339 476,339 476,339 476,349 476,347 476,547 476,575 476,57
Hat from minements. A. E. McDonad Heater. See Hot water heater heater healt machines, gluing attachment for, F. F. Raymond, 2d	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine, C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat seat and Schmidt. Sheet metal package, E. Alfred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey, manufacture of, A. W. Rehnstrom. Soda fountain, O. Zwietusch. Sole, T. W. Trimby.	476,721 476,627 476,626 476,628 476,483 476,484 476,647 476,639 476,639 476,339 476,339 476,339 476,339 476,339 476,339 476,349 476,347 476,547 476,575 476,57
Hat from minements. A. E. McDonad Heater. See Hot water heater heater healt machines, gluing attachment for, F. F. Raymond, 2d	Screw, device for holding and operating the laws or ends of the reins of a temper, O. J. Baldwin and lock, P. H. Conger. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seaming machine, can, J. B. Foote. Seath See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine. C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machine, Spinding attachment for fur, C. Booss. Booss. Sewing machine trimmer A. O. Very. Shatt or pole support, J. H. Kennet. Sheats, Hamann & Schmidt. Sheat or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding bolder, J. Finmand. Siding gate, E. Fischer. Snow shoe C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap swith whey. manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap swith whey. manufacture of, A. W. Rehn	476,721 476,731 476,637 476,647 476,648 476,456 476,456 476,456 476,755 476,649 476,755 476,649 476,755 476,649 476,755 476,649 476,755 476,649 476,755 476,649 476,757 476,657
Hat from minements. A. E. McDonad Heater. See Hot water heater heater healt machines, gluing attachment for, F. F. Raymond, 2d	Screw, device for holding and operating the laws or ends of the reins of a temper, O. J. Baldwin and lock, P. H. Conger. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seaming machine, can, J. B. Foote. Seath See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine. C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machine, Spinding attachment for fur, C. Booss. Booss. Sewing machine trimmer A. O. Very. Shatt or pole support, J. H. Kennet. Sheats, Hamann & Schmidt. Sheat or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Sheat or pole support, J. H. Kennet. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding bolder, J. Finmand. Siding gate, E. Fischer. Snow shoe C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap swith whey. manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap swith whey. manufacture of, A. W. Rehn	476,721 476,731 476,637 476,647 476,648 476,456 476,456 476,456 476,755 476,649 476,755 476,649 476,755 476,649 476,755 476,649 476,755 476,649 476,755 476,649 476,757 476,657
Hat from minements, A. E. McDonad. Heater. See Hot water heater and the see Hot water heater. Heel nailing machines, gluing attachment for, F. F. Raymond, 2d. Hinge, lock, F. N. Kelsey	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine. C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Shears, Hamann & Schmidt. Sheet metal package, E. Allred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap in ming spindle support, H. F. Woodward. Spinning mule, J. Ratcliffe et al. Spinning spindle support, H. F. Woodward. Spinning spindle support, H. F. Woodward. Station indicator, R. G. Hourtney. Stationery box, J. M. Tate. Stays, machine for drying garment, F. Crompton. Steam generator, J. Cunningham. Steamer, food, T. Cascaden, Jr. Steering apparatus, steam, B. W. Fellows. Stovepipe thimble, F. A. Peters. Stud or button, M. Breisch.	476,721 476,627 476,626 476,647 476,647 476,647 476,647 476,647 476,649 476,439 476,439 476,439 476,647 476,64
Hat from minements. A. E. McDonad Heater. See Hot water heater heater healt machines, gluing attachment for, F. F. Raymond, 2d	Screw, device for holding and operating the jaws or ends of the reins of a temper, O. J. Baldwin. Seal lock, P. H. Conger. Seal lock, J. Dowling. Seal lock, J. Dowling. Seam pressing device, J. E. Brown. Seaming machine, can, J. B. Foote. Seat. See Car seat. Harvester seat. Reversible seat. Secondary battery plate, E. C. Paramore. Separator. See Spinning frame yarn separator. Sewing machine. H. H. Fefel. 476,455, Sewing machine. C. B. Hunt. Sewing machine, C. B. Hunt. Sewing machine, C. Luraschi. Sewing machine, C. Luraschi. Sewing machines, guiding attachment for fur, C. Booss. Sewing machine trimmer, A. O. Very. Shaft or pole support, J. H. Kennet. Shears, Hamann & Schmidt. Sheet metal package, E. Allred. Shelf bracket, T. Corscaden. Shell for high explosives, Lefever & Bremner. Shirt and chest protector, R. P. Woodward. Shoe nail, F. F. Raymond, 2d. Siding holder, J. J. Finmand Sliding gate, E. Fischer. Snow shoe, C. O. Stone. Soap, A. W. Rehnstrom. Soap, manufacture of, A. W. Rehnstrom. Soap with whey. manufacture of, A. W. Rehnstrom. Soap in ming spindle support, H. F. Woodward. Spinning mule, J. Ratcliffe et al. Spinning spindle support, H. F. Woodward. Spinning spindle support, H. F. Woodward. Station indicator, R. G. Hourtney. Stationery box, J. M. Tate. Stays, machine for drying garment, F. Crompton. Steam generator, J. Cunningham. Steamer, food, T. Cascaden, Jr. Steering apparatus, steam, B. W. Fellows. Stovepipe thimble, F. A. Peters. Stud or button, M. Breisch.	476,721 476,627 476,626 476,647 476,647 476,647 476,647 476,647 476,649 476,439 476,439 476,439 476,647 476,64

Swarm catcher, B. Taylor	176,762
Swarm catcher, B. Taylor	176,341 176,399
Switch. See Tramway switch.	
Table See Folding table. Surgical and gyneco-	176,402
logical table. Table, prie-dieu, and confessional, combined, H. Lawigne. Tag, F. C. Glave. Tea or coffee extractor, floating, J. Smith. Telegraph instrument, C. B. Carr Telegraphy and telephony, apparatus and system for compound, F. W. Dunbar. Telephone, magnetic, C. Vogt. Tether, W. E. Bradley. Thermometer, case, W. A. Spurgeon. Thermometer, recording, W. E. Eastman. Thill coupling, J. Bradford, Jr. Thill coupling, S. Mirfield. Thill coupling, S. Mirfield. Thill coupling, W. F. Whitton. Ticket holding device, milk, J. White. Ticket holding device, milk, J. White. Ticket holding device, milk, J. White. Tie, See Bale tie. Cattle tie. Railway cross tie.	1
Table, prie-dieu, and confessional, combined, H.	176.394
Tag, F. C. Glave.	176,259
Telegraph instrument, C. B. Carr	176,730
Telegraphy and telephony, apparatus and system	170 010
Telephone, magnetic, C. Vogt	176,583
Tether, W. E. Bradley	176,726
Thermometer, recording, W. E. Eastman	76,374
Thill coupling, J. Bradford, Jr	176,443 176,758
Thill coupling, W. F. Whiton.	76,345
Ticket holding device, milk, J. White	176,343
tie.	
tie. Tile or brick cutter, E. M. Freese. Timepieces, cannon pinion for, H. C. Klein. Timepieces, hand setting mechanism for, A. Brandley. Tire bicycle Mitchell & Veitch.	176,627 176,656
Timepieces, hand setting mechanism for, A.	210,000
Brandley 4	76,515
Tire, pneu matic, J. F. Palmer	76,681
Tire, wheel, W. R. Wilcox	76,605
Timepieces, hand setting mechanism for, A. Brandley. Tire, bicycle, Mitchell & Veitch. Tire, pneumatic, J. F. Palmer. Tire, wheel, W. R. Wilcox. Tooth, artificial, B. Brewster. Trace carrier, J. W. White. Trace guide, C. E. Young. Tramway switch, J. R. Wigginton. Tramsit, engineer's, C. L. Berger. Traceling bag, A. Bancroft. Traveling bag, A. Bancroft. Trimmer. See Sewing machine trimmer. Trolley support, S. C. Crane. Trough. See Beer racking trough. Trough. See Beer racking trough. Trousers, supporter for the rear flap of, C. S. Terpening.	76,344
Tranway switch, J. R. Wigginton	76,719
Transit, engineer's, C. L. Berger4	76,510
Transom litter, G. A. Colton	76,598
Trimmer. See Sewing machine trimmer.	me 907
Trough. See Beer racking trough.	110,301
Trousers, supporter for the rear flap of, C. S. Ter-	176 699
Truck, car, F. A. Baier	76,596
Truck equalizing device, car, Brill & Adams 4 Truck for cars, motor, McGuire & Hubbard, Jr 4	76,244 176,480
Typewriters, registering attachment for, H. I.	TO TOE
Typewriting machine, A. E. Benedict	76,724
Typewriting machine, J. S. Copeland	76,251
Typewriting machines, automatic envelope feeder	110,519
for, Brower & Ross	76,727
Umbrellas, catch for rib points of, O. Schmidt	76,561
Trough. See Beer racking trough. Trousers, supporter for the rear flap of, C. S. Terpening. Truck, ear. F. A. Baier. Truck equalizing device, car. Brill & Adams. Truck for cars, motor, McGuire & Hubbard, Jr Typewriters, registering attachment for, H. I. Cromer. Typewriting machine, A. E. Benedict. Typewriting machine, J. S. Copeland. Typewriting machine, J. S. Copeland. Typewriting machine, M. L. Severy. Typewriting machine, automatic envelope feeder for, Brower & Ross. Umbrella notch, S. Collins. Umbrellas, catch for rib points of, O. Schmidt. Valve, C. Birkery. Valve, A. T. Miller. Valve, electrically controlled, W. B. Fleming. Valve, gate, F. H. Richards. Valve, governor equilibrium, J. Pilet. Valve, steam-actuated, D. Cooper. Valve, steam-actuated, D. Cooper. Valve, steam-et actuated, D. Cooper. Vehicle bafeiron, L. Thierry. Vehicle pring, V. O. Jeffries. Vehicle wheel, M. A. Fleming. Vehicle wheel, M. A. Russell. Vehicle wheel, pneumatic, J. C. Hall Vehicle wheel, pneumatic, J. C. Hall Vehicle wheels, device for packing, F. G. Davis. Vending machine, Bowyer & Hull Veneer box, J. T. Ferres. Ventilator or chimmey cowl, R. M. Pancoast.	76,511 76,668
Valve controller, electrical, J. V. Stout 4	76,573
Valve gate, F. H. Richards 4	76,313
Valve, governor equilibrium, J. Pilet	76,550
Valve, steam-actuated, D. Cooper	76,609
Valve, steam engine, P. R. Foster	76,457 76,543
Vehicle chafe iron, L. Thierry 4	76,577
Vehicle spring, V. O. Jeffries	76,385
Vehicle wheel, W. A. Fleming	76,533
Vehicle wheel, pneumatic, J. C. Hall	76,764
Vehicle wheels, device for packing, F. G. Davis 4	76,522
Vending machine, Bowyer & Hull	76,513
Veneer box, J. T. Ferres	76,622
Vessels, construction of, A. C. A. Holzapfel	76,643
Wagon brake, A. Kleinsorge	76,688 176,658
Wagon brake, T. P. Randall.	76,553
Wagon jack, G. J. Schlosser.	76,547
Wall covering, J. W. Bates	76,360
Watch case spring, Ketchem & Nixon	76,748
Velocipede saddle, W. D. McCoy. Vending machine, Bowyer & Hull Veneer box, J. T. Ferres. Ventilator or chimney cowl, R. M. Pancoast. Vessels, construction of, A. C. A. Holzapfel. Veterinary dental forceps, D. M. Scheffer. Wagon brake, A. Kleinsorge. Wagon brake, A. Kleinsorge. Wagon brake, T. P. Randall. Wagon, charging, C. S. Morse. Wagon jack, G. J. Schlosser. Wall covering, J. W. Bates. Wall facing, M. Ams. Watch case spring, Ketchem & Nixon. Water bags, valved stopper for, G. H. F. Schrader.	76.421
Water closet bowl, J. C. Beekman (r)	11,242
Weighing machine, grain. J. Sprinkle	76,427
Well boring and prospecting, G. A. Miller 4	76,757
Well drilling machinery, J. G. Lee	76,467
Wheel. See Cycle wheel. Planter wheel.	176.472
Wick adjuster, lamp, A. J. McAdam	76,477
Wind motor, H. Winge	76,716
Wire reel and stretcher, G. E. Dixon	76,525
Wire tension device, A. E. Kintner	176,65€
Wood for seats and backs, apparatus for and	76 205
Wood turning machine, Stoner & Penne baker	76,696
Wrench, F. B. Jordan	176,629 176,465
Wrench, A. K. Lovell.	176,767
Water bags, valved stopper for, G. H. F. Schrader. Water closet bowl, J. C. Beekman (r) Weather strip, J. H. Hull. Weighing machine, grain, J. Sprinkle. Well boring and prospecting, G. A. Miller. Well boring and prospecting, G. A. Miller. Well boring apparatus, A. W. Morgan. Well drilling machinery, J. G. Lee. Wheel. See Cycle wheel. Planter wheel. Whistle, steam, B. Lunkenbeimer. Wick adjuster, lamp, A. J. McAdam. Wind motor, H. Winge. Window frame, C. Dahlem. Wire reel and stretcher, G. E. Dixon. Wire stretcher, H. H. Van Ormer. Wire tension device, A. E. Kintner. Wood for seats and backs, apparatus for and method of gaining, A. E. Preston. Wood turning machine, Stoner & Pennebaker. Wrench, P. Gendron. Wrench, F. B. Jordan. Wrench, F. B. Jordan.	10,093

DESIGNS.

Badge, J. L. Terhune	21,608
Badge, E. M. Requa	
Coffee mill box, Morgan & Redlinger, Jr	21,619
Dress, dancing, E. C. Hoffman	21,600
Jar F M Underhill	2169
Lamp chimney, G. W. Blair21,616,	21,617
Match box, W. W. Hayden	21 611
Pan handle, A. A. McLeod	21,614
Picture frame, E. C. Brown	21,610
Pillow block standard, H. W. Hill	21,612
Spoon, etc., G. L. Crowell, Jr.	21 601
Spoon, etc., C. E. Richardson	21,600
Spoon, G. Wilkinson	21 60
Stove, cooking, F. Ritchie	21 615
Type, font of printing, H. Ihlenburg21,606,	21 607
- 7 F - 7 1 TO OZ F - 1 TO DO DO DE S	~1,000

TRADE MARKS.	
Batting or bats of cotton, J. Page & Son Beer, lager, Peter Schoenhofen Brewing Company Bitters and a compound of sarsaparilla and potash,	21,279
stomach, Renz & Henry	21,263
Hallworth & Son	21,260 21,258
Cheese. T. D. Millar. Cigars, M. Hyman	21,261 21,270
Coal, Perkins & Co	21,254
and Shutter Company	21,259
Fliters, water, C. Buhring & Co	21,274
Horse blankets or covers, Burlington Blanket	21,249
Medicine to purify the blood and to cure rheuma-	
tism, E. Gloude. Metal polishing composition, Noble & Streeter	21,253
Perfumery, Majestic Perfume Co	-
Company. Remedies in the form of tablets for rheumatism	21,264
and diseases of the kidneys, W. Wilson Remedies put up in the form of a powder, liquid,	
and salve for catarrh, sore eyes, and diseases of the blood, Dearth & Smith	21,276
lumbago, McKinnie & Chessman Manufactur.	
Sewing machines and attachments, New Home	21,273
ing Co. Sewing machines and attachments, New Home Sewing Machine Company. Shears, scissors, and pocket knives, H. Boker &	.21,272
Sporting powder, Miami Powder Company	21,248
Starch, laundry, National Starch Maufacturing Company Steam engines, stationary, Steams Manufacturing	21,257
Steam engines, stationary, Steams Manufacturing CompanyStoves, oil and gas, Central Oilgas Stove Company	21,256
Stoves, oil and gas, Central Ollgas Stove Company Tea, Paxton & Gallagher	21,250 21,268
vending machines, cylindrical trangible boxes for	•
use in coin-controlled, National U. S. Stamp Delivery Company	21,271
Delivery Company Whisky, Duncsn, Alderdice & Company Whisky, J. Miller & Co.	21,275 21,266
	•

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in printissued since 1883, will be furnished from this office 125 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the in ventors for any of the inventions named in the fore going list, provided they are simple at a cost of \$40 and If complicated the cost will be a little more. For ful instructions address Munn & Co., 361 Broadway, New York. Other foreign patents may also be obtained.

Advertisements.

Inside Page, each insertion - - 75 cents a line Back Page, each insertion - - - - \$1.00 a line The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

ADAMANT WALL PLASTER

BEST PLASTERING MATERIAL IN OWN. No experiment. Its success has been phenomenal. Thirty factories in this and other countries.

ADAMANT MFG. CO., SYRACUSE, N. Y.

Patent Foot Power Machinery ... Complete Outfits.

Wood or Metal workers without steam power, can successfully compete with the large shops, by using our New LABOR SAVING Machinery, latest and most improved for practical shop use, also for Industrial Schools, Home Training, etc. Catalogue free. Seneca Falls Mfg. Co.
695 Water Street, Seneca Falls, N. Y.

Improved Screw Cutting Foot and Power

' LATHES Drill Presses, Shapers, Band, Circular, and Scroll Saws Machinists' Tools and Supplies. Lathes on trial. **Catalogue mailed on application.





T. A. C. Our salesmen cover every State and Territory in the Union, and good specialties sell by the million. We buy outright or manufacture on royalty. Ad. for particulars THE TUSCARORA ADVERTISING CO.,

PAIN TROOFS DIXON'S SILICA CRAPHITE PAINT

Waterwill run from it pure and clean. It covers double the surface of any other paint, and will last four or flow timeslonger. Eq ually usefulfor any iron work. Send for circulars. JOS. DIXON CRUCIBLE CO., Jorsey City, N.J.





\$10.00 to \$50.00 per night. A light and property of the business. Magic Lanterns and Views of popular subsection Part 1 Optical, 2

Avoided by using "Goldman's Ad-vanced System" for Locating Errors, without Rechecking or Copying Entries. Nochangeof Bookkeeping! Senton Trai-Beware of Imitations! Request Instruc-tive Circular. Henry Goldman, Au-thor

EXPERT MODEL MAKING. Established 1867. J. C. SEYL, Prop. Chicago Model Works, Chicago, Ill., 179 E. Madison St. Write for Catalogue of Model Supplies.

Unequaled for all light running machinery, Warranted to develop a given amount of power with one-half the water required by any other. Evidence of unquestioned superiority afforded on application. Send for Circular. Address,

BICYCLES ON EASY
No extra charge. All makes new or 2d
hand. Lowest price guaranteed. Largest
stock and oldest dealers in U. S. Cata. & Co., 16 GSt., Peoria, III



BEATTY Pianos, \$175, Organs. \$49. Want agents. Cat'g free. Dan'l F. Beatty, Wash'ton, N.J.

POWER APPARATUS, **ELECTRIC**

FOR EVERY VARIETY OF MECHANICAL WORK.

SAFE, SURE, RELIABLE.

ESTIMATES FURNISHED. SEND FOR CATALOGUES. THOMSON-HOUSTON MOTOR CO.,

620 ATLANTIC AVENUE, BOSTON, MASS.

Pneumatic Tire Bicycles.

Every One Guaranteed. Send for Catalogue. A gents Wanted. KIRKWOOD, MILLER & CO. 16 South St., Peoria, Ill.

Fine Taps, Dies, Reamers, etc.

LIGHTNING

Lightning and Green River Screw Plates.
Tap Wrenches, Bolt Cutters, Hand and Power Drilling
Machines, Punching Presses, and other
Labor Saving Tools. WILEY & RUSSELL MFG. CO., Greenfield, Mass.

INSTANTLY COOKING with only piece of paper, \$1 ter, \$1.25. L. DERMIGNY, 126 W. 25th St., New York.



SITUATION WANTED.—Experienced meter nan, can operate both old and new type of Edison Chemman, can operate both old and new type of Edison Chemical Meter. Will commence work at reasonable pay. Can furnish references. Address, Amos H. Hall. General Delivery, Minneapolis, Minn.



FOR LIGHT WORK.

Has these Great Advantages:

The speed can be instantly changed from 0 to 1600 with out stopping or shifting belts. Power applied can be graduated to drive, with equal safety, the smallest or largest dri s within its range—a wonderful economy in time and great saving in drill breakage. Send for cata ogue.

W. F. & JNO. BARNES CO.,

1999 Ruby St., — Rockford, III,

E. Konigslow, manufacturer of Fine Machinery and Models, offers Special Facilities to Inventors. Guarantees to work out ideas in strictest secrecy, and any improvement that he can suggest goes with the work. Thousands of men have crude though really valuable ideas, which they lack mechanical training to develop. Novelties and patented articles manufactured by contract. 181 Seneca St., Cleveland. Ohio.

WILL YOU HAVE A

WORLD'S FAIR EXHIBIT?

We will receive, install and superintend its every detail during the World's Columbian Exposition; save you worry, disappointment and money. What steps have you already taken? Space is being rapidly allotted. Write for full particulars to

The World's Fair Manufacturers Exhibit, Engineering and Construction Co., 1325 Monadnock Building, Chicago, Ill.

WOOD WORKING MACHINERY

Handle, Spoke and Turning Factories. 1. E. Merritt Machinery Co., Lockport, N. Y.



ROTARY VENTILATING FANS. MECHANICAL AIR MOVERS.

TUERK WATER METER CO., FULTON, N. Y.

WANTED by an English Engineering Firm, a good invention to manufacture and push. First-class references Send Breams Building, Ch ancery Lane, London, England.





What must be known to go firing; what to learn each year—and where to learn it. 3 examinations, 300 Questions AND ANSWERS TO THEM. Official on several roads, Author 10 years on a locomotive. It colored pales showing all signals, color and position, train or engine. How to run c locomotive; Accidents; Emergencies; 100 pages, pocket. Send 50 cents to the Author, JOHN A. Hill., 912 Temple Court, N. Y.

BUILDERS OF HIGH CRADE BOATS.



Speed 20 miles an hour.

We Build Everything, from a Canoe to a Steam Yacht. Complete Stock Oars, Sweeps and Boat Trimmings. We Make all Sizes Pipe Boilers and Engines Cedar Row Boats from \$25 upward. Vapor and Steam Launches from \$300 upward.

SEND 10c. FOR COMPLETE CATALOGUE.

DAVIS BOAT AND OAR CO., DETROIT, MICH., U. S. A.

Astronomical Telescopes of superior defining power,

EYE PIECES, etc Manufactured by W. & D. MOGEY. 418 West 27th Street, New York.
Send for catalogue.



FOR SALE or to manufacture on royalty, Patent No. 472,846. See Not. American of June 11, 1882; or send 25c, for copy of Patent. Will sell outright or by Address, CHANCY AVERY, PLEASANT LAKE, IND.

Send Stamp for Catalogue
RIFLES, REVOLVERS,
GUNS AMMUNITION, TENNIS
BICYCLES FISHING
BICYCLES TACKLE, Bto THORSEN & CASSADY, 60 & 62 Wabash Avenue,

CHICAGO



Simplest and most economical engines on earth. Fully Guaranteed. A boy starts it, requires only a few minutes' attention a day. Guaranteed cost of running l ct. ber hour per H. P. Write for eatalogue. Address Drawer 200, Weber Gas Engibe Works, KANSAS CITY, MO.

The Sebastian-May Co. : Improved Screw Cutting Power 4

Drill Presses, Chucks, Drills, Dogs and Machinists' and Amateurs Outfits. Lathes on trial. Catalogues mailed on application.






" OTTO " GAS AND GASOLINE ENGINES, /1-3to100 horse power Can be used in cities Can be used in cities
or in country independent of gas works
or gas machines.
No Boiler.
No Danger.
No Engineer.

OTTO GAS ENGINE WORKS, PHILADELPHIA.

HAVE YOU READ

Experimental Science?

This new book, by Geo. M. Hopkins, is just what you need to give you a good general knowledge of Physical Science. No one having the spirit of the times can afford to be without the kind of scientific information contained in this book. It is not only instructive, but entertaining.



Over 700 pages; 680 fine cuts; substantially and beautifully bound. Price by mail, \$4.00.

Send for illustrated circular

MUNN & CO., Publishers, Office of the SCIENTIFIC AMERICAN, 361 BROADWAY, NEW YORK-



HARRISON CONVEYOR! Handling Grain, Coal, Sand, Clay, Tan Bark, Cinders, Ores, Seeds, &c.

HENRY CAREY BAIRD & CO. Industrial Publishers, Booksellers, and Importers,

S10 Walnut St., Philadelphia, Pa., U. S. A.


13 Our new and Revised Catalogue of Practical and
Scientific Books, 86 pages, 8vo, and our other Catalogues
and Circulars, the whole covering every branch of Science applied to the Arts, sent free and free of postage
to any one in any part of the world who will furnish his
address.



Awarded the Grand Prize at late Paris Exposition.

NOW READY!

A NEW AND VALUABLE BOOK



12,000 Receipts. 680 Pages. Price \$5.

This splendid work contains a careful compilation of the most useful Receipts and Replies given in the Notes and Queries of correspondents as published in the Scientific American during the past fifty years; together with many valuable and important additions.

Over Twelve Thousand selected receipts are here collected; nearly every branch of the useful arts being represented. It is by far the most comprehensive volume of the kind ever placed before the public.

The work may be regarded as the product of the studies and practical experience of the ablest chemists and workers in all parts of the world; the information given being of the highest value, arranged and condensed in concise form convenient for ready use.

Almost every inquiry that can be thought of, relating to formulæ used in the various manufacturing industries, will here be found answered. Instructions for working many different processes in the arts are given.

It is impossible within the limits of a prospectus to give more than an outline of a few features of so extensive a work.

Under the head of Paper we have nearly 250 receipts, embracing how to make papier maché; how to make paper water proof and fire proof; how to make sandpaper, emery paper, tracing paper, transfer paper, carbon paper, parchment paper, colored papers, razor strop paper, paper for doing up cutlery, silverware; how to make luminous paper, photograph papers, etc.

Under the head of Inks we have nearly 450 receipts, including the finest and best writing inks of all colors, drawing inks, luminous inks, invisible inks, gold, silver and bronze inks, white inks; directions for removal of inks; restoration of faded inks, etc.

Under the head of Alloys over 700 receipts are given, covering a vast amount of valuable information.

Of Cements we have some 600 receipts, which include almost every known adhesive preparation, and the modes of use

mation.

Of Cements we have some 600 receipts, which include almost every known adhesive preparation, and the modes of use.

How to make Rubber Stamps forms the subject of a most valuable practical article, in which the complete process is described in such clear and explicit terms that any intelligent person may readily learn the art.

For Lacquers there are 120 receipts; Electro-Metallurgy, 125 receipts; Bronzing, 127 receipts; Photography and Microscopy are represented by 600 receipts.

tography and Microscopy are represented by 600 receipts.

Under the head of Etching there are 55 receipts, embracing practical directions for the production of engravings and printing plates of drawings.

Paints, Pigments and Varnishes furnish over 800 receipts, and include everything worth knowing on those subjects.

Under the head of Cleansing over 500 recipes are given, the scope being very broad, embracing the removal of spots and stains from all sorts of objects and materials, bleaching of fabrics, cleaning furniture, clothing, glass, leather, metals, and the restoration and preservation of all kinds of objects and materials.

In Cosmetics and Perfumery some 500 receipts are given.

are given.

Soaps nave nearly 300 receipts.

Those who are engaged in any branch of industry probably will find in this book much that is of practical value in their respective callings.

Those who are in search of independent business or employment, relating to the home manufacture of sample articles, will find in it hundreds of most excellent suggestions.

MUNN & CO., Publishers,

SCIENTIFIC AMERICAN OFFICE,

361 Broadway, New York



1892 Model Remington

Typewriter

For Ease and Convenience of Operation, Simplicity of Design and Durability of Construction, is

UNEQUALED.

SEND FOR CATALOGUE.

WYCKOFF, SEAMANS & BENEDICT, 327 Broadway, N. Y.

OIL WELL SUPPLY CO. QATES ROCK & ORE BREAKER OAD 1 & 92 WATER STREET, Capacity up to 200 tons per hour.

Pittsburgh, Pa., Manufacturers of everything needed for ARTESIAN WELLS for either Gas, Oil, Water, or Mineral Tests, Boilers, Engines, Pipe, Cordage, Prilling Tools, etc. Illustrated catalogue, price lists and discount sheets on request.

STEEL TYPE FOR TYPEWRITERS




Stencils, Steel Stamps, Rubber and Metal Type Wheels, Dies, etc. Nodel and Experimental Work Small Machinery, Novelties, etc., man-ufactured by special contract. New York Stencil Wks. 100 Nassau St., N.Y



CLARK'S

WOOL WASHERS,
WARP DYEING AND SIZING MACHINES,
PATENT RUBBER COVERED SQUEEZE
ROLLS,

POWER WRINGERS FOR HOSIERY AND VARN DYEING,
DRYING AND VENTILATING FANS,
WOOL AND COTTON DRYERS, Etc.
Catalogues free.
CEO. P. CLARK
Box L. Windsor Locks, Conn.



CATES IRON WORKS, 50 C So. Clinton St., Chicago 136 C, Liberty Street, New York, 237 C, Franklin St., Boston, Mass



Our new General Circular "S. A.," showing specimens of all our work, is now ready. Send stamp and particu-lars for estimates.



After being on the Market Six Years

Sizes One, Two. Three, and Four Horse Power. Arranged for either NATURAL GAS or Kerosene Oli fire, as ordered. No extra insurance required on account of the oil fire. Send for catalogue giving full particulars and prices. Action Automatic Safety Tank ROCHESTER MACHINE TOOL WORKS. Brown's Race, ROCHESTER, N. Y.

AROCK BREAKERS AND ORE CRUSHERS We manufacture and supply at short notice and lowest rates, Stone and Ore Crushers, containing the invention described in Letters Patent issued to Elli W. Blake, June 15, 1888, to-gether with NEW AND VALUABLE IMPROVEMENTS, for which Letters Patent were granted May 11 and July 20, 1880, to Mr. S. L. Marsden. All Crushers supplied by us are constructed under these patents.

under these patents. FARREL FOUNDRY & MACHINE CO., Manufacturers, ANSONIA, CONN. COPELAND & BACON, Agents, NEW YORK and CHICAGO.

Inventions Realized, That is, made real; which rarely happens before a model is made, and rarely then. A first-class machine shop. We send a primer with full particulars.

THE JONES BROTHERS ELECTRIC CO. CIN'TI, O.



The coming Mathematician and Accountant will do his figuring with a

COMPTOMETER.

The progressive ones are doing so to-day. Why aren't you?

Write for pamphlet S.

FELT & TARRANT MFG. CO. 52-56 Illinois Street, CHICAGO.

FERTILIZER MACHINERY, Crushers, Mills, Mixers, Digesters, Dryers, etc

C. H. DEMPWOLF & CO., York, Pa.

World's Fair Exhibitors

Do you desire the services of a reliable company to receive, install and superintend your exhibit during the World's Columbian Exposition? We can save you money. Unexceptional references. Write for pamphlet and particulars.

CHICAGO COMMERCIAL COMPANY, 501, 502, 503 Home Insurance Bldg., Chicago.

DYNAMO CASTINGS.—Complete set of Castings for an Right-Light Dynamo. For particulars and prices, address W. A. KNIGHT, 337 E. Gay Street, Columbus, O.


THE ACTION OF HEAT FROM OPEN Fire Grates, Stoves, and Hot Water Pipes.—By F. Dye. The science of house warming practically presented. With 12 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 845. Price 10 cents. To be had at this office and from all newsdealers.

ROSE POLYTECHNIC INSTITUTE

Terre Haute, Ind. A College of Engineering. W. dowed, well-equipped. Courses in Mechanical, E cal. Civil Engineering and Chemistry. Extensy chine Shops, Laboratories, Drawing Rooms, Li Expenses low. Address H. T. EDDY, Pres.



CHUCKS. Catalogue No. 12, just issued with over 40 new illustrations sent free. Address, Conn.





THE GIBBS PATENT
DUST PROTECTOR.
For protecting the nose and mouth from inhalations of dust of every character. Invaluable in mills and factories. Perfect protection with perfect ventilation. Dust inhaled into the nose and lungs results in Catarrh and Consumption. Nickel plated protector sent postpaid on receipt of \$1.

Gibbs Respirator Co., 36 S. La Salle St., Chicago.

VOLNEY W. MASON & CO., FRICTION PULLEYS CLUTCHES and ELEVATORS PROVIDENCE. R. I.





NO SKILLED ENGINEER. THE SHIPMAN AUTOMATIC STEAM ENGINE.

KEROSENE OIL FUEL, 1, 2, 4, 6 and 8 HORSE POWER. No extra Insurance. Efficient, Economical, Durable.

SHIPMAN ENCINE COMPANY, 200 SUMMER STREET, BOSTON MASS.



ABBOTT (HECK PUNCH FOR PERFORATING AMOUNTS ON CHECKS, DRAFTS AND COMM MERCIAL PAPERS THE ONLY MACHINE CONTAINING POUND SIGN: DOLLAR SIGN: AND STAR IN ADDITION TO THE NUMERAL SEND FOR CATALOGUE. K. ABBOTT MACHINE @ SOLEMANU

PROPOSALS.

PROPOSALS FOR DREDGING PLANT, UNITED States Engineer Office, Improving Mississippi River, 4th District, No. 1 Prytania Street, New Orleans, La., June 1, 1892—Sealed proposals, in duplicate, will be received at this office until 11 o'clock a. m. Monday, August 1, 1892, for building or leasing a dredging plant for use at the works of improvement at the junction of the Mississippi, Red and Atchafalaya Rivers, near Turnbull Island, Louisiana, U. S. A. Specifications, maps, blank forms of proposal and detailed information will be furnished on application to this office. The attention of February 27, 1885, and February 23, 1887, vol. 23, page 332, and vol. 24, page 414, Statutes at Large, prohibiting the employment of convict labor or the labor of "assisted" foreign immigrants brought into this country for the purpose under contract or agreement. Preference will be given to articles of domestic manufacture. The right is reserved to reject any or all proposals. JOHN MILLIS, 1st Lieut. Corps of Engineers, U. S. Army.

DEAF NESS & HEAD NOISES CURED by Feck's Invisible Tubular Ear Cushions. Whispen heard, Successful when all name of the company of the company



WANTED.—A REGISTER for keeping tally, something on the order of those used in horse cars. Address, with full description and prices, REGISTER, Hoffman's Wharf, Va,



Model Makers' MODELS Dies, Castings, —Supplies.— MODELS Patterns, Tools Inventions Perfected. Novelty and Duplicate Work. CATALOGUE A. J. Weed & Co., 106, 108 Liberty St., N. Y.

MAHOGANY


And all Fancy Woods TEAK FOR YACHTS, SPANISH CEDAR FOR SHELLS, etc.


THE E. D. ALBRO CO.,

Eastern 200 Lewis Street, New York, U. S. A. Branch, H. T. BARTLETT, Mg'r. F. W. HONERKAMP, Ass't Mg'r. (Mills, Cincinnati, O.)











ARTESIAN Wells, Oil and GasWells, drilled by contract to any depth, from 50 to 3000 feet. We also manufacture and furnish everything required to drill and complete same. Portable Horse Power and Mounted Steam Drilling Machines for 100 to 1,000 feet. Write us stating exactly what is required and send for illustrated catalogue. Address ed catalogue. Address 80 Beaver Street, New York.

Mdvertisements.

Inside Page, each insertion - - 75 cents a line Back Page, each insertion - - - \$1.00 a line Inck Page, each insertion - - - \$1.00 a line
The above are charges per agate line—about eight
words per line. This notice shows the width of the line,
and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurenient, as the letter press. Advertisements must be
received at Publication Office as early as Thursday
morning to appear in the following week's issue.

HELICOID SHANK WOOD SCREWS.

U. S. Pats.: July 2, 1885; July 1, 1890; Feb. 17 and Mar. 15, 1892.



This patented improvement in wood screws is especially valuable for use in fine

waluable for use in fine work as well as for all other purposes where ordinary screws are employed. The chief advantages are: They obviate the necessity of boring the second time when used in Hard Wood; the ribs on the shank performing that function, necessarily making an exact fit in the operation of turning the screw into the wood. The strain upon the shank, slot and head, while being rotated, is much less than in regular screws, and the tendency to split the wood, mar the slot, and break the head is thereby avoided.

RUSSELL & ERWIN MFG. COMPANY,

New Britain: Conn. U. S. A.

New Britain, Conn., U. S. A. NEW YORK, PHILADELPHIA, BALTIMORE, LONDON.





% to 70 horse power.

Cost about one cent an hour to each indicated horse power.

"In worth, not size, my value lies."

What others think of me is stated in catalogue. in catalogue.
CHARTER GAS ENGINE CO.
P. O. Box 148, Sterling, 111





THE AMERICAN BELLTELEPHONE CO

95 MILK ST., BOSTON, MASS.

This Company owns the Letters Patent granted to Alexander Graham Bell, March 7th, 1876, No. 174,465, and January 30th, 1877, No. 186,787.

The transmission of Speech by all known forms of Electric Speaking Telephones infringes the right secured to this Company by the above patents, and renders each individual user of telephones not furnished by it or its licensees responsible for such unlawful use, and all the consequences thereof, and liable to suit therefor.

IN THE OPEN.

The glorious days of open doors - all out side is smiling welcomehere's health and joy all uncofined—The cycler sees everything
he's where everything is—as
free as freedom—from the heights of exhilarated happiness he cannot fall-from his Columbia Safety.

All about Columbias free on application to any Columbia agent, or sent by mail for two two-cent stamp. Pope Mfg. Co., 221 Columbus Ave., Boston. mmmmm

MESSRS. MUNN & CO., in connection with the publication of the SCIENTIFIC AMERICAN, continue to examine improvements, and to act as Solicitors of Patents for Inventors.

In this line of business they have had forty-fire years' experience, and now have inequaled facilities for the preparation of Patent Drawings. Specifications, and the prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Copyrights for Books, Labels, Reissues, Assignments, and Reports on Infringements of Patents. All business intrusted to them is done with special care and promptness, on very reasonable terms.

A pamphlet sent free of charge, on application, containing full infor ation about Patents and how to procure them; directions concerning Labels, Copyrights, Designs, Patents, Appeals, Reissues, Infringements, Assignments, Rejected Cases. Hints on the sale of Patents, etc.

We also send, free of charge, a Synopsis of Foreign Patent Laws, showing the cost and method of securing Patents in all the principal countries of the world.

MUNN & CO., Solicitors of Patents,

MUNN & CO., Solicitors of Patents,

361 Broadway, New York. BRANCH OFFICES.—No. 622 and 624 F Street, Pacific Building, mear 7th Street, Washington, D. C.

Victor Bicycles

First in Tires and Improvements.

OVERMAN WHEEL CO.,

BOSTON, WASHINGTON, DENVER, SAN FRANCISCO.

"Improvement the order of the age." KODAKS.

Regular Junior Folding Daylight Ordinary

I4 styles and for the season of 1892,

\$6.00 to \$65.00.

Latest improvements, registers for exposures; glass plate attachments; daylight loading, etc., etc. Send for catalogue.

> THE EASTMAN COMPANY, ROCHESTER, N. Y.

EVERYBODY CALLS



for Lunkenheimer's Improved "Senior" Lubricators. WHY? Because they are simple and practical in construction, and will work under the most trying conditions. Every cup warranted. Try them and be convinced. We also make a complete line of Valves, Lubricators, Oil and Grease Cups, etc. For sale by dealers. Our catalogue will interest you. send for one, and mention the Scientific.

e Scientific.

The Lunkenhelmer Brass Mfg. Co.,
Cincinnati, Ohio, U. S. A.

THE SMITH PREMIER TYPEWRITER



Important Improvements.

All the Essential Features greatly perfected.
The Most Durable in Alignment.
Esaiest Running and Most Silent.
All type cleaned in 10 seconds without soiling the hands. The Smith Premier Typewriter Co., Syracuse, N. Y., U. S. A.
Send for Catalogue.

HETHERINGTON MACAZINE CAMERA.



Twelve consecutive exposures upon glass plates or cut films by the turn of a key. The action is directly mechanical, and under positive control. A shutter that is ever set. Darlot No. Il lens. Price 4x5, \$45. Write forcata. A. Hetherington & Hibben, Indianapolis, Ind. A. L. Simpson, 64 and 66 Broadway, N. Y., Trade Agent.

H.W.JOHNS' IMPROVED ASBESTOS ROOFING. IMPROVEMENTS PATENTED 1890 IN THE U. S., CANADA AND EUROPE

FIRE-PROOF. Easily applied by anyone. Send for Samples and Descriptive Price List. H. W. JOHNS MANUFACTURING COMPANY,

H. W. Johns' Asbestos Fire and Water-Proof Sheathing. Building Felt. Steam Packings, Boiler Coverings, Liquid Paints, Roof Paints. Roof Cement, Fire-Proof Paints, etc.

87 MAIDEN LANE, NEW YORK,

JERSEY CITY. - CHICAGO,

PHILADELPHIA.

BOSTON,

ATLANTA

The DENSMORE,



"The world's greatest Typewriter," now contains all the contemplated improvements, and should be examined before purchasing any other. Highest standard. Invented, owned and controlled by men having had fifteen years' experience on type bar machines. It is built with a special view of simplicity, strength, durability, high speed, easy action, permanent alignment, and is most convenient. Two interchangeable carriages for manifolding and letter writing. Steel throughout. Standard key-board, with shift key for capitals. A board of experts appointed by the Government to examine and receive bids on the best machine unanimously reported that the "Densmore" contained more points of excellence than any other, and that it was the best machine of all. We will appoint a reliable dealer in unoccupied territory as soon as possible, and in the meantime

DENSMORE TYPEWRITER CO., 202 Broadway, N. Y.

PATENT JACKET KETTLES

Plain or Porcelain Lined.
Tested to 100 lb, pressure. Send for Lists.
BARROWS-SAVERY CO.,
S. Front & Reed Streets, Philadelphia. Pa.



THE STIRLING BOILER is economical in fuel, repairs, and absolutely safe at high pressure.

Practically self-cleaning. THE STIRLING COMPANY.

GENERAL OFFICES: PULLMAN BUILDING, CHICAGO Branches in all principal cities,

ARTIFICIAL SAND.

The Ogden Mills of the New Jersey and Pennsylvania Concentrating Works are prepared to furnish One Thousand Tons of Twelve Mesh and Two Hundred Tons of Fifty Mesh Sand daily. It is a mixture of Feldspar and Quartz, and nearly free from iron. It is produced by crushing, and is sharp, clean and dry; very suitable for many industrial purposes. For prices address

THOMAS A. EDISON, Ogdensburg, N. J.

FRUITFUL INVESTMENTS A new form of **8 per cent**. Investment, based on irrigated fruit lands of Colorado. Guaranteed by National Bank. For full particulars address THE DELTA COUNTY FRUIT LANDS CO. DENVER, COLO.

ELECTRO VAPOR ENGINE GAS OR GASOLINE FOR FUEL.

NO BOILER. NO FIRE. NO DANGER. NO ENGINEER.



Engine operated by spark from small battery. You turn the Switch, a Engine does the rest. Regan Vapor Stationary Engines, 1 to 12 H. P. Regan Vapor Pumping Engines, 350 to 10,000 gallons ca-

-MANUFACTURED BY-

THOMAS KANE & CO., CHICAGO, ILL.

Send stamp for catalogue "V.

CELLULOID LACQUER

EDISON GENERAL

INCANDESCENT AND ARC LIGHT PLANTS.

Stationary and Railway Motors.—Lamps.—Cables.—Safety Devices. DISTRICT OFFICES.

PASSENGER & FREIGHT ELEVATORS.

A. C. SPALDING & BROS., SPECIAL AGENTS.

CHICAGO, NEW YORK, PHILADELPHIA.

Wm. Read & Sons, 107 Wash'ton St. Boston, Mass



THE



ESTABLISHED, 1846.

The Most Popular Scientific Paper in the World Only \$3.00 a Year, Including Postage. Weekly-52 Numbers a Year.

This widely circulated and splendidly illustrated paper is published weekly. Every number contains sixteen pages of useful information and a large number of original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery, New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Electricity, Telegraphy, Photography, Architecture, Agriculture, Horticulture, Natural History, etc. Complete list of patents each week.

Terms of Subscription.-One copy of the Scien-TIFIC AMERICAN will be sent for me year -52 numbers postage prepaid, to any subscriber in the United States, Canada, or Mexico, on receipt of three dollars by the

publishers; six months, \$1.50; three months, \$1.00. Clubs.—Special rates for several names, and to Post Masters. Write for particulars.

The safest way to remit is by Postal Order, Draft, or Express Money Order. Money carefully placed inside of envelopes, securely sealed, and correctly addressed, seldom goes astray, but is at the sender's risk. Address all letters and make all orders, drafts, etc., payable to

MUNN & CO., 361 Broadway, New York.

THE

Scientific American Supplement

This is a separate and distinct publication from THE SCIENTIFIC AMERICAN, but is uniform therewith in size, every number containing sixteen large pages full of en-gravings, many of which are taken from foreign papers and accompanied with translated descriptions. SCIENTIFIC AMERICAN SUPPLEMENT is published week-ly, and includes a very wide range of contents. It presents the most recent papers by eminent writers in all the principal departments of Science and the Useful Arts, embracing Biology, Geology, Mineralogy, Natural History, Geography, Archæology, Astronomy Chemistry, Electricity, Light, Heat, Mechanical Engineering, Steam and Railway Engineering, Mining, Ship Building, Marine Engineering, Photography, Technology, Manufacturing Industries, Sanitary Engineering, Agriculture, Horticulture, Domestic Economy, Biography, Medicine, etc. A vast amount of fresh and valuable information obtainable in no other publication.

The most important Engineering Works, Mechanisms, and Manufactures at home and abroad are illustrated and described in the SUPPLEMENT.

Price for the SUPPLEMENT for the United States and Canada, \$5.00 a year; or one copy of the SCIENTIFIC AM-ERICAN and one copy of the SUPPLEMENT, both mailed for one year for \$7.00. Single copies, 10 cents. Address and remit by postal order, express money order, or check,

MUNN & CO., 361 Broadway, New York,

Building Edition.

THE SCIENTIFIC AMERICAN ARCHITECTS' AND BUILDERS' EDITION is issued monthly. \$2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages: forming a large and splendid Magazine of Architecture, richly adorned with elegant plates in colors, and with other fine engravings; illustrating the most interesting examples of modern architectural construction and allied subjects. A special feature is the presentation in each number of a variety of the latest and best plans for private resi-

dences, city and country, including those of very mod-erate cost as well as the more expensive. Drawings in perspective and in color are given, together with full Plans, Specifications, Sheets of Details, Estimates, etc. The elegance and cheapness of this magnificent work have won for it the Largest Circulation of any Architectural publication in the world. Sold by all news-

dealers. \$2.50 a year. Remit to MUNN & CO., Publishers, 361 Broadway, New York.