


## A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURE.


Vol. LXVIII.—No. 19. ESTABLISHED 1845.

NEW YORK, MAY 13, 1893.

\$3.00 A YEAR.



TRIAL TRIP OF THE DE WITT CLINTON.



COLUMBIAN WORLD'S FAIR EXHIBIT OF THE NEW YORK CENTRAL AND HUDSON RIVER RAILROAD.—[See page 2

# Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors. PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

### TERMS FOR THE SCIENTIFIC AMERICAN.

Remit by postal or express money order, or by bank draft or check. MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

### The Scientific American Supplement

a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT issued weekly. Every number contains 16 octavo pages, uniform in size ith SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, .00 a year, for the U. S., Canada or Mexico. \$6.00 a year to foreign untries belonging to the Postal Union. Single copies, 10 cents. Sold all newsdealers throughout the country. See prospectus, last page. Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT ill be sent for one year, to one address in U. S., Canada or Mexico, on sceipt of seven dollars. To foreign countries within Postal Union, cight ollars and fifty cents a year.

### Building Edition.

Huilding Edition.

THE ARCHITECTS AND BUILDERS EDITION OF THE SCIENTIFIC AMERIAN is a large and splendid illustrated periodical, issued monthly, contining floor plans, perspective views, and sheets of constructive details, ertaining to modern architecture. Each number is illustrated with eautiful plates, showing desirable dwellings, public buildings and architectural work in great variety. To builders and all who contemplate building this work is invaluable. Has the largest circulation of any architectual publication in the world.

Single copies 25 cents. By mail, to any part of the United States, Canada r Mexico, \$2.50 a year. To foreign Postal Union countries, \$3.00 a year. and bit of the Scientific American, to one ddress, \$5.00 a year. To foreign Postal Union countries, \$6.50 a year. To foreign Postal Union countries, \$1.00 a year.

### Spanish Edition of the Scientific American.

A AMERICA CIENTIFICA E INDUSTRIAL (Spanish trade edition of the ENTIFIC AMERICAN) is published monthly, uniform in size and typowy with the SCIENTIFIC AMERICAN. Every number of Lu America is usely illustrated. It is the finest scientific, industrial trade paper ted in the Spanish language. It circulates throughout Cuba, the West es, Mexico Central and South America, Spain and Spanish possess—wherever the Spanish language is spoken. \$3.00 a year, post paid to part of the world. Single copies 25 cents. See prospectus.

MUNN & CO., Publishers, 361 Broadway, New York The safest way to remit is by postal order, express money order, tor bank check. Make all remittances payable to order of MUNN

Readers are specially requested to notify the publishers in case of failure delay, or irregularity in receipt of papers.

### NEW YORK, SATURDAY, MAY 13, 1893.

(Illustrated articles are marked with an asterisk.)

erican boys and American abor...
rels, steel
line, new heart tonic...
ser, colored man's.
mical action at low temperaure...
of travelingt ure. 297

1e, traveling\*. 298
ectric systems at Exposition. 290
ectricity at Exposition. 297
rposition, Columbian. 290
'Josition, Columbian. 290
'Josition notes. 291
od, canned, industry\*. 296
rnaces, electric\*. 292
igation in Arizona. 292

### TABLE OF CONTENTS OF

### **3CIENTIFIC AMERICAN SUPPLEMENT**

No. 906.

For the Week Ending May 13, 1893.

Price 10 cents. For sale by all newsdealers

HITECTURE.—St. Theodore, Venice.—Curious results of the mination of the statues on the Venetian monoliths............... 14480 GGY.—The Position of Pathology among the Biological s.—By Prof. RUDOLF VIRCHOW.—A most valuable and ve paper by the great German biologist, recently de-fore the Royal Society.——14483

Fertilization and Hybridization.—The production of sees and other plants.—The results of recent experi-

pes and other plants.—The results of recent experi-lEMISTRY.—Gleanings from the German Journals.—By NAK X. MOERK.—Interesting analyses and products, princi-y in the line of pharmacy, of interest to druggists and medi-practitioners.

TYIL ENGINEERING.—Bridge Over the Mississippi, at Memnis, Tenn.—Details of the cantilever bridge of third greatest 

ELECTRICAL ENGINEERING.—Reynolds' Instructions for Erecting and Testing Lightning Conductors.—Elaborate instructions for establishing lightning protective systems.....

I. MECHANICAL ENGINEERING.—Blake New High Duty Pumping Engine.—A direct-acting flywheel pumping engine by the George F. Blake Manufacturing Co., of this city.—I illustrathe George F. Biake Manufacturing con-tion. Improved Quadruple Expansion Engines.—Mining pump en-orines of English construction and of the most advanced type.—1

I. METALLURGY.—On Some of the Mechanical Properties of High Steel as Related to its Composition and Structure.—By

MISCELLANEOUS.—Confetti and Serpentines.—The supplies for Carnival time in the city of Paris.—The harmless weapons of the revelers.—4 illustrations. 14483

The Bigraph.—A species of pantograph for producing two copies 1 a letter. at once.—1 illustration. 14476

Gun Drill in the Upper Alps.—Italian Army Corps.—1 illustration. 14479

HOTOGRAPHY.—A Photographer's Electric Pencil.—Several plications of electricity to the retouching of negatives.—1 illus-

IYSICS.—The Specific Heat of Liquid Ammonia.—By C. EKING and J. E. STARR.—Direct determination of this fac-A new physical constant determined.... 14481

CHNOLOGY.—Improvements in the Manufacture of Borax.

N. WARREN.—A method of producing borax from comit and boracic acid.

Ollapse of Fountain Linings.—By THOMAS WARWICK.—A of deterioration of soda water fountains.—Its cause and ion 14481 

### OPENING OF THE WORLD'S COLUMBIAN EXPOSITION AT CHICAGO.

On the first day of the present month the Columbian World's Fair, at Chicago, was formally opened. The programme for its inauguration was simple and effective. It included music, prayer, poetry, and oratory, followed by an official reception by the President of the United States and the officials of the Fair and foreign commissioners. The music was rendered by a band of six hundred musicians; the prayer was delivered by the blind chaplain of the United States Senate, who, as he was led to his place upon the platform by his adopted daughter and faced the great audience, which he could not see, gave the requisite bian Exposition possible. touch of pathos to the occasion. The principal oration was delivered by Director-General Davis, president of the Exposition. President Cleveland followed him tion, publication of which will soon be commenced. It in a very short address, warmly appreciative of the wonderful work which has been done at Jackson Park. On a table near his left hand was a gold telegraph key. As he finished his address, he pressed the key. The closing of the circuit marked the beginning of the Fair. The electric current started the machinery. The electric fountain began to play, some seven hundred flags were unfurled, and the White City, as it has been appropriately called, started into life. Its brief existence began with the pressing of the key by the President of the United States.

The Fair is designed to commemorate the discovery of America by Columbus. As it was to take place in the temperate zone, the summer was the proper season for it. The definitive site was determined at so late a day that the time afforded for preparation was unavoidably very short. Such considerations as these justified the postponement of its opening from October, 1892, the true quadri-centennial, to May, 1893. Six months more were afforded for the construction work, and the only possible time for it, the summer season, became available.

Seventeen years have elapsed since the United States, by a World's Fair, celebrated the centennial of their independence. The original exhibition of the character of a World's Fair was held in England in 1851, under the auspices of the Prince Consort of Great Britain. After exhausting its superfluous energies during centuries in international war, the world made an effort to establish an international contest in the arts of peace, and succeeded. The Crvstal Palace, of London, a building unique in construction, and in many processes used in its erection, fittingly marked an epoch in itself, irrespective of its conafter had its own Crystal Palace in what is now known as Bryant Park.

World's Fairs have been frequent since the early days referred to. London, Paris, Vienna, Philadelphia, have successively surpassed previous efforts. But the crowning achievement in every sense is that established on the shores of the inland sea-Lake Michigan. In every respect the Chicago exposition surpasses anything which the world has seen.

The readers of our columns have learned of the new methods of construction employed. The very walls are covered and decorated in a peculiar way. The architectural features, striking and chaste, have their impressiveness increased by their gigantic size. The same element affects the superb groups of statuary employed upon the buildings. But not content with this much, the highest skill of the landscape artist has been invoked. The water front has been utilized to the fullest possible extent in introducing the beauties of lake scenery. A new city built upon the low shores of the lake made the Venetian character appropriate, and the beautiful canals of old Venice are reproduced by the side of the pre-eminently modern Chicago. The entire conception and production are unique.

A World's Fair has never been held in a country of so large a population as that of the United States. A quarter of a million of people were present at its opening. Even this number at first sight might seem disappointing, a fact which alone indicates the immensity of the enterprise. But Chicago after all is a center of Edison. The engine and dynamo were practically one population not greatly exceeding a million of souls. | machine, the engine being probably the first one of Philadelphia, but two hours distant from New York, high speed used for purposes of g great trunk lines will pour thousands of visitors from all parts of the world into the metropolis of the lakes. and the White City will be adequately tenanted day by day.

Every world's fair has surpassed its predecessor. Such is the rule of existence of these institutions. Yet so immense is the Chicago Exposition, so utterly unprecedented in every respect, that it is hard to believe that it will be excelled in magnitude or beauty for many years to come.

The benefits direct and indirect to Chicago and to the West cannot well be overestimated. Even to-day the most carious misinformation as to the United States obtains in Europe. The present occasion will be a true revelation of an unknown civilization to many visitors to our shores, who do not realize that a city almost as large is Berlin has within the span of a lifetime grown have been adding refinements to the wonderfully per-

up at the foot of Lake Michigan, nearly a thousand miles from the nearest sea port.

In this sense the Exposition will not be confined to the area, large as it is, of Jackson Park. The preliminary sight of New York City and the thousand mile ride through the Empire and Lake States, or over the Allegheny Mountains and across Pennsylvania and Ohio, teeming with industry of all kinds, will be the most impressive part for many. Over this ground the work of the past century is depicted. After lying almost inanimate for three hundred years' the discovery of Columbus took effect and awakened to life. It is only the last hundred years which have made the Colum-

We have in preparation an extensive series of illustrations of notable objects pertaining to the Exposiwill of course be impossible for us to illustrate all of the wonders gathered at Chicago; but we hope to place before our readers the pictorial forms of many of the most interesting things, and to present a general idea of the greatness and nature of this, the most recent and most remarkable assemblage of modern productions of science and the industrial arts.

### THE WORLD'S COLUMBIAN EXPOSITION.

The World's Columbian Exposition is now a reality. It has been formally opened to the public, and although there had been more or less fear that the great claims made for it would not be realized, the results are even greater and finer than could have been anticipated. Chicago has fully demonstrated that she is competent to conceive, in all its details, the scheme of by far the greatest exposition ever undertaken; that she can carry it to consummation on a much broader scale than was first conceived. Not only has Chicago accomplished this, but she has paid out of her own coffers the chief cost of this vast undertaking. She has completed her part of the work in twenty-one months, and she has handled over 250,000 people on the opening day without difficulty. Such an achievement is stupendous: it is even beyond the conception of those who have witnessed the progress of the work.

A dreary sandy waste and swamp of 700 acres has been converted into a veritable city, the "White City," as it is called. The land has been transformed into a most artistic and beautiful park. It has been provided with a system of drainage designed on the latest improved scientific principles. Water, gas and electricity are supplied in almost unlimited quantities in all parts of the grounds, while compressed air is furtents. New York followed the example, and soon nished in nearly all the larger buildings. The electric lighting plant, both arc and incandescent, has nearly twice the capacity of all the central lighting stations combined in the city of Boston. Practically 400 buildings have been planned and constructed, the aggregate floor area of these buildings reaching about 200 acres. These are some of the things that have been conceived and carried out in this remarkably short space of time.

There are things in connection with the Exposition that can be criticised. It is the fruit of human ability and effort. But there is so much that challenges admiration that the visitor, with any knowledge of what the Exposition is, how much has been accomplished, and under what difficulties work has been carried on, cannot fail to appreciate the great undertaking for what it really is. President Cleveland well said in his address at the opening exercises that we ask for no allowances on account of our youth. Neither the United States nor the Exposition need ask for such allowances. Every citizen should feel proud of the undertaking, and he who misses seeing it misses the crowning achievement of the century.

### THE ELECTRIC SYSTEMS AT THE COLUMBIAN EXPOSITION.

One of the first exhibits ever made of an incandescent electric lighting plant in which the power to generate the electricity was furnished by steam was the one made at the Paris Exposition of 1878 by Mr. represented in 1876 an available area inhabited by ity. It was about this time that the incandescent several times this number. As the season advances the lamp became a commercial success, and coincident with the accomplishment of this came the practical development and use of electricity. With the precedent of this plant it would be supposed that directconnected plants would have become popular, especially as this particular plant was put into daily use in a light station at Milan and did excellent service.

Such high rates of speed were demanded that the matter of regulating the engine was a serious question to engine builders, and because of the greater success that attended the regulating of speed by belting down or up, the matter of direct connection was practically dropped in this country for many years. It has been carried to a point of much perfection in Europe, and is now fast coming into use in this country. Much larger units of power and of electrical energy are demanded each year, and while builders fect mechanism of the steam engine, dynamo builders have been building machines which do not require such high rates of speed as were formerly demanded, both because of improved design and construction as well as because of the increase in size.

The electric generating plants at the World's Columbian Exposition fully demonstrate the latest practice in this country in direct connecting. Six of the Westinghouse alternating current dynamos, each with a normal capacity of ten thousand incandescent lamps, will be direct-connected to Westinghouse compound engines of one thousand horse power each. Near by, in the power plant in the Palace of Mechanic Arts, the General Electric Company exhibits a vertical triple expansion engine direct-connected to two Edison multipolar power generators of five hundred horse power each. These two plants, each of which is of unusual capacity, demonstrate the adaptability of direct connection with vertical types of engines, while in the power house of the Intramural Railway is a directconnected plant in which the engine is of the horizontal type. The engine in this case is a two thousand horse power cross compound Allis engine of the Corliss type, and the armature of a fifteen hundred kilowatt Thomson-Houston multipolar railway generator is built up on its shaft. With the claims for economy that are made for direct-connected plants, it would be instructive if these three installations were so arranged that they could be tested under different of completion. Meantime, while exhibitors were putsteam pressures, so as to ascertain the point of their highest economic working efficiency.

There are other direct-connected sets at the Exposition besides these mentioned. They are exhibits and not part of any plants in actual operation, but they all go to show that the plant designed and exhibited by Mr. Edison fifteen years ago was on the correct principle.

### THE POST OFFICE OF THE COLUMBIAN EXPOSITION.

The model post office established in the World's Columbian Exposition grounds by the United States Post Office Department is now in full working order, and has been used since the middle of April. This office is a branch of the Chicago post office, but is known as the World's Fair Station, and all visitors at the Exposition who have no definite knowledge in advance as to what their address will be in Chicago may have their mail sent to this station by addressing it "World's Fair Station, Chicago." This office is situated in the southwestern corner of the United States Government building, and its general arrangement is in all respects highly convenient. At the extreme left is the private office of the superintendent of the station, then in consecutive order are windows as follows: Two "Carriers' Delivery" windows, two "General Delivery" windows, one "Registered Letters" window, one "Money Orders" window, one "Stamps Wholesale" window, one "Stamps Retail" window, and at the right hand corner an "Inquiry window. Between the carriers' windows and the general delivery windows are about one hundred lock boxes which will be rented, but there are no call boxes. Near the right hand end are four slips for mailing letters, one each marked "North," "South," "East" and condition. Many of the walks and promenades in the "West." Besides these there are slips marked "Pack ages," "Papers," "City" and "Foreign."

This office has about twenty-five postmen in the delivery service, and there are four deliveries of mail a day, mail being delivered at all the State buildings and foreign buildings as well as at the Exposition buildings. By this arrangement visitors from any particular State can, if they so choose, have their mail delivered at their State building, provided their State has a building. The service of this office, including the mail delivery, belongs equally to Midway Plaisance as to the Exposition grounds proper.

At the right of this post office is a model postal car with all its equipment complete. A full working model of this car, one-sixth in size, is also exhibited. In this connection the Post Office Department makes a complete exhibit of the various ways of carrying mails in addition to this postal car. There is a mail carrier on horseback with his equipment, a sled to which mounted, Troop A Illinois National Guard, and a large three dogs are harnessed, showing the manner in which number of carriages containing the officials of the Exmail is carried in the winter in extreme cold regions. position, with the presidential and ducal parties, There is also the Indian mail carrier on snow shoes, a foreign representatives, city and State officials, ladies "special delivery" boy on a bicycle, a fine model of of the several parties, etc. This procession proceeded the steamship City of Paris, also a model of the side up Michigan Avenue, out the Boulevard, and entered wheel steamer Southern, of New York, the first the Exposition grounds by passing through Midway steamer that ever carried the United States mails. Plaisance. People crowded the streets along the en-There are also two wax figures of postmen in full uniform, together with a full and complete display of the people in the several foreign villages turned out mail bags and pouches of all kinds, etc.

FOR BROWNING BLUE PRINTS.—Dissolve piece of caustic potash as big as a soup bean in 5 ounces of water. Place print in this solution, and it will fade to orange yellow. When all blue prints have disappeared, sition grounds proper, the procession wended its way wash print thoroughly in clear water. Then dissolve a through throngs of people to the Administration partly heaped teaspoonful of tannic acid in 8 ounces of building. Here the military companies formed an water. Put the yellow prints in this bath, when they open passageway, through which the carriages passed will turn to a brown that can be allowed to assume a as they drove up to the building, and the invited exhibits to be seen and studied than any human being tone of any required depth. Then wash well and dry. guests alighted.



THE OPENING ON MAY 1.

The World's Columbian Exposition was formally opened at noon on Monday, May 1.

From the day work was begun on the Exposition, the amount of energy expended has been almost limitless, and as the opening day drew near month by month, this amount of energy increased proportionately. The greatest amount of work was accomplished during the month of April, and especially during the last week or ten days, when from 15,000 to 17,000 men were employed, and work went on unceasingly. Exhibitors were given up to late Sunday night, the 30th day of April, in which to finish their work, or, if not finished, to have it reach as near as possible the point ting the finishing touches on their exhibits, from 4,000 to 5,000 men were cleaning up the grounds and buildings. These men worked through the night and up almost to the hour that the procession escorting the guests of the day entered the Exposition grounds, and they accomplished their work so that when the Exposition was formally opened to the world, it was ready for the inspection of visitors.

The ceremonies attending the opening began on Saturday, April 29, when the Duke of Veragua reached Chigago and was escorted to his hotel. An hour later President Cleveland with his cabinet and other government officials arrived and was escorted to the hotel by State and national troops, and a little later the Liberty bell, which received such ovations all along the route from Philadelphia, was escorted through the streets of Chicago to the Exposition grounds, received almost as great an ovation as was accorded the President and the descendant of Columbus. Thousands of strangers were in the city, and the streets were crowded from the station to the Exposition grounds, eight miles away. Public and private buildings were freely decorated, and, in spite of the gloomy weather, the ovation was a royal one.

Sunday, the 30th of April, was one of the most uncomfortable days that has been experienced in Chicago this spring. The atmosphere was chilly and a driving rain continued from early in the morning until after noon. Monday morning of the opening day, May 1, was somewhat brighter, and, although it was by no means pleasant, the sun made several brief appearances. The preceding week had been one of almost continuous heavy rains, and, as a consequence, the Exposition grounds and some of the streets were in bad northern half of the Exposition grounds had had the finishing touches put upon them and had been rolled and swept until they were as hard and clean as an asphalt pavement. The highways of the southern end of the grounds-and it is here that the crowds largely center—had not been fully completed. Most of them had reached the point where only the top dressing and a little more rolling was required to complete them when the rains came and, lasting so many days prevented the completion of the work.

The hour for opening the gates of the Exposition to the visitor is eight o'clock, but long before that hour on the opening day visitors poured in at all of the gates, and the stream increased in volume up to the time of the arrival of the procession. This procession consisted of a platoon of mounted park policemen, a detachment of city policemen, mounted, Company B Seventh United States Cavalry, the Chicago Hussars, tire route of the procession. In the Midway Plaisance en masse to extend their welcome to the President. Turks, Moors, Egyptians, Singalese, Algerians, Japan ese, Javanese, and the other foreigners extended their greetings to the President each in their own peculiar manner. Passing through the Plaisance into the Expo

The ceremonies attending the formal opening of the Exposition began promptly at half past eleven. The special platform constructed for the occasion on the east front of the Administration building provided sufficient seating capacity for the two thousand or more invited guests, the orchestra, the large chorus, and others. Exposition officials estimated that at least 150,000 people could be comfortably crowded into the Grand Plaza in front of the platform. Long before President Cleveland made his appearance on the stand all available space, not only in front but on each side of the Administration building and the great open areas in front of the Manufactures and Liberal Arts building and the Agricultural building, was crowded to the utmost, and thousands of people filled the grounds even as far east as in front of the Peristyle. The sight from the platform was magnificent. A large sounding board had been constructed directly back of the orchestra and chorus, and its efficiency was complete, thus adding much to the perfectness of the ceremonies.

After the President and other guests were seated, the ceremonies opened by the orchestra rendering the "Columbian March and Hymn." Dr. Milburn, chaplain of Congress, offered prayer, Miss Jessie Couthoui recited the "Prophecy," a poem written for the occasion by W. D. Croffut. Following the rendering of the overture, "Rienzi," by the orchestra, Director-General Davis of the Exposition delivered a short address, reviewing concisely the work and purpose of the Exposition. Concluding this address, the Director-General turned to President Cleveland, who returned the salute of the Director-General. As the President rose to his feet he was greeted by an outburst of cheering from the immense crowds in front of him, aggregating perhaps 300,000 people. Cheer after cheer arose, echoing from the Administration building across the basin to the Peristyle and back again. The President presented the purposes of the Exposition, asking for no allowance on the score of the youth of the nation, then declared the Exposition opened, and, touching the electric key, turned on the steam to the great 2,000 horse power engine of the power plant in the Palace of Mechanic Arts.

As President Cleveland touched the key and declared the Exposition opened, the sight and the sound following was most memorable. On every building throughout the grounds, and especially on those adjoining the basin and canals, the hundreds of flagstaffs had been arranged with their flags tightly furled but ready to be flung to the breeze at an instant's notice. Immediately in front of the grand stand were three poles, each eighty feet high, and on top of each was a golden model of the Santa Maria. At the signal, flags were unfurled from these poles and the halliards controlling the flags on every one of the other flag poles were loosened as if by one movement, and the flags of every country exhibiting at the Exposition, the Exposition colors, and an immense amount of bunting of bright and harmonious colors were flung to the breeze. At the same instant two electric fountains situated on either side of the McMonnies fountain, and immediately in front of the grand stand, sent great streams of water fifty to seventy-five feet in the air, and the great golden Statue of the Republic mounted immediately in front of the Columbus entrance to the Peristyle was unveiled. The man-of-war Michigan which lay immediately off the Exposition pier fired twenty-one guns as a Presidential salute. The steam launches in the basin blew their whistles, and at the same time whistles from steamers lying at the pier and the great steam whistles and gongs on the power plant of the Exposition joined in the din. The orchestra and the chorus closed the formal exercises with the tune "America," and at the second verse the whole concourse of people, guests and visitors joined in the singing.

President Cleveland and the other invited guests retired to the Administration building, where a lunch was served. While they were preparing for the lunch a band of several American Indians that had been stoically watching the exercises was led into the rotunda under the vast dome of the building, and at a given signal they sounded the Indian war whoop which startled the foreign guests. After a short rest following the lunch, the President, the Duke and a few more of the more prominent guests were escorted about the grounds and through the several buildings, riding part of the way in carriages and the rest of the way in electric launches on the waterways. Quite a little reception was held in the Manufactures and Liberal Arts building, where the President and the official representatives of all the exhibiting nations and colonies who were present were formally introduced. President Cleveland and party left the grounds at half past five for Washington.

It is hardly to be expected that such an enormous undertaking as this Exposition has been could be wholly complete in every respect on the opening day. Nevertheless visitors have no reason to be disappointed or critical, for on the opening day there were more (Continued on page 294.)

### ELECTRIC FURNACES.

The elegant experiments of Mr. H. Moissan have by the use of the elevated temperature of the voltaic under the name of the electric crucible, and was de-




Fig. 2.-MOISSAN AND VIOLLE'S ELECTRIC FURNACE.

1. Furnace placed upon its calorimeter. 2. The carbon falling into the calorimeter.

arc. The electric furnace employed by Mr. Moissan we have already described. This eminent chemist, in collaboration with Mr. J. Violle, has recently presented | flame, forming a true electric blowpipe in consequence to the Academy of Sciences a note in which he furnishes some new information. Messrs. Moissan and Violle presented to the academy two models of electric furnaces. The first, which is analogous to the one ally brought to the maximum temperature. This ar- The crossties are first embedded in the ground, the sills we have already described, is adapted to the fusion of refractory metals, such as chromium and manganese. The second is designed for calorimetric researches serving to establish the temperature of the arc. We represent this furnace (Fig. 2) above the calorimeter. The bottom of the jacket of the furnace consists of a movable plate, after the manner of a slide. At the positive pole there is a fragment of carbon held by a rod of the same substance sliding by slight friction in a tube of carbon. One has only to give the rod a pull at the proper moment in order to cause the fall into the calorimeter of the fragment converted into graphite that has reached the desired temperature. No. 2 of Fig. 2 gives a view of the electric furnace with the piece of carbon that is detaching itself therefrom to fall into the calorimeter. The figure to the left (No. 1) shows the details of the carbon and of the receiver of the calorimeter.

The temperatures produced by these electric furnaces are the highest that can be obtained. They may vary under the following circumstances:

The temperatures obtained, says Mr. Moissan, naturally vary according to the duration of the experiment, and also according to the size of the furnace. They have no other limits than those of the voltaic arc. The more the calorific field is limited, the closer we shall approach the temperature indicated by one of us as being the calorific maximum that the arc is capable of producing. Practically, we obtain in our apparatus temperatures above 3,000° without any trouble.

These furnaces were constructed at the physical laboratory of the Normal School by Mr. Nion, superintendent of the workshop.

We shall now make known another model of electric furnace that any one may procure. It is constructed particularly attracted the attention of chemists and by Messrs. Ducretet and Lejeune. This apparatus was physicists to the important results that can be obtained presented to the Academy of Sciences March 20, 1893,

> vised for laboratory researches and assays. It is shown in Fig. 1.

The crucible, C R, of refractory material, receives two carbons, C and C', inclined at an angle of about 90°, and which are capable of sliding in special supports that permit of bringing them into contact or of separating them. The apparatus as a whole is inclosed in a metallic frame fixed to the base, K. The front and back faces are closed by plates of mica with joints of asbestos cardboard. The phenomena of fusion or reduction may thus be observed and a spectral analysis be made of them.

Through this arrangement we obtain a completely closed chamber in which the reactions take place without contact with the air and in the presence of certain gases. Two lateral tubes, as may be seen in the figure, serve for the circulation of the gases. An opening above closed by a cover, Bo, permits of the introduction into the crucible of the substances to be submitted to electrothermic action. The current is led by the two terminals, A B, whose wires in circuit may be seen in the figure.

The arc formed between the two carbons, says Mr. Ducretet, is converted at a distance into an elongated of the directing action of a magnet, Ai, placed near the apparatus. The arc may thus be directed upon the material contained in the crucible and be gradu-

rangement, devised by us, is a new application of a known phenomenon already utilized by Jamin in his electric lamp. The model that we present to the academy is capable, with carbons of proper diameter, of supporting a current of 40 amperes. With a current of 12 amperes and 60 volts, it is possible to obtain the reduction of oxides and the fusion of the most refractory metals in quantities more than sufficient for their chemical or spectral analysis.


All the classical experiments and laboratory assays that require an elevated temperature can be carried out with this apparatus.—La Nature.

### Irrigation in Arizona.

Chief Engineer B. S. Church, of the New York water works, who built the celebrated Croton aqueduct, and who was at the head of the Croton water department, has been for some time consulting engineer in the building of great canals and reservoirs by the South Gila Canal Company, sixty miles east of Yuma, on the Gila. He says the engineering work has been completed, and

the contract for constructing the canals and reservoirs and outer strip placed in position, and the earth has just been let to a Mr. Earland, of Los Angeles.

"The canal and reservoirs will, on the start," he said, irrigate in the neighborhood of 300,000 acres, and the system may be extended to include more than 1,000,000. The canal system, it is expected, will cost \$2,000,000. It is a very extensive system; will bring an immense




"There is to be a canal with a levee, reservoirs and jetties, the jetties forming a series of lakes for fourteen miles, which give storage, and enable the projectors to overcome engineering difficulties. The diverting dam will be of masonry and earthwork, and probably be 50 feet high and 1,400 feet long. It will direct the water into the chain of lakes.

"Beyond the chain of lakes it is smooth going. There are no natural obstacles. The canal will probably be fifty feet wide, and carry eight feet of water."-Pacific Lumberman.

### AN IMPROVED RAILWAY ROADBED.

In the roadbed shown in the accompanying illustration there is no wood to rot, the ordinary ballasting is not requisite, grass and weeds do not grow along the tracks, cattle will not travel upon it, and the spreading of the rails is made impossible. A metallic covering laid in sections, with movable water tight joints. covers the central portion of the roadbed, this covering being tied by wire fastenings at each side to side flanges upon metallic longitudinal sills, the latter having in their top surface rolled ribs between which is received the bottom of the rail. On the bottom of the sill, near its outer edge, is riveted a strip of lighter metal, widening the track base, this strip having depressions to receive the ends of the metallic crossties. The tie has a shoulder at each outer end, against which the outer edge of the sill rests, and the rail is held in place by cleats clamping the base of the rail to the sill and crosstie by means of bolts and nuts. With this improvement, after the grading has been completed, it is designed that the passing of a heavy roller over the ground shall afford sufficient preparation of the roadbed, without the ordinary ballasting of stone, etc.



KAUFMAN'S METALLIC RAILWAY TRACK.

tamped between the flanges on the inner edges of the strips, after which the rails and cleats are fastened in place, the central covering being laid last.

Further information relative to this improvement may be obtained of Mr. Daniel Kaufman, Boiling Springs, Pa.

### Life Insurance.

However desirable a good physical condition together with a good family record may be in an insurance sense, unless you add to that a well-balanced mind and good habits you do not have a first class risk.

No matter how perfect the family history or how sound the physical condition, unless a man has good habits he will not prove to be a good risk. On the other hand, suppose the applicant is not in the enjoyment of vigorous health, but has a good family record, if that man is of temperate habits, is not guilty of many excesses of any kind, if he is disposed to take care of his health and give his system a chance to recuperate from any lost energy from overwork or any accidental exposure, or error in diet, that man, as a rule, is a better risk than the man of remarkable vigor but inclined to dissipation.—The Guardian.

### Steel Barrels.

The manufacture has been commenced, at Barrow, of steel barrels for the carriage of petroleum in the place of wooden casks. The barrels are made in halves by means of dies and compression while the thin plates of steel are hot. These halves are welded together by means of electricity, and the barrels, when produced, are to be used in the petroleum trade in hot climates. The new process is one possessing great interest, not only to those engaged in steel manufacture, but to those engaged in the shipping trade, and particularly the bulk petroleum trade.




Fig. 1.-DUCRETET'S ELECTRIC CRUCIBLE.

### CURIOUS TREE GROWTHS.

To the Editor of the Scientific American:

I inclose a print made from a negative taken not long ago on my father's farm in eastern New York. I don't know that there is anything strikingly unusual, but how the two trees in the center ever became

trees, is of second growth white pine, and growing from between the two parts is a yellow birch, though, as it grows out on the opposite side from that represented, it does not show in the photograph. Having noted with interest accounts and explanations of various natural phenomena in your paper, I have thought for some time of sending you a copy of this view. The tree stands in the corner of a wood on the farm of W. J. Morey, in Saratoga, N. Y.

Kearney, Neb. J. T. Morey.

### American Boys and American Labor.

Shall American boys be permitted to learn trades, and, having learned them, shall they be permitted to work at them? These are apparently simple questions, and the answering of them is an apparently simple matter. Most persons thus interrogated would reply at once: "Certainly they should. Why do you ask such unnecessary questions?" We ask them because under the present conditions of trade instruction and employment in this country the American boy has no

is denied instruction as an apprentice, and if he be taught his trade in a trade school, he is refused admission to nearly all the trades unions, and is boycotted if he attempts to work as a non-union man. The questions of his character and skill enter into the matter only to discriminate against him. All the trades unions of the country are controlled by foreigners, who comprise the great majority of their members. While they refuse admission to the trained American boy, they admit all foreign applicants with little or no regard to their training or skill. In fact, the doors of organized labor in America, which are closed and barred against American boys, swing open, wide and free, to all foreign comers. Labor in free America is free to all save the sons of Americans. These are neither idle nor exaggerated statements. They are sober, solemn truths, expressed in studied moderation. So-called American labor to-day is a complete misnomer, as far as the l

trades are concerned. How has it come about that the United States, alone among the nations of the earth, has not merely surrendered possession of her field of mechanical labor to foreigners, but acquiesces when the foreign possessors exclude from that field her own

The Century has been so strongly impressed with the evils of this anomalous situation, so unjust to American boys and so fraught with danger to the national welfare, that it has instituted a thorough inquiry into the causes which have produced it. The results of this inquiry will be set forth in subsequent articles, each devoted to a particular phase of the question. It will be shown that the two great causes have been the passing away of the old apprentice system and the enormous emigration to this country from all parts of Europe. It will be shown that all the trades unions of this country are controlled by men of foreign birth; that nearly all of them have such rules against the employing of apprentices that American boys can no longer, in any of the large cities of the country, learn a trade by working in shops with journeymen; that such boys as learn trades in trade schools are refused admission to the unions, not because they are not well taught, but because they have not served apprenticeship according to union rules, and are boycotted and persecuted if they attempt to work as non-union

It will be shown also that while all the unions combine in this effective conspiracy against American

boys, they admit freely to their organizations foreign chanic was everywhere known as one of the sturdiwho have only a slight knowledge of their crafts, and instruct them to a fuller knowledge while obtaining To-day he is an almost extinct species. As a nation for them full pay as journeymen. It will be shown also we lead the world in mechanical skill, yet we are the that the bulk of foreign laborers who come to America only nation in the world that has almost ceased to promerged into one has been a mystery to me. One part are the poorest of their trades in Europe, the best duce its own mechanics. We not only take the great appears much larger than the other. The tree, or workmen always finding abundant work and satisfac- mass of ours from other countries, but we accept their



rights which organized labor is bound to respect. He tory pay at home; that in addition to being indiffer- from a policy which is so full of injustice to our own ent workmen, they are in many instances men of infelent and anti-social proclivities and practices, and are often without sympathy for American institutions, and have no regard whatever for the country's welfare. It will be shown also that in addition to the foreign laborers who take up their abode here and possess the field, there are many thousands of others who come here in every busy season, work while that season lasts, and return to their homes when it is ended. It will be shown that while these "harvesters," as they are called, are admitted to the unions and are given work on equal terms with union members, the union authorities refuse American boys as apprentices and Americans are allowed to come in.

CURIOUS TREE GROWTHS.

workmen who have not served full apprenticeships, and est representatives of American character. He was an honest man, a good workman, a loyal, faithful citizen.

poorest specimens, and having accepted them, we allow them to control the field against our own sons. The consequences of this policy, already momentous, are destined to become more so as time advances. We are not only bringing up our sons in idleness, not only depriving our experiment in popular government of the invaluable support of a great body of conservative citizens of American birth, but we are accepting in place of such a body one that is composed of and controlled by men of foreign birth, whose instincts and character are not merely un-American, but oftentimes anti-American. This body, acting frequently as a unit throughout the country, is able to paralyze all business and industry, and to bring the nation itself almost to the brink of social revolution and industrial war. Is it not time that Americans began to think seriously of these things? Have not the developments of the past few years in the so-called conflicts between capital and labor been portentous enough to give pause to all patriotic Americans? Could anything else have been reasonably expected

countrymen, and consequently so humiliating to us rior moral training and instincts, frequently of turbu- as a people? Is there any remedy save in a reversal of that policy?—The Century Magazine for May.

### "STRIP, THE ELECTRICIAN."

A Brighton correspondent of the London Daily Graphic sends the accompanying sketch of "Strip, the Electrician," the clever fox terrier belonging to Messrs. Crompton, the electrical engineers, preparing to go to work underground. Strip's business is to carry each electric light wire through the pipe to the workmen waiting at the other end, who disengage it from her collar, to which the wire is fastened before she starts. The dog then scrambles through the pipe with the utjourneymen on the ground that the labor market is most vigor, and seems to understand perfectly what crowded, and the interests of labor will be harmed if her business is, and does it without any delay. Before going to Brighton, Strip did good work for her em-In the earlier days of the republic the American me- ployers in London, where she laid down many miles of electric light wire.

### The Stone Age in Tasmania.

At a recent meeting of the Anthropological Institute, Dr. E. B. Tylor, F.R.S., exhibited a collection of the rude stone implements of the Tasmanians, showing them to belong to the palæolithic or unground stage of the implement makers' art, below that found among prehistoric tribes of the mammoth period in Europe, and being on the whole the lowest known in the world. Fragments or rough flakes of chert or mudstone, never edged by grinding, but only by chipping on one surface with another stone, and grasped in the hand without any handle, served the simple purposes of notching trees for climbing, cutting up game, and scraping spears and clubs.

The Tasmanians seemed to have kept up this rudimentary art in their remote corner of the world until the present century, and their state of civilization thus became a guide by which to judge of that of the prehistoric Drift and Cave men, whose life in England and France depended on similar though better implements. The Tasmanians, though perhaps in arts the rudest of savages, were at most only a stage below other savages, and did not disclose any depths of brutality. The usual moral and social rules prevailed among them, their language was efficient and even copious, they had a well marked religion in which the spirits of ancestors were looked to for help in trouble, and the echo was called the "talking shadow."



"STRIP" THE ELECTRICAL TERRIER

### THE OPENING ON MAY 1.

(Continued from page 291.)

could comprehend or appreciate in several weeks of time.

Brief History.—A brief review of the history of the Exposition, its conception and consummation, will give some idea of the immense amount of work that has been accomplished. The act of Congress under which the Exposition was organized bears date of April 25, 1890. Several months following were consumed in discussing and arranging the organization of to the Exposition grounds were put through a course the World's Columbian Exposition Corporation, which of training for several days before the Exposition was was organized under the State laws of Illinois. Then came the question of selecting a site, and when Jackson Park was finally decided upon, it was necessary to do an immense amount of preliminary work before the foundation of a single building could be laid. Up to this time Jackson Park was a large tract of wild land with a few drives and walks in it, but mostly a swamp which at certain periods of the year the Exposition is open, each shift working six hours at was inundated by Lake Michigan. This tract com- the gate and having an allowance of one hour for prises about 700 acres and was put into the hands of landscape engineers who, after an immense amount of for the satisfactory performance of his duties. The dredging and leveling, evolved the present grounds. gates are open to the public at eight o'clock in the Ground was first broken July 2, 1891. Since then about 400 separate and distinct buildings have been erected, exclusive of booths, pavilions and other such buildings for concessionaires. All but about 50 of these are Exposition buildings, and it is estimated that the entire 400 buildings give 200 acres of floor space. It will thus be seen that in less than 21 months all these buildings have been designed and constructed, and many of them filled with exhibits. These buildings vary in size from small structures of one or two little rooms to the great Manufactures and Liberal Arts building, which is about a third of a mile long and a quarter of a mile wide. Throughout the buildings there are over 30,000 exhibits, representing 50 countries and 37 colonies. Seventeen foreign nations have constructed buildings, and there are nearly forty State buildings erected by the different States of the United States. The buildings, as a rule, are of a cream white tone, and with a few exceptions color effects are given by the use of bunting, of which over 100,000 yards have been used for furnishing flags and colors for the Exposition buildings alone.

The Attendance on the First Day.—The estimated attendance on the opening day shows that over a quarter of a million people were inside the Exposition grounds, of which 150,000 paid admission fees, and the fact that this vast multitude was handled on the opening day without excessive crowding or jamming the island to obliterate every appearance of being proves that the transportation facilities are equal to almost any probable demands that may be made upon

opening of the Exposition itself, the most interesting exercises were the dedication of the Woman's building, which took place two hours after President Cleveland had declared the Exposition open. The exercises were held in the Hall of Honor in the Woman's building, and a large number of distinguished women from various foreign countries and various parts of the United States were present. The exercises consisted of music, prayer, the reading of an ode written by Miss Flora Wilkinson. Mrs. Potter Palmer, President of of the work on these beds was completed last the Board of Lady Managers, gave an address explaining what had been accomplished. A jubilate, written especially for the occasion by Mrs. H. H. A. Beach, of wintered with practically no loss by winter kill-Boston, was sung, and several of the ladies on the platform, especially those representing foreign countries, made addresses. The event of the exercises was the driving of the golden nail by Mrs. Palmer. This was the last nail driven, and was the formal act of declaring the building complete.

The Michigan, Massachusetts, New York, Missouri, Swedish and many other buildings were formally opened for the entertainment of visitors.

Early in the evening, before the time for closing the grounds to visitors arrived, the electric lighting equipment of the Administration building was tested, and many of the tender kinds, which were wintered in the finest locomotive in this country. It was designed by every lamp, both arc and incandescent, was used. The effect was in every way perfect.

buildings, were complete, and the work of installing flower shrubs. England has also made a fine display there are four, are 7 feet 2 inches in diameter, and the Palace of Mechanic Arts fully eighty per cent, if not some of the favorite German plants. There have been to the cast iron centers by Mansell retaining rings, more, of the exhibits were ready for the inspection of planted on the Wooded Island and throughout the The truck wheels, which are 40 inches in diameter, visitors Monday noon.

The Stage Coaches.—A new method of transportation to the Exposition grounds from the heart of Chicago was inaugurated only a few days before the Exposition opened. This is a line of coaches which will be in many respects a reproduction of the balmy days of stage coaching in the far West. The coaches will have a seating capacity for perhaps twenty-four people on top and sixteen inside, the coaches being modeled after a style of coaches used at the Paris Exposition. The horses are of American breed, having come from the West, and most of them being stage

who are in the habit of driving something after the manner of Horace Greeley's stage coaching in Nevada. but whatever the speed may be the riding will be comfortable, as the coaches will start from the center of the city and go to the Exposition grounds over the boulevard system of the city. The ride will consume about an hour. There will probably be six horses attached to each coach.

Drilling the Ticket Takers.—The men having charge of handling tickets at the sixteen or more entrances formally opened, and it was rather an amusing sight to see the rows of dummy visitors going in and out of the several gates in order that the training should be a literal reproduction of the conditions soon to come. Nearly five hundred ticket sellers were engaged These men were divided up into sections, as there will be three shifts of men to work during the hours which squaring accounts. Each ticket seller is under bond morning, and visitors are supposed to be out of the grounds by half past six in the evening, and when there are evening sessions from eight until half past ten. The Exposition management has aimed to give ample facilities at the several gates for selling tickets as rapidly as visitors can be admitted to the grounds. but it is urged that visitors take advantage of the many ticket stations away from the grounds, at the railroad stations, hotels and elsewhere, so that there shall be as little delay as possible in securing admittance.

Several hundreds of aquatic birds of many varie ties have been put into the lagoon. One wing of each bird is crippled, so that none of the birds can fly. Most of these birds are those that are native to the Chicago climate. Their presence adds much to the picturesqueness and life of the scene surrounding the lagoon. What adds still more naturalness to these banks is the fact that thousands of plants indigenous to the swamps and waterways of Illinois have been transplanted to these waters, and especially to the shores of the Wooded Island. The size and vigor of these plants gave every appearance to the island last fall of their having always been there, while the fact is nearly every individual one had been transplanted within twelve months. This fringe of green will give enough natural tangle to the shore of artificial. Besides the Wooded Island there is the Hunter's Island, which immediately joins it on the south, and several other very small patches of green Opening of the Woman's Building.—Next to the forming miniature islands, and these also have been transformed into a mass of green. The Wooded Island comprises about sixteen acres. Quite a little is cut off from the northern end, having been assigned to Japan for its floricultural exhibit, and also for the site of the Hooden, which is Japan's gift to the Park Commissioners of Chicago. But nearly ten acres of in themselves cover considerably over an acre. Most fall. Thousands of full grown plants of the hardier types were set out, and these seem to have ing. Every variety of hardy roses is included in this display. Other roses in great variety, which could not live through the winter if exposed, were kept in the Horticultural building and were transplanted in time for the opening of the Exposition. At the southern end of the island is a splendid display of rhododendrons, and there are also scattered about the island, as well as throughout the grounds, clusters of the more well known shrubs, such as lilacs and azaleas. There are something like 25,000 or 30,000 hardy plants in the rose garden, and more than half as Horticultural building. In the center of the garden is Mr. William Buchanan, superintendent of motive a pavilion of considerable size, which will be a mass of power of the New York Central and Hudson River In every way the opening of the Exposition was re- green by June 1, because of the innumerable vines Railroad, and was built at the shops of the company, markably auspicious. The Exposition buildings them- that climb over it. Many nurserymen throughout the at West Albany. The cylinders are 19 inches in selves, with the exception of one or two of the minor country have contributed generously ornamental and diameter by 24 inches stroke. The drivers, of which exhibits was in a very forward state. Outside of the of typical English plants and the Germans have brought tires are 31/2 inches thick and 53/4 inches wide, secured grounds over 12,000 trees, 5,000 shrubs, 15,000 miscellaneous plants, nearly as many aquatic and semi-aquatic ing rings. The total wheel base is 23 feet 11 inches. plants, and several thousands each of fern roots, climbing vines, ornamental grasses, etc.

The idea of having two model American locomotives of the latest and most powerful type mounted on pedestals in front of the Railway Terminal Station was abandoned at the last minute. The effect was not quite so satisfactory as it was thought it would be, and | feet, with a grate surface of 30.7 square feet. The one locomotive, which had already been put in place, was removed to the Transportation building.

The monster Krupp gun, which has been so fully

the Exposition grounds without mishap, and was mounted in place a week before the Exposition was opened. Nothing in the grounds in the shape of an exhibit has attracted much more attention, and the German workmen and Columbian guards at the Krupp building had their hands full in keeping people from crowding inside the structure. This was specially true at the noon half hour, when large squads of workmen, from all corners of the grounds, made a line for the Krupp building. The monster is so surrounded by smaller guns, castings, and other exhibits, that a picture of it as it now stands is rather unsatisfactory. As it rests on its carriage, the gun is pointing directly out over the lake. Cartridges which are used in firing are near by, and the apparatus used in handling the gun is shown, thus making the exhibit very complete.

### LOCOMOTIVES OF 1831 AND 1893.

Among the exhibits at the Chicago World's Fair, in which are shown contrasts between past and present, none will more strikingly illustrate the progress made in the last sixty years than the exhibit of the New York Central and Hudson River Railroad, consisting of a reproduction of the De Witt Clinton locomotive, which was the first engine to draw a train in the State of New York, and the sixty-two ton passenger locomotive 999, of the New York Central and Hudson River Railroad, just turned out of the New York Central shops at West Albany.

The De Witt Clinton was built in New York City in 1831, at the West Point foundry, located at the foot of Beach Street. The engine had four drive wheels, 4 feet 6 inches in diameter; the cylinders, two in number, were 5½ inches in diameter by 16 inch stroke. The boiler had 30 copper tubes, 2½ inches in diameter; the engine weighed about 6 tons, and was provided with a tender carrying fuel and water. On the tender there was a seat for the conductor. The engine had a boiler feed pump driven from the crosshead, and also a hand feed pump. This engine drew a train of three coaches. made in the style of the old-fashioned stage coaches. Trial trips were made on the Mohawk and Hudson Railroad at various times from July 2 to August 9, 1831, when the first regular excursion trip was made. The passengers on this occasion were Erastus Corning, Mr. Lansing, Ex-Governor Yates, J. J. Boyd, Esq., Thurlow Weed, Esq., Mr. Van Zant, Billy Winne, penny postman, John Townsend, Esq., Major Meigs, Old Hays, high constable of New York, Mr. Dudley, Joseph Alexander, of the Commercial Bank, Lewis Benedict, Esq., and J. J. De Graft. David Matthews was engineer and John T. Clark was conductor. The signal for starting was given by blowing a tin horn. The fuel used on this trip was dry pitch pine, coal having proved unsatisfactory, and as there was no spark arrester on the stack, the smoke and sparks were freely poured on the passengers in the coaches. They raised their umbrellas to protect themselves, but the covers were soon burned off, and the passengers busied themselves in putting out in each other's clothes the fires started by the hot cinders. When stop was made at a water station, the slack between the coaches, which produced disthe area of the island are devoted to flowers. By far agreeable jerks, was partly remedied by wedging rails the most noticeable display will be the rose beds, which from a neighboring fence between the cars and tying them fast. On arriving at Schenectady refreshments were served, after which the party returned to Albany, and thus was completed the first regular trip of a locomotive and train in New York State. The coaches which made up the train were built by James Goold, of Albany. The upper view in our engraving is taken from an old sketch, supposed to have been made on the occasion of this excursion. It graphically represents the effect of the first view of a locomotive and

The lower view in the illustration represents the De Witt Clinton as it stood in the New York Central passenger station alongside of engine 999, which represents the accumulation of knowledge, skill, and experience of over sixty years in locomotive engineering and building. Engine 999 is the latest and probably the are also provided with steel tires and Mansell retain-The weight on the four driving wheels, loaded, is 84,000 pounds, and on the engine truck 40,000 pounds, making a total of 124,000 pounds. The boiler is of the wagon-top style, and the firebox is of the Buchanan type, with a water arch. It is 108 inches long and 40% inches wide. The total heating surface is 1,930 square height of the engine at the center of the boiler is 8 feet 11½ inches above the rail.

The boiler is designed to carry 190 pounds working coach horses. The drivers are experts from the West illustrated and described in these columns, reached pressure to the square inch. The tender has a coal

capacity of 63/4 tons, and carries 3,857 gallons of water, and is fitted with a water scoop. The weight of the tender loaded is 80,000 pounds. The engine is fitted with the Westinghouse air brake, and the engine and brake are fitted with the Westinghouse air signal. The locomotive was three months in building, and cost in the neighborhood of \$12,000.

This new engine differs in outward appearance from those previously built. No brasswork is visible. The ironwork is well finished and polished. The pipes are nickel-plated and the painted portions are striped with silver leaf. A round headlight is mounted over the

The main dimensions of the engine are tabulated below:

Cylinders	19 in. $\times$ 24 in.
Diameter of driving wheels outside of tires.	86 in.
Diameter of engine truck wheels	40 in.
Springs, length of driver, center to center of	
hangers	44 in.
Total length of boiler	26 ft. 4½ in.
Diameter of first ring outside	58 in.
Size of firebox	108¾ in. $\times$ 40% in.
Tubes, 268	2 in. dia., 12 ft. long.
Heating surface in tubes	<b>1,</b> 697.45 sq. ft.
Heating surface in firebox	232 <sup>.</sup> 92 sq. ft.
Total heating surface	1,930.37 sq. ft.
Grate surface	30.7 sq. ft.
Stack, inside diameter	15¼ in.
Weight, in working order	124,000 lb.
Weight, on drivers	84,000 lb.
Driving wheel base	8 ft. 6 in.
Weight of tender loaded	80,000 lb.
Total weight of engine and tender	204,000 lb.
Extreme length of engine	39 ft., 63/4 in.
Extreme height from top of rails to top of	
stack	14 ft., 10 in.

This engine is designed to draw the Empire State Express. On its way to the Chicago Exhibition it easily made a speed of 86% miles per hour, and the designers and builders believe that after it has worn enough to smooth up its bearings it will create a sensation in the matter of speed.

### THE BROUGHTON QUICK DELIVERY MIXER.

A machine for thoroughly mixing hair and fiber with The improvement has been patented by Mr. William plaster, and one which can be easily taken care of and quickly set up and operated by any ordinary workman, is shown in the accompanying illustration. The machine is made by W. D. Dunning, of Syracuse, N. Y., and the design is the perfected result of a long experience and practical knowledge of what is required in a plaster mill. All the working parts and mixing chamber are of iron and steel, making the machine solid and durable. It has two shafts running horizontally side by side, geared to run in opposite directions: they are run through a cast iron case circling at the screw form lift the material from the bottom of the case and throw it in opposite directions from one end motion and obtaining a perfect mixing. All bearings run in self-oiling boxes outside of the case, so that the line on the moving dial. In the closed vessel at the negotiating with the owner for the purchase of the material does not come in contact with them.

The mixer is provided with two openings in front with slides or gates to let the material out of the machine, and to each of these openings is attached an automatic bag holder. The delivery is very rapid, the discharge from one opening being as fast as one man can take the bags away. The wooden hopper to receive charge passes through the floor above; attached is a cast iron slide arrangement to let material through the spout to mixing chamber, operated by means of a lever within reach of the operator on the ground floor. The machine is provided with two  $24 \times 8$  fast and loose pulleys and should run 175 revolutions per minute; it requires about  $4 \times 6$  feet floor space and has a capacity of 300 barrels per day of 10 hours.

### The Conquests of Modern Science.

Surely I have established my thesis that dirt is only matter in a wrong place. Chemistry, like a thrifty housewife, economizes every scrap. The horse shoe nails dropped in the streets are carefully collected, and reappear as swords and guns. The main ingredient of the ink with which I now write was probably once the broken hoop of an old beer barrel. The chippings of the traveling tinker are mixed with the parings of horses' hoofs and the worst kinds of woolen rags, and these are worked up into an exquisite blue dye, which graces the dress of courtly dames. The dregs of port wine, carefully decanted by the toper, are taken in the morning as seidlitz powder to remove the effect of the debauch. The offal of the streets and the wastings of coal gas reappear carefully preserved in the lady's smelling bottle, or are used by her to flavor blanc-manges for her friends. All thrift of material is an imitation of

thing has its destined place in the process of the


universe, in which there is not a blade of grass or even

apply them to their fitting purposes.—North Ameri-

can Review.


A STEAM PRESSURE AND WATER LEVEL RECORDER.

With the device shown in the illustration a single steam gauge or water gauge for a boiler is not required, the steam pressure and the height of the water being indicated at sight, indicator diagrams being also furnished of both, by which the owner may see whether the boiler and the furnace fires have had proper attention.



LEWIS' STEAM PRESSURE AND WATER LEVEL RECORDER.

M. Lewis, of Thurber, Texas. At the front of the boiler is a closed vessel connected by pipes with the steam and water spaces, and having on its top a cylinder, in which is a piston with a rod extending upward in a casing on which graduations are marked. Around the upper end of the rod is a coiled spring, insuring a return movement of the piston with diminishing steam pressure, and the rod has in front a pointer indicating on the graduations, while from its rear a spring-pressed pencil extends through a slot in a clockwork casing. The dial, which is revolved by the clockwork, has near bottom, so that the paddles placed on the shaft in its outer edge a double graduation, one in Roman and the other in Arabic numerals, and a pointer fixed on the casing at the top indicates the time of day as the of the case to the other, thereby keeping it in constant | dial revolves. As the pointer indicates the steam pres sure to the sight, the pencil marks a corresponding



THE BROUGHTON QUICK DELIVERY MIXER.

upwardly a rod connected with a belt passing over a deposited in the fare box. This doubles the cost of wheel rotated by a spring, to correspond with the rise sending the letter, but the advantage of an immediate a microbe too much, if we possessed the knowledge to and fall of the float. On the shaft of this wheel is a special delivery is secured, and letters are greatly exgear meshing into a rack operating a horizontal slide, on the casing of which is a graduation, the rear por- ment, but it is largely approved.

tion of the slide also carrying a spring-pressed pencil traveling in a horizontal line on the dial. An indicator made in the shape of a sector corresponding to one of the divisions of the dial is hung loosely on the shaft of the latter, the indicator having two sets of graduations corresponding to those of the horizontal and vertical scales, one indicating the height of water in the boiler and the other the steam pressure. By placing this indicator in proper position on the dial, it will indicate the steam pressure and height of water in the boiler at any particular time. The dial is preferably of slate, so that the markings may be easily wiped off, and, by using different colored pencils, as red and blue, a red line may represent the steam pressure and a blue line the water level, or vice versa.

### Rock Emery Millstones.

Probably few of our readers have ever seen rock emery, and fewer still have heard of millstones made of this hardest of all stones except the diamond. But rock emery millstones are now made, and a long step has thus been taken toward pulverizing cheaply many hard substances that have heretofore only been reduced at much expense of wear and tear, and by slow and tedious processes. Rock emery is not a common mineral, being found only in a few countries. The best comes from Greece, but the larger importations are from Turkish mines. The consumption of emery is large, and its use has become of great importance in many industries, as it easily grinds away all substances with unexampled rapidity. A pure emery face never glazes, but is always sharp and cutting.

Rock emery mills reduce at once the hardest rocks or the softer substances, grinding all to any degree of fineness. Heat does emery no harm, and one of the remarkable properties of the emery stones is their ability to run cool. They form the most rapid grinder known, and are as much more durable than other millstones as they surpass them in hardness. The emery millstone face is never dressed, a little work on the furrows, and eye (made of softer material), is all the sharpening it requires. These stones are made to take the place of all other millstones, without any changes in the mill, and wherever other stones are used the rock emery millstones will do better work at less expense, and last much longer. They also grind hard materials that soon destroy all softer millstones. The hardest buhr, compared with emery, is like cheese.

Now that the manufacture of the patent rock emery millstones is understood they are turned out for all sorts of mills and for all purposes, at a moderate price, and wherever known are recognized as wonderful gr'nders, especially for fine work, from 60 to 150 mesh. These rock emery millstones are ample proof, if any is needed, of the progress of American milling.

### A Colored Man's Career.

Frederick Douglass, ex-minister to Haiti, has been

Villa, one of the most valuable and beautiful estates in Talbot County, Maryland. Mr. Douglass is a native of Talbot County, where he was born a slave. In addressing an audience at the colored school at Easton, Md., recently, Mr. Douglass said: "I once knew a little colored boy whose mother and father died when he was but six years old. He was a slave and had no one to care for him. He slept on a dirt floor in a hovel, and in cold weather would crawl into a meal bag head foremost and leave his feet in the ashes to keep

"That boy did not wear pants like you do, but a tow linen shirt. Schools were unknown to him, and he learned to spell from an old Webster's spelling book and to read and write from posters on cellar and barn doors, while boys and men would help him. He would then preach and speak, and soon became well known. He became presidential elector, United States marshal, United States recorder, United States diplomat, and accumulated some wealth. He wore broadcloth and didn't have to divide crumbs with the dogs under the table. That boy was Frederick Douglass.

"What was possible for me is possible for you. Don't think because you are colored you can't accomplish anything. Strive earnestly to add to your knowledge. So long as you remain in ignorance, so long will you fail to command the respect of your fellow men."

LETTER boxes have been attached to the street cars in Huddersfield, England, and letters can be posted in these boxes as the cars are traversing the suburbs, the boxes being emptied by the post office employes on the arrival of the car at or near the central post office on each trip. If a person stops the car especially for the purpose of mailing the economy of nature, which allows no waste. Every- front of the boiler is also a float, from which extends | a letter, a penny is collected by the conductor and

pedited by the scheme. The scheme is yet an experi-

### EDISON'S IMPROVEMENT IN THE TRANSMISSION OF POWER.

The object of this invention, which is by Thomas A. Edison, is to produce a new mechanical movement by the aid of magnetism which will permit the positive ingly low resistance and resulting in a powerful adhetransmission of large powers at high velocities without | sion of the rope to the wheel. the excessive noise incident to the use of toothed gear- Instead of winding the wheel, E, circumferentially, I in order to secure the full advantages of the invention,

ing. In his patent he says: This I accomplish by the employment of smooth face iron pulleys or wheels which are made strongly magnetic by suitable windings connected in circuit with a suitable source of electrical energy, and by the use of endless belts, chains, or ropes which are either themselves magnetic, or carry iron bars (or both), which form armatures to close the magnetic circuits at the pulleys, and are strongly attracted to the faces of the pulleys so as to increase the adhesion and transmit the power without slip. Or, the magnetic bars, instead of being carried directly by the belts, chains or ropes, may be arranged in a frame over the belt, chain, or rope where it passes around the pulley, and be capable of a movement toward the pulley to a limited extent, so as to press the belt, chain or rope upon the pulley.


Referring particularly to Figs. 1, 2, and 3, A and B are two iron pulleys mounted upon parallel shafts and connected by an endless belt, C. Each of these pulleys is provided with several circumferential grooves, shown more particularly in Fig. 2, in which are located windings, a, of insulated wire, connected at the ends to insulated rings, b, upon which bear contact springs, c. These contact springs being connected with a suitable source of electrical energy, indicated by the circuit, 1, 2, each pulley becomes strongly magnetic, as indicated by the letters N, S, in Fig. 2, the circumferential ribs or exposed faces of the pulley on opposite sides of each of the windings being oppositely magnetized. The belt, C, is pre-

strips placed one over the other as shown in Fig. 3, and upon the outside of these are secured, like the rounds of a ladder, cross bars, d, of soft iron which are riveted to the belt, the strips of steel being at the same time riveted together so as to form a continuous belt. The steel belt and the bars, d, bridge the windings of the two pulleys completing the magnetic circuits around the windings, thus forming armatures or keepers for the magnetic poles produced upon the pulleys. These magnetic circuits being exceedingly short and of remarkably low resistance, the attraction of the many keepers to the pulleys produces a great adhesion of the belt to the pulleys, thus permitting large complete the magnetic circuit between the two pulleys powers to be transmitted through relatively small or wheels. This construction does not produce as belts. Experience has shown that with a four inch powerful magnets as in the constructions already de- where hundreds of tons of canned oysters are annually pulley and a belt three

inches wide, making contact only over one-half of the circumference, the belt will sustain a dead weight of two hundred pounds without the magnets reaching saturation. will thus be seen that we have here, by a proper proportioning of the parts, a magneto-mechanical device capable of replacing the toothed wheels in nearly all cases of power transmission.

In Fig. 4 is illustrated a construction in which, instead of placing the bars, d, directly upon the belt, a contact side of one or of each pulley, and in this frame are mounted magnetic rollers, e, having slotted bearings so as to be capable of a limited movement toward the pulley. The belt passes under these rollers, and by the attraction of the rollers toward the pulley, the adhesion of the belt is increased.

In Fig. 5 the device is an iron wheel, E, provided with a grooved face in which runs a wire rope, F. The wheel is slotted circumferentially and provided with a magnetic winding, f, which strongly magnetizes the wheel, giving the opposite sides of its rim opposite polarities. The wire rope acts as an armature or keeper to the magnetic poles, forming a magnetic circuit of exceed-



EDISON'S IMPROVEMENT IN THE TRANSMISSION OF POWER.

ferably constructed of a number of thin sheet steel its rim may be provided with transverse grooves in inches long of about the bore of a spirit thermometer, which windings, g, will be placed, making the projecting surfaces of the wheels between these windings alternately of opposite polarity, as indicated in Fig. 6. The wire rope acts as an armature or keeper for all the magnets thus formed.

> Instead of winding each wheel or pulley, in cases where the wheels or pulleys are sufficiently near to permit of the employment of the construction, the pulleys are connected by an iron frame, G, which is provided with the magnet winding, h, thus making one pulley of one polarity and the other of the other polarity, a magnetic belt, rope or chain being used to

scribed. It is simply given as an illustration of the fact that the invention is capable of being carried out in many forms of construction, and is not limited to the special constructions illustrated.

It is obvious that while a belt of magnetic material such as the laminated steel belt described is desirable,

> yet the invention  $\max$  be used to increase the adhesion of belts of non-magnetic material, such as leather, rubber cloth and the like. If the endless belt, C, of Fig. 1 were a leather or rubber cloth belt, it is evident that the magnetic bars, d, would increase the adhesion of the belt to the pulleys, while if the belt of Fig. 4 were of non-magnetic material, the magnetic rollers, e, would increase its adhesion.

### \*\*\* Electro-Mechanical Light.

An interesting illustration of the production of light by small mechanical effort is furnished by Mr. E. C. Rimington, in a description of a novel electroscope published in the Electrician. The writer refers to a paper entitled "Experiments in Electric and Magnetic Fields," read by himself in conjunction with Mr. Wythe Smith before the Physical Society last November, in which an experiment was given showing the illumination of an electrodeless vacuum tube rotated in a constant electric field between two charged plates. Mr. Rimington has since found that this experiment can be much more simply shown by bringing a rubbed ebonite or glass rod near to the rotating tube, when the set of double fan-shaped images of the tube will be developed nearly as brilliantly as when charged plates are employed. It is stated that an ebonite rod excited by being drawn once through a piece of dry flannel will produce one image when held at a distance of more than a foot from the tube, thus forming an exceedingly novel kind of electroscope. The tube is made of a straight portion 5


terminating in two bulbs. It is made T-shaped by the outlet, where it was connected with the air pump, and which serves as a means of attaching the tube to the motor that revolves it. "It is not, however, even necessary to employ a motor, as twiddling the tube between the finger and thumb by the T-piece when holding it near the excited rod enables the effect to be obtained." The illustration is an interesting one from the fact that the extra power, infinitesimally small, required to rotate the tube when in the electric field is 'practically converted directly into light."

### THE CANNED FOOD INDUSTRY.

At the oyster-canning establishments in Baltimore,

put up, the oysters are first canned and then partially cooked, whereby the air is expelled, the sealing of the cans is then effected. and the contents will then keep good for a long period. Our illustration shows the mode of cooking a large number of the oyster-filled cans. They are placed on the platform of a large swinging crane as shown, and then lowered into a great cooking boiler, the cover thereof is then closed and securely fastened by means of lugs as indicated in our engraving. Steam is then turned on, and when the mass of oyters is thoroughly heated through, the operation is This general finished. method of cooking is very expeditious and is followed n various other branches of the canned food industry.

ONE million three hundred and eighty-six thousand three hundred and thirty-two pounds is the estimated revenue of the French Ministry of Telegraphs for the present year, which is about £10,000 more than in the previous twelve months.



THE CANNED FOOD INDUSTRY-THE COOKING BOILER.

### THE COLUMBIAN EXPOSITION STEAMER CHRISTOPHER COLUMBUS.

The peculiar advantages of the McDougall whaleback attracted attention to it as a means of steamship travel from Chicago to Jackson Park during the World's Columbian Exposition, and the World's Fair Transportation Company of Chicago had built for this service the large steel passenger whaleback Christopher Columbus, which was constructed under the supervision of the inventor in the yards of the American Steel Barge Company. This is the first effort made to adapt the whaleback for passenger traffic, and the large size of the vessel makes the innovation in this field especially interesting. The Christopher Columbus was launched at West Superior, Wis., on December 3, in the sight of fifteen thousand people. This great vessel does not differ in any essential from the regulation whaleback. It is designed to carry five thousand passengers. The new vessel has seven turrets. These rise seven and a half feet above the deck, and are elliptical in form. They extend the full length of the vessel, and | transmitted | electricity throughout the grounds, and are occupied by the windlass, stairways to the saloon deck above and between decks below, air fans, stacks, ash hoists, engine room and machinery. The refreshment rooms are spacious and located amidships. Four gangways on either side are provided for entering and leaving the vessel.

The Christopher Columbus is 362 feet in length, has


### Electricity at the Columbian Exposition.

The latest developments in the practical uses of electricity are fully shown at the World's Columbian Exposition. There are no experiments or other demonstrations of the possibilities of this energy except what few are made by exhibitors. So far as the Exposition itself is concerned, the general scheme is to show as completely as possible the latest practices in the use of this energy, but not to enter the speculative field.

Electricity played an important part in the preliminary work of constructing the Exposition buildings and laying out the grounds. One of the very first buildings erected was a power plant, in which was installed considerable electrical apparatus.  $\,$  The grounds were lighted from this plant, and most of the lumber sawing was done by saw mills operated by electric motors. When a building was to be constructed, a portable sawing plant, of which an electric motor formed a part of the outfit, was placed in the most convenient position, connection made with the circuits which an abundance of power was at hand. In no instance up to date has electricity been used to such practical advantage in this country as was done in this work at the Exposition. Now that the Exposition is completed and in the hands of the public, it is interesting to note the marvelous extent of the practical uses of

transmission, however. Most of the electric energy generated for power purposes is the direct current, and it is used in the Palace of Mechanic Arts, the Electricity building, the Mining building, the Transportation building, the Agricultural building and the Manfactures and Liberal Arts building to a greater or less extent. Motors are operated for such service as running the traveling cranes, elevators, and for any purpose for which power is used, from a small fraction of horse power to units of 25 or 50 horse power. The most extensive use of electrical energy in one plant is in operating the Intramural Railway, which requires 5,000 or so horse power. In these various uses of electricity the adaptability of this energy for anything where power is needed, regardless of the size of the units, is fully shown. There is also an exhibit of the alternating current for power purposes. This is shown in the Electricity building by an exhibitor.

The storage of electric energy does not receive as much attention at the Exposition as its importance from an electrical standpoint deserves. This is because of the complicated condition of storage battery patents on account of legal complications and because of the fact that electrical storage has not yet proved a great success in this country in practical use. Nevertheless, there is one extensive demonstration of stored electricity in the electric launches which ply in the lagoon, canals and basin. There are fifty or more of these launches; all



THE COLUMBIAN EXPOSITION STEAMER CHRISTOPHER COLUMBUS.

a beam of 42 feet and a depth of 24 feet. It has one screw, 14 feet in diameter, and a speed of 20 miles an shown. The incandescent plant for lighting the Expohour is promised. Practically the entire deck sup-sition has a maximum capacity of 180,000 sixteen-canported by the turrets is devoted to the saloon proper. dle power lamps. This plant uses the alternating It is 225 feet long and 30 feet wide. The vessel has current system. Exhibitors in the Electricity buildelectrical equipment for lighting, and steam heating ing show all the advantages of the direct current apparatus. A promenade deck, 4 feet wide, runs system of incandescent lighting, and thus the capabiliaround the saloon, with more than 30 feet of space at ties of both systems are fully demonstrated. Besides the bow and stern. The promenade deck proper is this use of incandescent lamps, there is also shown a tigations carried out by Pictet on the effect of low temabove the saloon and is 257 feet long, with a skylight great variety of arc lamps designed for use on low-15 by 138 feet in the center. An elaborate fountain in tension circuits. In the arc lighting plant most of the the center of the grand cabin will be one of the principal features of the boat. It is said that the run from the Lake Front at Chicago to the World's Fair grounds, a distance of seven miles, will be made in half an hour.

### Magnetic Screens

Mr. Smith, in *Nature*, describes a magnetic screen which he had constructed to protect delicate laboratory instruments from the magnetic action of a large dynamo which was within 60 feet of the test room. The three sides of the dynamo room nearest the laboratory were inclosed in a double brick wall, the space between the two walls being filled with scrap iron. The iron wall is about 8 inches thick. Delicate tests showed fore been attempted. Five thousand or more horse that this was an effective barrier to the magnetic influence.

lamps are operated by the high-tension direct current, although there are a few alternating current arc lamps Practically, every maker of arclighting apparatus in the country is represented in this plant. French and German manufacturers also make an extensive and quite elaborate display of their lighting systems for ordinary lighting, and especially for special artistic effects, in which these nations have attained such perfection. The use of arc lamps of great power in the form of search lights is also fully shown, and they are used every evening that the Exposition grounds are open to the pub lic, to heighten the illuminating effects.

Electric power, its transmission and utilization, are demonstrated on a far greater scale than has ever bepower is transmitted electrically and used in various

Electric lighting in all its phases is very completely of them are operated by storage batteries. Exhibitors in the Electricity building also make quite an extensive show of the latest results that have been obtained in storing electric energy.

### Stoppage of Chemical Action at Low Temperature.

From the results, recently published, of some invesperatures on chemical action, it would seem that there is a limiting temperature below which chemical affinity is not operative. Just as, at the other end of the scale, chemical compounds are broken up, their union being dissolved through the operation of dissociation, so, when the temperature falls below a certain point, substances which ordinarily evince a powerful affinity for each other become entirely inactive. From theoretical considerations, he had deduced the conclusion that chemical action should be impossible under these conditions, and his experiments show this to be the case. For example, slightly diluted sulphuric acid, solidifying at -56°, was intimately mixed at -125° with finely powdered caustic soda, and the mixture strongly compressed, but there was no sign of chemical action. On allowing the temperature to rise to -80°, action suddenly commenced, and became so violent that the containing vessel was broken. Similar results were obtained parts of the grounds. There is no very long distance with sulphuric acid and potash. Concentrated ammonia solution and sulphuric acid are without action on one another at -80°, but complete action suddenly sets in at from -60° to -65°. Common salt and sulphuric acid do not react at -50°, nor is there much action until the temperature reaches -25°. Moderately dilute sulphuric acid does not attack carbonates at -80°. Bubbles of gas begin to appear between -60° and -50°, but brisk effervescence does not set in until the temperature has reached  $-30^{\circ}$  or upward. Similar results were obtained with nitric in place of sulphuric acid, but the temperature at which action commenced was rather lower in each case. Even the very sensitive vegetable colors are not affected at very low temperatures. Thus the litmus is not reddened by sulphuric or hydrochloric acid at -120°, and alcoholic potash does not give a coloration with phenolphthalein at -135°. From these and similar experiments, Pictet concludes that chemical reaction cannot occur between -125° and  $-150^{\circ}$ .

### AN EFFICIENT TRAVELING CRANE.

The work of installation of exhibits in the different buildings on the Fair grounds, during April and the early days of May, was greatly facilitated by the use of the very efficient and easily operated traveling crane shown in the illustration. Tracks were laid to every portion of the floor space of the various struc-

alcohol.

liquid, of a pale straw color, with the specific gravity derived from the heart. There is no escape from this of 1.070. Under the microscope, it exhibits no morphological constituents. It does not change, so far as call attention to the theory that I proposed in my first I am aware, under any ordinary circumstances, and no bacteria possess sufficent vitality to exist in it.

"I have arranged the dose after many experiments upon healthy men and women of average size, and have cardine after a maceration of from eight to ten months.

"The physiological effects of cardine, in their order of occurrence, as nearly as I can arrange them, are as

"1. Within ten minutes the pulse becomes fuller, stronger, and sometimes more frequent. The sphygmograph shows this very clearly. The influence in increasing the force and frequency of the pulsations is remarkable, and it is still more remarkable that a tracing, taken eight hours subsequent to the injection, shows that the effect upon the heart was still present in a scarcely diminished degree.


"2. These tracings show what is also evident from a digital examination of the pulse—that the arterial tension is augmented.

"3. Increasing, as cardine does, the heart pressure,

60° F. of boric acid, and eight hundred grammes of I am not able to give it a place in the nomenclature of organic chemistry, I am sure, from a consideration of the "The solution of cardine is a clear, transparent process by which it is obtained, that it is a substance conclusion. As to how it acts, I can at present only paper on the subject, and that is briefly:

"That all the organs of the body possess the power, when in a state of health, of secreting from the blood the peculiar substance that they require for their nuaccordingly fixed upon five minims as the properdose of trition, and that they take this substance and no other, never making a mistake in the matter. The brain separates brain substance; the heart, heart substance, and so on. If through disease or from derangement of function they lose this power, or if the peculiar pabulum they require be not in the blood in sufficient quantity, their functions cease to be normal. General debility, producing a diminution of nerve force, may cause the loss of this power, or it may result from local disturbance either of structure or function or some profound shock to the organism may so interfere with hæmatosis that the blood no longer contains the material which the organ needs. In either case, if we supply to the blood the peculiar principle which a diseased or disordered organ requires, we do that which nature, unassisted, cannot or does not do.

"Cardine, therefore, if this theory of its action be



THE WORLD'S COLUMBIAN EXHIBITION-TRAVELING CRANE FOR MOVING EXHIBITS.

tures from all the railways, and it was a simple mat-the effect upon the kidneys follows as a logical consection consection. It is the substance which machinery, a show case, or any bulky article, to the under exactly similar conditions, establish the fact that It is already in a fit form for assimilation, and it acts small platform car, and then employ the same power the amount of urine daily excreted is increased by which had effected the lifting to draw the machine from ten to eighteen ounces. and car to the exact point where the exhibit was to be placed, and deposit it where required. The crane platform may be readily swung around and its arm conveniently adjusted to a greater or less angle, as desired, and the work of only one man is required for the operation of the machine.

### Cardine-a New Heart Tonic.

Following the remarkable discovery of Brown-Sequard, of testicular elixirs and their sub-cutaneous generation of the heart, improving the nutrition of the injection for physical stimulation, comes Dr. William A. Hammond with a new preparation made from the hearts of animals, which he terms cardine. According to his accounts, as given in a recent paper in the New York Medical Journal, the new medicine is destined to play an important part in the treatment of all complaints anæmia and sometimes chlorosis. In such patients its pertaining to heart weakness and some other organs of the body. We make the following abstracts:

"Cardine, as used by me, is prepared as follows: One thousand grammes of the finely minced fresh heart of the ox, previously well washed in a saturated solution of boric acid, are submitted to the action of a menstruum consisting of twelve hundred grammes of glycerine, one thousand grammes of a saturated solution at |

ter, with this machine, to transfer a heavy piece of quence. Many observations, made as far as possible an ill-conditioned heart must have for its well being.

"4. The number of red corpuscles in the blood is increased by the use of cardine.

of notable value, and an agent capable of exercising a below the normal standard, cardine must prove to be marked effect over the composition of the blood.

"In cases of cardiac weakness, from whatever cause it may arise, cardine is of inestimable value. It appears to me, from the few cases in which I have employed it in this connection, to be useful in fatty deorgan, not only by its action on the blood, to which I have made reference, but by its effects on the nervous organization of the cardiac tissue.

"But I have employed cardine more frequently in those cases of nervous prostration attended with action is so prompt and effectual as to excite surprise in all who have witnessed the change. In all these cases I have verified the great improvement in the appearance and apparent condition of the patients by the use of the hæmocytometer and hæmometer. In mild cases, a week or ten days' treatment has been sufficient, but never more than four or five weeks.

"As to the essential characteristics of cardine, while

with a promptitude, a certainty, and a degree of permanence of which no other heart tonic within my knowledge is capable.

"It follows, also, that in all weak conditions of the "It is clearly a heart tonic of great power, a diuretic system, and especially in those in which the blood is of inestimable value. And in other and more serious affections, such as those in which depurative organs of the body, especially the kidneys, fall below the healthy standard of functionation, cardine, increasing as it does the heart pressure, may augment the bodily comfort and materially prolong life.

"Cardine is not an annihilator of the influence of old age, but my experience convinces me that it lessens the effects of this factor of deterioration so far. at least. as the heart is concerned. This organ, as is well known, is one of the first to fail in physiological power, and this is shown not only by the examination of the pulse and of the heart itself, but by the accumulation of fluid, especially in the lower extremities, owing to a diminution of the heart pressure. Cardine, taken in conjunction with cerebrine, assuredly counteracts this influence, for, owing to the increase of the cardiac pressure, the passive anasarcous condition disappears, and the other indications of heart weakness are either greatly mitigated or altogether abolished."

### RECENTLY PATENTED INVENTIONS. Engineering.

TO REDUCE AND SMELT SULPHIDE ORES .- Augustus L. Engelbach and Sidney E. Bretherton, Leadville, Col. A specially designed furnace is pro vided by these inventors for carrying out a method of reducing and smelting by which air is forced through a series of retorts heated by the matte and slag discharged from the blast furnace, and hydrocarbon gas injected into the heated air to produce an oxidizing flame which is forced into the blast furnace to reduce the ore. A channel in the wall of the crucible of the blast furnace is connected by tuyeres with the interior of the furnace, and connected with the channel is a combustion chamber connected with an oven containing retorts, the oven heating the air passing through the retorts, while through a nozzle extending into the combustion chamber pass mixture of steam and oil.

### Railway Appliances.

CAR COUPLING.—Valentine Erbach. Scranton, Pa. According to this invention a flat gravity coupling pin having a transverse concavity in its lower end is combined with a gravity locking and tripping  $\log$  in the drawhead, the dog being adapted to be acted upon by an entering link, and having a bearing surface to receive the lower end of the pin. The pin is held in elevated position to admit a link, the entry of which operates to trip the pin and cause it to be guided downward in the link. The pin may also be brought into such engage\_ ment with a link as to give the latter an upwardly inclined position, and thus hold it until readjustment or until a coupling has been effected.

CAR BRAKE.—Thaddeus J. Barrow, Duluth, Minn. This is a brake especially designed for use on street railway cars, occupying but little space be-neath the car, and having a series of independent shoes. It comprises three-armed levers pivoted on opposite sides of the car truck, brake shoes pivotally connected with opposite arms of the levers, and operating levers connected with one arm of the three-armed levers. The shoes are operated independently, and if one or more of them should break, the others would do the work, while the lever mechanism allows the shoes to be set with great rigidity upon the wheels.

ELEVATED RAILWAY BRAKE.—John  $N.\ Valley,\ Jersey\ City,\ N.\ J.\ \ This is a brake for use on$ a railway in which the cars are suspended from an overhead track or stringer, and the invention consists of a mechanism in the form of a clamp, formed by the brake jaws or shoes, to clamp the rail or stringer. The brake is easily applied or released by an operating lever within

### Electrical.

ELECTRIC PROGRAM CLOCK.—Henry C. Hain, Booneville, Mo. This invention provides a clock attachment for giving calls at different times in the day and different days in the week, as a reminder of engagements, etc. An auxiliary dial has a series of openings and equidistant electrical contacts in a circle on the inside of the dial, there being also a contact arm adapted to inclose an electric circuit, mechanism between the clock and arm, and removable pins to be inserted in the openings in the dial.

ELECTRIC RAILWAY TROLLEY.—Wesley W. Pritchett, Ogden, Utah Ter. This invention provides a simple and cheap trolley mechanism to be carried on the top of a car, designed to hold the trolley wheels always in contact with the wire, and to guide the wheels to the wire when the trolley is to be applied. A shifting weight holds the trolley wheel in contact with the line wire, means being provided for shifting the weight and trolleys when the car is to be reversed or switched, which may be quickly done from the platform in such a way that the lights on the car will be but momentarily put out.

### Mechanical.

ANTI-FRICTION BEARING.—Charles W. Wynn, Asheville, N. C. This bearing may be used on a revolving as well as on a fixed axle, and consists of a number of cages each containing longitudinally arranged rollers, and provided at their meeting ends with interlocking projections, whereby the rollers of each cage will be in line between those of the next cage, the rollers bearing evenly within a cylindrical bore. By the cages revolving on the spindle and distributing the wear, it is designed to avoid the wearing of the spindle flat on one

LUBRICATOR.—Benjamin F. Howard, Sheep Ranch, Cal. This is a device more especially designed for use on engine cylinders to automatically and positively feed the proper amount of lubricant into the cylinder. It has a large oil reservoir into which passes limited amount of condensation water, and a sight feed tube so arranged that the oil bubble passing through the tube can be seen and the amount closely regulated, being also indicated by a pointer on a graduated dial.

WRENCHAND CUTTER.-Theodore Fletcher, Macdona, Texas. This is a strong, simple, and inexpensive tool, adapted for use for ordinary purposes as a wrench, to turn a nut, or as a pipe wrench, the clamp or pressure being applied in both cases with a power proportioned to the strength of the pull, while it may also be used as a powerful pipe cutter. Its construction also allows it to be used very rapidly, somewhat as a ratchet wrench.

### Miscellaneous.

REFRIGERATOR. — George A. Bowen, Fond du Lac, Wis. The box or casing of this device consists of two hinged sections, the lower one forming a provision chamber, supporting in its upper portion an open-top ice receiver, while the hinged upper section has an opening in its top closed by a cover, and registering

with the open end of the ice receiver. The construction insures the keeping of the interior of the refrigerator at a uniform temperature, and permits of conveniently removing the several parts for thoroughly cleaning the

TEACHING BOTANY.—William H. Gibon, Washington, Conn. A mechanical educational appliance, for use by lecturers and in schools, colleges, etc., is provided by this invention, to facilitate explanations of the construction of plants and the means employed for fertilization or fecundation, and cross fertilization and dissemination or dispersion of seed and fruit. The invention consists principally of a mechanical plant and means for actuating the floral parts and the seed receptacle and seed, different mechanisms being necessary for the demonstrations called for of different plants, and these mechanisms being provided for the different typical plants chosen by the illustrator.

LOCK BRAKE.—Volney W. Mason, Providence, R. I. This is a brake for hoisting machines with which any required amount of pressure may be applied to the wheel, which may be securely locked so that it will not turn under any load the machine is likely to carry. The brake lever, attached to the brake, is moved and locked by an adjustable toggle joint, an operating cord and counterweight being arranged in convenient position to facilitate applying and releasing the brake.

PAINT FILLING COMPOSITION.—Richard J. Parke and Isaac Goodman, New York City. These inventors provide a composition consisting of cotton, wool, or silk flock, and pulverized stone, with varnish, japan, and oil, to be applied to wood preparatory to varnishing, the coating being susceptible of polishing and smoothing with pumice stone or other material, after which varnish may be applied in the usual manner, the paint or varnish then not penetrating into the

WATER GATE.—Christopher H. Watson, Riverside, Cal. This invention provides a gate of simple and durable construction, easily opened and closed, and designed to prevent all leakage by firmly seating and locking the gate over the opening. A gasket of rubber or similar material is held on the inner face of the gate proper, the gate being mounted to slide, and being carried by a stem which may be turned, the gasket not being injured while the gate is partly or wholly open, and being used only when the gate is entirely closed. The gate, when pulled up, can be locked in any desired position by turning its stem.

Tobacco and Cigar Box.—Theodore V. Smith, New York City. The storing and preserving of cigars and tobacco, to keep them in good condition, is the object of this invention, the box having a lining of water and moisture proof material, and being designed to receive absorbent pads for keeping the cigars and tobacco at a certain degree of moisture. The construction is durable and inexpensive, and all the parts can be readily removed to clean when needed.

CANVAS COT.—Camille Poirier, Duluth, Minn. This cot is more especially adapted for use in steel prison cells, the body of the cot being so connected with the hanging devices that the latter may be readily removed from the canvas, and all may be easily and thoroughly cleaned. The construction of the cot and hangers is such that nothing pertaining to them can be used by a prisoner as a weapon.

TAILOR'S INSEAM GAUGE.—Harry M. Cloud, Cincinnati, Ohio. This is a device for taking the inseam length, from the crotch to the feet, in measuring for trousers. It is a form of measure in which a stand ard, supported on a suitable base, is provided with a sliding and vertically adjustable section marked with graduations, and having a horizontal arm to be lifted between the legs as far as the crotch. It is designed that by this means the work may be more accurately and conveniently done, while a man may therewith correctly take his own measure.

GAS BURNER.—Daniel Daly, Maysville, Ky. According to this invention two approximately par allel tubes or sections have in their adjacent faces opposite slots, so that the gas issuing therefrom will come together and merge in a single flame. The commotion and suction produced by the currents of gas coming to gether are designed to serve to mix air with the gas to produce a hot, heating flame, the amount of air drawn in being varied by varying the distance between the tubes and changing the angle at which the gas flames

MATCH BOX.—Edward J. Hill, London, England. This box, which is also adapted to hold cigarettes, cigars, lozenges, and other small articles, is preferably made of a single sheet of stamped or cut sheet metal, foldable in such a manner as to form a complete self-closing spring box. It has a movable part forming a container and a discharge orifice with which the movable part does not normally communicate, but with which, by reason of the spring action, it may be made to communicate for the discharge of the articles one at a time.

### Designs.

TEA POT.—Charles Osborne, New York City. The leading features of this design are the heavy leaf-like borders of the upper and lower portions of the pot, the ornamentation at the base of the spout and at the points where the handle connects with the pot, and its faceted sides.

POCKET BOOK CASE, OR WALLET .-Charles Scheuer, New York City. The article made after this design is intended to present the appearance of a letter, one side showing the lines of joining of the tabs and the other showing simulations of a canceled stamp, postmark, and address.

Note.—Copies of any of the above patents will be furnished by Munn & Co., for 25 cents each. Please send name of the patentee, title of invention, and date all newsdealers. of this paper.

### NEW BOOKS AND PUBLICATIONS.

ART OUT OF DOORS: OR. HINTS ON GOOD TASTE IN GARDENING. By Mrs. Schuyler Van Rensselaer. New York: Charles Scribner's Sons. Pp. 398.

This is an exquisitely beautiful book typographically It is not a practical treatise on gardening, but a series of essays on different kinds of gardening and other means of beautifying grounds, pleading for the more general recognition of this class of work as one of the high arts It seeks to impress upon the reader the importance of "aim and method" in the art of gardening, now "prac ticed much more often than any other in ignorant, impulsive ways, by people who never stop to think that it is an art at all." The impressions gained by extensive observation are here noted with a refined taste and with an orderly arrangement of widely different branches of the subject which make the book excedingly attractive

THE STATISTICIAN AND ECONOMIST— 1893, 1894. San Francisco: L. P. McCarty. Pp. 672. Price, cloth, \$4.

This is the seventeenth issue of a volume which has been successively enlarged year by year, and which give a great deal of very many kinds of curious and useful in formation. Its topics include population, election returns important laws, historical data, trade statistics, geographical information, useful facts in mechanics and engineering and numerous other subjects. A full index facilitates reference to the contents

OUT DOORS is the title of a neat little paper-covered book, sent by mail for ten cents, and published by the Pope Manufacturing Company, of Boston. Lawn tennis, yachting, foot ball, base ball, horsemanship, rowing, canoeing, and cycling, are each treated in a most interesting manner, by a writer of reputation. 'The primary object of the book is to give added interest to all kinds of outdoor exercise, thereby naturally drawing more attention to bicycling, and for this reason the book is issued. The book is calculated to effectively preach the gospel of outdoors-fresh air.

### Received.

NFLICT OF THE NINETEENTH CENTURY: THE BIBLE AND FREE THOUGHT. By Rev. Thomas Mitchell. New York: The Universal Book Company.

Any of the above books may be purchased through this office. Send for new book catalogue just published. Munn & Co., 361 Broadway, New York.

### SCIENTIFIC AMERICAN

### BUILDING EDITION

MAY, 1893.-(No. 91.)

TABLE OF CONTENTS.

- 1. Elegant plate in colors, showing an elegant residence at Bridgeport, Conn. Floor plans and two perspective elevations. An excellent design. Messrs Longstaff & Hurd, architects, Bridgeport, Conn.
- 2. Plate in colors showing a handsome residence at Rutherford, N. J. Two perspective views and floor plans. Mr. F. W. Beal, architect, New York. An attractive design.
- 3. A handsome dwelling at Plainfield, N. J. Perspec tive views and floor plans. A model design. Messrs. Hartwell & Richardson, architects, Boston,
- 4. A dwelling at Utica, N. Y., erected at a cost of \$4,700 complete. Floor plans, perspective view, etc. Mr. W. H. Symonds, architect, New York. An Old Colonial style of architecture.
- 5. Engravings and floor plan of the Fairfield Congrega tional Church at Fairfield, Conn., erected at a cost of \$52,000. Messrs. J. C. Cady & Co., architects, New York City.
- A stable erected at Plainfield, N. J. A model design. Messrs. Hartwell & Richardson, architects, Boston, Mass.
- 7. An excellent design for a modern stable at Bridge port, Conn. Messrs. Longstaff & Hurd, architects. Bridgeport, Conn.
- A residence at Belle Haven, Conn. A very picturesque design, perspective elevation and floor plans. Cost \$6,000 complete. Mr. Frank W. Beal, architect, New York City.
- View of a tasteful shop for a builder erected at Neuilly, Paris.
- The Fifth Avenue Theater, New York.—View of the Worthington steam fire engine pump.-View of the Hygienic Cement and Asphalt Company's watertight scene pit. View of the Edison Electric Illuminating Company's switchboard, with particulars of construction, etc.
- 11. Miscellaneous contents: A Pacific coast bathing establishment.-An improved spring hinge, illustrated.—The Lewis open fire base burner, illustrated .- The J. A. Fay and Egan Co .- The H. W. Johns paints, etc.—An adjustable sash holder, illustrated.—A labor saving screw driver, illustrated.—A self-feed rip saw, illustrated.—Shipping a factory across the Atlantic.—Architectural wood turning.—Tunneling the Simplon.—New resawing hand saw machine. illustrated.—The Wheeler wood filler.—An improved hip shingle, illustrated.

The Scientific American Architects and Builders Edition is issued monthly. \$2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming, practically, a large and splendid MAGAZINE OF ARCHITEC-TURE, richly adorned with elegant plates in colors and with fine engravings, illustrating the most interesting examples of Modern Architectural Construction and allied subjects.

The Fullness, Richness, Cheapness, and Convenience of this work have won for it the LARGEST CIRCULATION of any Architectural Publication in the world. Sold by MUNN & CO., Publishers,

861 Broadway, New York.

### Business and Personal.

The charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue

Acme engine, 1 to 5 H. P. See adv. next issue.

"U.S." metal polish. Indianapolis. Samples free. Improved iron planers. W. A. Wilson, Rochester, N.Y. hain Belting & Grain Dryers, F. H. C. Mey, Buffalo, N.Y.

Universal and Plain Milling Machines. Pedrick & Ayer, Philadelphia, Pa.

Handle turning machinery. Trevor Mfg. Co., Lock-

Microbe Killer Water Filter, McConnell Filter Co., Buffalo, N. Y.

Wanted to Invest-Thirty or forty thousand dollars in ood mfg. business. Address P. O. box 805. Chicago

Steam Hammers, Improved Hydraulic Jacks, and Tube Expanders. R. Dudgeon. 24 Columbia St., New York. Screw machines, milling machines, and drill presses

The Garvin Mach. Co., Laight and Canal Sts., New York.

Centrifugal Pumps. Capacity, 100 to 40,000 gals, per minute. All sizes in stock. IrvinVan Wie Syracuse, N.Y.

Portable engines and boilers. Yacht engines and boilers. B. W. Payne & Sons, Elmira, N. Y., and 41 Dey Street, New York. To Let-A suite of desirable offices, adjacent to the

cientific American offices, to let at moderate terms. Apply to Munn & Co., 361 Broadway, New York.

Fine Castings in Brass, Bronze, Composition (Gun Metal), German Silver. Unequaled facilities. Jas. J. McKenna & Bro., 424 and 426 East 23d St., New York.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4; Munn & Co., publishers, 361 Broadway, N. Y.

For the original Bogardus Universal Eccentric Mill, Foot and Power Presses, Drills, Shears, etc., address J.S. & G. F. Simpson, 26 to 36 Rodney St., Brooklyn, N. Y.

Canning machinery outfits complete, oil burners for soldering, air pumps, can wipers, can testers, labeling machines. Presses and dies. Burt Mfg. Co., Rochester,

Competent persons who desire agencies for a new popular book, of ready sale, with handsome profit, may apply to Munn & Co., Scientific American office, 361

Patent for Sale-A new specialty, all metal, for general and domestic use. Just patented in Europe and the United States. Sale established. Offered to responsible parties. Address P. O. box No. 14, Rochester, N. Y.

Want to Purchase-A natented vapor engine the right to manufacture and sell same, or to arrange with manufacturer of one already in the market for their exclusive use for certain purposes. Address, with particulars, Vapor Engine, P. O. box 773, New York.

Any Manufactures

of hardware or machinist's specialties, desiring to be represented in New York City and vicinity, will find it to his interest to address E. J. Hussey & Co., 80John Street, New York. We are centrally located, active workers, and can furnish best of references.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.



HINTS TO CORRESPONDENTS.

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of

Minerals sent for examination should be distinctly marked or labeled.

(4982) J. E. D. asks how a well that has not been used for some time can be cleaned, and if the water can be made drinkable without drawing it all off. A. It is not safe to use the water of a well that has not been recently used until a thorough examination has been made as to the possibility of its containing dead animals. If you are assured of this by examination, or by the smell of the water as drawn and by heating, then a thorough pumping will remove so much of the water that the fresh incoming water will make the well safe for household use for washing and finally for cooking: but we do not recommend it for drinking for some time after it has been in use for other purposes

(4983) J. G. H. asks: Is a cantilever bridge a truss bridge? How long a span has ever been built constructed on similar plan to one on front page of recent number of Scientific American? A. A cantilever bridge is a truss bridge of a particular type or construction of truss. The Forth Bridge in Scotland has the longest cantilever spans yet made. In this bridge there are two spans of 1.710 feet each. See Scientific AMERICAN SUPPLEMENT, No. 478, for illustrated details

(4984) J. G. R. says : Can you give me any points on tempering springs made of cast steel wire, No. 8 gauge, about 6 inches long? A. For tempering steel springs as described, heat the springs in a fire that is only moderately hot and large enough to heat the whole spring evenly. A muffle is preferred where many are to be done. When the springs are at a cherry red heat, they are to be plunged endwise into an oil bath (lard oil); then heated with the oil on them in the muffle or a slow fire until the oil takes fire; then plunge them into the oil bath. A plain, straight spring is very easy to

manage. Coiled springs of a helix or volute form are more difficult to temper, and require much care in heating evenly. In establishments where quantities are required, special ovens are built for heating and drawing the temper. Red hot lead in a crucible is also much used for heating evenly.

(4985) E. P. M. writes again: Thank you very much for the answer to my question, No. 4742, E. P. W., in the Scientific American of March 18. You say it would take 16 horse power to maintain the 1,000 pounds pressure with a 1/2 inch discharge. Now would you be kind enough to tell me how you worked the example, and give me the exact diameter and stroke of both the steam cylinder and of the water plunger, and how many strokes per minute it would require to maintain the above pres sure with the 1/2 inch discharge? Also, what boiler pressure of steam and how much water it would discharge per minute? A. The theoretical velocity of water from a nozzle is equal to the square root of the height in feet due to the pressure multiplied by square root of twice gravity  $(\sqrt{2}q.h)$  = feet per second. Then 1,000 pounds  $\times$  2.3 = 2,300 feet as the head due to 1,000 pounds **pressure.** The square root of twice gravity (64.33) = 8.02, and the square root of 2,300 = 47.95. Then  $47.95 \times 8.02$ = 383.55 feet per second, or 23,013 feet per minute. The friction of a nozzle may reduce this to 20,000 feet per minute. The area of a ½ inch hole is 0 1963 of a square inch. Then 0·1963  $\times$  20,000 feet  $\times$  12 inches = 47,112 cubic inches of water delivered per minute. If a pump makes

100 strokes or 50 revolutions per minute, then

471+ cubic inches as the capacity of the water cylinder. Assuming 10 inches for the length of the stroke, then = 47 + square inches as the area of the piston. Add-

10 ing a small percentage for leakage, an  $8\,$  inch  $\,$  piston will

be the proper size. The area of the 8 inch piston = 50 + square inches and the pressure 1,000 pounds, the total pressure will be 50,000 pounds. If you intend to carry

100 pounds steam pressure, then  $\frac{50,000}{100} = 500$  square

inches as the area of the steam piston. To this you should add 25 per cent for pump friction, or a piston area of 625 square inches, which is equal to 28% inches as the diameter of the steam piston. Then for the horse power, 625 square inches × 100 pounds × 83.3 feet piston travel

33,000

us say 16 instead of 160 horse power in former answer.

(4986) W. E. C. says : 1. In the use of a steam boiler for furnishing steam for a 100 horse power engine, dry kiln, and heating buildings, to maintain a ressure of 80 pounds during the day and 30 pounds during the night, which will be the safest, best, and most economical way of feeding the boiler with water from a well 12 feet deep? A. The proper way to feed your boilerfrom a well is through a steam pump with pistons proportionate for the work. You cannot trust the boiler to the tender mercies of the pump acting automatically. Nothing but the care of the engineer will do for steaming at night, even under low steam. The water gauge should be connected direct to the boiler, and not through the feed pipe. 2. Will a water column on a steam boiler show correctly the amount of water in the boiler if I connect it with the water with 11/4 inch pipe and with the steam with 2 inch pipe? A. One inch pipe is large enough for water gauge connections, unless the water is hard, when 11/4 inch for both connections is preferred. It will not show water height correctly when connected with feed or blow-off pipe.

(4987) D. S. W. writes: 1. I want to make a small storage battery. Will you kindly give me a "point" or two? How shall I prepare the red lead and litharge? A. Mix the red lead and litharge with dilute sulphuric acid; acid 1 part, water 9 parts. 2. How much of the surface of the plates should be covered with same? A. As much of the plate as is exposed to the electrolyte. 3. What proportions of c. p. sulphuric acid and water for the fluid? A. Acid 1 part, water 11 parts. 4. I intend using lead plates, 5  $\times$  6  $\times$  ¼, four plates to each cell, and I want to make four cells. What E. M. F. should I get from it? A. Two volts per cell.

(4988) W. Y. asks: Do you know of a good cement for bedding brass inlaying in wood? I find that ordinary glue does not hold it well when the furniture is subjected to hot air furnace heat, whereas some very old furniture that I have with brass inlaying in it appears to stand perfectly well. A. For metal inlaying the toughest glue, which may be known by bending in the hands, should be used. Make the glue in the ordinary way, and to each pint add a half ounce of glycerine and a half ounce of fine whiting or pulverized chalk. Thoroughly incorporate and use hot and rather stiff. The metal should also be treated by dipping in weak nitric acid for a half minute, rinsing, and drying. This will give it a suitable roughness for holding the glue.

(4989) E. L. K. asks: Will you please give me your judgment in the matter as  $% \left( x\right) =\left( x\right) +\left( x\right) +\left($ consider open hearth bar steel to be superior in quality, greater quantity of water cause greater pressure? A. toughness, and uniformity over that of Bessemer steel. and whether you would consider a tool made from open that of one made from Bessemer? A. The open hearth steel is becoming a favorite where extreme toughness is required, as for boilers and structural work subject to great stress. The actual difference is not great, and it is only in the extreme tests of doubling a plate two ways and hammering flat without a flaw that open hearth takes the lead. Neither steel is used for cutting tools.

(4990) A. B. M. writes: I have a new electro-magnet for striking a bell and it does not demag netize quick enough. Please inform me what iron should be used, what treatment it should have, if any, if it should be devoid of carbon, or what its constituents should be. finest and softest wrought iron. Possibly you may be able to correct your magnet by thoroughly annealing the cores; this you can do by heating them red hot and placing them in ashes or powdered lime to cool. The armature should not be allowed to touch the magnet core; if it does, it will stick. You can prevent this by limiting the movement of the armature, by inserting a short copper

pin in the end of the core, or by pasting a piece of paper to the face of the armature.

(4991) L. E. K. asks: 1. What is the resistance of a 16 C. P. 50 volt lamp in ohms? A. About 50 ohms. 2. What should be the thickness of mica be ween commutator segments in 8 light dynamo? A. One thirty-second of an inch. 3. How to remedy heating of field magnets. A. If it is a shunt machine, increase the resistance of the field magnet and add outside resistance. 4. Will it injure storage battery to take elements out of acid and dry and lay away for future use after it has been used a short time? A. No.

(4992) W. K. writes: I have made an nduction coil, something in the style of the one described in Hopkins' "Experimental Science." Core 12 inches consisting of 500 No. 20 soft iron wires. Primary of two layers No. 16 (B. and S. gauge) double cotton-covered copper wire. Secondary consists of 3 inches silk-covered cop per wire, No. 36 (B. and S. gauge), closely wound and very carefully insulated throughout with paraffine and paraffine paper. Sections separated by about 1 inch solid paraffine, with 6 cells Fuller battery. It gives 3 inch to 31/2 inch sparks. Since making this coil I have noticed that in nearly all the descriptions of coils that I have seen, heavier wire for the primary is advised. Is No 16 (Am. gauge) sufficiently heavy to carry the current of above battery? A. Yes. Would I be likely to get a much stronger spark if I should wind on say 2 inches more of No. 36 on secondary? As there is plenty of space for it on the bobbin, I would put it on, if it would increase the spark materially. A. Your coil yields remarkably good results. We would not advise making any change in its construction

(4993) G. E. F. writes: In reply to H. D. (4873), I have had occasion to replace broken teeth in small cast iron gears, and find the most effective way to be by drilling holes and tapping them for a screw thread then screwing in strong iron bolts till the thread binds sufficiently to hold the tooth, and then cutting off and shap ing with the file. If the tooth must be of perfect form, shape one out and fasten it by a sufficient number of set screws, with countersunk head, the square part of screw being cut off after fastening.

(4994) J. H. asks the manner by which nail hammers are tempered in large hammer factories. Also, is the grinding and polishing done on wheels or belts, or both? Is there an automatic machine for grind--= 1576 horse power. A decimal error made ing hammers? If you could not inform me on this, kindly refer me to parties that could. A. Hammers in quantities are heated in large slow-burning fires or muffle ovens, and dipped in water either singly or in nests, strung on rods through the eyes. The grinding is done on large grindstones as to the plane parts, and angles and corners are ground on emery wheels. The finish is made on fine emery wheels and polishing belts of leather. Do not know of automatic machinery for hammer grinding. Possibly some of our readers may know of such.

> (4995) W. T. asks: Can a clear-cut casting of Babbitt metal be made in a sand mould, and, if so, how can the casting be cleaned without marring or injuring the design? Can a clear-cut casting of medal or coin bronze be made in a sand mould, and, if so, how can it be cleaned without marring or injuring the design? Can such bronze be melted in a forge, and does it melt as easily as iron? A. Clean-cut or smooth castings cannot be made in sand. Babbitt and type metal can be cast in metal moulds clean and bright. Medal bronze of copper and tin alloy can be melted in a forge fire in a black lead or Hessian crucible to the extent of two or three pounds very easily, by banking the fire by placing bricks around it. It melts much easier than iron. By using fine moulding sand, such as used by brass founders, a fair casting may be made in moulds of medallion work that can be finished with but little work.

> (4996) A Printer asks: Will you kindly tell how engraving and plate printing is done? I refer to that which is seen on statements and calling cards. A. Plates for plate printing are cut by means of gravers. The ink, which is very thick, is rubbed into the grooves or lines made by the graver. Any surplus ink that remains on the plate is removed by a cloth. The printing is effected in a roller press by pressing the paper into the inked lines.


> (4997) S. B. asks: Will you please tell me how they make calcium lights burn that they use in the theater, and how much they cost? A. A calcium lamp costs about ten dollars. The light is produced by directing a jet of hydrogen or of coal gas and a jet of oxygen gas against a stick of lime. The lime is thus heated very hot and becomes luminous

(4998) F. S. K. writes: 1. I should like to ask whether there will be an archeological exhibit at Chicago, especially of Grecian, Roman, and Babylonian carving. A. We have not yet received the lists of the Columbian exhibit. 2. How much is the pressure caused by water freezing? A. Water exerts an immense force by freezing when confined in an unyielding vessel, probably many thousand pounds per square inch. It has burst bombshells when plugged full of water. 3. Would a The pressure per square inch would be increased with the increase in volume in an unyielding vessel. 4. How could hearth steel as giving better and more satisfaction than I make a simple instrument for measuring the humidity of the atmosphere? A. The simplest hygrometer is a strip of strong paper, 1/2 inch wide, fastened at the top of a plastered wall or on a strip of wood, with a small weight hung at the bottom to keep the paper straight. It will expand and contract with the changes in the atmospheric moisture. A piece of catgut, a few inches long. hung with a weight to keep it straight, and a pointer attached, has a large range of motion, due to change of moisture in the air.

(4999) G. C. asks: Are lightning rods of any use in protecting a building during an electrical storm? If so, how many are needed on a building 36 by A. The cores of electro-magnets should be made of the 72; 30 feet high? How are they to be put on? Are they manufactured or for sale in any of our Western cities, and if so, by whom? A. Lightning rods are of use. It requires a rod to every 225 square feet, or to every area 15 feet square. They may be nailed directly to the building if the rods are made of strips of copper The points should be about 5 or 6 feet above the roof. We presume almost any dealer in electrical supplies in

your State could furnish you with lightning rods. We advise you, however, to have your lightning rods put up by some one who understands the business. The rod is of no value unless it has a good ground connection.

(5000) P. C. W., H. N. G. and others ask how to make cheap filters. A. We give two forms of inexpensive filters, both taken from our new Cyclopedia of Receipts. Notes and Queries. To make a filter with a wine barrel, procure a piece of fine brass wire cloth of a



tition across the barrel. Support this wire cloth with a coarser wire cloth under it and also a light frame of oak, to keep the wire cloth from sagging. Fill in upon the wire cloth about three inches in depth of clear sharp sand, then two inches of charcoal broken finely, but no dust. Then on the charcoal four inches of clear, sharp sand.

Fill up the barrel with water and draw from the bottom. Another form of filter using stone pots is given below; of

course two barrels may be substituted for the stone pots if desired. Use two stone pots or jars, as shown in the accompanying engraving, the bottom one being a water jar with side hole, if it can be procured, otherwise, if no faucet can be used, the top jar can be removed to enable the water to be dipped out. The top jar must have a hole drilled or broken in the bottom, and a small flower pot saucer inverted over the hole.

Then fill in a layer of sharp clean sand, rather coarse, a layer of finer, sand, a layer of pulverized charcoal, with dust blown out, then a layer of sand, the whole occupying one-third of the jar.

(5001) W. F. C. asks: What is the exansion of railroad bar iron per foot for each degree Fahrenheit? I mean when exposed to the heat of heat the sun. A. The expansion of ordinary bar iron between the temperatures of 32° and 572° is 0.0000826 of an inch per foot for each degree of heat Fahrenheit. The greatest range of temperature in rails through the year in your climate is about 90°, amounting to a change in length for 100 feet of 07434 of an inch, or nearly 71/2 inches to a thousand feet. The extreme difference for a 30 foot rail is 0.223 of an inch. Rails laid at mean temperature of 60° require 0.148 of an inch space for 30 foot rails. In ordinary practice a 1/2 inch gauge is used in summer.

(5002) F. P.—The following preparation is used to render starched goods pliable: Take of white wax 1 ounce, spermaceti 2 ounces, melt them together with a gentle heat. When you have prepared a sufficient amount of starch, in the usual way, for a dozen pieces, put into it a piece of the polish about the size of a large pea, using more or less according to large or small washings. Or thick gum solution (made by pouring boiling water upon gum arabic) may be used. One tablespoonful to a pint of starch gives clothes a beautiful gloss. Leclanche battery prism is composed of '40 parts granulated manganese dioxide, 52 parts granulated carbon, 5 parts gum shellac, 3 parts potassium bisulphate. Mix, heat to 212° Fah., and compress in moulds under a pressure of two tons, or press with moderate pressure in the porous cells.

(5003) P. J. L. says: I would like to know if there is any way of killing the odor of kerosene. That is to add something to it so that there will be no smell of the oil or what is added. Also how to make camphor oil cheaply. A. The odor of kerosene may be modified, if not entirely destroyed, by using the following following formula: Mix chloride of lime with petroleum in the proportion of three ounces for each gallon of the liquid to be purified. It is then introduced into a cask. Some muriatic acid is added and the mixture is well agitated, so as to bring the whole of the liquid into intimate contact with the chlorine gas. Finally the petroleum is passed into another vessel containing slaked lime, which absorbs the free chlorine and leaves the oil sufficiently deodorized and purified. Camphor oil is made by allowing the crude camphor to remain packed loosely over a wire grating, so that the oil may drain out. This method, which is crude and wasteful, is gradually giving place to hydraulic pressure.

(5004) C. W. H. asks: In what country was tempered copper found? What century was it supposed to have been done? Is it a fact that we have no tools now that will make an impression on said copper? Where can I get a history on such a subject? A. The so-called tempered copper tools are supposed to be of Egyptian or Hindoo origin, and were an alloy of copper and tin. Supposed to have been of the bronze age, one to two thousand years before the Christian era. The same kind of tools can be made now; they are inferior to steel, which will cut the copper. There is no special history. They are only alluded to in works on ancient Egypt.

(5005) H. E. N. asks: Will you please give me a receipt for a mucilage for mounting plants in fidence, that the waste under these conditions is very a herbarium? Was there ever a book published giving the flora of Nebraska? If so, give name of publishers and price. A. Glycerine, 41/2 parts; soft soap, 41/2 parts; dissolve11/2 parts salicylic acid in 30 parts alcohol. Shake thoroughly, and add to a mucilage made of 1391/2 parts gum arabic and about 270 parts water. This mucilage remains elastic when dried, and does not have a tendency to crack. Make up formula, using parts by weight. Write to the State botanist of Nebraska for information in regard to the flora of the State.

(5006) C. F. writes: I have a Climax urnisher which I purchased about three years ago. Scratches appearing on the burnishing iron are generally removed with finest emery cloth. I have frequently had occasion to apply this remedy with invariable satisfactory result. A short time ago, however, the steel surface of the burnishing iron seems to have become soft, and refuses to work without profuse scratches. I succeed in removing them and in polishing the surface again, but flux by adding 10 per cent of sal ammoniac to the muriate every trial at bornishing fills the instrument with of zinc. Cover the surface of the tin with palm oil. You

scratches. I am positive that the fault is not with the photographs, as these burnish perfectly well with any other burnisher. Do you think that the softened steel is the cause of the trouble, and if so, how can I reharden it? A. Burnishing rolls are usually made of steel hardened or of chilled cast iron. In either case the repolishing of the surface would not make them soft. It may be possible the roll you have is case-hardened iron, which has only a thin hard skin, which when polished off leaves a soft surface. We advise you to  $% \left( 1\right) =\left( 1\right) +\left( 1\right) =\left( 1\right) +\left( 1\right) +\left( 1\right) =\left( 1\right) +\left( 1\right) +\left( 1\right) =\left( 1\right) +\left( 1\right) +\left$ the burnisher.

(5007) G. M. S. ask how to melt gold and copper, and if an ordinary bellows will produce enough heat. I have a crucible and bellows, but when I tried to melt it I could not do it. Is there any chemical or anything I should put in it to keep it from oxidizing? A. You can melt a small quantity of gold or copper (1 pound) in any blacksmith forge by building a fire pot of loose brick to hold the fire close to the crucible. Use borax in the crucible to protect the metal.

(5008) W. K. writes: I have been experimenting considerably with primary batteries, and have experienced the usual quantum of disappointment and vexation with all of them. Have finally settled down to the Fuller as being on the whole as satisfactory as any, all things considered. I find that by placing in the porous cups one or two strips of zinc, the efficiency of the battery is vastly increased. I use two plates of carbon in each cell, 3 inches by 7 inches. Would it not be better to use in this battery cylinders of zinc, about the height of the porous cell, instead of the usual short cone or lump. I find that the strips of zinc keep well amalgamated. Would it be advantageous to further increase the carbon surface? A. In some forms of Fuller battery cylinders of zinc are used instead of conical pieces, but there is more or less waste in the use of pieces of this form. An increase of carbon surface adds to the depolarizing power of the battery.

(5009) J. K. says: 1. I wish to know what oil is best for fine leather shoes. Is castor oil good or injurious? Will oil keep rubber boots from cracking, and what kind? A. There is nothing better for softening shoe leather than neat's foot oil. Castor oil is much used. but is not the best. A very little neat's foot oil on rubber boots will soften the surface and make them less liable to crack. 2. Why do water pipes rarely burst when frozen under ground? A. Pipes partially protected in the ground freeze very slowly, which allows the water to  $\,$ move along the central line of the pipe and relieve the pressure, when the ice forming on the inside of the pipe can expand toward the center. If, even then, the pipe becomes frozen solid at two points, some distance apart, the intervening water upon freezing will burst the pipe. 3. What speed had a gang in a marble sawmill ought to run to do the best and most work? A. About 200 feet per minute. 4. In the marble quarry I work in there is a great pressure to the stone closing in on the drills of channeling machines and sometimes spoiling many dollars worth of marble. Can you give the cause? A. There is a constant compression in the rock crust of the earth, caused by the shrinkage of the earth through loss of heat the same cause that has wrinkled its surface into hills and mountains, and caused even your marble quarries to become tilted in their stratified layers. When a channel is cut in the process, as with the channeling machine, where the drills cut a close-fitting channel, the pressure is relieved and the walls of the channel close in, although not enough to be readily seen, which can be measured and amounts to enough movement to pinch the gang drills.

(5010) M. & Son ask: 1. How to construct a cupola to melt about 200 pounds of castiron, and what is put in cast iron to help melt it? A. A cupola to melt 200 pounds of iron should be about 24 inches external diameter, with a fire brick lining about 3 inches thick. It should be about 4 feet high. Cupolas of this size are generally suspended on trunnions, so that they can be turned down into a horizontal position for cleaning, etc. The bottom of the cupola should be hinged, so as to permit of dumping the contents. There should be a spout below the discharge opening, and upon each side  $\,$ of the cupola, about 10 or 12 inches above the bottom, there should be openings for receiving the blast pipes. We advise you to purchase a work on founding. We recommend "Founding of Metals," by E. Kirk, price \$2.50; "Casting and Founding," by R. E. Spretzson, price \$6; "Practical Iron Founding," price \$1.50; "Iron and Steel Founding," by C. Wylie, price \$2. Sometimes a little limestone or some oyster shells may be added to the coal and iron, to advantage, as a flux. This is generally done after the first charge. 2. How to construct a cupola to melt 200 pounds of wrought iron, and what is put in wrought iron to help melt it? A. Wrought iron cannot be melted and poured like cast iron. 3. What is the book to get on the manufacture of iron and steel? A. "Principles of the Manufacture of Iron and Steel," by I. L. Bell, price \$8; "Chemistry of Iron and Steel Making," by W. M. Williams, price by mail \$3.

(5011) E. B. C. writes: Does not a reducing valve always effect a waste of power? I have a boiler at 80 pounds and require to use a part of the steam at 40 pounds only. If I put in a reducing valve, do I not practically waste half the power of the steam so used? I have been told by several engineers, in whom I have consmall-nothing like half; but it seems to me they are Substitute for the reducing valve an engine working on 80 pounds, with 40 pounds back pressure, and itwould seem that a net gain equal to the work of the engine on 40 pounds should result. A. Either condition that you name is a most wasteful practice. If you have no use for the exhaust, make a reducing valve of the cutoff and use the whole boiler pressure on the piston for the shortest part of the stroke that will do the work. If you require as a necessity steam at half the boiler pressure or other purposes than power, it is proper to use a reducing valve for that purpose only, as where elevators have to be run with high pressure and the heating of buildings at low pressure. The running of engines with back pressure is also wasteful, only excepting that the exhaust steam can be used for its full value for heating or ther purposes.

(5012) J. G.—You will improve the tin

## Scientific American.

can also make tin more fluid by adding 5 per cent of bismuth. We have no books on this subject.

(5013) R. P. J. says: I have a 15 light incandescent dynamo which I am running with windmill power for charging 26 cells storage battery. I have trouble with the heating of the armature when the speed runs above 2,700—the required speed. The dynamo is shunt wound. Can I remedy the heating by introducing resistance into the shunt by arranging an automatic switch, to act when the speed exceeds 2,700 revolutions. If this will not answer, please make any suggestions that you think will help me. A. You can probably remedy the heating by the method proposed. The only alternative is to provide means for securing a closer regulation of the windmill or opening the circuit of the dynamo.

### TO INVENTORS.

An experience of forty-four years, and the preparation of more than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess unequaled facilities for procuring patents everywhere. A synopsis of the patent laws of the United States and all foreign countries may be had on application, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices which are low, in accordance with the times and our extensive facilities for conducting the business. Address MUNN & CO., office SCIENTIFIC AMERICAN, 361 Broadway, New York.

### INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

May 2, 1893,

### AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Aging wines, spirits, or other liquors, process of and apparatus for, T. R. Timby	496,759
Aging wines, spirits or other liquors, process of and apparatus for, T. R. Timby. Air moistening apparatus, E. G. De Montmore Alarm. See Boiler alarm. Burglar and fire alarm. Electric alarm. Thermo mechanical alarm. Amalgamator, H. L. Simmons Armature attachment, W. D. Packard. Armature dynamo-electric machine, W. Fritsche Armature, magnet, F. L. Gregory. Autographic register, J. Pfeifer	496,526
Amalgamator, H. L. Simmons	496,670 496,791
Armature dynamo-electric machine, W. Fritsche Armature, magnet, F. L. Gregory	496,514 496,648
Autographic register, J. Pfeifer	496,535 496,611
Axle lubricator, Dubrule & Lebel	496,824 496,826
Baling press, C. B. Selover	496,669 496,628
Banner, D. Locke Battery. See Galvanic battery.	496,423
Bearing for lathe spindles, ball, G. Hays Bed, spring, O. S. Foster	496,828 496,404
Battery. See Galvanic battery. Bearing for lathe spindles, ball, G. Hays Bed, spring, O. S. Foster. Bedsteads, folding leg for wardrobe, R. M. Hunter. Berth, sleeping, A. R. T. Woods	496,829
Bicycle, C. S. Page	496 765
Bicycle handle, W. J. Landis	496,803
Bicycle stand attachment, J. R. McCurdy	496,530
Berth, sleeping, A. R. T. Woods. Bicycle, C. S. Page. Bicycle, R. T. Torkelson. Bicycle handle, W. J. Landis. Bicycle saddle, Moore & Burwell Bicycle stand attachment, J. R. McCurdy. Bicycles, attaching sprocket wheels to crankshafts of, F. D. Cable. Blackboard chalk rail, W. S. Terry. Blacking machine, automatic boot, F. G. Norton. Blanks by electricity, apparatus for making, Burton & Angell. Bobbin builder, J. Wiggins.	496,681 496,708
Blacking machine, automatic boot, F. G. Norton	496,437
Burton & Angell.  Bobbin builder, J. Wiggins.	496,591 496,548
Boiler. See Furnace boiler.	496,557
Boilers, apparatus for manufacturing, W. Con-	
Bott or rod cutter, E. Chaquette	496,396 496,461
Box. See Nail box. Self-closing box.	11,330
nelly Bolt or rod cutter, E. Chaquette. Bottling machine, J. G. Watkin. Boutonniere, H. W. Fishel (r)	496,431 496,543
Bracket. See Roof bracket. Brake. See Car brake. Vehicle brake. Vehicle gravity brake. Brass by electricity, working, G. D. Burton Broom holder, Gulich & Hump brey. Buckle frame, detachable, T. Wand Buckles, etc., fastener for. J. M. Lewis. Burglar and fire alarm, Dillman & Seib. Burglar guard for protection of bank officials, A. W. Taft. Burner. See Furnace gas burner. Gas burner.	i
Brass by electricity, working, G. D. Burton Broom holder, Gulich & Hump brev	496,592 496,563
Buckle frame, detachable, T. Wand	496,804 496,421
Burglar and fire alarm, Dillman & Seib Burglar guard for protection of bank officials, A.	496,724
Burglar and fire alarm, Dillman & Seib.  Burglar guard for protection of bank officials. A.  W. Taft.  Burner. See Furnace gas burner. Gas burner. Bush or weed puller. J. W. Snapp. Butten mould, J. E. Brenneisen. Button, F. E. Hall Button, reversible head, J. S. Klebes Cables, etc., electrical testing outfit for, E. W. Stevenson Calipers, beam, A. Barker Camera shutter, A. Entwistle. Can filler, S. B. Parker Can opener, W. L. Scoville. Car brake, J. F. Class Car brake slack adjuster, H. Hinckley. Car brake slack take-up, H. Hinckley. Car coupling, D. L. Barnes. Car coupling, G. A. Haslup. Car coupling, G. A. Haslup. Car coupling, W. A. Thacher. Car, dumping, W. A. Thacher. Car fender, G. Low, E. Washington. Car windows, Gust and cinder guard for railway, S. B. Allison. Cars, gas engine motor for, D. Best. Carsovering, W. Walker. Carponering liquids, atomizing head for, D. Mueller Mueller Carpet stretcher, L. E. Engott.	496,492
Bush or weed puller, J. W. Snapp Butter mould, J. E. Brenneisen	496,452 496,635
Button, F. E. Hall Button detaching device, J. J. Goldman	496,408 496,407
Cables, etc., electrical testing outfit for, E. W.	496,417
Calipers, beam, A. Barker	496,679
Can filler, S. B. Parker	496,617 496,617
Car brake, J. F. Class	496,600 496,815
Car brake slack adjuster, H. Hinckley	496,606 496,607
Car coupling, D. L. Barnes	496,810 496,516
Car coupling, J. Rawles	496,444 496,493
Car, dumping, W. A. Thacher	496,494
Car fender, G. Lowe. Car grip, cable, D. E. Washington	496,424
Car windows, dust and cinder guard for railway,	400,404
Cars, curtain rod for sleeping, A. Selby	496,621 496,717
Carbon dioxide, process of and apparatus for re- covering W. Walker.	496 546
Carbonating liquids, atomizing head for, D. Mueller	496,579
Carriage wrench. Dyler & Zook	400.000
Case. See Fruit case. Cash indicator and recorder, H. C. Pritchard	496 795
Cash register and drawer, W. H. Thompson Cash register, check, T. H. Bergh	100,100
	496,585 496,632 496,632
Caster axle and wheel, A. C. Sanford	496,585 496,632 496,620 496,529 496,772
Caster axle and wheel, A. C. Sanford Chain, driving and cutting, Muehlig & Slade Chain links, machine for making, J. W. Bowen Cheese press, J. L. Helmer Chopping knife, J. W. Allen	496,585 496,632 496,620 496,529 496,773 496,413
Caster axie and wheel, A. C. Sanford. Chain, driving and cutting, Muehlig & Slade Chain links, machine for making, J. W. Bowen Cheese press. J. L. Helmer. Chopping knife, J. W. Allen. Churn, J. T. Urbach. Cigar wrapping machine. F. Stiles.	496,585 496,632 496,620 496,529 496,773 496,413 496,809 496,674 496,453
Caster axie and wheel, A. C. Sanford. Chaiu, driving and cutting, Muehlig & Slade. Chain links, machine for making, J. W. Bowen. Cheese press, J. L. Helmer. Chopping knife, J. W. A'len. Churn, J. T. Urbach. Cigar wrapping machine, F. Stiles. Cigarette forming device, F. Evers. Clamp. See Rock drill clamp.	496,585 496,632 496,620 496,529 496,773 496,413 496,809 496,674 496,453 496,475
Case. See Fruit case.  Cash indicator and recorder, H. C. Pritchard.  Cash register and drawer, W. H. Thompson.  Cash register, check, T. H. Bergh.  Caster axle and wheel, A. C. Sanford.  Chain, driving and cutting, Mueblig & Slade.  Chain links, machine for making, J. W. Bowen.  Cheese press, J. L. Helmer.  Chopping knife, J. W. Alen.  Churn, J. T. Urbach.  Cigar wrapping machine, F. Stiles.  Cigarette forming device, F. Evers.  Clamp. See Rock drill clamp.  Clasp, G. E. Adams.  Clasp, J. F. Chatellier.	496,585 496,632 496,620 496,529 496,773 496,413 496,489 496,674 496,453 496,475 496,629 496,721
Caster axie and wheel, A. C. Sanford. Chaiu, driving and cutting, Muehlig & Slade. Chain links, machine for making, J. W. Bowen. Cheese press, J. L. Helmer. Chopping knife, J. W. Allen. Churn, J. T. Urbach. Cigar wrapping machine, F. Stiles. Cigarette forming device, F. Evers. Clamp. See Rock drill clamp. Clasp, G. E. Adams. Clasp, J. F. Chatellier Cleaner. See Floor cleaner. Clock, alarm, W. E. Porter.	496,585 496,632 496,629 496,529 496,773 496,413 496,809 496,674 496,453 496,475 496,629 496,721 496,629
Clasp, J. F. Chatellier. Cleaner. See Floor cleaner. Clock, alarm, W. E. Porter. Cloth dressing or finishing mechanism, A. Brown	496,721 496,667 496,720 496,788
Clasp, J. F. Chatellier. Cleaner. See Floor cleaner. Clock, alarm, W. E. Porter. Cloth dressing or finishing mechanism, A. Brown	496,721 496,667 496,720 496,788
Clasp, J. F. Chatellier. Cleaner. See Floor cleaner. Clock, alarm, W. E. Porter. Cloth dressing or finishing mechanism, A. Brown Clothes pin, N. Baughman. Clothes pounder, G. E. Allgaier. Clutch, J. H. Moss. Clutch, J. Walker. Clutch, friction, C. S. Fifield. Coltroperated mechanism I. Schade.	496,721 496,667 496,720 496,768 496,506 496,693 496,460 496,749
Clasp, J. F. Chatellier. Cleaner. See Floor cleaner. Clock, alarm, W. E. Porter. Cloth dressing or finishing mechanism, A. Brown Clothes pin, N. Baughman. Clothes pounder, G. E. Allgaier. Clutch, J. H. Moss. Clutch, J. Walker. Clutch, friction, C. S. Fifield. Coltroperated mechanism I. Schade.	496,721 496,667 496,720 496,768 496,506 496,693 496,460 496,749
Clasp, J. F. Chatellier. Cleaner. See Floor cleaner. Clock, alarm, W. E. Porter. Cloth dressing or finishing mechanism, A. Brown Clothes pin, N. Baughman. Clothes pounder, G. E. Allgaier. Clutch, J. H. Moss. Clutch, J. Walker. Clutch, friction, C. S. Fifield. Coln-operated mechanism, J. Schade Collar, horse, H. H. Shartle. Collar, horse, J. J. Wright.	496,721 496,667 496,720 496,768 496,506 496,693 496,460 496,603 496,749 496,541 496,503
Clasp, J. F. Chatellier. Cleaner. See Floor cleaner. Clock, alarm, W. E. Porter. Cloth dressing or finishing mechanism, A. Brown Clothes pin, N. Baughman. Clothes pounder, G. E. Allgaier. Clutch, J. H. Moss. Clutch, J. Walker. Clutch, friction, C. S. Fifield. Coln-operated mechanism, J. Schade Collar, horse, H. H. Shartle. Collar, horse, J. J. Wright.	496,721 496,667 496,720 496,768 496,506 496,693 496,460 496,603 496,749 496,541 496,503
Clasp, J. F. Chatellier. Cleaner. See Floor cleaner. Clock, alarm, W. E. Porter. Cloth dressing or finishing mechanism, A. Brown Clothes pin, N. Baughman. Clothes pounder, G. E. Allgaier. Clutch, J. H. Moss. Clutch, J. Walker. Clutch, friction, C. S. Fifield. Coln-operated mechanism, J. Schade Collar, horse, H. H. Shartle. Collar, horse, J. J. Wright.	496,721 496,667 496,720 496,768 496,506 496,693 496,460 496,603 496,749 496,541 496,503
Clasp, J. F. Chatellier. Cleaner. See Floor cleaner. Clock, alarm, W. E. Porter. Cloth dressing or finishing mechanism, A. Brown Clothes pin, N. Baughman. Clothes pounder, G. E. Allgaier. Clutch, J. H. Moss. Clutch, J. Walker. Clutch, friction, C. S. Fifield. Coltroperated mechanism I. Schade.	496,721 496,667 496,720 496,768 496,506 496,693 496,460 496,603 496,749 496,541 496,503

		<i>₹</i>	V.	1 K	**	* *	***	8
	Cradle, J. W. C. McCurdy Crane, electrically operated W. H. Morgan.	overl	iea	d tr	ave]	ing.	496,531	Me Me
	Crane, overhead traveling, T	. R. 1	Mor	gan.	Sr.		496,427 496,432 496,434	Me Me
	Crate and fruit drier, combin	ed, G	W	. Cr	awf	ord.	496,819 496,622	Me Me Me
i	Cultivator, H. Eastman Cultivator, W. Hewitt Curling iron, W. Lonsdale Curling iron heater, T. Hipw. Cut-out, electric, A. Wright. Cuter. See Bolt or rod cu		• • • • • • • •				496,622 496,727 496,605 496,575 496,565 496,807	Mil Mil
-	Curling iron heater, T. Hipwe Cut-out, electric, A. Wright. Cutter. See Bolt or rod cu	ell tter.	Ro	tary	cut	ter.	496,565 496,807	Mit Mo Mo
	Thrashing machine band or meat cutter. Detector. See Hot box dete Distilling apparatus, automa							Mo Mo
	Diving armor, A. Hemenger, Draught equalizer, A. Presto Dredging apparatus, J. B Qu Drilling devices, floating su child	inc, E	. K				496,686 496,443 496,699	Mo Mu
	Drilling devices, floating su child	ipport	f	or, A		air-	496,729 496,435 496,392	Na Na Ni Oil
	child	lrich. on co	upl	ing	for	, E.		Oil Oil
	Electric bunch light, J. Dillo Electric light fixtures, atta	n ching	de	vice	for	Ğ.		Pac Par
	Peeples  Electric lighting system, The Electric machines, perforate dynamo, Scribner & Warr	omsor ted p	oole	Rice pie	, Jr	for	496,792 496,455	Par Par Par
	Electric meter, Edmondson &	and	ear	 ıaliz	ing.		496,449 496,728 496,522	Per Pho Pia
	Mason.  Electric motors for operating ing, Hoffmann & Richter.  Electric switch, A. Wright.  Electricity meters, correcting son.	ig ma	chi	nery	, ut	iliz-	496,567 496,808	Pic Pic Pip
	Electricity meters, correcting son  Electrodes for primary or manufacture of, R. T. E.	g, Oul secon	ton dar	& E y ba	dmo ttei	nd- ries,		Pip Pip Pip
İ	manufacture of, R. T. E. Electroplating apparatus, S. Elevator, S. B. Opdyke, Jr	Hens C. Cat	el :lin		 	  	496,517 496,597 496,666	Pip Pip Pip Pip
	Electroplating apparatus, S. Elevator, S. B. Opdyke, Jr., Elevator controller, C. B. Joi Elliptic spring, E. Cliff End gate, wagon, H. H. Perk Engine. See Locomotive	ins	•••••				496,723 496,793	Pia
	E Sine.							Pla Pla Pla
	chines to portable, J. Hul Equalizer, four-horse, M. Jac Extension table, F. Wolter. Fare register, S. C. Houghton Fence gate, wire, J. Patrick. Fender. See Car fender. Fertilizer distributor R. Gall	obsor	i	 			496,414 496,588 496,688	Plo Plo Plo
	Fence gate, wire, J. Patrick. Fender. See Car fender. Fertilizer distributer, R. Gall	loway	•••	 	••••		496,485	Plu Pod Pol
	Fertilizer distributer, R. Gall Filter, K. V. R. Lansingh Fire and waterproof fabric Claasen Fire escape, C. Caplis	es, m	aki	ng,	н.	Α.	496,614 496,599	Pre
	Fire extinguisher for railw lights, J. F. Cowdery	ay ca	r b	eate	ers	and	496,509 496,682	Pri Pri Pro
	Fire extinguisher for railw lights, J. F. Cowdery						496,524 496,654 496,619	Pro
	Flue base and thim ble, comb Flush tank apparatus, S. W. Flywheel, belt, A. H. Emery	ined, Lewi	J. I	1. W	att		496,626 496,572 496,556	Pu Pu
	Forge, electric, G. D. Burton Forge, electric, Burton & An Frame, H. Schuessler	gell			496	,594,	496,593 496,775 496,703	Pui Pui Pui
	Forge, electric, G. D. Burton Forge, electric, Burton & An Frame, H. Schuessler. Fruit case, J. T. Cornforth. Fruit picker, I. W. Lord. Fruit picker, I. W. Lord. Frunel and coffee percolaton bination, G. E. Dudley. Furnace, J. W. Wilkinson Furnace boller for heating Kiley. Furnace gas burner, J. S. Roj					,817,	496,818 496,520 496,734	Rai Rai
	bination, G. E. Dudley Furnace, J. W. Wilkinson	hong	str	aine	r, c	om-	496,510 496,806	Rai
	Kiley	gers.	ioh	 bv			496,613 496,445 495,566	Rai Rai Ra Ra
	Furnace gas burner, J. S. Roj Gauge runner attach ment, D Galvanic battery, F. K. Irvir Galvanic battery element, A Games, device for keeping s	L. D cores	e M	lerit prog	ens ress	ive.	496,658 496,743	Red Red
	N. Hill	lams.	 p			 	496,564 496,630 496,586	Re
	Gas engine ignitor, D. Best Gas lighter, electric, Quinn & Gas, making, P. A. N. Winan Cata Saa Find gata. Fenna	Hoff	ma	nn			496,718 496,618 496,502	Ro Ro Ro
	N. Hill  Garment supporter, G. E. Ad Gas burner, regenerative, T. Gas engine ignitor, D. Best Gas lighter, electric, Quinn & Gas, making, P. A. N. Winar Gate. See End gate. Fence Gear cutting machine, J. Wa Gelatine and glue, apparatus F. A. Wolff	lker for i	nar	 iufa	ctur	ing,	496,676 496,469	Roo Roo
	Glass articles and blanks th	heref	or,	form	ing,	w.	496,416	Ru Ru
	Gold separator, A. M. Bair Grain binder, A. Goodyear Grain binder, Seiberling & K	necht					496,391 496,647 496,797	Ru Sac Sac
	Glass polishing machinery, p Gold separator, A. M. Bair Grain binder, A. Goodyear Grain binder, Seiberling & K. Grain meter, rotating, E. Gill Grinding mill, R. W. F. Abbe Grinding or polishing wheel, Guard. See Burglar guar Watch safety guard.	ford W. L	М	esse	r		496,406 496,677 496,836	Sal
	Watch safety guard. Guitar, J. F. Stratton			кеt 	gu 	ard. 	496,706	Sca Scr See
	Guitar, J. F. Stratton	Mau Brow	ser n	ch-l	ban.	ing.	496,691 496,637	Sel
	B. D. Barrow	etc., G	. W	7. W	arn	er	496,589 496,705 496,587	Sev
	Halter, L. Staples. Handle for stove lid lifters, e Hanger. See Trousers hange Harness pad, H. Doering. Harrow, J. T. Bell. Harrow, F. C. Patten. Harvester tension and tak Brown.	er. '					496,821 496,811	She
	Harrow, F. C. Patten Harvester tension and tak Brown	e-up	de	vice	, E	. s.	496,680	Shi Sho
	Hat, T. Westerman Hay press, J. F. Thompson et Hay tedder, J. Kaylor Heater. See Curling iron he.	al	w	otor	hoo	tor	496,462 496,457 496,612	Sig Sig Sig
-	Heater C Schallhammer	• • • • • • • •	••••	• • • • •	••••	• • • • •	496,401 496,750 496,835	Sig Ski Sla
	Hermetically sealed bucket, Hinge, spring, H. L. Ferris. Hinge, tension, J. H. Stigglet Hoisting mechanism, H. A. S Hook. See Trolling hook.	spence	er				490.799	Sm Sov Spi
	Hook. See Trolling hook. Hop extract, making, O. Sch. Horseshoe, A. B. Tracy Hot box detector, Kerr & Ha Hub, vehicle, M. B. Souther! Hydrocarbon burner tank, J. Hygienic device, J. F. Corket Ice tongs, S. A. Harness Indicator. See Cash indicate Ingot moulds, construction o Inhaler, J. F. Chesebro Insulator, telegraph wire, He Iron. See Curling iron.	weiss	ing	e <b>r</b>			496,752 496,760	Spo
	Hub, vehicle, M. B. Souther Hydrocarbon burner tank, J.	and H. M	atb	ews			496,669 496,704 496,661	Spr Sta Ste Sti
	Ice tongs, S. A. Harness Indicator. See Cash indicator Ingot moulds, construction of	or. f, C. 1	Hoc	lgso	 n	•••••	496,649	Sto Str
	Inhaler, J. F. Chesebro Insulator, telegraph wire, He Iron. See Curling iron. Ironing table and washing	ming	ray	& G	ill.		496,776 496,652	Str
	W. Hilton	mach	ine	., <b>c</b> oi	nbir		496,655	Sur Sus Swi
	Ironing table and washing W. Hilton Jack. See Wagon jack. Jewelry, J. L. Remlinger Journal bearing, J. N. Kallor Kettles, machine for and pro ing, F. Olejnik Knife. See Chopping knife. Knife, I. W. Low Knob attachment, Magney &	cess (	of 1	nanı	fac	tur-	496,482	Swi
	Knife. See Chopping knife. Knife, I. W. Low Knob attachment. Magney &	Cate	• • • • • • • • • •			· · · · · ·	496,521 496,576	Tar Tea Tel Tel
	Knife, I. W. Low. Knob attachment, Magney & Label, W. A. Duesbury. Labyrinth, E. Guth. Lamp central draught, W. C. Lamp, electric arc, F. Hanse Lamp, electric arc, J. F. & Lamp lighting device, E. R. J Lamp, spray, A. Shedlock. Lantern holder, signal, F. K. Last, C. H. Josselyn. Lifter preserver, M. O'Hara. Lifter, See Pan lifter. Pipc Limb, artificial, A. Gault. Liquid separator, centrifuga	Hom	an.				496,576 496,554 496,604 496,657	Tel The The
	Lamp, electric arc, F. Hanse Lamp, electric arc, J. F. & S. Lamp electrode, arc, J. F. &	n J. Sai S. J. S	nde	rs			496,657 496,409 496,702 496,701	Thi
	Lamp extinguisher, E. P. Go Lamp lighting device, E. R. 1 Lamp, spray, A. Shedlock	oaric Micha	elis	3		• • • • • •	496,646 496,662 496,450 496,479	Tile Tile
	Last, C. H. Josselyn Latch, O. S. Lamberson Life preserver. M O'Hare	g		•••••		· · · · · · · · · · · · · · · · · · ·	496,479 496,785 496,570 496,697	Tin Tir Tir
	Lifter. See Pan lifter. Pipe Limb, artificial, A. Gault Liquid separator, centrifuga	e lifte l, C. D	r. . H	ellst	rop	 i	496,645 496,412	Tir Tir
	Litter. See Pan litter. Pipt Limb, artificial, A. Gault Liquid separator, centrifuga Lock and latch, C. R. Uhlman Locomotive crane, W. H. Mc Locomotive, electric, E. M. F. Locomotive enkine, D. M. Sh Locomotive jib crane, W. H. Loom, H. E. Hamilton et al., Loom shuttle, J. T. Abrens,	nn organ Boynt	on.				496,497 496,428 496,550	Tir Tir Tol Tol
	Locomotive engine, D. M. Sh Locomotive exhaust pipe, J. Locomotive jib crane, W. H.	ively B. Ha Morg	arti an.	gan.	::::	•••••	496,542 496,410 496,430	TO
	Loom, swivel, H. Schippers	tion t	for	·	 vr	 Lin-	496,668	Tra Tra
	scottLozenge machine, W. Brierle Lubricant, W. S. Lever	 Э <b>у</b>					496,574 496,590 496,742	Tro
	scott	ator.	····			••••	496,578 496,772	Tyl Tyl Tyl Um
	Mail pouch deliverer, E. W. Mail pouch deliverer, A. Kim Manual recorder and cash dr	вгаdf iber awer,	ord H.	м. (	 Jeig	er	496,551 496,518 496,733	Um Va. Va.
	Marble shooter, J. Reinert Marking circular articles, Shippee Match stick bunching machi	mach ne. E	ne H	for	, A	B.	496,539 496,489 496,778	Va Va Va
	36-44- from -1	a•				n	.,	<b>**</b>

- 1			Ĭ.
7 2	Measuring and drawing tool, L. O. Alired Measuring instrument, electrical, E. Weston Measuring instruments, shunt for electrical, E.	496,714 496,500	1
24392	Weston.  Medicinal composition, O. L. Mulot  Metal wheel and making same, J. W. Bettendorf.  Metallic finishing plate, W. S. Grafton et al  Meter. See Electric meter. Grain meter.	496,501 496,694 496,633 496,478	1
7555	Milker, cow, J. Nielsen  Milker, cow, J. Nielsen  Mill See Grinding mill	496,581	,
7	Miter cutting machine, F. W. Eichenauer	496,832	1
8	mer. Motor, W. Rabich. Motor for the transmission of power, D. W. Carter. ter. Moving granular materials, process of and appa-	496,486 496,596	1
9	Yarisəl instrument D. Fiscon	496,684 496,402 496,625 496,389	1
2	Musical instrument, R. Eisenmann. Nail, W. H. Tuttle. Nail machine, wire, G. Alexander. Nippers, cutting, S. Taft. Oil drip pan, F. B. Flynn. Oil or other liquids under pressure, apparatus for supplying. H. Schumm.	496,389 496,584 496,403	7
0 0 4	sup plying, H. Schumm	496,751 496,838 496,698	1
2 5 9	Pan lifter, T. S. Ligon	496,422 496,754 496,814	1
2	Oil or other liquids under pressure, apparatus for supplying, H. Schumm. Oven, bakimg, W. Morton	496,558 496,687 496,553	1
7	Picker. See Fruit picker. Pickets to wire, device for securing, D. A. Boyle. Pipe. See Locomotive exhaust pipe. Tobacco pipe.	496,508	1
7	pipe.  Pipe and tube testing apparatus. A. O'Brien.  Pipe coupling, air, J. B. Thomas.  Pipe lifter, C. M. Danielson  Pipe or hose coupling, H. Winkenwerder.  Pipes wrench, Smith & Gage.  Pipes, clean-out for drainage, R. Garvie.  Planimeter, J. Goodman  Panter attachment, check row corn, J. B. Jarmin  Planter marker, corn, G. E. McCune.  Planter, potato, N. Sturdy.  Plastic material, machine for moulding, F. C.  Damm.	496,438 496,758 496,641 496,468	1
693	Pipe wrench, Smith & Gage. Pipes, clean-out for drainage, R. Garvie. Planimeter, J. Goodman.	496,753 496,561 496,562	1
3	Panter attachment, check row corn, J. B. Jarmin Planter marker, corn, G. E. McCune	496,415 496,744 496,707	1
8	Damm	496,399 496,538 496,398	
8	Damm. Plow, T. J. & W. Rawls. Plow, side bill, H. L. Cumming. Plow, sulky, S. H. Tinsman. Plush shearing machine, J. Pearson et al. Pocket guard, C. Thibodeau. Pole, adjustable carriage, N. L. Holmes. Preserving farinaceous products, L. Fromm. Press See Raling press Cheese press Hay	496,458 496,532 496,709 496,609	١.
9	press.		i
9   2	Printing press addressing attachment, I. W. Newman	496,547 496,484 496,812	I
4	screw, W. H. Thompson	496,495 496,827	I
6	Pulp from vegetable substances, making, Deni-	100 100	I
5	son & Palmer. Pump, B. Elmore. Pump, H. F. Herbert. Pump, vacuum, Fraser & Wilson. Puzzle, Columbian egg, M. Benitez. Railway, elevated, A. C. Albertsen. Railway ferry, J. A. & J. E. Irons. Railway rails, their joints and chairs, constructing and assembling, A. H. Emery. Railway semaphore, street, L. E. Clawson. Railway signal, automatic, Daves & Peddle. Railway switch, J. R. Titman.	496,653 496,559 496,716	I
0	Railway, elevated, A. C. Albertsen	496,505 496,831	H
3	Railway semaphore, street, L. E. Clawson	496,639 496,473 496,624	7
5 8 8 8	Railway switch, J. R. Titman. Railway switch, street, D. F. Doody Railways, electric distribution system for, N. W. Perry Pecorder. See Manual recorder.	496,725 496,533	1
4	Perry.  Recorder. See Manual recorder.  Refrigerator crate, J. F. Fugazzi.  Register. See Autographic register. Cashregister. Fare register.	496,644	
8	Rock drill clamp, J. G. Leyner	496,573 496,491	I
6	ter. Fare register. Rock drill clamp, J. G. Leyner. Roller. See Shade roller. Street roller. Rolling machine, A. B. Shippee	496,623 496,483 496,685	H
9	Rotary cutter for making similar teeth, U. Eberhardt et al	496,511 496,748 496,825	I
1	Rotary cutter for making similar teeth, U. Eberhardt et al. Rule gauge attachment, P. A. Saum. Ruler, parallel, A. F. Gillet. Running gear, Warenskjold & Burgess. Saddle, harness. H. Schmitz. Saddle, riding, F. E. Du Moulin. Salt, apparatus for the manufacture of, M. M. Monsanto.	496,712 496,447 496,726	I
6	Sawmill dog, Hauck & Comstock	496,650	1
671	Screen. See Window screen. Seeder, M. S. Henry	496,782 496,610	(
9	Sewing machine feeding mechanism, C. Mal-		Č
7	Shade roller, S. Hartshorn	496,660 496,411 496,741	0
ī	W. Edge. Ships' bottoms, covering for, J. Cinamon. Shoe, W. J. Drey. Shoe, Congress, G. C. Moore. Signal. See Railway signal.	496,601 496,598 496,822	0
2 7 2	Snoe, Congress, G. C. Moore Signal. See Railway signal. Signal apparatus, electric, J. W. Lattig Signaling apparatus and system, electric, J. W.	496,526 496,787	I F
1	Lattig Signaling apparatus, electric, S. D. Field Skid, dramage, E. I. Purrington	496,786 496,602 496.537	F
62	Sower, seed, Gleixner & Schaff	496,798 496,479 496,515	6
2	Sponge moistener I S. McClung	496,582 496,695	I
4	Spring, See Elliptic spring, Spring setting machine, E. Cliff. Stanchion, Angell & Winn Steam engine, A. Knudsen. Stitching machine, staple, Bradley & Lavigne. Strong has B. Bricaness.	496,390 496,689 496,634	I
6	Conce planet, C. Diganess.	100,110	I
2	Structural iron form, T. S. White	496,466 496,627 496,711	N
6	Stove, gearing, D. O. McManis. Straw stacker attachment, G. Boettler. Street roller, R. C. Pope. Structural iron form, T. S. White	496,747	N N N
9	Switch, See Automatic safety switch. Electric switch. Railway switch. Switch operating device, B. Bartelmes	496,420 496,583	C
6	Telegraph instrument, printing, A. H. Wirsching Telegraphy, vibratory, S. D. Field	496,549 496,513 496,519 496,783	F
7	Thermometer, J. J. Hicks. Thill coupling, C. A. Buffington. Thrashing machine band cutter and feeder, W. N. Rumely. Thrashing machine band cutter and feeder, F. J.	496,519 496,783 496,774 496,446	F
1 6 2	Wood	496,764 496,544	F
9	Tile or brick machine, E. M. Freese.  Tin or terne plates, apparatus used in the manufacture of, J. H. Rogers.  Tire, pneumatic, F. Douglas.  Tire, pneumatic, Morgan & Wright.  Tire, pneumatic, Morgan & Wright.  Tire, self-healing pneumatic, J. R. Morris,  Tire, vehicle, W. Langmuir.	496,487 496,642	F
5	Tire, pneumatic, G. V. G. Lapsolu	496,571 496,789 496 598	9292
8	Tire, vehicle, W. Langmuir	496,418 496,671 496,477	S
2	Todacco pipe, W. F. Bennett	496,769 496,545 496,393 496,495	P
8	Transplanter, plant, J. L. McFarlin. Trolley, double pole, T. E. Adams. Trolling hook, J. Pepper, Jr.	496,745 496,631 496,441	V
0 2	Trousers hanger, J. A. Jourdan	496,738 496,696 496,507 496,410	a
8	Typewriting machine, G. C. Towle. Umbrella, P. R. Wylie. Umbrella, folding, A. Krieghoff.	496,496 496,504 496,833	1: 2: 0: E
9	Tire, vehicle, W. Langmuir. Tire, vehicle, W. Langmuir. Tire, wheel, F. G. Taylor. Tobacco pail attachment, W. H. A. Godfrey. Tobacco pipe, W. F. Bennett. Toy pistol, H. Tideman. Toy savings bank, A. Barton. Trace carrier, W. A. Mayhall. Transplanter, plant, J. L. McFarlin. Trolley, double pole, T. E. Adams. Trolling hook, J. Pepper, Jr. Trousers hanger, J. A. Jourdan. Trousers hanger, J. A. Jourdan. Trousers hanger, A. C. Nash. Typewriting machine, H. T. Bardwell. Typewriting machine, S. S. Lavey. Type writing machine, G. C. Towle. Umbrella, P. R. Wylie. Umbrella, P. R. Wylie. Umbrella, Folding, A. Krieghoff. Valve, balanced slide, D. Kiley. Valve, engineer's brake, F. L. Clark. Valve for engines, oscilating, J. Cheek. Valve for hydrants and water pipes, cut-off, S. C.	496,740 496,638 496,552	V
_ 1	BE STATE OF THE ST	400 FOO	·

Valve, pressure regulating, A. Heithecker 496,735	
Valve, pressure regulating, A. Heithecker 496,735 Valve, steam, W. Franks. 496,735 Vaporizer, F. C. Hawkes. 496,481 Vaporizer and burner, hydrocarbon, J. H. Mathews. 496,523 Mathews. 496,523 Wathews. 496,525 Vegetable or meat cutter, N. R. Streeter 496,755 Vehicle brake, automatic, J. N. Schwalen. 496,540 Vehicle gravity brake, W. H. Morgan 496,540	
Vaporizer, F. C. Hawkes 496.481	
Vaporizer and burner, hydrocarbon, J. H.	
Mathews	
Varnish, making, G. H. Smith	
Vegetable or meat cutter. N. R. Streeter496,755, 496,756	
Venicle brake, automatic, J. N. Schwalen 496,540	
Vehicle gravity brake, W. H. Morgan	
Velocipede I W Adams 496,467	
Velocipede, J. W. Adams       496,388         Velocipede, J. G. Stamp       496,800	
Vending as hinet street T. Millon 496,800	
Vending cabinet, street, E. Miller. 496,663 Vending machine, H. D. Hinckley. 496,666 Vending machine, coin-actuated, F. Foote. 496,730 Ventilator. See Window ventilator.	
Vending machine coin-actuated F Footo 496 720	
Ventilator. See Window ventilator	
Ventilator, J. B. Hyzer	
Vessels, stopping device for marine, P. Samohod, 496,700	
Violin, J. B. Clopton	
Vise, W. J. Walker 496.498	
Voltmeter, A. H. Armen	
Wagon bed hoisting attachment, Baugh & Sel-	
Vessels, stopping device for marine, P. Samohod, 495.700 Violin, J. B. Clopton	
Wagon body, J. H. Waggener $et  al.$ 496,459	
Wagon jack and wrench, combined, C. R. Mayne 496,692	
Washing machine, E. Blanchard 496,770 Washing machine, R. H. Wilson 496,763	
Washing machine, R. H. Wilson 496,763	
Watch bow fastener, R. M. Hunter. 496,830 Watch safety guard, I. C. Carmona. 496,813	
Watch safety guard, I. C. Carmona	
Water closet, C. H. Moore	
Water closet husbing device, M. S. Bramble 430,334	
Water closets, preservative cover for, E. L.         496,534           Prins.         496,536           Water cooler, E. D. Nichols.         496,436           Water cooler, E. D. Nichols.         496,436           Water heater, G. Lloyd.         496,788           Water heater, C. B. Tompkins.         496,673           Wheel. See Flywheel.         Grinding or polishing           wheel. Motel wheel         Wheel Motel wheel	
Weter cooler E. D. Nichols 496 496	
Water heater G. Lloyd 496 798	
Water heater, C. B. Tompkins. 496.673	
Wheel. See Flywheel. Grinding or polishing	
wheel. Metal wheel. Wheel, W. S. Foster	
Wheel, W. S. Foster 496,405	
Wheel center, W. L. Messer	
Wheels to shafts, means for attaching, Percy &	
Hitchcock	
Whiffletree, N. L. Holmes	
Window screen, D. P. Guest. 496,781 Window ventilator, M. J. Burke. 496,339 Wire bending machine, V. Beauregard. 496,439 Wire ends, anchoring, J. H. Brown. 496,636	
Window ventilator, M. J. Burke	
Wire bending machine, v. beauregard 490,472	
Wire clus, anchoring, J. H. Diowii	
Wire stretcher and holder A Westmaver 496.712	
Wire stretcher sulky W S Williams 496.762	
Wire stretcher, C. D. Mock	
C. Inderlied	
Wrench. See Carriage wrench. Pipe wrench.	
· · · · · · · · · · · · · · · · · · ·	
DESIGNS.	
DINIGIO.	
Dottle D. O'Deenden 00 000	

Bottle, D. O'Reardon	22,380
Button, F. Lahm	22,381
Carpet button, stair, R. H. Warren	22,382
Conductor book, L. D. Berger	22,384
Conductor hook, L. D. Berger Counter, bar-room, R. Ledig	22,399
Dish, covered, M. Redon Door key securer, J. M. Reynold	22,579
Door key securer, J. M. Revnold	22.386
Feed box, W. P. Kellogg	22,400
File case, R. W. Emerson	22,397
Furnace, T. Cascaden, Jr	22,403
Harness loop, M. E. Zeller	22,383
Ice pick, J. Austice et al	22,394
Lamp burner, R. T. Barton	22,395
Lavatory bracket, R. W. Miller	22,387
Looking-glass frame, M. Reinfeld	22,392
Match box, W. W. Hayden	22,377
Monument, W. H. Perry22,372 to	22,374
Oil cup. T. R. Hill	22.385
Radiator, L. R. Blackmore22,401,	22,402
Raisin seeder frame, W. S. Scales	22,393
Seat, V. A. Taylor	22,396
Spoon, etc., E. A. Blake	22,375
Spoon, J. J. Freeman	22,376
Top, G. W. Coon	
Toy bank, C. A. Bailey	22,405
Typewriter cabinet, S. L. Conde	22,398
Vault light lens, J. Jacobs22,388 to	22,391
Vehicle step, A. A. Pope	22,404

	TRADE MARKS.	
	Asphaltum, A. L. Barber	22,964 22,954 22,914 22,960 22,921 22,922 22,922 22,941 22,963
	Boilers, steam and hot water. A. Boyce. 2 Brandy, Les Heriters de Marie Brizard & Roger, M. B. Glotin, Achard & Glotin. 22,998, 2 Brandy of cordial, cherry, P. N. Heering. 22,998, 2 Buttons, tie holders, studs, and kindred jewelry, collar, Parks Bros. & Rogers.	22.927 22,923
,	cultural, veterinary, and sanitary purposes, United Alkali Company	22,899 22,913 22,905 22,948 22,955 22,919
	Cotton, chemical composition for softening or treating, Zellner Bros	22,919 22,944 22,904
	Cotton goods, bleached, brown, and printed, G. Willis	22,902 22,903 22,936 22,950
	del	22,950 22,945 22,910 22,965 22,961
	Game played with a board and pieces of wood or other suitable meterial, W. Eacrett	2,897 2,937 2,962 2,951
	Lard and its substitutes, W.J. Wilcox Lard and	2,951 2,911 2,956
	Refining Company.  Lead, including dry, mlxed in oil, and mlxed in oil with colors, white, Walker Paint Company 2  Liqueur creme de cacao-chouao a la vanille, Les Heritiers de Marie Brizard & Roger, M. B. Glotin, Achard & Glotin.  Meat extract, R. Crowell, Jr. 2  Metal, leaf or powder, L. Spiegelberger 2  Mineral waters, E. W. Woodcock 2  Molasses, H. T. Cottam & Company 2	2,924 2,912 2,949 2,920 2,915
	Ointmont for booutifring the skin feed C Dot-	2,896 2,917 2,953 2,935
	Phonographs, Edison United Phonograph Company.	2,938
	W Hunt Company 2	2,934 2,959 2,928 2,933 2,933 2,929
	Sewing machines, White Sewing Machine Company	2,930 2,932 2,957
	Soap and detergents, common, United Alkan Company	2,943 2,958 2,958 2,918 2,931 2,931 2,900
		2,925 2,925

A printed copy of the specification and drawing of my patent in the foregoing list, or any patent in print ssued since 1838, will be furnished from this office for 5 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway, New York.

Manual recorder and cash drawer, H. M. Geiger. 496,733
Marble shooter, J. Reinert. 496,533
Marble shooter, J. Reinert. 496,535
Marble shooter, J. Reinert. 496,535
Marking circular articles, machine for, A. B.
Shippee. 496,488
Match stick bunching machine, E. H. Eisenhart. 496,778
Matte from slag, apparatus for separating, Drohat from slag, apparatus for separating, Drohat Reference 496,823
Marble shooter, J. Reinert. 496,535
Valve, engineer's brake, F. L. Clark. 496,655
Valve for engines, oscillating, J. Cheek. 496,652
McNeill 496,691
Valve for hydrants and water pipes, cut-off, S. C.
McNeill 496,691
Matte from slag, apparatus for separating, Drohat Prakes, J. T. Hayden. 496,651
Valve mechanism for air brakes, J. T. Hayden. 496,651
Valve mechanism for air brakes, J. T. Hayden. 496,651
Valve mechanism for air brakes, J. T. Hayden. 496,651
Valve mechanism, C. L. Rowland (r) 11,323
Vork. Other foreign patents may also be obtained.

### Advertisements.

### ORDINARY RATES.

Inside Page, each insertion - - 75 cents a line Back Page, each insertion - - - - \$1.00 a line For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.



The Sebastian-May Co. IMPROVED SCREW CUTTING FOOT and LATHES Drill Presses, Chucks, Drills, Dogs and Machinists' and Amateurs' Outfits. Lathes on Trial. Cata-logues mailed on application. 165 to 167 Highland Ave. SIDNEY, OHIO.




ICE-HOUSE AND COLD ROOM.—BY R.G. Hatfield. With directions for construction. Four engratings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 59. Price 10 cents. To be had at this office and from all newsdealers.


## OIL WELL SUPPLY GO. 91 & 92 WATER STREET, PITTSBURG, PA. Manufacturers of everything needed for ARTESIAN WELLS for either Gas, Oil, Water, or Mineral Tests Boilers, Engines, Pipe, Cordage, Drilling Tools, etc. Illustrated catalogue, price lists, and discount sheets on request.

ENGINE LATHES MODERN DESIGNS Also Foot Lathes, Tools and Supplies. Catalogue Free Sebastian Lathe Co. 120-122 Culvert Stree Collina Att, oillo.





# MODEL WORK. Estimates given for the manufacture, in quantities, of any article in metal or wood. Coin operated slot machines a specialty. Send stamp for catalogue. Amer. Vending Mach. Co., 29 Murray Street, New York.



The AUTOGRAPHIC REGISTER.

A Labor-Saving Business System. Enforcing Honesty and Accuracy. Chicago Autographic Register Co.

150 E. Monroe Street,
CHICAGO, 1L1..
Send for catalogue & price list.

### MECHANICS' TOOLS.

If you are interested in Tools as a manufacturer or amateur, you should have a copy of our new catalogue. Our 1892 edition is a very elaborate and complete book of 704 pages, handsomely bound in cloth. The book will be sent to any part of the world, prepaid, on receipt of \$1.00, and the money thus paid will be refunded with the first purchase amounting to \$10.00 or over. Every manufacturer and amateur to \$10.00 or over. Every manufacturer and amateur should have this catalogue, even if they do not in-tend buying their Tools and Supplies of us. MONTGOMERY & CO., Fine Tools, 105 Fulton Street, New York City, N. Y.

CALDWELL IMPROVED CHARTER GAS ENGINES GASOLING COASOLING NATUGAS PRODUCER TAKESGAS SOLN 6 GASOLINE FROM TANK LOWER THAN ENGINE FAR AND OUTSIDE OF BUILDING IF DESIRED.

H.W.CALDWELL & SON. M. F. IT. SON. M. F. IT. S. CHICAGO, ILLS.

BEATTY Organs, 27 stops \$22. Pianos, \$150 Catal. free. Dan'l F. Beatty. Wash'ton. N. J.

## CHAPMAN VALVE MANUFACTURING COMPANY,

Valves and Gates

For STEAM, WATER. GAS. AMMONIA, OIL, ACID, Etc.; also GATE FIRE HYDRANTS.

We make a Specialty of Valves for Superheated and High Pressure Steam, 100 Pounds
Pressure and Upwards.

General Office and Works, INDIAN ORCHARD, MASS.

Treasurer's 72 KILBY STREET.
Office, BOSTON.

Chicaro 24 WEST LAKE STREET.

All work Guaranteed. Send for Circulars and Prices.

### SPECIAL NOTICE!

entitled.

"Recent Improvements in Air Compressors,"

"Recent Improvements in Rock Drills,"
mailed free to any one who will cut out this
advertisement and mail it to us with his name

and address.
INGERSOLL-SERGEANT DRILL CO.
Havemeyer Bldg., Cortlandt St., New York, U.S.A.



## Rubber Rolls and Wheels

nging Machines, Drying and Ventilating ries of Trucks made to order. Catalogues GEORGE P. CLARK, Box L, Windsor Locks, Conn.



MASON & HAMLIN SCREW STRINGER

One of the greatest improvements in the history of the Piano Forte.

Keeps the Piano in Tune.
Much More Durable.
Quality of Tone Purer.
Fully flustrated Catalogue sent on application. application.

Mason & Hamlin Organ & Piano Co.
152 TREMONT ST., BOSTON, MASS.

TRADES UNIONS, THE TENDENCY of.—By Herbert Spencer. An able paper, pointing out the great difficulties of dealing with complex social questions. Contained in Scientific American Supplement, No. 801. Price 10 cents. To be had at this office and from all newsdealers.



NICKEL g ELECTRO-PLATING Apparatus and Material. THE

Hanson & Van Winkle to.
Newark, N. J.
81 LIBERTY ST., N. Y.
22 S. CANAL STREET,
CHICAGO. Hanson & Van Winkle Co.

ELECTRO MOTOR, SIMPLE, HOW TO BLECTRO MOTOR. SIMPLE, HOW TO make. By G. M. Hopkins.—Description of a small electro motor devised and constructed with a view to assisting amateurs to make a motor which might be driven with advantage by a current derived from a battery, and which would have sufficient power to operate a foot lathe or any machine requiring not over one man power. With 11 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT. NO. 641. Price 10 cents. To be had at this office and from all newsdealers.



The Holtzer-Cabot Electric Co. 94 Franklin Street, BOSTON, MASS.

ANTED—Representatives in every city to wholesale THOMPSON'S HYGEIA WILD CHERRY PHOSPHATE. A delicious beverage in condensed form. A fortune for live men. For free sample and terms, address THOMPSON MANFG. CO., 105c Fulton Street, Chicago, Ill., U.S. A.




## GRIFFIN A perfect pulverizer of all refractory substances by either the wet or dry process. It works better and at less expense

than any other Mill, and is conceded to be the only perfect pulverizing Mill manufactured.

For FREE Illustrated Pamphlet address BRADLEY FERTILIZER CO., 92 STATE ST, BOSTON.


AND PROSPECTING TAUGHT BY MAIL
Also, MECHANICAL DAWING, Mechanics, Arithmetic, etc. To begin, students only need know how to read and write. DIPLOMAS Awarded
Low Prices. Send for FREE Circular to The Correspondence School
of Mines, Scranton, Pa.



**HYDRO-CARBON BURNER** 

For Burning Crude Petroleum
under low pressure (Meyer's patent).
Adapted for all kinds of Iron and Steel
Forging, Tempering and Welding, Annealing, etc., for Burning Sewer Pipe, Heating
Asphalt, Oxidizing Lead, Generating Steam
and an endless variety of special work.

Figure Figures Furnished on application
to equip plants with our improved system. Standard Oil Fuel Burner Co. FORT PLAIN, NEW YORK.



Steel Type for Writing Machines, J. D. MALLONEE, M'FT, STOCKTON, N. V.

GRAVER TANK WORKS.



(INCORPORATED.)


Manufacturers of Iron and Steel

STORAGE TANKS OFFICE,

3d Floor, Rookery Bldg. CHICAGO, ILL.

CENTRIFUGAL FORCE AS APPLIED CENTRIFUGAL FORCE AS AFFILEID to Revolving Machinery.—By G. D. Hiscox. A valuable paper on the strains to which emery wheels, grindstones, centrifugal pumps, blowers, etc., are subjected. With tables and 4 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. S91. Price 10 cents. To be had at this office and from all newsdealers.

### **GASOLINE ENGINES.** Stationary & Portable



Dwarfs in size and Giants in Strength. Costs only 10 cents a Day per H. P. to run them, & scarcely any attention. EVERY ENGINE QUARANTARD Write for particulars and testimonials.

THE VANDUZEN GAS & THE VANDUZEN GAS & GASOLINE ENGINE CO. CINCINNATI, O. Mention this paper when you write.

## MANUFACTURERS and INVENTORS ATTENTION!

We are prepared to design, give estimates on, and manufacture Light Machinery. Electrical Appliances, and Metal Specialities of every description. Also Models, Dies, Special Tools and Patterns.

WE ALSO MAKE GEAR CUTTING A SPECIALTY, GARDNER SEWING MACHINE CO., Factory and Main Office, cor. State & Claim Sts., Aurora, Ill. Chicago Office, 247 Monroe Street, Chicago, Ill. Direct all correspondence to Main Office, Aurora, Ill.



THE MODERN MARINE BOILER.—
By A. B. Willits, U.S.N. Description of the principal features of the boilers of the United States man-of-war New York, with a plea to inventive minds for the production of a type of boiler which shall do away with the necessity of the prosent enormously laws and heavy shells, and present enormously large and heavy shells, and present a lighter substitute that will perform the duties of both envelope and heating surface conjointly. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. S70. Price 10 cents. To be had at this office and from all newsdealers.



DRILL CHUCKS. Write "THE PRATT CHUCK CO.," Clayville, N. Y., U. S. A., for free illustrated catalogue of POSTITIVE DRIVING DRILL, CHUCKS, showing the only perfect system ever devised for holding and driving drills.

Foreign Agencies: Ph. Rouxet Cle., 54 Boulevard du Temple, Paris, France. E. Sonnenthal, Jr., Nueu Promenade No. 5. Berlin, Germany. Selig, Sonnenthal & Co., 85 Queen Victoria Street, London, E. C., England.



THE "GOLUMBIA" CRUDE OIL BURNER and AIR INJECTOR

MANUFACTURED BY SHIPMAN ENGINE MANUF'G CO., Rochester, N. Y.



### **Electric Telephones** SOLD OUTRIGHT.

Hundreds in successful daily use. Guaranteed to be the best on the market. See Illustration in Scientific American of January 10, 1880, pages 15 and 21.

Send 2c. stamp for circular and prices.

T. G. ELLSWORTH. 85 Chambers and 67 Reade Sts. NEW YORK.

### THE FONDA LATHE TOOL.



CHANDLER & FARQUHAR,
No. 179 Washington Street, Boston.

Send for catalogue of Tools.





## BUSINESS MEN

The value of the SCIENTIFIC AMERICAN as an advertising medium cannot be overestimated. Its circulation is many times greater than that of any similar journal now published. It goes into all the States and Territonow published. It goes into all the States and Territories, and is read in all the principal libraries and reading rooms of the world. A business man wants something more than to see his advertisement in a printed newspaper. He wants circulation. This he has when he advertises in the SCIENTIFIC AMERICAN. And do not let the advertising agent influence you to substitute some other paper for the SCIENTIFIC AMERICAN when selecting a list of publications in which you decide it is for your interest to advertise. This is frequently done for the reason that the agent gets a arger commission from the papers having a small circulation than is allowed on the SCIENTIFIC AMERICAN.

For rates see top of first column of this page or ad-

dress MUNN & CO., Publishers,
361 Broadway, New York.



UANE CONTRIVANCES. — TWENTY-two illustrations, with brief descriptions, of inventions relating to walking canes. The photographic cane, the brazier cane, the camera stand cane, the water colorist's cane, the mineralogist's cane, the stool cane, the drinking cup cane, the chair cane, toilet combination cane, the revolver cane, the gun cane, the picnic cane, the cigar lighter cane, the cigarette mould cane, the cigar holder cane, the candlestick cane, the inkstand cane, the snuff box cane, the spyglass cane, the lantern cane, the match safe cane, the physician's cane. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. \$82. Price 10 cents. To be had at this office and from all newsdealers. CANE CONTRIVANCES. — TWENTY-

### WEBER GAS AND GASOLINE ENGINE Simplest and most economical engines on earth.



Fully Guaranteed. A boy starts it, requires only a few minutes' attention a day. Guaranteed cost of running let per hour per H. P. Write for catalogue. Address Drawer 200, Weber Gas & Gasoline Engine Co.

A MODERN BATH . . . . The Latest and Best. Quick Self-Heating; or Toilet Cabinet in place of Heater. No bath room required. Ornamental, inexpensive, complete, practical. Desirable for either city or town. Send 2c. for catalogue illustrating 18 styles

MoselyFoldingBath Tub Co.

MoselyFoldingBath Tub Co.

MoselyFoldingBath Fub Co. 181 M. So. Caral St., Chicago, Ill

### G. HOCHSTRASSEL All kinds metal patterns and experimental work a specialty. No. 84 E. South Market St., Chicago Ill.



Founded by Mathew Carey, 1785.

### HENRY CAREY BAIRD & CO.

Industrial Publishers, Booksellers, and Importers 810 Walnut St., Philadelphia, Pa., U. S. A. To our new and Revised Catalogue of Practical and Scientific Books, 88 pages, 8vo, and our other Catalogues and Circulars, the whole covering every branch of Science applied to the Arts, sent free and free of postage to any one in any part of the world who will furnish his address.



## Dixon's Silica **Graphite Paint**

Is unaffected by heat, cold, dampness, rusts or acid vapors. Economical and healthful. Beautiful as well as durable.

For tin, iron or shingle roofs, iron and wooden structures of all kinds, and wher-ever a dark-colored paint can be used, Dixon's Graphite Paint is unequaled.

Send for circulars and testimonials.

JOS. DIXON CRUCIBLE CO. Jersey City, N. J.



### KEMP'S MANURE SPREADER



Spreads any and all kinds of yard and stable manure. Its chief merit is in the thorough pulverizing and even distribu-tion, though it will discharge its load in one-tenth the time required by hand.

KEMP & BURPEE MFG. CO. 6. SYRACUSE, N. Y., U. S. A.



DELANEY'S
Expansion Packings
or Steam, Water & Ammonia
are best and cheapest.
DELANEY'S
Metallic Gaskets and
Flanges
make everlasting joints.
J. Delaney & Co. Mfrs.
bird & Fowler Sts., Milwaukee, Wis.

### FAIGHT'S BROADCAST SEED PLANTER



The best machine for sowing grain, such as Wheat, Oats, Barley, Corn, Hayseed, etc. Worked by horse power. An inexperienced boy can manage it. Patented in United States, Canada, and Newfoundland.

For terms and particulars, address E. R. KNIGHT,

dress E. R. KNIGHT, Mt. Carmel Farm, St. Johns, Newfoundland.

If you want the best CHUCKS, buy Westcott's



Combination Lathe Chucks, Plain Universal Lath Chucks, Independent Lathe Chucks, Made by Westcott Chucks, Independent Lathe Chucks, Made by Westcott Chuck Co., Oneida, N. Y., U. S. A Ask for catalogue in English, French, Spanish, or German



A MANUFACTURER wishing to extend his business desires to control a patent covering the right to manufacture some article entering into general use. Address ABNER T. YOUNG, 159 La Salle St., Room IS, Chicago, Ill.



### THE ARMSTRONG MACHINES,



For Hand or Power.

No. 1 cuts off and threads 1 to 3 inch.
No. 2 cuts off and threads 1 to 4 inch.
No. 3 cuts off and threads 1 to 6 inch.
Our a lin is to make these machines as good as h are universally acknowless.

### STATIONARY PETROLEUM MOTORS. and PORTABLE



No Soot, No Smoke, No Coal, No Engineer.

Portable Oil Engine.

1892. We also manufacture IMPROVED GAS ENGINES.

Shipped ready mounted

Our Motors will be exhibited at Columbian Exposition, Chicago, Section F, No. 1528,

Send for illustrated Catalogue and Price Lief From

CHICAGO.

Link-Belting and Sprocket Wheels Elevators and Convey ors for hand-ling Boxes, Barrels, Cereals, Ores, Ashes, etc.
Manila Rope Transmission Mach'y Special Mining and Woodworking Machinery.
Shafting, Pulleys, Hangers, Gear-

OIL LAMPS HAVE NO EQUAL

PHOTO-SMOKE
CIGAR HOLDER.

Most wonderful novelty of the day. Takes your picture while you smoke. Agents wanted. Sample, terms, etc., 25 cents. Address
Pa risian Novelty Co. 60 Ordandt St., New York.

LINK-BELT MACHINERY CO.

Inventions and Novelties Developed.

Manufacturers of Electrical Goods. Experimental and Repair Work. THE N. Y. ELECTRICAL AND DEVELOPMENT CO., 251 William Street, New York.

MAJOR'S CEMENT MENDS EVERYTHING

15 and 25 cents. At all Druggists or by Mail. Major's Leather Cement mends everything in leather. 10, 15 and 20c. Major's Rubber Cement repairs everything in rubber, 15c. A. Major's CEMENT Co., 232 William St., N. Y.

ing, etc. IF Send for Circular "C."

J. M. CROB & CO., Mfrs. Leipzig-Eutritzsch (Germany).



LIGHTNING PLATER and plating jewelry, watches tableware, &c. Plates the finest of jewelry good as new, on all kinds of metal with gold, silver or nickel. No experience. No capital. Every house has goods need-ing plating. Wholesale to agents \$5. Write for circu-

NEW DEPARTURE IN LANTERN PRO-Incandescent Electric Current, both alternating and direct, with the

### PARAGON ARC LIGHT PROJECTOR.

Send for Catalogue to QUEEN & CO., Phila.



VANDUZEN STEAM PUMP
THE BEST IN THE WORLD.
Pumps Any Kind of Liquid.
Always in Order, never Clogs nor
freezes. Every Pump Guaranteed.
10 SIZES.
200 to 12000 Gallons per Hour.
Cost \$7 to \$75 each. Address
TUE VANDILIZE 9. TIET CO

THE VANDUZEN & TIFT CO.,

## Scientific Book Gatalogue

RECENTLY PUBLISHED.

Our new catalogue containing over 100 pages, including works on more than fifty different subjects. Will be nailed free to any address on application.


Waltham, Mass.

VIEWS OF ALL SUBJECTS 361 Broadway, New York. AMERICAN WATCH TOOL CO.

LATEST IMPROVEMENTS. NEW STYLE. NEW PRICES.

🃤 GROWING RAPIDLY in FAVOR

SELTZATEURS for home-made Soda Water, etc., \$4.50 and up. Family Ice Machine \$10 and up. Filters \$1.25 and up. Cookers, \$1. L. DERMIGNY, 126 West 25th St., New York.



not all there is to teither—it is a tool made for use, not for ornament alone. That chuck grip is a great feature. Don't you want to get your grip on it? Write us for full circulars and prices. Sample Al, \$1.50; A 2, \$1.25; postage paid.

THE ALFORD & BERKELE CO., 77 Chambers Street, NEW YORK



WANTED—Expert Mechanical Draughtsman who is thoroughly familiar with Web Presses and Folders, Give experience and salary expected. Address C. 12, care Lord & Thomas, Tribune Building, New York.

### STEEL TYPE FOR TYPEWRITERS



Stencils, Steel Stamps, Rubber and
Metal Type Wheels, Dies, etc.
Model and Experimental Work.
Small Machinery, Novelties, etc., manufactured by special contract.
New York Stencil Wks. 100 Nassau St., N. Y

WANTED—To manufacture line of Steam Hammers.
Opening for a good man having designs
and improvements. State fully what you have.
Address G. E., care "Scientific American," New York.



Buy Direct and Save Per Cent.





WIFE SAYS SHE CARNOT SEE HOW FOUND IT FOR THE MONEY.

[1] Bays a \$65.00 Improved Oxford Singer

[2] Sewing Machine; perfect working Religious of the proving Machine; perfect working Religious attachments free, Each machine guaranteed for Systems. Buy direct from our factory, and save dealers and agents profit. Send for FERE CATALOGUE.

[3] OXFORD MFG. CORPANY, DEPTD, 13 CHICAGO, ILL.



SEWING MACHINE Sett any to start any to sex mine in any home. Sent any to sex mine in any home  Sent any home in any home in any home in any home. Sent any home in any home. Sent any home in any home in any home in any home in any home. Sent any home in any home in any home in any home in any home. Sent any home in any home

WORTHLEY STALL WORKS, 53 Elm St., Boston, Mass., have sold 6000 of his Patent 25-lb. Slow Feed Oat Mangers. Price, \$1.60. Examine at World's Fair and at Van Ness Co., 50 Warren Street, N. Y. City.



## ୭୫୦ **USE GRINDSTON**ES? If so, we can supply you. All sizes mounted and unmounted, always kept in stock. Remember, we make a specialty of selecting stones for all special purposes.

The CLEVELAND STONE CO. 2d Floor, Wilshire, Cleveland, O.

TONGS: HOW TO MAKE.—DIREC-tions for making tongs for the different kinds of work of the blacksmith. With 25 figures. Contained in SCIEN-TIFIC AMERICAN SUPPLEMENT, NO. 899. Price 10 cents. To be had at this office and from all newsdealers.

STEREOPTICONS.
MAGIC LANTERNS AND
ACCESSORIES, SEND FOR CATALOGUE TO CHAS BESELERMAKER 218 CENTRE ST. **NEW YORK:** 





No.3 cuts of and threads 1 to 6 inch. Our aim is to make these machines as good as our Stocks and Dies, which are universally acknowledged to be THE BEST. By Send for catalogue.

THE ARMSTRONG MFG. CO., Bridgeport, Ct.

A N IDEAL STUB PEN-Esterbrook's Jackson Stub, No. 442

A specially EASY WRITER, a GOOD INK HOLDER and a DELIGHT to those who use a STUB PEN. ASK YOUR STATIONER FOR THEM. Price, THE ARMSTRONG MFG. CO., Bridgeport, Ct.

S1.00 per gross. THE ESTERBROOK STEEL PEN CO., 26 John St., New York.

### **PROPOSALS**

U. S. ENGINEER OFFICE, NEWPORT, R. I., APRIL 14, 1893.—Sealed proposals, in triplicate, will be received at this office until 11 A. M., May 23, 1893, and then opened, for furnishing and delivering 900 barrels of American Hydraulic Cement; of which, 500 barrels are to be delivered at Ft. Adams, Newport Harbor, R. I. and 400 barrels at Dutch Island, Narragansett Bay, R. I. For all information, apply to W. H. BLXBY, Captain, Corps of Engineers, U. S. Army.

### NOW READY!

Fourteenth Edition of

## Experimental Science



REVISED AND ENLARGED. 120 Pages and 110 Superb Cuts added.

The unprecedented sale of this work shows conclusively that it is the book of the age for teachers, students, experimenters, and all others who desire a general knowledge of Physics or Natural Philosophy.

In the new matter contained in the last edition will be found the Scientific Use of the Phonograph, the curious optical illusion known as the Anorthoscope, together with other new and interesting Optical Illusions, the Optical Projection of Opaque Objects, new experiments in Projection, Iridescent Glass, some points in Photography, including Hand Cameras, Cane Cameras, etc. Systems of Electrical Distribution, Electrical Ore Finder, Electrical Rocker, Electric Chimes, How to Color Lantern Sildes, Study of the Stars, and a great deal of other new matter which will prove of interest to scientific readers.

840 pages, 782 fine cuts, substantially and beautifully bound. Price, in cloth, by mail, \$4. Half morocco, \$5.

Send for illustrated circular.

MUNN & CO., Publishers, Office of the SCIENTIFIC AMERICAN, 361 BROADWAY, NEW YORK.





"ECONOMY IS WEALTH." Canvassers wanted to sell the New Model Hall Typewriter. Why will people buy a \$100 machine when \$20 will purchase a better one? Send for illustrated catalogue and terms to County Agents.

Address N. TYPEWRITER CO.
611 Washington Street. Boston, Mass.
Mention Scientific American,

Manufacturers, Agriculturists, Chemists, Engineers Mechanics Builders, men of leisure and professional men, of all classes, need good books in the line of their respective callings. Our post office department permits the transmission of books through the mails at very small cost. A comprehensive catalogue of useful books by different authors, on more than fifty different subjects, has recently been published for free circulation at the office of this paper. Subjects classified with names of authors. Persons desiring a copy have only to ask for it, and it will be mailed to

MUNN & CO., 361 Broadway, New York.

### GATES ROCK & ORE BREAKER Capacity up to 200 tons per hour.



Has produced more ballast, road metal, and broken more ore than all other Breake s combined.
Builders of High Grade Mining Machinery. Send for Catalogues.
CATES IRON WORKS,
136 C. Liberty Street, New York,
237 C, Franklin St., Boston, Mass

WATER SAMES LEFFEL & CO., SPRINGFIELD, OHIO, U.S.A. Send for our fine WHEEL large PAMPHLET.



samples for sixty days only.

THE NATIONAL M'F'S
& IMPORTING CO.,
4/334 Dearborn Street,
CHICACO, ILL.

WORKING MODELS & LIGHT MACHINERY. INVENTIONS DEVELOPED. Send for Model Circular. Jones Bros. E Co., Cin'ti. O.

### Advertisements.

### ORDINARY RATES.

Inside Page, each insertion, - 75 cents a line Back Page, each insertion, - - \$1.00 a line For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

\*\*\*\*\*\*\*\*\*

## Victor + Bicycles

Are first in tires and improvements. The best pneumatic with inner tubes removable through the rim. If you are going to ride why not ride the best?

Victor catalog is yours for the asking.

Overman Wheel Co., Boston, Washington, Denver, San Francisco. A. G. Spalding & Bros., Chicago, New York, Philadelphia. \*\*\*\*\*\*\*\*\*\*\*\*\*

### COLD FORGED PRODUCT.

Patented May 10, July 19, 1887; Oct. 29, 1889; Aug. 19, Oct. 21, 1890; April 7 May 12, 1891; July 19, 1892.

### Its Advantages are :

- 1. Stronger than a common screw. 2. Uniform and wide slot.
- 3. Requires the use of but one bit in hard wood.
- 4. Inserted easier.
- 5. Centralized point.6. Superior holding power.
- 7. The screw being Cold Forged, instead of Cur, leaves on its entire surface a metallic skin.

  Send for samples to

### AMERICAN SCREW CO. PROVIDENCE, R. I.

THE WILMOT & HOBBS MFC. COMPANY



COLD ROLLED SHEET AND STRIP STEEL



LARGE CONTRACTS SOLICITED FOR AUTOMATIC HEAVY & CONTRACTS PLATING BLANKED, STAMPED & DRAWN WORK, TUBES & C. NICKEL & BRASS PLATING TINNING, JAPANNING & DIE MAKING, BRIDGEPORT, CONN.



## For Power Produced, our

GAS ENGINE
will be found to be the Most Economical of any Engine made, for running Fans, Elevators, Printing Presses, Ice Cream Freezers, Meat Choppers and Grinders, or any Machinery.

Chicago Water Motor & Fan Co. 99 Lake St., Chicago, Ill.

5 seconds winds it. 10 dollars buys it. Millionaires wear it.

The

## **Ouick-Winding** Waterbury.

It is modern. It is handsome. It is accurate.

All jewelers sell it. \$4 to \$15.

MESSRS. MUNN & CO., in connection with the publication of the SCIENTIFIC AMERICAN, continue to examine improvements, and to act as Solicitors of Patents for Inventors.

In this line of business they have had forty-fue years exercised, and now have unequaled facilities for the preparation of Patent Drawings, Specifications, and the orosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs, Munn & Co. also attend to the preparation of Caveats, Copyrights, To Hooks, Labels, Reissues, Assignments, and Reports on Infringements of Patents. All business increased to them is done with special care and promptoess, on very reasonable terms.

A pamphlet sent free of charge, on application, containing full information about Patents and how to procure them; directions concerning Labels, Copyrights, Designs, Patents, Appeals, Reissues, Infringements, Designs, Patents, Appeals, Reissues, Infringements, Assignments, Rejected Cases. Hints on the sale of Patents, etc.

We also send, free of charge, a Synopsis of Foreign Patent Laws, showing the cost and method of securing Patents in all the principal countries of the world.

MUNN & CO., Solicitors of Patents,

MUNN & CO., Solicitors of Patents, 361 Broadway, New York. BRANCH OFFICES.—Nos. 622 and 624 F Street, Pa-cific Building, near 7th Street, Washington, D. C.

## The Smith Premier Typewriter

Embodies the most Progressive Mechanical Principles.

All the Essential Features Greatly Perfected.

Perfect and Permanent Alignment.


Easiest Running, and Nearly Silent.

All type cleaned in Ten Seconds without Soiling the Hands.

The Smith Premier Typewriter Co., Syracuse, N. Y., U. S. A. We have 20 branch offices in the principal cities throughout the United States.

No one ever wrote 1000 Letters an Hour, that is, unless they first wrote one and then copied the rest on an

## EDISON MIMEOGRAPH



The same Columbia Bicycle

Columbias grow old gracefully.

Columbia catalogue. 45 comprehensive engravings. The most exhaustive cycling catalogue published. Free at Columbia agencies. By mail for two two-cent stamps. Pope Mfg. Co., Boston, New York, Chicago, Hartford.

## THE FOX SAFETY RAZOR.

ving a luxury. No anger of the frames. Price \$2 by mail, free.

blade; sil-ver plated frames. Price \$2 by mail, free. \*\*E. LOTHAR SCHMITZ. 92 & 94 Reade St., New York.

ACTINIS WANTED FOR FINE TOOLS IN EVERYSHOP, CATALOGUE, C.H.BESLY& CO.
CHICAGO, ILL.U.S.A.

# **KODAK**

Our New Films are giving perfect satisfaction. They are highly sensitive, and repeated tests show that they retain this sensitiveness as well as glass plates. No other films are so free from imperfections; none so uniform; none so reliable. Our film doesn't frilk.

Eastman Kodak Co.,

Rochester, N. Y.



FIRE-PROOF. Easily applied by anyone. Send for Samples and Descriptive Price List. H. W. JOHNS MANUFACTURING COMPANY,

H.W. Johns' Asbestos Fire and Water-Proof Sheathing, Building Felt. Steam Packings, Boiler Coverings, Liquid Paints, Roof Paints, Roof Cement, Fire-Proof Paints, etc.

87 MAIDEN LANE, NEW YORK,

IT WILL CONVINCE YOU OF OUR ABILITY TO SUPPLY

TOILET PAPER FOR LESS MONEY THAN IT CAN BE OB-

TAINED ELSEWHERS. A.P.W.PAPER CO. ALBANY, N.Y.

JERSEY CITY,

At 4 Price Gold and Silver Watches, Bicycles, Guns and Pistols, Carts Buggies, Wagons, Carringes Safes, Sewing Machines, Accordeons, Sieighs, Harness, Cart Tops, Skids, Cash Drawers, Feed Mills, Stoves, Kettles, Bone Mills, Letter Presses, Jack Sereess, Trucks, Anvills, HayCutters, Copy Books, Vises, Drills, Road Plows, Corn Shellers, Hand Carts, Forges Scrapers Wire Fence, Fanning Mills, Lathes, Benders, DumpCarts, Crain Dumps, Crow Bars, Boilers, Tools, Bit Braces, Hay, Stock, Elevator, Railroad, Platform and Counter StalkEs. Send for free Catalogue and see how to save Money.

ORD STEAM BOLL

CYTONANDINSURAN

SCIENTIFIC AMERICAN SUPPLE-

PHILADELPHIA,

BOSTON,

ONE MINUTE

MONARCH CYCLE CO.

Can be used any place, to do any work, and by any one. No Boiler! No Fire! No Steam! No Ashes! No Gauges! No Engineer! A perfectly safe Motor for all places and purposes. Cost of operation about one cent and the schelling land horse power.

LONDON

## The American Bell Telephone Company 125 MILK ST., BOSTON, MASS.

This Company owns the Letters Patent No. 186,787, granted to Alexander Graham Bell, January 30, 1877, the scope of which has been defined by the Supreme Court of

"The patent itself is for the mechanical structure of an electric telephone to be used to produce the electrical action on which the first patent rests. The third claim is for the use in such instruments of a diaphragm, made of a plate of iron or steel, or other material capable of inductive action; the fifth, of a permanent magnet constructed as described, with a coil upon the end or ends nearest the plate; the sixth, of a sounding box as described; the seventh, of a speaking or hearing tube as described for conveying the sounds; and the eighth, of a permanent magnet and plate combined. The claim is not for these several things in and of themselves, but for an electric telephone in the construction of which these things or any of them are used."



% to 50 H. P.

THE RIGHT OF THE EDISON COMPANY TO AN INJUNCTION ACAINST INFRINGERS HAS BEEN DETERMINED BY THE U.S. CIRCUIT COURT OF APPEALS. COPIES OF DECISIONS SENT ON APPLICATION.

GENERAL ELECTRIC COMPANY.

BRANCH OFFICES:

44 Broad Street New York 620 Atlantic Avenue... Boston, Mass. 173 and 175 A dams Street. Chicago, Ill. 509 Arch Street. Philadelphia, Pa. 264 West Fourth Street. Cincinnati, O. 407 Silvey Street St. Panl, Minn. Gould Building Atlanta, Ga. 133 F Street N.W. Washington, D. C. 15 First Street. San Francisco, Cal. Masonic Temple Denver, Colo All business outside the United States transacted by Thomson-Houston International Co., 44 Broad St., New York.




## Always in the Lead.

Free Illustrated Catalogue to any address. Warwick Cycle Mfg. Co., Springfield, Mass.

SAWS Wanted 50,000 Sawyers SAWS send us their full address for a copy of Emerson's IF Book of SAWS, new 1832 edition. We are first to introduce NATURAL GAS for heating and tempering Saws with wonderful effect upon improving their quality and toughness, enabling us to reduce prices. Address EMERSON, SMITH & CO. (Limited), Beaver Falls, Pa.

### THE PREMIER CAMERA



IS THE BEST IN MARKET. Simple of Manipulation.

Plates or Films are used. The Shutter is always set.

PRICE \$18.00. Send for Catalogue and copy of Modern Photography.

WE MAKE ALL KINDS OF CAMERAS.

ROCHESTER OPTICAL COMPANY, 14 S. Water St., ROCHESTER, N. Y.



# **Computing Figures**

mentally is probably the hardest kind of toil known. The Comptometer makes it easy, is twice as quick, insures accuracy and relieves all mental and nervous strain. Why don't you get one?

Write for Pamphlet.

FELT & TARRANT MFG CO. 52-56 ILLINOIS ST., CHICAGO. PATENT JACKET KETTLES 🐗

# Plain or Porcelain Lined. Tested to 100 lb. pressure. Send for Lists. BARROWS-SAVERY CO., S. Front & Reed Streets, Philadelphia, Pa.

the United States in the following terms:

This Company also owns Letters Patent No. 463,569, granted to Emile Berliner, November 17, 1891, for a Combined Telegraph and Telephone; and controls Letters Patent No. 474,231, granted to Thomas A. Edison, May 3, 1892, for a Speaking Telegraph, which cover fundamental inventions and embrace all forms of microphone transmitters and of carbon telephones.



## PRINTING INKS. The SCIENTIFIC AMERICAN is printed with CHAS. ENEU JOHNSON & CO.'S INK, Tenth and Lombard Sts., Philadelphia, and 47 Rose St., opp. Duane, New York