

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class matter. Copyright, 1895, by Munn & Co.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXXIII.—No. 1.
ESTABLISHED 1845.

NEW YORK, JULY 6, 1895

[\$3.00 A YEAR.
WEEKLY.]

A STEAM SUPPLY FROM COMBINED LOCOMOTIVES.

Some time ago the Ohio Steel Company, of Youngstown, O., not being able to generate sufficient steam with the boilers already constructed, and not wishing to wait for the completion of those in course of erection, obtained six locomotives from the N. Y., L. E. & W. RR. Co.'s round house, and, placing them side by side at the rear of the engine house, connected them up as shown in our illustrations.

Each locomotive supplies steam to the extent of 100 horse power, the aggregate being 600 horse power.

Our engravings are from photographs specially taken for the SCIENTIFIC AMERICAN by Mr. James J. Dalzell, of Youngstown. In our SUPPLEMENT of this week we give a number of illustrations of the works of the Ohio Steel Company, which, we believe, is now the second largest establishment of the kind in this country.

Recent Tests of Position Finders.

An interesting series of tests of the position finders of Lieutenant Bradley A. Fiske, U. S. N., and Lieutenant I. N. Lewis, Second Artillery, occurred at Fort Hamilton on Tuesday, June 25, 1895, before members of the board appointed by the Ordnance Department. Broadly speaking, the work of the position finder is to plot upon a chart the position of objects both at rest and in motion, and the test undertaken by the board consisted in making estimates by the use of these instruments of the range and direction of various objects and comparing them with a known standard. The modern fort does not consist of a single inclosure, but is rather a series of isolated small forts and batteries. Many of the guns which are mounted in these forts and batteries are disappearing and are only raised at the moment of firing; and in the mortar batteries, as at Sandy Hook, the mortars are entirely concealed, being below the level of the ground, yet with the aid of position finders, which may be a mile away, it is possible for both the guns and mortars to put 45 per cent of hits on the deck of an imaginary iron-clad, at ranges of from 3,000 yards to several miles. The object of the position finder is not only to assist in aiming one gun or a set of guns, but is intended to place within the power of the commanding officer of the fort the control of all of the variously disposed batteries in the fort. With his own position finder he ascertains the location of a certain group of ships and sees what batteries may be trained upon it. He then telegraphs to the batteries the position and distance he has determined, and they direct their fire accordingly, following the ships with their own posi-

tion finders. If the guns were not of the disappearing type, they would need only a range finder, as non-disappearing guns can point directly at the target, using the ordinary gun sight. We have described the Fiske range and position finders in detail in the SCIENTIFIC AMERICAN SUPPLEMENTS, 788, 769 and 805. In brief, the new position finder may be said to be a

the circuit is balanced; the pointer arm moves over a chart representing the area, which includes the position of the distant object on a reduced scale. On this chart there is a simple pivoted arm which can be trained directly on the object; the arm may be mechanically controlled by a telescope directed upon the object, so that it will make with the other arm an

angle equal to that made by the lines of sight drawn from the two telescopes to the object. The position of the object is then shown by the intersection of the electrically directed pointer and the mechanically directed arm upon the chart. The horizontal base line is used in Lieutenant Fiske's instrument and a vertical base line in that of Lieutenant Lewis; the test was in no sense a competitive one, as the conditions under which the two systems are expected to work are very different. The Lewis instrument is available for high elevations and is simpler than the Fiske apparatus. One of the great advantages of the Lewis instrument is that it can be used with a vertical as well as a horizontal base, and in that case a 50 foot base would be sufficient.


Two temporary conning towers were erected on the north and south parapets of the fort, from which they commanded the whole lower bay, and in these the Board met for the tests.

In each tower one of the telescopes of the position finder had been set up. The standard adopted for the purpose of comparison was furnished by a set of triangulating instruments, one of which was at Fort Wadsworth, on the Staten Island side of the Narrows, and the other at Fort Hamilton, the operators being connected by telephone.


Observations were made upon a stationary point, the Coney Island lighthouse being used. Other observations were taken on Hoffman and Swinburne Islands and other points of known distance with excellent results. Then a series of observations were taken on schooners and other passing craft, and afterward compared with ranges taken with a transit. In every case the Fiske position finder showed an error of much less than one per cent for each thousand yards of range, which is the standard required by both the United States and English governments. A series of tests of the Lewis depression position finder was also made with very satisfactory results.

The Electrical Industry.

The electrical industry, according to the Electrical Review, is about 17 years old and employs over \$1,000,000,000 of invested capital. The greater part of this immense investment has been made since 1888, when the electric motor was proved to be a success.



A STEAM SUPPLY FROM COMBINED LOCOMOTIVES.



A STEAM SUPPLY FROM COMBINED LOCOMOTIVES.

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors. PUBLISHED WEEKLY AT No. 361 BROADWAY, NEW YORK.

O. D. MUNN. A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year, for the U. S., Canada or Mexico. \$3 00 One copy, six months, for the U. S., Canada or Mexico. 1 50 One copy, one year, to any foreign country belonging to Postal Union. 4 00 Remit by postal or express money order, or by bank draft or check. MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, for the U. S., Canada or Mexico. \$6.00 a year to foreign countries belonging to Postal Union. Single copies 10 cents. Sold by all newsdealers throughout the country. See prospectus, last page.

Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to one address in U. S., Canada or Mexico, on receipt of seven dollars. To foreign countries within Postal Union eight dollars and fifty cents a year.

Building Edition of Scientific American.

THE BUILDING EDITION OF THE SCIENTIFIC AMERICAN is a large and splendid illustrated periodical, issued monthly, containing floor plans and perspective views pertaining to modern architecture. Each number is illustrated with beautiful plates, showing desirable dwellings, public buildings and architectural work in great variety. To builders and all who contemplate building this work is invaluable. Has the largest circulation of any architectural publication in the world.

Single copies 25 cents. By mail, to any part of the United States, Canada or Mexico, \$2.50 a year. To foreign Postal Union countries, \$3.00 a year. Combined rate for BUILDING EDITION with SCIENTIFIC AMERICAN, to one address, \$5.00 a year. To foreign Postal Union countries, \$6.50 a year. Combined rate for BUILDING EDITION, SCIENTIFIC AMERICAN and SUPPLEMENT, \$9.00 a year. To foreign Postal Union countries, \$11.00 a year.

Export Edition of the Scientific American.

with which is incorporated "LA AMERICA CIENTIFICA E INDUSTRIAL," or Spanish edition of the SCIENTIFIC AMERICAN, published monthly, uniform in size and typography with the SCIENTIFIC AMERICAN. Every number contains about 50 pages, profusely illustrated. It is the finest scientific, industrial and export paper published. It circulates throughout Cuba, the West Indies, Mexico, Central and South America, Spain and Spanish possessions—wherever the Spanish language is spoken. THE SCIENTIFIC AMERICAN EXPORT EDITION has a large guaranteed circulation in all commercial places throughout the world. \$3.00 a year, post paid to any part of the world. Single copies 25 cents.

Manufacturers and others who desire to secure foreign trade, may have large and handsomely displayed announcements published in this edition at a very moderate cost. MUNN & CO., Publishers, 361 Broadway, New York.

The safest way to remit is by postal order, express money order, draft or bank check. Make all remittances payable to order of MUNN & CO.

Readers are specially requested to notify the publishers in case of any failure, delay, or irregularity in receipt of papers.

NEW YORK, SATURDAY, JULY 6, 1895.

Contents.

(Illustrated articles are marked with an asterisk.)

Table listing various articles such as 'Alcohol, percentage, determining', 'Animals, activity of', 'Animals in sterilized air', etc., with corresponding page numbers.

TABLE OF CONTENTS OF SCIENTIFIC AMERICAN SUPPLEMENT No. 1018.

For the Week Ending July 6, 1895.

Price 10 cents. For sale by all newsdealers.

Table listing contents of the supplement, including sections like 'ARBORICULTURE', 'BIOLOGY', 'BOTANY', 'CHEMISTRY', 'ELECTRICITY', 'EVOLUTION', 'GEOLOGY', 'MATHEMATICS', 'METALLURGY', 'MISCELLANEOUS', 'NATURAL HISTORY', 'PHYSICS', 'RAILWAYS', 'WARFARE'.

RECENT PROGRESS IN SOIL ANALYSIS.

The usefulness of the chemical analyses of soils in practical agriculture has long been a theme of contention among agronomists. On the one hand the advocates of chemical analysis have contended that the agricultural value of a soil could be easily deduced from the data afforded by analysis. On the other hand, it has been affirmed with equal persistence that the data of a chemical examination afforded no just criterion of the availability of plant foods found in the sample. It is not the intention here to review these discussions, but it will be sufficient to say that there is a certain relationship between the quantities of plant food revealed by chemical analysis and the productiveness of the soil.

It is so evident, however, that this relationship is not constant that it is not necessary to cite any proof. The physical state of a soil, the climatic condition prevailing, the character of the cultivation and the nature of the crop have all to be considered and all have their influence. It has long been known that the supply of water which is furnished to the plant has more influence upon the amount of product than the fertility of the soil itself. A given field which will in one season produce a maximum crop will with practically the same amounts of plant food available in the soil in the very next season give a minimum yield. It is therefore evident that, without taking into consideration all the conditions above mentioned, no safe prognostication of yield can be based upon chemical data alone.

The principles of chemical analysis of a soil have been firmly established and especially in this country chiefly through the researches of Hilgard and Peter. While the methods of examination may vary in unimportant particulars, the general principles of procedure have remained the same for many decades. It is not believed that there can be any very important amendment of a useful nature made to the methods already in use.

The digestion of a soil of a given degree of fineness for a given length of time in hydrochloric acid of such a density as to be practically preserved at a given point of saturation throughout the whole course of solution leaves little to be desired in the way of scientific accuracy in securing the soluble constituents of a soil. On the other hand the processes of bulk analysis are based upon the well known principles of examination of minerals which have been so well established as to have suffered little change during the past few decades, nor is it likely they will suffer any great change in the future.

We must look, therefore, for progress in the line of soil analysis in some other direction than in that which has been so thoroughly investigated in the past.

Among the prominent features of recent investigation may be mentioned two which are of prime importance. In the first place attention is invited to the attempts to imitate in the chemical laboratory more nearly the solvent action of bio-chemical activity upon the plant foods present in the soil.

Every chemist has been struck with the fact that the achievements of bio-chemical activity are far more wonderful in their nature than the most brilliant achievements of the chemical laboratory. We find passing into solution in the juices which circulate through plants substances which are obtained only with the greatest difficulty and at the highest temperatures in the laboratory. We find everywhere in the vegetable world striking instances of metabolism which any chemist, even the most distinguished, would be glad to imitate. We find silicates of the most refractory nature dissolved and in this state passing to form new combinations in various parts of the plant, especially in the bark and the leaves. We find in the same juices the alkalis which only a short time before were united in the most stable chemical compounds in the mineral fragments of the earth's crust. We find compounds of mineral acids broken up, the mineral acids driven out by organic acids which ordinarily would not affect them at all and the bases with which they were combined passing in organic forms into the vegetable organism.

Evidently, therefore, in attempting to imitate in the laboratory these complicated chemical phenomena we should not lose sight of the fact that it is not possible for us to measure by our ordinary methods the power of vegetable metabolism. Nevertheless we are justified in assuming that as a rule boiling concentrated hydrochloric acid will attack mineral fragments in a way different from the organic acids which are brought in contact with them by the rootlets of the plants. Acting on this idea, it has been suggested, especially by Dyer, to substitute organic acids or their salts for mineral acids in determining the available quantities of potash and phosphoric acid in soil samples. With this idea in view the chemists belonging to the Association of Official Agricultural Chemists have been during the past year engaged in co-operative work, with a view to testing the merits of these methods of determining solubility.

It is evident, however, that no method of arbitrarily determining the solubility of plant food in soils can

prove of actual value unless it be tested against the actual capabilities of plants acting upon soil of the same description. It is with this end in view that the Department of Agriculture organized a system of soil analysis in which the chemical results obtained in the laboratory are checked against the actual results obtained by experimental growth in pots. These experiments have now been under way for two years, chiefly, however, with the idea of testing the proper processes to be employed. This having been, with a certain degree of success, accomplished, the work is now considerably extended. A vegetation house has been built capable of accommodating 200 pots. These pots are kept on trucks running on rails. During the day they are run out into the open air and sunshine; during the night and in time of storms they are kept in the vegetation house, which is covered with glass. The soil which is contained in each of the pots is subjected to chemical examination in various ways and with various solvents. In this way it is believed that the actual available plant food which a soil contains, as shown by the character of the crop grown, will be by some of the methods employed indicated with a considerable accuracy by the chemical analysis.

Another most important step forward in the examination of soils consists in the methods which are now employed for determining the number and vitality of the nitrifying organisms which they contain. As is well known, the nitrogen which plants use as food can only be assimilated after it has been oxidized by passing through a vegetable organism of a lower nature. The process of changing organic nitrogen, which plants cannot assimilate, into nitric acid, which is a food suited to their needs, is called nitrification.

The process of nitrification consists of three distinct steps. In the first place, organic nitrogen is changed into ammonia. This change is produced by a number of organisms existing in the soil, the most active of which is the bacillus mycoides. The ammonia thus formed is next converted into nitrous acid by the action of a genus of organisms—nitrosomonas. The nitrous acid produced as above described is oxidized to nitric acid by another organism, the nitrobacter. But it is not our purpose here to discuss the processes of nitrification, but rather the methods which are to be employed in examining soils for these organisms. It will not be long before a chemical analysis of a soil will not be considered to be complete until the sample has been examined for the number and vitality of the nitrifying organisms which it contains. In order to make such an examination of practical value, the samples of soil must all be taken under such precautions as to exclude any contamination, and the cultures for developing the micro-organisms must all be conducted under the same conditions. In order to secure this uniformity, the Department of Agriculture has developed a method of taking the samples in sterilized tubes, under precautions which render contamination impossible, if the directions are carefully followed. The samples of soil thus obtained are used for seeding culture solutions, and the number and vitality of the nitrifying organisms in each sample can be determined by noting the time at which nitrification begins in each of the solutions, and by the seeding of sub-cultures from the original cultures employed. This work is now going on in our laboratory on samples of typical soils and subsoils taken at the agricultural experimental stations of different States, and representing the same samples that are employed in the pot cultures and for chemical analysis. By proceeding in this way, it is seen that a uniform method of chemical and bacterial examinations of the soil is secured, and the data of these examinations are checked directly against the products of vegetation secured in the experimental pots.

Further progress has already been recently made, especially in this country, in the physical analyses of soils, chiefly through the researches of Whitney and King. The separation of a sample of soil into silt particles of different degrees of fineness will give data of great value in respect of the capabilities of a soil for holding moisture and delivering it to the roots of growing plants. All the physical data obtained from the examination are of value in the final judgment, and should be considered in connection with the chemical and bacterial data obtained as above described.

The Seasoning of Stone.

Stone, like lumber, requires seasoning. Stone is often spoken of as the synonym of solidity—"as solid as a rock," we say, but, as a matter of fact, stone is very far from being solid. A cubic foot of the most compact granite, for instance, weighs about 164 pounds, while a cubic foot of iron weighs 464 pounds. This plainly shows that in between the atoms which compose the mass of the most enduring stone there exists much space for air, moisture, etc. This seasoning of stone prior to use for building purposes has been well understood by the architects of all ages, but in the modern rush of nineteenth century building too little attention has been paid to it. Now it enters into the calculations of every good architect.

THE HEAVENS IN JULY.

The splendor of the planetary displays in the evening skies of May and June will never be forgotten by those who, looking out from the shadow of the earth into the realm of sunshine beyond, beheld Jupiter and Mars and Venus and Mercury reflecting the solar glow like a fleet of signaling ships. In exchange for this, July has only the spectacle of the continued brightening of Venus. Mercury, in the constellation Gemini, was overtaken by the sun on the last day of June, after which it became a morning star, and Jupiter, also in Gemini, will become a morning star after July 10. Mars, in Cancer, still remains an evening star, but too near the sun and too much diminished in light to attract attention.

Venus alone continues to gain in brilliance every night. Viewed with a telescope, she now appears in the shape of a half moon. On the morning of the 11th she will attain her greatest apparent distance from the sun, and after that time, as, following her orbit, she begins to swing in between the sun and the earth, her form will gradually change to that of a crescent, which will grow longer and more slender as she gets nearer and nearer into line with our globe and the solar orb. Although, as Venus turns her back to us, the proportionate part of her surface which appears from the earth to lie in the sunshine grows smaller, her continued approach more than compensates for this, and so her brightness rapidly increases. At the middle of the month she will be twice as bright as she was on May 1, and between the beginning and the end of July she will gain more than one-third in brightness. Even then she will not have reached her greatest brilliance; that will occur about two weeks later.

As I remarked in a former article it seems to me that of all the planets belonging to the sun, besides the earth, Venus is the most likely to be now in a suitable condition to nurture living creatures resembling the inhabitants of our globe. The fact that she so nearly resembles the earth in size and mass is one of the strongest a priori reasons for this opinion. There is no planetary function so important in respect to the question of habitability as the force of gravitation. That governs the density of a planet's atmosphere, the circulation of its fluids, the ratio of the size of its inhabitants to the strength of their framework, all the mechanical processes and operations occurring upon its surface, etc. Now on Venus the superficial gravity is about 83 per cent of that on the earth. In other words, a weight of 100 pounds here if removed to Venus would weigh 83 pounds there. So slight a difference would probably produce no serious effect upon the conditions of habitability of Venus for creatures of terrestrial mould. The case is quite different for Mars, where the force of gravitation is only 38 per cent of its force here, and also for Jupiter, where the superficial gravity is 2.64 times as great as on the earth. It is true that judged by this test alone Mercury and Uranus might also be regarded as probably inhabited planets, since on the former the superficial gravity is five-sixths of the earth's, and on the latter nine-tenths, but in the case of those planets other considerations come to the front. Mercury, for instance, would seem to be too near the sun, to say nothing of the great eccentricity of its orbit, while Uranus is too far from the sun, receiving, as it does, surface for surface, only one 368th part of the solar light and heat that the earth gets. On Saturn, too, the force of gravitation would offer no obstacle to the existence of terrestrial forms of life, since it exceeds the earth's force only one-fifth, but there are many reasons for believing that the physical condition of Saturn is very different from that of our globe.

Moreover, Venus bears a striking resemblance to the earth, not merely in the conditions governing the weight of bodies at her surface, but also in the undoubted possession of an atmosphere containing watery vapor, in the similarity of her mean density, and probably in the practically identical period of her axial rotation. Indeed, there are two particulars in which Venus would seem to possess a possible advantage over the earth; the first being that her axis appears to be nearly or quite perpendicular to the plane of her orbit, from which it results that her seasons are uniform—always summer near the equator, always spring in middle latitudes, and always winter in the far north and south—and the second that her orbit is so nearly a circle that her distance from the sun is, for all practical effects upon climate, invariable. The intensity of the solar radiation is nearly twice as great on Venus as on the earth (in the inverse ratio of the squares of their mean distances), but inasmuch as the telescopic appearance of the planet suggests that it is deeply shrouded with clouds, the greater degree of light and heat received may, in this case, not be disadvantageous.

Everything considered then, it is to be regretted that our knowledge of the surface appearance of Venus should be so limited as it is. Schiaparelli has indicated one way in which the difficulty arising from the blinding brilliance of Venus may be avoided, namely, by studying the planet telescopically in broad day, and has himself set the example. Our best equipped

observatories ought to be able to tell us something more about that other earth whose distant beauty just now lends so great a charm to the sunset heavens.

Saturn is following the other planets in an apparent march sunward, and now crosses the meridian during the evening twilight, but it will remain an evening star until the 1st of November, and during July will be fairly well placed for observation. It is in the constellation Virgo, about ten degrees east of the bright star Spica. Its beautiful rings still present a most admirable spectacle for a small telescope.

Uranus remains in Libra, a few degrees in an easterly direction from the star α .

Mercury, which, as already remarked, became a morning star at the end of June, will attain its greatest distance west of the sun on the 22d, about which time it may be seen before sunrise.

The month opens with the moon near first quarter. The moon falls on the 6th, about half past six o'clock in the evening, when it is situated in Sagittarius, near the "Milk Dipper." It reaches last quarter on the night of the 14th, at 10:30 o'clock, in the eastern part of Pisces, and new moon occurs on the 22d, at 32 minutes after midnight. The moon is in perigee, or nearest the earth, on the morning of the 23d and in apogee on the morning of the 11th. The moon will be near Venus on the evening of the 24th and near Saturn on the evening of the 28th.

The earth is in perihelion, or nearest to the sun, on the 1st, about an hour before midnight. Mars is in perihelion less than three days later, but this means more for Mars than it does for the earth, because the former is no less than 13,000,000 miles nearer the sun at perihelion than at aphelion, while the change of distance for the earth between the corresponding points in its orbit amounts to only 3,000,000 miles.

Possessors of small telescopes will be interested this month in the following among other beautiful objects:

Beta Cygni, the splendid colored double star—light orange and deep blue—situated in the foot of the Northern Cross in the constellation Cygnus. Epsilon Lyrae, the celebrated quadruple star near the brilliant Vega. A good 3 inch will easily divide both of the pairs composing the quadruple. The Ring Nebula between the stars Beta and Gamma in Lyra. A 3 inch will show it. 61 Cygni, an easily separated pair of small stars, until recently regarded as the nearest in the northern hemisphere of the heavens; and finally, the gorgeous star fields to be found scattered along the Milky Way, which at 9 P. M. about the middle of the month will be seen starting from Perseus, then just rising in the northeast, and passing in succession through Cassiopeia, Cepheus, Cygnus, Lyra, Aquila, Ophiuchus and Serpens, until, spreading widely as it enters Sagittarius and Scorpio, it disappears behind the horizon in the south. This star-jeweled baldrick is the chief adornment of a midsummer's night.

GARRETT P. SERVISS.

Adansonia Fiber in Paper Making.

Adansonia bark is chiefly used for the preparation of strong wrapping papers, cartridges, and emery paper. In point of strength the fibers obtained from it are only surpassed by those from the mulberry bush. Papers made with an addition of adansonia fiber not only possess greater tensile strength, but offer greater resistance to tearing. This is characteristic of such papers in a marked degree, and is due to the long, strong fibers intermingling with the others in the sheet of paper. The fibers under the microscope exhibit so distinctive an appearance that they cannot be easily confounded with other fibers.

To obtain the fiber from the raw bark on the manufacturing scale, the adansonia is first of all cut into small pieces about an inch or an inch and a half long with an ordinary rag chopper, or by hand with strong knives. If it is desired to bleach the fiber after chemically treating the cut bark, it is necessary to subject the raw stuff to a system of purification to remove knots, etc. For unbleached papers this purification is not necessary beyond the usual dusting. When the material has been cut and dusted, it is placed in a revolving boiler, and there boiled for ten hours or so, according to what is considered necessary, in a caustic soda lye containing 3½ per cent of soda in the state of caustic and under a maximum pressure of fifty-five pounds above atmosphere. It is usual, in actual practice, to soak the bark in the lye within the boiler, and to see that it is covered with liquor before raising the pressure. The object of this is to prevent the fiber becoming discolored, direct steam having the tendency to darken it.

If the fiber is properly boiled, the particles of fiber should easily pass between the fingers when lightly pressed, and feel strong and tough. The pulp should not be allowed to lie long, owing to a species of fermentation setting in which destroys the strength of the fiber. It is usually worked up immediately after being boiled.

The pulp from the boilers is then washed in the breaking and washing engine, a process which takes a long time, owing to the slimy nature of the incrusting

matter surrounding the fiber stopping up the wire cloth covering the washing drum. This latter is brushed at intervals to keep it open. Pure clean water must also be used, and the breaking-in roll should be adjusted to thoroughly open out or brush the fiber only, thus preserving its full length.

The preparation and bleaching of the fiber is very similar to jute and manila and such like raw stuffs. The difficulty of bleaching to a good white color with a reasonable amount of bleaching power is also apparent in practice, and depends largely on the nature of and the care with which the chemical treatment has been carried out in the boiling. The loss in weight which the raw adansonia undergoes varies from 50 to 60 per cent, that is to say, 100 parts of adansonia bark will yield from 40 to 50 parts of paper. Papers made from adansonia fiber alone are not frequently to be met with, the bulk of the fiber being used in conjunction with others in making compound papers. These compound papers possess a strength in proportion to the quantity of adansonia fiber used in their manufacture.—Chem. Tr. Jour.

Electric Distribution of Power from Gas Engines.

Captain Lenevue, of France, has recently made a report upon the power installation at M. Linet's chemical works at Aubervilliers, near Paris. The power is generated by gas engines worked with poor gas and transmitted by electricity throughout the works. The plant is considered a model one of its kind.

The complete generating plant consists of three 80 horse power "Simplex" gas engines, placed side by side and capable of working separately or together, each engine driving a dynamo by a belt through an intermediate shaft, to which is also belted a lighting dynamo and a pump. The shaft is provided with couplers. There are also two steam engines that were used before the gas plant was put in. Each generator is of 56 kilowatts, as is also the lighting dynamo, and about twenty motors of from 4 to 15 kilowatts are placed at convenient points about the works. At present only one of the power generators, the lighting dynamo and six motors are in use. The first two exert a useful effect of 91 per cent at 450 amperes, falling to 75½ per cent at 130 amperes. The efficiency of the 18 horse power motors is 89 per cent; of the 9 horse power, 88 per cent; and of the 5 horse power, 86 per cent.

The results of the test of this plant made by Captain Lenevue and the engineer of the works are as follows:

Circumference of the pulley on which the friction brake was mounted.....	21 feet 9 inches.
Diameter of ditto.....	6 feet 11 inches.
Circumference of brake's action.....	22 feet.
Diameter of ditto.....	7 feet.
Diameter of cylinder.....	23 inches.
Piston stroke.....	30 inches.
Net total coal consumed.....	511 pounds.
Duration of trial.....	4 hours 19 minutes.
Mean speed (per minute).....	120,230 revolutions.
Indicated horse power.....	81.42 horse power.
Organic yield or useful effect.....	0.769.
Maximum horse power at the brake.....	95.81 horse power.
Maximum indicated horse power.....	124.518 horse power.
Indicated horse power of the small motor, estimated at.....	4 horse power.
Indicated horse power of the two motors.....	109.81 horse power.
Coal consumed per hour.....	118.56 pounds.
Coal consumed per brake horse power hour.....	1.457 pounds.
Coal consumed per indicated horse power per hour.....	1.12 pounds.
Coal consumed per indicated horse power per hour by the two motors.....	1.08 pounds.


The Royal Crown of England.

The crown used at the coronation of Queen Victoria in 1838, which is said to be the heaviest and most uncomfortable diadem in Europe, contains 1,273 rose diamonds, 1,363 brilliants, 273 round pearls, four large pendant shaped pearls, one immense ruby, four smaller rubies, one large sapphire, 26 smaller sapphires and 11 emeralds. The large ruby is set in the center of a diamond Maltese cross at the front of the crown. This stone was given to Edward I by Don Pedro the Cruel, and was worn by Henry V at the battle of Agincourt, when it was set in his steel casque. It is peculiarly cut and its center is hollowed out to form a setting for a smaller ruby. Many of the stones were taken from old crowns now unused and others were furnished by the Queen herself. They are placed in settings of both gold and silver and incase a crimson velvet cap with an ermine border. Four imperial arches spring from the four sides and support the mount, which is composed of 438 diamonds, and the whole is surmounted by a diamond cross whose center is a single rose cut sapphire.

It is proposed to include an international exhibition of aeronautical apparatus among the interesting features of the Paris Exposition of 1900. The sub-committee on aerostation in charge of the matter are making preparations for the admission of balloons of all kinds, flying machines and soaring apparatus of every description. The competition for honors will, it is stated, be open to foreigners and French inventors on equal terms. Commandant Renard is at the head of the committee.

AN IMPROVED FRUIT JAR CLAMP.

The illustration represents a strong and inexpensive clamp, readily applicable to a fruit jar and cap, and adjustable to make a watertight seal, so that the jar may be held submerged without permitting water to run into it. The clamp has a yielding fastening device which permits any gas or steam that may be gen-




DILWORTH'S FRUIT JAR CLAMP.

erated to escape, but it may be quickly adjusted to bind the cap rigidly in place and make a hermetical seal. The improvement has been patented by Mr. Henry C. Dilworth, of No. 563 Greenwich Street, New York City. The main clamping piece has inturned flanges which fit beneath the rim ordinarily found on fruit jars, the cap resting on the usual gasket, and on the under side of the clamping piece is a flat curved spring, one end of which is fastened to the clamping piece, and there being centrally on the underside of the spring a cushion, to prevent the spring from contacting directly with the cap. In a central slot of the clamping piece is pivoted a locking lever carrying cams adapted to bear centrally upon the spring. In the illustration, Fig. 1 represents the clamp applied to a fruit jar, the cam pressing firmly upon the spring when the locking lever is turned down, and at the same time drawing upon the main clamping piece to firmly lock the cap and make a hermetical seal. In the different positions of the locking lever indicated by the dotted lines and in Figs. 2 and 3, the cams are released from engagement with the spring, and the clamp may be readily slipped on or off the top of the jar. With this adjustment the spring presses down on the cap with sufficient force to prevent water from running into the jar when it is submerged for cooking or other treatment, although the pressure is not so great but that gas or vapor generated may escape without breaking the jar. Patents have also been obtained for this invention in Canada and the principal European countries.

A RIBBON SUBSTITUTE FOR BICYCLE CHAINS.

The advent of the safety bicycle rendered some means of connecting mechanism a necessity; gear wheels, bevel wheels and the chain and sprocket wheel were all tried, and at the present time the latter system appears to be the most popular. The chain, however, has marked disadvantages, such as weight, difficulty of properly cleaning and lubricating, and, lastly, on account of the liability to fracture at one of the many joints. The wire cable, in spite of its light-



A RIBBON SUBSTITUTE FOR BICYCLE CHAINS.

ness and strength, has not been applied practically to bicycles on account of the imperfection in the means proposed to assure adherence on the pulleys. The metallic ribbon has several advantages to recommend it, as its lightness, flexibility, its strength, and its absence of joints. As with the wire cable, it was found that it was very difficult to secure good adhesion on

the pulleys unless the ribbon was very taut, which, of course, detracted from its strength. These difficulties were obviated by using a special ribbon made from a steel analogous to that used in piano wire, and at regular intervals orifices are cut. The sprocket wheel engages the ribbon with the aid of these holes. The relative size of the wheels is the same as usual. The number of teeth on the sprocket wheel is decreased. The ribbon can be cleaned in a moment. For our engraving and the above particulars we are indebted to the Revue Universelle.



The Electric Railway in Chicago.

Electric lines now connecting with the business center of Chicago, either completed or under way, give a grand total of 500 miles. The benefit of such transportation facilities to a city can hardly be over-estimated, for the speed of travel will average nearly eight miles per hour or twice that of horse car lines. Since the opening of some of the new electric lines, a few weeks ago, a great improvement has been noticed and favorably commented upon by nearly every one. In the outer portions of the city, or six, seven and eight miles from the business center, the number of new buildings being erected would lead a person to believe that there was a boom in building. Residence as well as business property has increased noticeably in value.

The operation of the trolley lines is almost perfect, as the cars run smoothly and without delay, there being very few accidents to persons or machinery. About six months from now the city limits in any direction can be reached from the business center by street car lines in about one hour. The benefit to the city on account of the time thus saved will be inestimable. The lines already projected will bring every block within the city limits within easy walking distance from the car lines.—Stationary Engineer.

AN ASTRONOMICAL LANTERN.

With the simple form of lantern shown in the illustration, and easily made small maps or charts of the star groups, a great deal of instruction and entertain-



A LANTERN AID TO STAR OBSERVATION.

ment may be realized. The lantern body may be of tin or wood, with flues to afford the necessary ventilation, and in one side has slideways, to facilitate the placing of the diminutive star charts in position in the side of the lantern. The lantern may be readily carried in the hand, and an illuminated chart thus representing any particular group of stars in the heavens greatly facilitates the finding of the group, furnishing most interesting and very simple star lessons. For the charts or maps, a simple blue print is found quite sufficient, where regularly prepared slides are not obtainable, and such prints may be made from originals prepared by the observer, or copied from any of the numerous publications in which star maps are given.

Paste.

J. H. Baldock, in a discussion on the use of starch as a mountant, pointed out that the starch must be brought into a state of disintegration, not solution, the usual plan being to make it into a cream with cold water, and then, while constantly stirring, pour on boiling water until thickening takes place. More complete disintegration is obtained, however, by subsequently boiling for a few minutes, while a clearer jelly is obtained, and better keeping properties are secured. The paste should not be too thick, and if not made fresh at the time of using, should be boiled well, and have a little borie or salicylic acid or oil of cloves added as a preservative. Alum is objectionable in starch paste for photographic purposes. H. D. Gower said he prepared a paste that kept well by adding an ounce of starch to half a pint of water and heating, with constant stirring, until thickening occurred. Heat for a few minutes longer, remove

from the source of heat, add half an ounce of glycerin and, when nearly cold, half an ounce of methylated spirit. A few drops of oil of cloves or other essential oil may be added if desired, but this is not necessary.—Photography.

A DOUBLE ROTARY TOY WINDMILL.

The attractive toy for children represented in the illustration has been patented by Mr. Frederick Beaumont, Jr., of No. 1307 Franklin Street, Kansas City, Mo. It has two wheels, one inside the other, which




BEAUMONT'S TOY WINDMILL.

revolve in opposite directions at the same time. The small figure is a side view of the device. The wheels and vane may be of wood, tin, paper, celluloid, etc., and in bright colors, and the vane presents obvious advantages for use for advertising purposes.

A BULLETPROOF DOOR AND WINDOW SHIELD FOR MAIL AND EXPRESS CARS.

This improvement, for preventing the felonious entrance of train robbers to mail and express cars, has been patented by Mr. Charles G. Ingalls, of Waucaedah, Mich. It consists of a two-part shield of plate metal, shown applied and in lowered position over a car door in Fig. 1, while Fig. 2 is a sectional view representing the shields for opposite doors folded up on the roof of the car. The upper section is strongly hinged to the side of the car body, the hinges having their joints connected by a single pintle rod around which is a coiled spring, to aid the quick descent of the shield when required. The side edges of both sections are flanged and tapered, a flange on the lower edge of the lower section joining the side flanges, and the lower section having an overlapping contact with the adjacent portions of the upper section, there being duplicate spring-jointed connections between the lapped portions of the shield sections, which are retained in close contact when the shield is lowered by spring latch hooks. The shields are held in their folded position on the car roof, with the lower section imposed on the upper section, by detent hooks and a locking mechanism arranged to permit the simultaneous release of both sections upon the pulling of a cord or band which hangs pendent in the car, the shields being then instantly thrown into a depending



INGALLS' CAR PROTECTOR.

and locked position, as shown in Fig. 1. In each of the shields are perforations through which occupants of the car may shoot at would-be train robbers.

EXPERIMENTS are being made in the German army with the use of an aluminum pontoon. It can easily be carried by four men.

REDRAWING OF WROUGHT IRON TUBES.

Redrawn wrought iron pipes or tubes are old stock that has been collected up, reheated and drawn through circular steel dies which press the tubes into the right diameter. This stock, which consists of old boiler tubing, railings, etc., is first heated red hot in a furnace. The furnace has two ovens or fire boxes each 15 feet in length, about 18 inches in width and about 8 inches in height and lined with fire brick. These fire boxes also heat the boiler, which is incased in the brickwork above. In one of the ovens a number of the old tubes are heated, the attendant, as soon as they become red hot, removing them by means of tongs and placing them in a dipping tank or reservoir containing cold water. This reservoir is about 18 inches in width and 24 inches in depth. As soon as the hot tubes come in contact with the water the dirt

center of the draw bench and between the wheels of the carriage is an endless chain 45 feet in length. This chain is connected to the machinery and travels at the rate of about 80 feet per minute, running over a number of spiked 10 inch pulleys connected to the draw bench underneath. The dies are about 8 inches in diameter on the outside. The inside diameter where the pipe runs through ranges from 1 to 6 inches. The flanges on the dies are about 1 inch in thickness, the center or oval part being about 3 inches thick.

When the heated tube is ready, an attendant places the flat side of the die against the head block. The tube is then drawn out of the furnace with a pair of tongs and the flanged end cooled with water. The end is then run through the die into the jaws on the pulling carriage, which, when drawn taut, grips the end of the tube firmly. A movable hook attached to end of the carriage is then dropped down into a link of the chain and the apparatus set in motion. As the chain moves, the carriage is forced forward with it by means of

The pipe is placed in the machine and the knife or cutter put in position. The machine is then set in motion and the knife forced against the revolving pipe, which makes about from 25 to 40 revolutions per minute, according to the size of the tube, and is cut through in about two minutes. The knives are made of steel about 4 inches in length, about 1 inch in width and about 1/8 of an inch in thickness.


The machine will cut from 25 to 30 pipes per hour. During the cutting operation softsoap is applied, which keeps the knife from getting heated and also makes the material cut easier. The pipes when finished are used principally for boilers, green houses, hot water purposes, railings, paper rollers, etc.

The sketches were taken from the plant of the Eagle Tube Company, Jersey City, N. J.


New Method for Determining the Percentage of Alcohol.

J. Barker-Smith (Jour. de Pharm. d'Anvers, li, 1895, p. 121) recommends a method depending on the well-known fact that alcohol and alcoholic liquids produce an elevation of temperature when mixed with

water. He employs one drachm each of the liquid to be examined and of water, both at the same temperature, and mixes them quickly in a cylindrical receptacle; the latter should be provided with a cork and should not be touched by the fingers. The temperature of this mixture is now taken, and by referring to a table showing the temperatures obtained by mixing the same quantity of water with alcoholic liquids of known strength, the percentage of alcohol of the liquid in question can readily be ascertained. This thermometric method would not do where very exact measurements are wanted, for it is not sensitive to less than about 5 per cent of alcohol. It




CLEANING SCALES FROM TUBES




STRAIGHTENING TABLE




CUTTING TUBES




WROUGHT IRON TUBES



A DIE



SHANKING TUBES



DRAWING TUBES

THE TUBE REDRAWING INDUSTRY.

and scale instantly drop off, giving the pipe a brand new appearance. When cool they are shanked by heating one end of the tube red hot in a furnace, then hammering the heated end to a point on an anvil. The object of shanking is to have a good strong end for the jaws on the pulling carriage to catch hold of when the tube is drawn through the die. If the pipe was not shanked, the material would break off. After shanking the tubes are placed in the other fire box of the furnace and heated up to a white heat, about 1,500° F. Running from the mouth of the furnace is a draw bench about 21 feet in length and 10 inches in width. On this bench, traveling back and forth on a track, is a pulling carriage, connected to the front end of which are two movable steel jaws 8 inches in length and 1 1/2 inches in width. At the head of the draw bench is an iron head block, against which the circular steel dies are held in position. Passing along the

the hook, drawing with it the red hot pipe through the die. The pipe, as soon as it is passed through the die, is reheated and drawn through another die a little less in diameter. This operation is repeated, using every time a smaller die until the right size tube has been obtained. About 1,500 feet of tubing is redrawn per day, it requiring the labor of three men. After the redrawing operation is finished the red hot tube is placed on the straightening table, over which slightly inclined is a movable flat iron frame which moves back and forth when the machine is in motion over the pipe. This frame, which is about 5 feet in length and 2 1/2 feet in width, makes an 18 inch stroke. The weight of the frame, which is about 1,000 pounds, straightens the pipe in about one minute. After straightening, the tubes are carefully examined to see that there are no flaws in them. The parts to be cut off are marked by the examiner, who then passes them to the cutter.

would, therefore, not answer for testing wines containing 10 per cent or less of alcohol. One point raised in its favor is that substances in solution do not interfere much with the test.

The above is a convenient and rapid process for determining the alcoholic strength of liquids containing a large percentage of alcohol, such as whiskeys, brandies, tinctures, fluid extracts, menstrea, etc.—Merck's.

Good for Peary.

The past winter in Greenland was unusually mild, and the climatic conditions have favored Mr. Peary's expedition. The barks Silicon and Salina, the first of the fleet of cryolite traders to arrive at Philadelphia from Ivigtut, report that the Greenland coast has not been choked with ice as usual, while the brilliancy of the aurora made the long winter night almost like day.

Colored Fires.

Usually at this season of the year there are calls for colored fires; the following from Merck's Report, which it says are approved formulas, may be of interest. On account of the poisonous and explosive nature of some of the ingredients, the utmost care in their manipulation is necessary.

BLUE.

	Parts.
1. Realgar.....	2
Charcoal.....	3
Potassium chlorate.....	5
Sulphur.....	13
Calcium nitrate.....	77

OR :

	Parts.
2. Orpiment.....	1
Charcoal.....	1
Black antimony sulphide.....	16
Potassium nitrate.....	48
Sulphur.....	64

The objection to almost all blue fires is that when burned they generate arsenical fumes, and are, therefore, not suitable for indoor use. A blue which can be used in a theater or large hall, though less brilliant than the foregoing, may be made as follows :

	Parts.
3. Sulphur.....	15
Potassium sulphate.....	15
Ammon. copper sulphate.....	15
Potassium nitrate.....	27
Potassium chlorate.....	28

CRIMSON.

	Parts.
4. Potassium chlorate.....	17
Charcoal.....	23
Sulphur.....	90
Strontium nitrate.....	270

OR :

	Parts.
5. Charcoal.....	18
Antimony sulphide.....	22
Potassium chlorate.....	69
Sulphur.....	72
Strontium nitrate.....	220

GREEN.

	Parts.
6. Potassium chlorate.....	13
Barium nitrate.....	66
Sulphur.....	21

OR :

	Parts.
7. Metallic arsenic.....	2
Charcoal.....	3
Potassium chlorate.....	5
Sulphur.....	13
Barium nitrate.....	77

OR :

	Parts.
8. Charcoal.....	2
Black antimony sulphide.....	2
Potassium chlorate.....	5
Sulphur.....	6
Barium nitrate.....	80

LILAC.

	Parts.
9. Black copper oxide.....	6
Chalk (dry).....	20
Sulphur.....	25
Potassium chlorate.....	49

PINK.

	Parts.
10. Charcoal.....	1
Chalk.....	20
Sulphur.....	20
Potassium chlorate.....	27
Potassium nitrate.....	32

OR :

	Parts.
11. Sulphur.....	16
Calcium chloride, dried.....	23
Potassium chloride.....	61

PURPLE.

	Parts.
12. Lampblack.....	1
Realgar.....	1
Potassium nitrate.....	1
Sulphur.....	2
Potassium chlorate.....	5
Strontium nitrate, fused.....	16

OR :

	Parts.
13. Copper sulphate.....	39
Sulphur.....	52
Potassium chlorate.....	310

RED.

	Parts.
14. Charcoal.....	1
Black antimony sulphide.....	4
Potassium chlorate.....	5
Sulphur.....	13
Strontium nitrate, dried.....	40

OR :

	Parts.
15. Sulphur.....	16
Strontium carbonate.....	23
Potassium chlorate.....	61

OR :

	Parts.
16. Antimony sulphide.....	4
Potassium chlorate.....	5
Sulphur.....	13
Strontium nitrate, fused.....	40

A little charcoal or lampblack makes it burn quicker.

VIOLET.

	Parts.
17. Charcoal.....	8
Sulphur.....	10
Metallic copper.....	15
Potassium chlorate.....	30

OR :

	Parts.
18. Alum.....	3
Potassium carbonate.....	3
Sulphur.....	4
Potassium chlorate.....	15

WHITE.

	Parts.
19. Potassium nitrate.....	30
Sulphur.....	10
Black antimony sulphide.....	5
Meal powder.....	3
Powdered camphor.....	2

OR :

	Parts.
20. White arsenic.....	1
Charcoal.....	2
Black antimony.....	16
Potassium nitrate.....	48
Sulphur.....	64

YELLOW.

	Parts.
21. Potassium nitrate.....	2
Sulphur.....	4
Sodium nitrate.....	20
Lampblack.....	1

OR :

	Parts.
22. Sodium nitrate.....	3
Potassium chlorate.....	1
Shellac.....	1

In the preparation of colored fires the ingredients, which should be perfectly dry, must be separately powdered and sifted through a hair sieve, and put into well stoppered, wide mouthed bottles until ready for mixing. The mortar must be thoroughly cleaned, before and after powdering each ingredient, particularly potassium chlorate. Mix with the hands or with a wooden spatula on sheets of white paper.

Sulphur, and salts of the poisonous metals—antimony, arsenic, mercury, etc.—should not be used in making colored fires for indoor use. The sulphur may advantageously be replaced by shellac, which hardly smokes at all when ignited.

For red the following formulas are used :

	Parts.
23. Potassium chlorate.....	1
Shellac.....	1
Strontium nitrate.....	3

OR :

	Parts.
24. Strontium nitrate.....	12
Potassium chlorate.....	8
Milk sugar.....	1
Stearin.....	2

For green the following is employed :

	Parts.
25. Potassium chlorate.....	2
Barium nitrate.....	1
Milk sugar.....	1

High Speed of Electric Motors.

Some interesting trials on the Nantasket branch of the New York, New Haven & Hartford Railroad occurred June 20 and June 22. The Nantasket Beach branch was chosen for the experiment for the reason that within its limits will be included most of the different problems which will have to be determined to make electricity a successful substitute for steam. The curves are many and sharp, the grades are steep and trains will be run with great frequency. Seven miles is the distance between the Old Colony station and Pemberton. The tracks are fifteen feet apart from center to center, and between the tracks is a single line of poles on which are supported the cables and trolley wire. Upon the tangents the poles are set with such geometrical precision as to secure absolutely perfect alignment. The two flexible copper bonds seven inches long are under the base of the rail at each joint and riveted to each rail. A power house, No. 1, is situated midway between the terminals and contains two tandem compound engines; the two generators develop fifteen hundred horse power each. Four motor cars have been built after the style of baggage cars. To secure traction they have been made extra heavy, so that when fully equipped they will weigh about 60,000 pounds each. Two will have four motors each and the other two motors each hung on trucks. The cars are equipped with the Westinghouse air brake, and in addition to a 15 inch gong, there will be a chime whistle worked by compressed air. The test was held in the presence of only a few invited guests. There was none of the gradual increase of speed characteristic of the steam locomotive. A test was made of a load of 175 tons, equal to a train of seven cars, but the ease of starting and the speed obtained showed that a load of three or four times as great could be easily drawn. A speed of more than 50 miles an hour was obtained, and for a part of the distance it was estimated that the train made at times the enormous speed of 80 miles per hour. A hot box prevented a greater increase of speed. When the train was making 80 miles an hour there were still five notches left in the "controller" in the motor, so if the additional current

had been applied, it is thought that a speed of 90 miles an hour might have been obtained on the level stretches.

The New Atlantic Steamer St. Louis.

The St. Louis finished her second voyage at New York on June 22, 1895, completing the passage from Southampton in seven days, seven hours and eleven minutes. The outward passage was made in seven days, three hours and fifty-three minutes. When three days out from Southampton, while proceeding in the face of a heavy wind, the ship would not respond to her rudder. An inspection was quickly made of the machinery, which was found to be working perfectly. The hand steering apparatus had been used, and that was tested, but the St. Louis would not respond; a sailor was sent over the stern to see what was the trouble. He discovered at a glance that the bracing plates of the twenty-seven ton rudder had broken and that the fracture extended diagonally upward from the pintle of the rudder; there was therefore no leverage for the steering gear and the ship was practically helpless as far as her rudder was concerned. The captain and chief engineer decided that the twin screws should be used to guide the vessel, so they shifted the action of the port and starboard engine as the course demanded and the St. Louis forged ahead with little diminished speed. The accident was due to a hidden flaw in the steel of which the rudder was made. The rudder was taken off when she reached her dock and that of her sister ship, the St. Paul, was substituted, the work being quickly done, and the St. Louis sailed on her third voyage on her schedule time, June 26.

The Strangest Insect in the World.

The aweto, as the Maoris or natives of New Zealand call it, or *Hipialis virescens*, as naturalists term it, is found in New Zealand, and is a vegetable caterpillar of from three to four inches in length, and, so far, science has not been able to say whether it is a vegetable or an insect. It is always found at the foot of large myrtle trees that have beautiful red flowers on their stems, and a beautiful creeping clematis as white as the snow. The Maoris call this tree by the name of rata. The aweto buries itself among the roots of the rata, a few inches below the ground, and there lives until it is full grown, when it undergoes a most wonderful change. The spore of a vegetable fungus, termed by naturalists *Sophæria robertsii*, fastens itself to the neck of the caterpillar, just between the head and the first ring, and then grows upward to the height of from six to eight inches. Many people assert that there is never more than one stem, but such is not the case, for some have been found with two stems, although very rarely. The stem shoots up out of the ground, above where the caterpillar is living, about two or three inches; below the earth it grows into the aweto, until it fills up every possible space within the outer skin without changing the form of the insect in the slightest way whatsoever, but simply substituting a vegetable matter for animal matter. As soon as this takes place both the plant and the caterpillar become dry and hard and die, but retain exactly the same form as when alive. The whole has a brown color, and the insect appears a wooden caterpillar, with a huge horn standing up from the back of its neck. How the caterpillar manages to propagate its species no one can tell. Usually the caterpillar becomes a chrysalis, the chrysalis changes into a moth, the moth lays eggs, and these eggs again become caterpillars, and so on without stopping. Many reasons are given why the plant shoots up from the back of the neck of the aweto. One is that the aweto has a slimy substance oozing from its neck, which, while the aweto is boring at the foot of the rata tree for its only food, catches the seed of the fungus and holds it fast there till the latter begins to grow. When it has sucked all the vegetable life out of the aweto it must naturally die, for it finds no further nourishment. The aweto is often found in large numbers.—Public Opinion.

Relative Strength of Metal and Timber.

Doctor Robert H. Thurston, in a recent article, discusses various materials in which comparisons of interest are made. At the outset he gives the following generally accepted figures: Cast iron weighs 444 pounds to the cubic foot and a 1 inch square bar will sustain a weight of 16,500 pounds; bronze, weight 525 pounds, tenacity 36,000; wrought iron, weight 480, tenacity 50,000; hard "struck" steel, weight 490, tenacity 78,000; aluminum, weight 168, tenacity 26,000. We are accustomed to think of metals being stronger than wood, and so they are, generally speaking, if only pieces of the same size be tested. But let equal weights of the two materials be compared, and it will then be found that several varieties of wood will prove stouter than ordinary steel. A bar of pine just as heavy as a bar of steel an inch square will hold up 125,000 pounds, the best ash 175,000 and some hemlock 200,000 pounds. Wood is bulky. It occupies 10 or 12 times the space of steel.

Correspondence.

A Petrified Tree.

To the Editor of the SCIENTIFIC AMERICAN:

I thought it might be of interest to inform you of the discovery of a petrified tree 165 feet under ground, at the Stolls City mines, eight miles west of this place. The tree was found under 100 feet of lead and zinc ores and 65 feet of flint rock. The petrification is the best I ever saw. The grain seems to be of a fine wood. Some think it mahogany, others walnut.

H. G. VOORHIES.

Mt. Vernon, Mo., June 17, 1895.

The Uncultivated Bast Fibers of the United States.

As the indigenous or uncultivated species of plants producing bast fiber in the United States form an interesting group in the fiber series, and are the subject of constant inquiry, a report upon them by Mr. Chas. Richards Dodge has recently been published by authority of the Secretary of Agriculture and distributed by the department.

For the most part, the species considered belong to three large families of plants: the Malvaceæ, of which the cotton plant is a member; the Asclepiadaceæ, and the Leguminosæ. The malvaceous species are the most numerous and possibly the most widely distributed, their fiber possessing fair strength and comparing with jute rather than with flax and hemp, though whiter in color than the former. These Mr. Dodge would consider as jute substitutes, while the species belonging to the two other families, and which yield stronger fiber, may be termed hemp substitutes, and are therefore more valuable.

That these fibers are not employed commercially is due to several causes, one of the principal of which is the want of a satisfactory decorticating machine.

The first of the malvaceous fiber plants mentioned in the report is the swamp rose mallow (*Hibiscus moschentos*), one of the commonest of mallows and found in many parts of the temperate United States. Experiments with this plant date back many years, and fifteen years ago it was the subject of renewed experiment in New Jersey, the advent of new machinery for cleaning bast calling attention to the plant and placing its cultivation for fiber among the possibilities. Samples of fiber from the New Jersey experiments were considered not only as good as India jute, but as good as secondary grades of imported hems.

The plant that furnishes the "rozelle" hemp of the Madras territories belongs to the same genus with the above. It thrives in cultivation in Florida, will grow on quite poor land, but will not stand much frost. Scientifically, it is known as *Hibiscus sabdariffa*.

Another malvaceous plant, which grows wild all over India, and which is common in Florida, is *Urena lobata*. The natives of India consider its fiber useful for manufacture into bagging and twine, and it is regarded as a tolerable substitute for hemp. The fiber is described as very fine and strong, white in color, and a meter in length.

Sida is still another genus of malvaceous plants whose bast is rich in fiber, that of *S. rhombifolia* being known as Queensland hemp. This species, the fiber of which is said to be easy of extraction and fine and strong, abounds in many portions of South America, and has been known as a weed throughout South Carolina for many years. Mr. Dodge's conclusions regarding the cultivation of the plant on American soil (based upon the results of limited experiment, however) lead him to think that the plant is of too slow growth and the stalks too small when grown to make it of commercial value as a fiber plant.

The cotton plant of Southern agriculture (*Gossypium herbaceum*) also belongs to the Malvaceæ, and it may not be generally known that its stalks contain fiber of good quality. In the collection of fibers sent to the Paris Exposition of 1889 there was a fine example of the fiber of the cotton stalk, from a plant grown in Georgia, prepared by the American Consolidated Fiber Company from a green stalk sixty days from date of planting. In the letter of transmittal it was stated that "the fiber is not only good for thread, but for a thousand other purposes. It is a splendid fiber for paper also, as it will not tear as easily as that made from wood pulp or rags."

The okra (*Abelmoschus esculentus*) has long been regarded as a fiber plant of value in India and other countries, though the production of its fiber has never assumed commercial importance. The plant is a native of the West Indies, but has been cultivated from early times in the Southern States for its pods, which form a useful article in the domestic economy. A few years ago okra attracted considerable attention as a possible fiber for Southern cultivation, and a large correspondence with the department resulted. As is frequently the case, however, the value of the plant and the ease of its cultivation for fiber were very much overstated, and subsequent experiments did not substantiate the claims made for the plant. "From a careful consideration of the subject in all its details, not only as relates

to our own, but to other countries, and considering the weakness of the fiber compared with jute, I conclude," says Mr. Dodge, "that the cultivation of the okra plant for its fiber cannot be made a paying industry in the United States."

A very common malvaceous plant that has been cultivated experimentally in the United States, where it is everywhere common as a weed, is the Indian mallow (*Abutilon avicennæ*). The fiber of this plant is known in South American countries as *cañapiña*. Its Chinese name is *ch'ing ma*, and it has been exported to England under the common name of jute. It has been called also *Abutilon jute*, and the name American jute was once applied to it in this country. The plant produces an abundance of fiber, which is strong, glossy, and white, and the ligneous body gives more cellulose for paper stock than any other species. The fiber takes dye readily, and an advantage is claimed in this respect over Indian jute, which is antagonistic to cheap bleaching and dyeing. The fiber was once classified in value between Italian and Manila hemp, but it will not grade so high, it coming nearer to jute, as is proved by its being sold as a variety thereof.

The milkweed family, the *Asclepiadaceæ*, contains a large number of fiber-producing plants found in various parts of the world. The several species found in the United States all possess a fibrous bark, and bear seed pods filled with silky hairs resembling thistle down.

The most important species, viewed as a fiber plant, is *Asclepias incarnata*, or swamp milkweed, which abounds from Maine to Minnesota and southward to Louisiana. The fiber of this plant was well known to our Indians, who used it for making bow strings.

Samples of fiber from the plant having been submitted to the department were found to be light gray in color, much finer than hemp as usually prepared, soft and glossy, and of greater strength than the majority of bast fibers of wild growth in the United States.

Mr. Dodge thinks that the plant promises better results than any of the indigenous species above considered. If it will thrive upon waste lands where no other crops will grow, as it is said that it will, it has to that extent an advantage over hemp, considering the strength of the fiber to be fully equal to that of the latter. As to the value of the fiber in manufacture, Mr. Dodge can make no positive statements further than that samples of binding twine examined were found to be strong and good. As the fiber resembles hemp, there is little doubt that it could be employed in all uses to which the latter may be applied.

The commonest and best known species of milkweed is the *Asclepias cornuti*, which is found in Canada, grows over a wide section of the United States, and is well known in portions of South America and the Old World. The culture of the plant is said to be attended with little difficulty, as it generally thrives on poor soil, and, like the former species, is perennial. The only portion of it of which practical use can be made is the bast, which furnishes quite a long, glossy fiber that is strong and durable. Early authorities have given this fiber a place between flax and hemp, and it has been claimed that the yield is about equal to the latter.

Dr. Masters states that "its excellent fiber is woven into muslins, and in some parts of India is made into paper."

The fiber forms a good paper material and, doubtless, might be cultivated with profit for this purpose, if for no other.

A French firm has used the silk-like filaments of the seed vessels by mixing 20 per cent of the material with 80 per cent of wool, the fabric being called "silver cloth." The substance could not be used alone, as the cells are so smooth that they have no felting property, and therefore will not hold together and cannot be spun. They possess little strength, and can be considered only as "down," useful for no purpose but wadding or for stuffing pillows.

The family *Leguminosæ* contains many species of plants that yield a strong bast fiber, some of the foreign species having a known commercial value. In our own country, the single genus *Sesbania* of this family has attracted attention as a fiber producer. Specimens of the straight stiff canes of *S. macrocarpa*, or wild hemp of the Colorado River region, have been sent to the department at different times in the past twenty years. The fiber of the department museum sample is three or four feet long. The filaments as extracted are exceedingly coarse and resemble flat ribbons of fiber, uncommonly white and lustrous, and clear and smooth to a remarkable degree. Single filaments are quite strong, but when several are twisted together they lose part of their strength, a defect sometimes observed in better fibers. The fiber is sufficiently strong for small cordage for ordinary use, though too coarse for fish line or twine, as roughly prepared. Among the manufactures for which it has been claimed that it is fitted are wrapping, writing, and bond papers, twine and cordage, sacking, overall stuff, and Irish linens. The Indians of the West work it into nets and fish lines.

Having noticed the more important species of uncultivated bast fibers, it remains to mention a few forms

of less importance that have been the subject of occasional inquiry or of limited experiment.

The Indian hemp (*Apocynum cannabinum*) has from early times been regarded as a useful fiber plant by certain tribes of our Indians, who manufacture from it bags, mats, baskets, belts, twine, fish lines, and nets. The fiber is easily separated from the stalk, and, when cleaned, is quite fine, long and tenacious. In color it is light cinnamon, though finely prepared specimens are creamy white and remarkably fine and soft. The fiber will rank with that of *Asclepias* for strength, and is readily obtained, since the stems are long, straight, smooth and slender. Although paper has not been made of it, it could doubtless be used for that purpose.

Urtica gracilis, one of the stinging nettles, abounding throughout the United States and Canada, possesses a good fiber in its bast. A few years ago it attracted attention in Minnesota, and an attempt was made to reduce the fiber, but the experiment was interrupted before completion and no report could be made.

Another of the nettles, *Laportea canadensis*, produces an average quality of fiber, samples of which were received by the department from Kansas in 1890.

Several years ago the stalks of the common burdock (*Arctium lappa*) were the subject of experiment in Illinois, with the object in view of producing a fiber material suitable for binding twine. The fibers in the samples submitted to the department were found to be harsh and wiry, very brittle, and to possess little strength. Fiber plants of this class have no value in the industrial economy, the fibrous material in their bast being too inferior ever to be used in manufacture where so many other better fibers are obtainable, and possibly at less cost.

Another form of fibrous material that has been employed to a certain extent in the coarsest of manufactures are the tree basts, or the fibrous inner bark of such trees as the linden and cypress. The linden trees are familiar in our public parks and gardens, where they are cultivated for adornment, though as lumber they are known as basswood. *Tilia americana* is the American species, while *T. europæa* is that of the Old World. The inner bark of the former is not utilized, as far as Mr. Dodge is aware, although the bast of the latter is much employed in Russia in the manufacture of an exceedingly coarse kind of rope for making the matted shoes worn by the peasants, and also for the manufacture of the mats which are used to a considerable extent by furniture dealers for packing. The American species was the wigobimizh, or "tying bark tree," of the Algonkin Indians, who used the bast for making ropes, thread, and coarse cloth.

The Southern cypress, *Cupressus thuyoides*, has a very tenacious inner bark that can be readily peeled in long strips. It is not likely to come into use industrially in this country, although worthy of notice.

The wahoo (*Ulmus alata*) is an elm that abounds in the hummock lands of middle Georgia. The bark is very tough, and, when stripped from the tree and steeped in water for several weeks, becomes quite pliant and is said to make excellent horse collars.

Finally, the leather wood (*Dirca palustris*), of rich, damp woods from New Brunswick to Minnesota and Missouri and south to the Gulf, has a fibrous bark which is remarkably tough and which was used by the Indians for thongs and by country people for ropes, whence the popular names of leather wood and rope bark.

The Bicycle Hump.

"This protestation against the 'bicycle hump,'" said an old rider to me, "is very funny. As a matter of fact the man who bends over is not 'humped,' but the fellow who undertakes to sit up straight is round shouldered."

"Watch a rider coming head on," he continued, "and you will think the one leaning over the bars is 'humped,' while the other class appears straight. But when they pass and you get the rear view you find the back of the stooped fellow is straight, the bend being at the hips, the shoulders being pushed back square by the weight resting on the rider's hand, resting on top of the bar."

"The rider who tries to sit straight reaches under the grips and by pulling draws his shoulders together, cramping his chest."

I looked for myself and found the statement of my friend to be true. Look for yourselves: you will be surprised.—Bicycling World.

On the railway bridge of the Chicago & North western Railroad in Milwaukee, Wis., a gas engine has been installed by Mr. E. C. Carter, principal assistant engineer of the road, to operate the draw bridge. It performs its work in a most satisfactory manner, and it would appear that this kind of power is particularly adapted for such work. It is cleaner than a steam engine and the fuel is obtained by simply piping city gas to the central pier of the bridge, while with a steam engine coal must be delivered on the bridge and a large amount of ash removed.

RELICS OF A CUBAN INSURRECTION.

A recent number of *La Ilustracion Española y Americana* contains a number of engravings of scenes in the vicinity of Manzanillo, which is in the eastern part of the island of Cuba, and the scene of the present hostilities. It was in this part of the island that the former revolution of 1868 took place. During the fighting which then occurred, the Spanish troops burned down the buildings pertaining to a large sugar estate known as the Ingenio de la Demajagua. Among the ruins left upon the ground was a large gear wheel and a fly wheel. These are shown in our engraving as they now appear after a lapse of twenty-five years, during which time a jaguey tree has sprung up between the spokes of the gear wheel and has assumed the large proportions represented in our engraving. The growth of this tree gives some idea of the Cuban flora and the rapidity with which it springs up and spreads over the ground. According to our contemporary, the present uprising of the Cubans is making extensive progress. A large portion of the eastern section of the island is already in the hands of the revolutionists, and it is doubtful whether the Spanish government will be able to bring in troops enough to overcome the patriots.

Brine for Removing Snow and Ice from Rails.

The repeated demands by managers for a brine in place of salt resulted in President Fitch, of the Bay City, Mich., trolley road, making a series of experiments covering many months and which were at last successful in producing cheaply a method of compounding a highly concentrated clear salt liquor with specific gravity greatly in excess of water, and which is absolutely free from deposit or sediment, is no more expensive in first cost than salt, but can be applied with less trouble and expense, and is very much more economical in use, wastage being almost wholly saved. The basis of the triple chlorides, as President Fitch names the liquid, is natural salt water as pumped from his salt wells, with a mechanical and chemical treatment. It will not freeze even at 20° below zero and has an immediate action when applied, its penetrating effects being very much greater than dry salt or the brine formed from salt melting on track.

During the past winter the triple chlorides was used on several street railways with surprising and highly gratifying success, and these roads are so thoroughly convinced of its superior advantages they have abandoned salt and will use the brine exclusively in future. The method of its application will at once suggest itself to every manager. For curves, crossings and switches the brine is applied by the man whose duty it is to sweep these points, pouring the brine from a common sprinkling can with a small spout nose just as he uses water in summer.

If much is used at any special points a barrelful can be set out in any convenient basement or vacant place, as the brine will not evaporate in cold weather.

For main line tracks a small tank or keg can be set on the front platform and the brine fed to the rail by small iron pipes passing through the platform floor and reaching almost to the rails and discharging a stream from the size of a slate pencil up to any amount desirable, the flow being regulated by a cock. For very bad track and long distances, the sprinkling car used during the summer is pressed into service, the sprinkler being removed or changed so as to discharge only upon the rails. The brine has less corroding

effect on iron and copper bonds than salt, and the method will readily commend itself to managers.

Electric Lighted Buoys in New York Bay.

Incandescent electric lamps on spar buoys have been experimentally used in New York Bay for several years, but an installation has now been completed which marks a considerable advance in maritime engineering and renders the entrance to New York Harbor possible for the largest vessels at any hour of the night. Gedney's Channel, which is the course taken by the transatlantic steamers, is only 1,000 feet wide, and while buoyed by day, became an impracticable course at night. It is now lighted by 10 incandescent lights of 100 candle power each, placed on the top of spar buoys on either side of the channel, forming a lighted avenue for the shipping. The lamps are mounted on

**RELICS OF A CUBAN INSURRECTION.**

50 foot cedar buoys which are shackled to 5,000 pound mushroom anchors. The cable is constructed of a copper conductor, insulated with gutta-percha, then bedded with jute and sheathed with an armor of hard drawn copper wires. This cable carries successfully, according to the *Engineering Record*, a pressure of 1,000 volts alternating current under water for the distance of 6½ miles. The generating station is located about 2,000 feet back from the beach. The current for lighting the buoys is carried to the submarine cable through a lead-covered conductor laid in a creosoted subway 4 feet underground. The electric plant is in duplicate. The current is generated at 100 volts and is raised by a step-up transformer. All the high-tension lines are either underground or in cables at the bottom of the sea.

ALUMINUM fellos in bicycles are regarded by some makers as an improvement on wood.

A New Quadruple Expansion Engine.

Messrs. Hall and Treat announce, in the *Sibley Journal of Engineering* for April, "A New Quadruple Expansion Engine." This machine, built for regular working at 500 pounds pressure, and with its boiler tested to 1300 pounds, has now been in operation in Sibley College, at Cornell University, for many months. It was designed by the authors of the paper, built by them in the shops of the college, and has since been tested under a great variety of conditions. The design was entirely original, although, of course, embodying the principles taught them in their college course, the one being a graduate of '93 and the other of '94, and both now candidates for advanced degrees, the one for a doctor's, the other for the master's, degree in engineering. The valve gear is new and the invention of the builders of the engine. The proportions of the multiple cylinder system are those derived

by application of their text book and lecture room work; and the engine as a whole is a success. The boiler has worked well and economically up to above 600 pounds per square inch, and its waste heat is utilized in the reheating apparatus of the engine and so thoroughly as to make the temperature of the chimney very low. The steel for "running parts" was obtained from the Bethlehem Iron Company and proves to be of very fine quality. Special devices have been required, in every direction, to make the operation of the machine with such high pressure steam satisfactory and safe. Even the injector was necessarily reconstructed, as no ordinary instrument would force water into the boiler against 600 pounds pressure. The figures reported for economy are something under 10 pounds of steam per horse power per hour, and the best conditions of operation are not yet fully identified, though unquestionably corresponding closely with the preliminary computations of the designers. This figure is the lowest yet reported, even for engines of many times the size of that here described. It will require authoritative revision and corroboration; but there seems no reason to doubt its substantial accuracy, as the result of many engine trials under a great variety of conditions. If thus corroborated, it will stand as the "record of the world" for the nineteenth century. The thermodynamic consumption of this engine should be about 7 pounds of steam per horse power per hour, exclusive of all thermal wastes, and this should be approximated much more closely in engines of similar type built on a large scale. The figure attained is extraordinary, and almost incredible, for a model engine such as is described; yet it indicates a waste, by conduction and radiation, after all, of no less than twenty-five per cent of all heat sent to the machine from its boiler.—Science.

Manufacture of Great Guns.

Seven 12 inch nickel steel tube army rifles have recently been completed at the Watervliet arsenal with a variation in weight between the lightest and the heaviest of only five pounds. The guns are forty feet long and weigh approximately 115,000 pounds apiece. Each has an inner tube over which a series of hoops are shrunk for nearly the entire length. Over these is a single jacket two-thirds the length of the gun, and over this again are shrunk more hoops. Aside from this large number of parts, the guns are turned on enormous lathes during certain stages of their manufacture, and the close agreement of the entire lot is considered a remarkable feat of accurate workmanship.

THE CASSEUIL DRAWBRIDGE.

Drawbridges were in common use in the middle ages, and even the smallest castle was provided with one. The use of them was seemingly falling into desuetude, but for some little time past the exigences of modern communications have been leading engineers to bring them to the front again. In order to render the maneuver easy, an endeavor has been made to balance the flooring in all its positions. In the bridges of the middle ages that we have just alluded to, this condition was rarely fulfilled, and, more correctly speaking, never was so absolutely.

Poncelet, the celebrated bridge builder, occupied himself with this question. In 1810, Derche, another investigator, devised a counterpoise winding around a grooved wheel in spiral form. We may mention, further, a system due to Belidor. All these bridges were of wood. Since iron has entered into the construction of bridges, the system has become developed. In 1856, a drawbridge with a compensating balance frame was established upon the Haute Marne Canal in order to allow passage to a railway. This work is known as the Marneval drawbridge. More recently, analogous drawbridges have been constructed over the Charleroi Canal, at Brussels.

The drawbridge that we are about to describe is constructed over the lower arm of the Drop, a tributary of the Garonne, near Caudrot (Gironde). The Drop, through its division into two arms, forms a very fertile island, whose various portions belong to persons who do not inhabit it on account of its low position, which renders it very easily inundated. The upper arm of the river, which alone is navigable in ordinary times, flows into the Garonne through a lock that no longer operates when the water reaches a height of 15 feet above low water mark. The boats then take the lower arm, where they consequently navigate only very accidentally and at high water. Under such circumstances the bridge to be constructed would have had to be very high and would have required inclined approaches, whose cost would have taxed the fund disposable out of all proportion.

Mr. Clavel, government engineer, who has been at the head of the vicinal service of the Gironde for some years, and who, during his administration, has endowed the department with several remarkable works, thought that the economical and practical solution of the problem resided in the use of a drawbridge. A project was drawn up in this direction which met with approval on every side. The work is now constructed and is operating to the entire satisfaction of all interested. After this expose, and with a reproduction of two photographs that show the bridge open and closed (Figs. 1 and 2), a technical description does not appear to us to be necessary. Let us merely add that the bridge has three spans, and that it is the one of the right bank that is movable.

The boatmen themselves do the maneuvering when they wish to give passage to their vessel. Such maneuvering, however, is exceedingly easy, it being possible for one man to lift the flooring by acting upon a chain attached to the free extremity of the balance frame.

In this way the expenses of surveillance have been saved. Let us repeat that in many

cases similar bridges will find a practical and economical application.—La Nature.

The Draught of Chimneys.

Some chimneys are made smaller at the top than at the base of the flue; others are larger at the top; and still others are of uniform size throughout, according to the fancy of those who designed them, writes W. H. Wakeman in *Power and Transmission*. Those who advocate the first, claim that it is the most natural way to build a chimney, and as the products of combustion ascend they become cooler, consequently contract, and do not need as much space as when they commenced their ascent. Advocates of the second, while they admit that the gases contract on cooling, call attention to the fact that as the chimney is higher, the friction of the contents increases rapidly, and so deem it advisable to enlarge area of the chimney or stack, as the draught is materially increased thereby. Those who are in favor of the third tell us that the contrac-

tion of the gases and other products of combustion counterbalances the friction, and so a flue of uniform size is correct. Each can show chimneys built according to their ideas which are doing good work, but it is a hard matter to show that the same draught could not be obtained with a chimney built according to another design, and until this is done the matter of which is the best must remain an open question.

THE ANNEALING OF ARMOR PLATES BY ELECTRICITY.

BY W. W. HANSCOM, CHIEF ELECTRICIAN, UNION IRON WORKS.

The nickel steel armor plates, as furnished the later vessels of the United States navy, are by the Harvey process hardened on the face to a depth varying from one-half inch to three-fourths inch. This face is such that it successfully resists the hardest steel drill that can be made, and as it is required in the final location of the plate to drill and tap numerous holes in it, it was necessary during the hardening process to protect

the desired places by preventing the carbonizing material from coming in contact with them. The operation was not entirely successful, however, as it was found upon trial that although a number of the places were sufficiently soft to be worked, others immediately alongside were as hard as the unprotected portions. A number of attempts were made to locally anneal these hard spots by means of the oxyhydrogen blow-pipe and other apparatus, the most successful being




Fig. 1.—THE CASSEUIL DRAWBRIDGE CLOSED.





Fig. 2.—THE DRAWBRIDGE OPEN.

that offered by the Thomson Welding Company, of Lynn, Mass. It was found impossible by all other means than electricity to apply sufficient heat in a concentrated form to attain the desired results, as the large mass of metal surrounding conveyed the heat away as fast as it was supplied. One of the electric welding company's annealing equipments has recently been installed at the Union Iron Works, San Francisco, for annealing the armor plates of the battle ship Oregon, and the following is a description of the plant and its operation:

The apparatus in general consists of an alternator, with its exciter, a regulating rheostat, a transformer annealer, and the engine for driving the same. The engine develops at 450 revolutions per minute 55 horse power. The alternator and exciter are of the well known commercial type; the former, of 40 k. w. capacity, has six coils on as many pole pieces, the windings being in two series of three in multiple. The armature is of the toothed type, with six coils, connected in a multiple of three series of two. It is wound for an output of 135 amperes at 300 volts, when making 1,000 revolutions per minute. A pulley on the end of the armature shaft drives the exciter, a D type shunt wound generator of 100 volts, at 2,000 revolutions per minute. Its terminals are connected to alternator fields through the regulating rheostat, a cylindrical frame, having German silver coils cut into or out of circuit by a contact arm on top. The coils are protected from mechanical injury by the wire gauze covering, which arrangement permits of a constant circulation of air.

The transformer annealer is of the shell type, and consists of an outer core of laminated iron surrounding both primary and secondary coils, the former being wound on a form, and incased inside the latter, which is a hollow copper casting made in halves to receive it, and then bolted together, after which the remaining space is filled with oil for insulation and as an assistance in conducting away the heat generated in the primary. The secondary coil has but a single turn, U-shaped, to the ends of which are bolted various shaped copper



THE ANNEALING OF ARMOR PLATES BY ELECTRICITY.

contact pieces, which are hollowed and connected to a water circulation, thus preventing the heat of annealing from reaching the coils. The yoke from which the transformer is suspended by two trunnions, as well as the afore-mentioned contact pieces, permit of the transformer being swung into any desired angle, and brought against any part of plates already located.

In the operation of annealing, the contact pieces are brought up against the brightened surface of the plate and wedged into position, straddling the spot to be annealed, after the regular rheostat has been adjusted to a point reducing the primary current to a minimum. The distance between the contact pieces for a hole $\frac{3}{8}$ of an inch in diameter is $1\frac{1}{4}$ inches. When the contact is established between contact pieces and the plate, a slight humming noise notifies the operator, and the primary current is gradually raised to its maximum. A bright red spot then appears under each contact piece. The intense local heat at these spots causes the plate to expand outwardly in the direction of least resistance, forming slight mounds, from which circles of a gradually changing color slowly approach the center. The primary is kept up till the plate has become sufficiently heated to char or even ignite a pine stick held against it, and is then gradually decreased, till it has again reached the minimum.

The first or heating period requires about three minutes, during which the secondary current has reached from 3,500 to 6,000 amperes at four volts. The second or cooling period requires from ten to twelve minutes, in order to permit the sudden chilling of the spot due to the surrounding mass of metal, and to insure a perfect anneal. The plate at the spot of annealing presents a dark blue color, elliptical in shape, with a major axis of 4 inches and a minor axis of $2\frac{1}{2}$ inches, and is very readily drilled and tapped.

The cut shows the annealer at work on a 17 inch plate for the Oregon's 13 inch barrette. A portable drill press driven by a direct current motor is shown in the background, ready to drill the holes as fast as the plate is annealed. The regulating rheostat is shown in the lower right hand corner. Four wires are led from alternator and exciter to a convenient spot, and connected to annealer and regulating rheostat through a flexible four-wire cable.

In conclusion, the writer wishes to tender his thanks to Mr. W. S. Garton, of the Thomson Welding Company, for information in regard to the apparatus, and also to Mr. Ratto, photographer of the Union Iron Works, for the photograph herewith presented.—Pacific Electrician.

Natural History Notes.

Singular Case of Commensalism.—A singular case of commensalism, says the *Revue Encyclopedique*, has just been made known by Mr. Gadeau de Kerville. It concerns the young of the marine fishes called false mackerel, which are almost always found in company with the large medusæ known as rhizostomes. These young fishes swim parallel with the long axis of the jelly fish and in the same direction as the latter. They remain above, beneath, and behind the animal, but never advance beyond its umbel. It frequently happens that some of them introduce themselves into the cavities of the jelly fish, and are then visible from the exterior, owing to the transparency of the host. Sometimes the school of fishes wanders a few yards away from the medusa, but, at the least alarm, immediately returns with great rapidity to occupy its former position. It is evident that the medusa very efficaciously protects the young fishes by means of its innumerable stinging capsules. This is demonstrated by the fact that when the fishes become larger they no longer protect themselves by accompanying the medusæ.

Preserving Sea Weeds.—The following recipe is recommended by Dr. J. P. Lotsy for preserving examples of Floridæ for microscopic examination: "The specimen is first laid in a 1 per cent solution of chrome alum in sea water and kept there for a period varying from one to twenty-four hours, according to the size and texture of the species. The chrome alum is then completely washed out and the specimen placed in a mixture of 5 ccm. of 96 per cent alcohol in 100 ccm. of water and vigorously stirred. The amount of alcohol is then increased by increments of 5 ccm. every quarter of an hour until it amounts to 50 ccm. The specimen is then removed and placed in a mixture of 25 per cent alcohol in distilled water, and the quantity of alcohol again increased in the same way, till it amounts to 50 ccm. alcohol to 100 ccm. of water. The same process is again repeated with 50, 60, 70, 80, and 90 per cent solutions of alcohol in distilled water; the specimen being finally preserved in the last."

Resistance of Vertebrates to Thirst.—The camel is the animal that is oftenest mentioned as an example of one in which thirst is the longest endured. But Mr. S. M. Gorman, of Cambridge, Mass., writes to Nature that more striking cases of prolonged endurance are found in a number of small rodents that inhabit the arid plains in the vicinity of the Rocky Mountains. These animals live for weeks and months without meeting with a single drop of water. The sand is torrid, the entire vegetation is burned up, and yet they resist.

This is not the result of observation solely, for direct experiment has been made. Some common mice were put apart on the first of last October in cages in which they received nothing but perfectly dry food, such as Indian corn and grass seeds. On the seventeenth of January they were in perfect health and seemed as if they would continue thus for a long time, although they had not received a single drop of water or of any other liquid in the interim.

Activity of Animals.—In a recent number of *Science* Mr. Stewart gives the results of some interesting experiments upon the activity of animals that were made upon rats, mice, and squirrels inclosed in circular cages so arranged that every motion of the occupant caused the cage to revolve. An automatic apparatus permitted of registering the motions of the cage and of consequently ascertaining the periods of rest and activity of the animals. Rats and mice divide their time into twelve hours of rest and twelve of intermittent work during the night. During the period of work, the intervals of activity rarely exceed one hour, and are separated by intervals of rest of a nearly equal duration. In winter the squirrel works almost continuously from twenty minutes to two hours in the morning, and sometimes a little in the evening also, but during the balance of the time it remains at rest.

The food has a marked influence upon the daily activity. As a general thing, the richer this is in protein, the greater is the activity. Fatty substances have a contrary effect. They reduce the activity of mice from six to eight hours to a few minutes of work a day. In order to ascertain the influence of alcohol there was given to four rats fed upon dry grain some of this liquid at proofs varying from 5 to 60 per cent, instead of water. This treatment, kept up for fifty days, showed no uniform effect of the alcohol.

All the animals experimented with did more work when the barometric pressure was high.

Animals in Sterilized Air.—By keeping animals in a specially devised apparatus designed to supply them with air in an absolutely sterilized condition and also feeding them with food as far as possible free from bacteria, Dr. J. Kijanozin, of the University of Kieff, has been able to ascertain that there was a remarkable decrease in their assimilation of nitrogenous matter. The reason suggested is that micro-organisms, when present, aid in the decomposition and peptonizing of the nitrogenous matter in the intestine, and it is thought that were the removal of all the micro-organisms from the intestine possible, the decrease in the assimilation of nitrogen would be still greater. The animals also lost weight more quickly than under normal conditions, and excreted more nitrogen and carbon dioxide. In a number of cases the animals died a few minutes, hours or days after the beginning of the experiment, and as yet it has not been possible to assign any cause for this result.

The Poison of the Ornithorhynchus.—The hind feet of the ornithorhynchus, "the mole with webbed feet and the bill of a duck" that puzzled zoologists so much for a long time, are provided with a solid spur connected with a gland. Have we here a poison gland? From some apparently trustworthy accounts that have reached him, Mr. Stewart thinks we have. This gland is at least venomous at a certain season. A dog was wounded by one of these spurs three times, and the symptoms the first time were those of pain and somnolence, but there were no convulsions, titubations or trembling. Upon the two other occasions, the symptoms were less pronounced, and even null, thus indicating habituation. The poison has proved mortal to the dog in four cases, but in man the symptoms disappear without causing death.

Evolution among Plants.—At a recent meeting of the Massachusetts Horticultural Society, Prof. L. H. Bailey read a paper upon "Experimental Evolution among Plants." The speaker prefaced his remarks by saying that all thoughtful persons are now evolutionists, whether they know it or not. They believe in some kind of a transformation of species in the same way that they believe in the gradual unfolding and growth of human institutions.

Prof. Bailey then proceeded to consider the question: Do new species originate now? The notion that a species, to be such, must have originated in Nature's garden and not in man's has been left over to us from the last generation—it is the inheritance of an acquired character. Ray appears to have been the first to use the word species in its technical natural history sense, and the matter of origin was an important factor in his conception of what a species is. Linnæus said: "We reckon as many species as there were forms created in the beginning." Darwin elaborated the new conception that a species is simply a congregation of individuals that are more like each other than they are like any other congregation, and declared that one new variety raised by man will be a more important and interesting subject for study than any more species added to the infinitude of already recorded ones. The old naturalists threw the origin of species back beyond known causes, while Darwin endeavored to discover their origin; and it is significant that he set out without giving any definition of what a species is. It is im-

portant, when we demand that a new species be created as a proof of evolution, that we are ourselves open to conviction that the thing can be done. The fact is that the practice of systematic or descriptive botany is at variance with the teachings of evolution. Every naturalist now knows that Nature does not set out to make species. She makes a multitude of forms which we, merely for purposes of existing methods of botanical description and nomenclature, call species.

The speaker then proceeded to show that there has been as wide a variation in very many garden plants as there is between accepted botanical species of the same genus.

Species making forever enforces the idea of the distinctness and immutability of organic forms, but study of organisms themselves forever enforces an opposite conception. The intermediate and variable forms are perplexities to one who attempts to describe species as so many entities which have distinct and personal attributes. So the garden has always been the bugbear of the botanist. Even the lamented Asa Gray declared that the modern garden roses are "too much mixed by crossing and changed by variation to be subjects of botanical study." He meant to say that the roses are too much modified to allow of species making. The despair of systematic botanists is the proof of evolution.

If species are not original entities in nature, then it is useless to quarrel over the origination of them by experiment. All we want to know, as a proof of evolution, is whether plants and animals can become profoundly modified under different conditions, and if these modifications tend to persist. Everyone interested knows, as a matter of common observation and practice, that this is true of plants. He knows that varieties with the most marked features are passing before him like a moving panorama. He knows that nearly every plant which has been long cultivated has become so profoundly and irrevocably modified that people are disputing as to what wild species it came from. Consider that we cannot certainly identify the original species of the apple, peach, plum, cherry, orange, lemon, wine grape, sweet potato, Indian corn, melon, bean, pumpkin, wheat, chrysanthemum, and nearly or quite a hundred other common cultivated plants. It is immaterial whether they are called species or varieties. They are new forms. Here is the experiment to prove that evolution is true, worked out upon a scale and with a definiteness of detail which the boldest experimenter could not hope to attain were he to live a thousand years. The horticulturist is the only man in the world whose distinct business and profession is evolution. He of all other men has the experimental proof that species come and go.

Formation of Secretions in Plants.—Dr. A. Tschirch announces, in the *Botanisches Centralblatt*, the remarkable discovery that in all normal cases which he has been able to examine the formation of a secretion it is a function, not of the protoplasm, but of the cell wall. In schizogenous passages the secreting cells which clothe the canal contain a resinogenous layer, which is often vacuolar; in schizo-lysigenuous cavities the secretion is formed in peculiar caps of cell wall belonging to the cells which inclose the space. In the oil glands of the Labiata, Composita, etc., it is produced entirely in a subcuticular layer of the cell wall, and this is the case also with the papillæ which project into the intercellular spaces of the rhizome and base of the leaves in *Aspidium filix-mas*, and in many, if not all, extra-floral nectaries, the secretion lifting the cuticle off from the palisade-like secreting tissue. In all stigmas examined by the author, the secretion is formed in the subcuticular mucilaginous layer of the papillæ, into which the pollen tube makes its way. Similar observations were made on the oil of oil glands and on the resin which is formed in the duramen of trunks. But, although the secretions are formed in the cell wall, they are never produced by metamorphosis of the substance of the cellulose itself. Dr. Tschirch ascribes to all resins a uniformity in chemical composition, regarding them as compounds of aromatic acids with a peculiar group of alcohols which he calls resinols.

Tests of the Maxim Gun.

The light weight, rapid fire Maxim gun, though not new, has been greatly improved of late and in its present form was given a comprehensive series of tests at Sandy Hook on June 8. The gun weighs, packed in its case together with all its extra parts and mechanism, only 45 pounds, and is easily carried on a soldier's back. When in use it stands upon a tripod. The cartridge contains 28 grains of smokeless powder and a ball of 0.302 caliber, and a rate of fire from 600 to 770 shots a minute is claimed at 3,200 yards effective range. A range of only 500 yards was selected for the test. The gun was taken from a man's back, assembled and fired in 58 seconds. About 500 shots a minute were fired and no attempt was made to greatly exceed this rate. In the breakdown test an essential part of the mechanism, supposed to have been broken by a shot, was taken out and replaced by a new one in 26½ seconds. The barrel was changed in 1 minute and 12½ seconds.

THE FOUNTAIN AT GENEVA.

Our engraving represents the fountain that the municipality of Geneva has recently established at the entrance of the port of that city, at the extremity of the south jetty. This is certainly the largest fountain that exists upon the surface of the globe, since it is no less than three hundred feet in height. It may be seen from a great distance, in clear weather, detaching itself like a great white sail flapping through the effect of the wind.

The city of Geneva possesses a most complete distribution of water under pressure, the motive power for which is obtained from an artificial fall established upon the Rhone at the point of the lake. The water for domestic purposes and for the running of certain motors is raised to a height of 215 feet above the level of the lake. For the distribution of motive force, it is raised to a height of 460 feet. The reservoir is an open air one, and is situated upon the top of Bessinges, at a distance of three miles from the turbine building. A very ingenious regulator, invented by Mr. Turretini, assures the uniformity of pressure in the piping.

The length of the first pipe line is about 40 miles, and that of the second about 60. It is with this latter that the fountain conduit is connected. The latter is set in play only on Sundays. It is sometimes set in operation also on week days, in the evening. Instead of a single jet of great height, several are then utilized that do not rise so high. Powerful electric light projectors, placed in a structure near by, brightly illuminate them with their rays of varied colors, which transform them into a luminous fountain of the most beautiful aspect.—La Nature.

Safer Than Lightning Rods.

Each day adds some new virtues to the long list of those already credited to the pneumatic. The latest of these is that the wheels of a bicycle being encircled by a band of India rubber and dry air—which is a perfect insulator—the rider is completely insulated from the earth, and, consequently, is impervious to the attacks of the electric fluid. Thus, day by day it becomes more and more a fact that life without a pneumatic tire is neither safe nor worth having. Any one who suffers from nervousness during a thunder shower has now only to go into a barn or the cellar and seat himself upon the saddle of a pneumatic-tired bicycle to be perfectly safe from lightning stroke. As the chances of a man on a bicycle being struck by lightning have been carefully calculated to be about one in a billion, the Wheel adds, there will, of course, be some pessimists who will deny that this newly discovered virtue of the pneumatic as a lightning insulator amounts to very much.

Ancient Glass.

The glass blowers of ancient Thebes are known to have been as proficient in that particular art as the most scientific craftsman of the same trade of the present day, after a lapse of forty centuries of so-called "progress." They were well acquainted with the art of staining glass, and are known to have produced that commodity in great profusion and perfection.

Rossellini gives an illustration of a piece of stained glass known to be 4,000 years old, which displayed artistic taste of high order, both in tint and design. In this case the color is struck through the vitrified structure, and he mentions designs struck entirely in pieces from 1/2 inch to 3/4 inch thick, the color being perfectly incorporated with the structure of the piece, and exactly the same on both the obverse and reverse sides.

The priests of Ptah at Memphis were adepts in the glassmaker's art, and not only did they have factories for manufacturing the common crystal variety, but they had learned the vitrifying of the different colors and the imitating of precious stones to perfection. Their imitations of the amethyst and of the various other colored gems were so true to nature that even now, after they have lain in the desert sands from 2,000 to 4,000 years, it takes an expert to distinguish the genuine articles from the spurious. It has been shown that, besides being experts in glass making and glass coloring, they used the diamond in cutting and engraving glass. In the British Museum there is a beautiful piece of stained glass, with an engraved emblazonment of the monarch Thothmes III, who lived 3,400 years ago.


The New European Ship Canals.

The opening of the Corinth Canal in Greece and of the Manchester Canal in England having now been followed by the practical completion of the Baltic and North Sea Canal in Germany, a review of some of the salient features of these important works is opportune. While they possess many points of similarity, they present marked differences in the purposes they are intended to serve.

The Corinth Ship Canal affords a passage from sea to sea and is intended to meet the needs of commerce by shortening a route which is not, however, one of the highest degree of importance. Taking advantage of the fact that the Gulf of Corinth, lying in a general easterly and westerly direction, nearly separates Greece into two parts, this canal pierces the narrow Isthmus of Corinth and thus furnishes a passage from the Gulf of Corinth on the west to the Gulf of Ægina on the east. It thereby shortens the sea route from the western Mediterranean and from the Adriatic to the seaports of Eastern Greece, Turkey, Asia Minor and the Black Sea. The distance saved differs considerably in different cases, depending upon the ports of departure and destination, but is not more than 185 miles in any case. This canal is about 4 miles in length and has a minimum width of 72 feet at the bottom and 77 feet at the surface of the water, the sides rising very abruptly and being faced with masonry to a height of several feet above the water level. The minimum depth is 26 feet. The axis practically follows a straight line which passes through a low country toward either end, but in the middle portion encounters a rocky ridge, necessitating a cut about 260 feet deep in one part. The

began late in the autumn of 1887 and was pushed forward with energy. Unexpected delays occurred later, owing to financial embarrassment and other causes, but all difficulties were overcome and the enterprise was carried through to completion within the space of six years. It was believed at first that four years would be sufficient and that the cost would not exceed \$30,000,000. The actual outlay was about \$75,000,000. Although Manchester is 50 miles from the sea, it was not necessary to carry the canal this entire distance, as the tidal estuary of the Mersey furnished an approach for about 15 miles from the sea. Throughout the remaining 35 miles existing water courses were enlarged and utilized wherever practicable, including along one part of the route an old canal of small cross section. As Manchester has an elevation of 60 feet above the sea level, an ascent of this amount was necessary, and was accomplished by a system of locks. The line of the ship canal is crossed by a number of highways and railroads, besides a smaller canal, and numerous engineering problems were encountered. In some cases fixed bridges were required; where these occur they have a minimum height above the canal of 75 feet in the clear. The minimum depth of the canal is not less than 26 feet, and the minimum width at the bottom is 120 feet. The sides are protected by masonry, where this seemed advisable, the aim being to permit a speed of about 6 knots, thus enabling a vessel to pass from the entrance up to Manchester in eight or nine hours. By the use of electric lights the canal is made navigable by night as well as by day. The preliminary opening took place early in December, 1893, and the canal was formally opened for general traffic on January 1, 1894. It may be added that Manchester is the center of a district said to be more thickly populated and to show a greater output of commercial products than any other region of like area in the civilized world. The density of population is 13 times as great as that of Belgium, which is said to have more inhabitants to the square mile than any other country of Europe. The Manchester region contributes two-thirds of the total value of British exports.

The Baltic and North Sea Canal differs from the other two, concerning which some details have just been given, in that it owes its construction primarily to political and strategic considerations rather than to the commercial advantages which will incidentally result from it. Germany has two naval yards of great importance, one at Kiel on the Baltic and the other at Wilhelmshafen on the North Sea, and in order that vessels may be able to pass



THE GENEVA FOUNTAIN.

total quantity of earth and rock removed is estimated at 11,500,000 c. m. Breakwaters and artificial harbor works have been found necessary at both entrances. A high bridge, carrying the Piræus & Peloponnesus Railway, crosses near the western end. The canal is lighted at night by electricity.

The formal opening of the Corinth Canal, which took place in August, 1893, marked the final achievement of a scheme dating back in one form or another to ancient times. The work as completed follows closely, in some parts at least, the line of a similar undertaking on which much labor was expended in the time of Nero. The modern project dates back to 1881. Work began in 1882 and was prosecuted vigorously for some years, but in 1889 ceased for a time owing to lack of funds. The enterprise was afterward taken up by a new company, the Société Hellenique du Canal de Corinthe. Work was resumed in 1890 and carried to a successful conclusion in 1893. The total cost was about \$13,000,000. The lease held by the present company is to continue in force for 99 years, at the end of which period the canal is to become the property of the Greek government on the payment of \$1,000,000.

Turning now to a much larger and much more costly work, the Manchester Ship Canal, special mention should be made of the fact that the main purpose served by this great artificial waterway is to give deep draught vessels direct access to the important manufacturing city of Manchester. Formerly it was necessary to depend chiefly upon the shipping facilities afforded by Liverpool, and the canal project encountered active opposition from interests identified with this port and from the railroads affected. Authority having been finally granted by Parliament, after a prolonged discussion extending over a period of several years, and a company having been formed, the work of excavation

promptly between them and concentrate in either sea the ship canal has been cut under the auspices of the German government. It extends from Kiel to the River Elbe, entering the latter at a point below which deep water extends to the North Sea. Commercially the canal is important in the saving of time heretofore lost in going around the northern end of Denmark and in making it possible to avoid a stormy and dangerous passage. The distance saved between ports is from 100 to 425 miles, according to their relative position. The canal is practically a sea level one, there being tidal locks at the ends, but none along the course of the waterway. It was necessary to build several bridges over the canal, but they do not interfere with navigation. The fixed bridges, of which there are two, have a height in the clear of 138 feet. The cutting was largely through a low country, following an old canal in part. At the highest point there is a ridge rising 82 feet above the sea. There are several sharp turns, though the general course is a fairly direct one. The canal is 61 miles long. The standard depth is to be 29.5 feet upon final completion in all parts. The width at the bottom is 72 feet. Work on this canal began in 1887. It was then expected that it would be necessary to excavate about 77,000,000 c. m. of material, but this estimate was too small by from 3,000,000 to 5,000,000 c. m. The total cost of the canal amounts to about \$40,000,000, of which Prussia pays about one-third, the remaining part being paid by the German Empire.—Iron Age.

Twenty-four carat gold is all gold; 22 carat gold has 22 parts of gold, 1 of silver and 1 of copper; 18 carat gold has 18 parts of pure gold and 3 parts each of silver and copper in its composition; 12 carat gold is half gold, the remainder being made up of 3 1/2 parts of silver and 8 1/2 parts copper.

RECENTLY PATENTED INVENTIONS.

Railway Appliances.

CAR COUPLING.—Valentine Erbach, Scranton, Pa. This improvement comprises a drawhead having at the sides noses, one below the other, with oppositely inclined upper and lower faces and parallel sides, and having vertical perforations, while a gravity link is arranged in the perforation in the upper nose. When the drawheads come together they are positively guided to coupling position and the coupling is automatically effected, and means are also provided whereby any desired number of steam and compressed air pipes may be simultaneously and automatically coupled.

CAR FENDER.—James L. Canham, South Orange, N. J. This is a device to be readily attached to or detached from the dashboard of a car, and of such construction as to present a yielding bed to any one falling on the fender. The parts are so arranged that the sagging caused by a body falling on the fender operates a trip and causes an auxiliary bed to be projected, as a further protection for a person caught in the path of the car.

Electrical.

GENERATOR.—John D. Hilliard, Jr., Bluefield, West Va. This is a compound wound alternating generator, with improved means of compounding and regulating the voltage, there being two windings on the field spools of the generator, one of which is furnished with a constant current from a separate exciter, and the other with a variable current supplied by the generator itself and varied with the variation of the load of the generator. The regulation of the voltage is quick and efficient, as there is but one magnetic field to vary.

GALVANIC BATTERY CELL.—Frank A. Glasgow, St. Louis, Mo. This is a small, easily portable cell, in which a tube or casing closed at the upper end is placed over the zinc or positive element, displacing the fluid from about the element, and protecting it from being destroyed when the cell is not in use, while the air or gas in the tube displaces the fluid when the tube is pushed down over the zinc. In the protrusion upward of the zinc from the bottom of the cell the exposed portion of the positive element stands free from support.

INSULATOR.—James M. Patterson, Springtown, Texas. For insulating and supporting telegraph and telephone wires, this inventor has devised an insulator comprising two sections of insulating material adapted to fit together and each having on its inner sides a longitudinal recess, in which blocks notched on their inner faces are to be inserted, the insulator being of a very simple and inexpensive character, and adapted to clamp the wire securely and prevent its longitudinal movement.

ALARM SIGNAL AND INDICATOR.—Jacques A. Buisson, New Orleans, La. This is a device for trolley roads, to be applied especially at crossings, curves, tunnels, and other dangerous places. Combined with the main trolley wire is a short auxiliary wire connected with the alarm and signal, and a double trolley establishes electrical connection between the main and auxiliary wires to sound an alarm and give a visible signal as the car passes along the portion of the track to be protected.

Mechanical.

PAPER MAKING MACHINE.—Thomas H. Savery, Wilmington, Del. This invention relates to the wire part of high speed Foudrinier machines, in which the water from the pulp resting upon and carried by the wires over a series of table rolls is directed and caused to flow into save-all boxes, and provides table rolls adapted to support the wire, with deflectors interposed between the rolls and extending downward to the plane or level of the lower surfaces of the rolls, to prevent the water being thrown from one roll to the adjacent roll.

Miscellaneous.

STENOGRAPHIC MACHINE.—Joseph W. and Joseph K. Bailey, New Orleans, La. This is a machine in which the characters are formed by puncturing devices which penetrate and form a permanent record on a strip of paper, the machine being also adapted for printing as well as puncturing. The machine has a closely grouped set of horizontal and parallel bars with converging ends provided with properly shaped dies, horizontal rock shafts arranged at right angles connecting with the die bars and a series of vertical keys, there being means for connecting the keys to the rock shafts and the rock shafts to the die bars.

TIRE TIGHTENER.—Jasper N. Jennings, Portland, Oregon. According to this improvement, in a foot section adapted to fit on the wheel hub is journaled a screw carrying a laterally extending lifting arm, a nut threaded on the screw having a laterally extending arm on which a hook is adjustably held. The device is strong, cheap, and simple, and may be readily applied to any wheel to quickly tighten the tire without removing the wheel from the axle. It also facilitates spreading the wheel for the removal of the spokes if necessary, the straightening of the tires, etc.

HORSE COLLAR FASTENER.—John H. Emerson, St. Joseph, Mo. This invention relates to fastenings for separately connecting the lower abutting ends of horse collars, and provides a fastener comprising two caps to fit over and inclose the collar ends, each cap being divided horizontally and provided with securing tongues having bolt holes. The cap sections have overlapping portions to prevent slipping and locking lugs and hooks to secure them together and fasten the collar. The hame strap passes between pairs of registering lugs, and the device is easy to fasten and unfasten, holding the collar securely when in fastened position.

DISINFECTING AND PURIFYING WATER.—Carl Salzberger, Burgsteinfurt, Germany. This invention is for a process and apparatus for domestic and industrial uses, the process consisting in first mixing the

water with lime paste to purify it, then charging the mixture with carbon dioxide and subjecting it to the action of an electric current to separate and set free the carbonate of lime and the carbon dioxide. The electrolytical apparatus comprises a reservoir in which is an agitating device and provided with movable slatted frames forming one of the electrodes, a metallic perforated cylinder forming the other electrode.

SEPARATING GOLD AND SILVER.—Frederick Rinder, Chicago, Ill. For separating the gold and silver in a cyanide solution this invention provides a process consisting in first subjecting the cyanide solution to the action of a solution of sulphide of iron, to separate and precipitate the silver, and then subjecting the cyanide solution, in a separate tank, to the action of chloride of zinc, to separate and precipitate the gold. The invention is an improvement on the "MacArthur-Forrest cyanide process," using but little chloride, and the process requiring but little attention and labor.

BALANCE.—Clarence N. Fenner, Paterson, N. J. In this balance the standard has a graduated segment over its upper end, and the scale beam has vertical longitudinally aligned set screws, having between their inner ends the middle knife edge engaging the upper end of the standard. The beam also has knife edges at its ends from which the pans are suspended, while a weighted inclined arm extends down from the center of gravity at the middle of the beam, there being a similar inclined pointer above the center of gravity and working over the segment. The improvement is designed for use on all classes of balances, including the most delicate and those for weighing merchandise.

ANTI-FRICTION BLOCK.—Gregory M. Mullen, Baltimore, Md. This block is especially designed for use in guiding the tiller ropes of tugs, yachts, etc., reducing the friction to permit the free and easy movement of the sheave. There are side rollers between the sheave and journal, terminating short of the end of the sheave, providing an annular cavity surrounding the journal and a flange or rib of the cap jaw entering the cavity. The sheave has its under side channeled and balls fit between the sheave and the main jaw.

BATH OR OTHER TUB.—Charles E. Marston, Dover, N. H. This invention provides means for keeping the water in the tub at a uniform temperature as long as desired, and also for quickly raising or lowering its temperature. A shower or spraying device is also provided to spray from the sides, and the tub may be utilized to heat the air surrounding the bather and maintain the required temperature in the room, the tub acting as a radiator. The tub may also be used as a laundry or kitchen tub.

CHURN POWER.—John T. Gilbert, Columbus, Ga. A turning as well as a reciprocating motion is given to the churn dasher in a very simple and effective manner by this improvement. In a vertical frame is held a shaft at whose lower end is the dasher, and on whose upper end is revolvably held a head pivotally connected with a pitman, the latter being connected with the crank arm of the drive shaft. In the shaft is a spiral groove engaged by the tip of a set screw, whereby the shaft is rotated as it is reciprocated.

CLOTHES LINE FASTENER.—Charles L. Feinberg, Brooklyn, N. Y. This is a simple device for quickly and firmly uniting the two ends of a pulley line and to facilitate taking up the slack at any time. It consists of two parts pivoted together, the outer end of one part terminating in an eye to which one end of the line is tied, while the two sections form at the other end a clamping jaw in which the line will be held by the pressure of the jaw sections.

WINDOW SHADE.—Joseph Eckert, New York City. A shade is constructed of a series of strips or sections, according to this improvement, each section being capable of movement to or from an adjoining section, providing for larger or smaller spaces for the admission of light, while the shade sections are adjustable to admit light and air without admitting the sun directly. The improvement comprises a series of independent rollers and locking devices, with a bar detachably connected to the lower parts of the shades, and all of the sections may be simultaneously manipulated.

LIQUID COOLING CAN.—Wolff F. E. Casse, Copenhagen, Denmark. For preserving and storing milk, cream and other liquids or food this inventor has devised a vessel having a jacket adapted to contain ice and prevent the water formed in the ice jacket from coming in contact with the inner wall of the jacket until nearly all the ice is melted. There are ice-holding hooks or projections in the inner wall of the vertical part of the jacket which prevent the ice from rising as the water is formed by thawing, and are thus designed to preserve the continuity of the layer of ice on the inner wall of the jacket.

ILLUMINATED COLUMN.—Charles Sieburg, New York City. In fixtures for offices, bars, etc., this invention provides a column designed to heighten the ornamental effects. The invention comprises a base on which is a hollow shaft of translucent or transparent material with a capital of opaque material in which is held a lighting device, preferably an electric light, adapted to throw its light down into the shaft to illuminate the latter from the inside. The arrangement is such that the shaft can be taken down and cleaned, and ready access to the lamp is provided for.

BICYCLE TROUSERS.—Henry J. Roschi, New York City. These are garments adapted to give efficient support to the abdomen and other parts of the body, and they have elastic gores at the waistband and novel leg attachments adapted to relieve strains and obviate any danger of rupture, while insuring a comfortable adjustment and good fit of the garment.

GAME APPARATUS.—Charles H. Buxton, Neenah, Wis. A game similar to that of base ball may, according to this invention, be played by a simple and inexpensive device with which runs may be scored, the player put out, the circuit of the bases made, etc., in manner simulating that of a regular game. The field is inclosed in a box and at the four corners of the diamond are holes representing the bases, there being also slots to represent "fouls" and holes to represent "outs," and the game being played by the movement of a ball over the board which constitutes the field.

Designs.

CANDLESTICK.—William Varney, New York City. This design comprises a representation of a flower and a cup somewhat concealed among the leaves, together with a foliage support in which are stems, leaves and buds.

ROLLING HOOP.—Francis C. Bates, Newport, Vt. In this hoop is a central star-like figure consisting of a circular disk having a double series of radial projections, and between the central figure and the hoop are connecting cords.

NOTE.—Copies of any of the above patents will be furnished by Munn & Co., for 25 cents each. Please send name of the patentee, title of invention, and date of this paper.

NEW BOOKS AND PUBLICATIONS.

STEAM AND THE MARINE STEAM ENGINE. By John Yeo. London and New York: Macmillan & Company. 1894. Pp. xiv, 196. Price \$2.50. No index.

Naval steam engineering is a profession which is acquiring year by year a greater importance. The possibility of economy and the importance of achieving it on ship board have brought about some of the most perfect types of boilers and steam plants which have been devised. This is another way of saying that the naval steam engineer stands justly at the head of his profession, having to design the most perfect power apparatus and to use it properly. The coal consumption is nowhere more closely watched than on a steam vessel, and in the present days of record trips the chief engineer is as important an officer as the captain. Although we regret the absence of an index, a very full table of contents, to a certain extent, takes its place.

REPORT OF THE BOARD OF GENERAL MANAGERS OF THE EXHIBIT OF THE STATE OF NEW YORK AT THE WORLD'S COLUMBIAN EXPOSITION. Transmitted to the Legislature April 18, 1894. Albany: James R. Lyon, State Printer. 1894. Pp. 647.

We will not attempt to describe this large volume. It is enough to say that it is an exhaustive synopsis of what New York State proper showed at Chicago, with numerous illustrations of the exhibits. We notice, among others, very satisfactory plates of the work shown by the Teachers' College, recently illustrated in our columns, but as every third or fourth page has a full plate, it will be found a perfect album of the exhibits and of many that will have a homelike and familiar aspect to the New Yorker. We doubt if any State can produce a much more creditable report upon its exhibits. The large size of the plates makes them tend to be satisfactory, and we think that teachers and other professional workers will find the volume one of great value. Numerous portraits are given of the members of the Commission, while general views of the fair proper are not lacking.

ELEMENTS OF MINERALOGY, CRYSTALLOGRAPHY AND BLOWPIPE ANALYSIS, FROM A PRACTICAL STANDPOINT. By Alfred J. Moses and Charles Lathrop Parsons. New York: D. Van Nostrand Company. 1895. Pp. vii, 342. Price \$2.

The joint authorship of this volume gives it value, as it involves the views of two somewhat separated institutions. The book is rather more a work on crystallography and the identification of minerals than a blowpipe manual of the usual kind, the application of the blowpipe to mineral identification being closely followed in it. The work is qualitative in the sense that quantitative analysis is not given. The liberal illustrations and thoroughly practical treatment make it quite an attractive addition to the literature of the science.

THE DISEASES OF PERSONALITY. By Th. Ribot. Chicago: The Open Court Publishing Company. 1895. Pp. 163. 16mo. Paper 25 cents, cloth 75 cents.

An authorized translation of the work of M. Ribot, professor of comparative and experimental psychology in the College of France. He is also the author of "The Psychology of Attention" and "Diseases of the Will." The present work treats of organic disorders, affective disorders, disorders of the intellect, dissolution of personality, zoological individuality, etc.

CATECHISME D'ELECTRICITE PRATIQUE. By Ernest Saint-Edme. Paris: Bernard Tignol. Pp. 128. 16mo, 73 illustrations.

Under the attractive catechism or question and answer form the author has attempted to treat the whole subject of electricity in 128 pages. The illustrations are poor and do not show the later forms of apparatus. The work is undated and has no index.

THE MECHANICAL ENGINEER'S POCKET BOOK. A reference book of rules, tables, data, and formulæ, for the use of engineers, mechanics, and students. By William Kent, A.M., M.E. New York: John Wiley & Sons. 1895. Pocketbook, full gilt, flaps. Pp. 1087. Illustrations, tables, etc. Price \$5.

More than twenty years ago the author began to follow the advice given by Nystrom: "Every engineer should make his own pocketbook, as he proceeds in study and practice, to suit his particular business." The results of Mr. Kent's judicious gathering of engineering facts and figures are found in the present admirable collection of rules, tables, and out of the way information. The scope of the work is different from that of Trautwine and Haswell and it would be a valuable acquisition to all who possess these important works. Much attention has been paid to the abstracting of data of experiments from recent literature. The section relating to ice machines is particularly valuable, as the literature on this subject is limited. The electrical tables are interesting, and the

section devoted to fuels is also noteworthy. The greatest merit of the book consists in its furnishing information which would require long search in the files of technical journals and the proceedings of professional societies. Even such subjects as jet propulsion are adequately treated. Access to the stores of information is rendered easy by an excellent index.

PRACTICAL DIRECTIONS FOR ELECTRIC GAS LIGHTING AND BELL FITTING FOR AMATEURS. By Edward Trevert. Lynn, Mass.: The Bubier Publishing Company. 1895. Pp. 64. 16mo, 18 illustrations. Paper 25 cents.

This inexpensive little work contains an excellent series of diagrams of connections which will be appreciated by all electrical bell fitters.

HISTORY OF EDUCATION IN MARYLAND. By Bernard C. Steiner, Ph.D. Contributions to American educational history, No. 19. Washington: Published by the United States Bureau of Education. 1895. Pp. 381. 8vo, illustrated.

The present work forms one of the interesting monographs on the history of education by States. The series is edited by Dr. Herbert B. Adams, professor of American and institutional history in the Johns Hopkins University. Maryland has not obtained wide renown until recent years for her higher institutions of learning, and yet the number and importance of them has been too great to justify such neglect as they have received. The present work gives a succinct account of education in colonial Maryland, primary and secondary education, the first university of Maryland, etc. The Johns Hopkins University comes in for a fair share of attention. The value of the work would be enhanced by an index.

THE PHONOGRAPHIC DICTIONARY AND PHRASE BOOK. By Benn Pitman and Jerome B. Howard. Cincinnati: The Phonographic Institute Company. 1894. Pp. 48. 16mo, pamphlet. Price 10 cents for the first part; no other parts will be sold separately. The completed work will cost \$2.50 in cloth.

Any of the above books may be purchased through this office. Send for new book catalogue just published. MUNN & Co., 361 Broadway, New York.

SCIENTIFIC AMERICAN BUILDING EDITION.

JUNE, 1895.—(No. 116.)

TABLE OF CONTENTS.

1. A cottage at Bronxwood Park, Williamsbridge, N. Y., recently erected for Dr. Geo. P. Shirmer, at a cost of about \$2,500. Perspective elevation and floor plans. A pleasing design. A. F. Leicht, Esq., architect, New York City.
2. An elegant plate in colors showing a cottage at Bronxwood Park, Williamsbridge, N. Y., recently erected at a cost of \$2,200. Perspective view and floor plans. Mr. A. F. Leicht, architect, New York City. A neat design.
3. A cottage at Flatbush, L. I., recently erected for W. K. Clarkson, Esq., at a cost of \$5,000. Perspective elevation and floor plans. Mr. Christopher Myers, architect, New York City. A picturesque design.
4. A modern cottage at Bedford Park, New York City, recently erected at a cost of \$3,000. Perspective elevation and floor plans. A picturesque design. Mr. Edgar K. Bourne, architect, New York City.
5. The Bedford Park Congregational Church. Two perspective elevations and floor and basement plans. Cost complete, \$7,000. Mr. Edgar K. Bourne, architect, New York City.
6. A Colonial cottage recently erected at New Dorp, S. I., at a cost of \$3,675, complete. Perspective elevation and floor plans. Messrs. Child & De Goll, architects, New York City. An attractive design.
7. A residence at Germantown, Pa. Two perspective elevations and floor plans. Cost complete, about \$10,500. Messrs. Child & De Goll, architects, New York City.
8. The New Theater, San Luis de Potosi, Mexico. Architect, Don Jose Noriega.
9. Design for a window decoration.
10. The residence of E. P. Sandford, Esq., at Montclair, N. J. Two perspective elevations and floor plans. An elegant design. Architect and builder, Mr. E. P. Sandford, Montclair, N. J.
11. A cottage in the English half-timbered style recently erected for F. E. Kirby, Esq., at Glen Ridge, N. J. Perspective view and floor plans. E. Rollin Tilton, designer, New York City.
12. Miscellaneous contents: The Hanging Gardens of Babylon.—Perspective drawings.—Concrete roofs.—Points of support.—Architects' estimates.—An improved hot water heater, illustrated.—A new invention for raising water, illustrated.—Improved paving.—The Bommer spring hinge, illustrated.—A mixing regulator for gas machines, illustrated.—Adjustable sliding door track and hanger, illustrated.—Woodworker's improved vise, illustrated.—African mahogany.—A new steam and hot water heater, illustrated.—Powers' improved automatic chimney top, illustrated.—Improved wood working machinery, illustrated.

The Scientific American Building Edition is issued monthly. \$2.50 a year. Single copies, 25 cents. Thirty-two large quarto pages, forming a large and splendid MAGAZINE OF ARCHITECTURE, richly adorned with elegant plates and fine engravings, illustrating the most interesting examples of Modern Architectural Construction and allied subjects.

The Fullness, Richness, Cheapness, and Convenience of this work have won for it the LARGEST CIRCULATION of any Architectural Publication in the world. Sold by all newsdealers. MUNN & CO., PUBLISHERS, 361 Broadway, New York.

Business and Personal.

The charge for insertion under this head is One Dollar a line for each insertion: about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue.

For mining engines. J. S. Mundy, Newark, N. J.
"U. S." metal polish. Indianapolis. Samples free.
Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J.
Handle & Spoke Mch. Ober Lathe Co., Chagrin Falls, O.
Emery Wheel Salesman Wanted. Morgan, care Sci. Am.
Handle turning machinery. Trevor Mfg. Co., Lockport, N. Y.
Screw machines, milling machines, and drill presses. The Garvin Mach. Co., Light and Canal Sts., New York.
Emerson, Smith & Co. Ltd., Beaver Falls, Pa., will send Sawyer's Hand Book on Circulars and Band Saws free to any address.
The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4; Munn & Co., publishers, 361 Broadway, N. Y.
For the original Bogardus Universal Eccentric Mill, Foot and Power Presses, Drills, Shears, etc., address J. S. & G. F. Simpson, 26 to 36 Rodney St., Brooklyn, N. Y.
The Toy Windmill, illustrated and described on p. 4. Patent for the United States for sale, or inventor will license parties to manufacture on royalty. Address Fred. Beaumont, Jr., 1307 Franklin St., Kansas City, Mo.
Send for new and complete catalogue of Scientific and other books for sale by Munn & Co., 361 Broadway, New York. Free on application.

Notes & Queries

HINTS TO CORRESPONDENTS.
Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information and not for publication.
References to former articles or answers should give date of paper and page or number of question.
Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.
Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.
Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.
Scientific American Supplements referred to may be had at the office. Price 10 cents each.
Books referred to promptly supplied on receipt of price.
Minerals sent for examination should be distinctly marked or labeled.

(6563) J. C. B. says: 1. Will you be kind enough to give formula to make liquid glue similar to the Le Page glue? A. We have not the Le Page formula. A liquid glue possessing great resisting power, recommended for wood and iron, is prepared, according to Heez, as follows: Clear gelatine, 100 parts; cabinet makers' glue, 100 parts; alcohol, 25 parts; alum, 2 parts; the whole mixed with 200 parts of 20 per cent acetic acid, and heated on a water bath for six hours. An ordinary liquid glue, also well adapted for wood and iron, is made by boiling together for several hours 100 parts glue, 260 parts water, and 16 parts nitric acid. 2. Also simple and effective way to remove warts on face? A. Castor oil constantly applied from 2 to 4 or 6 weeks, each day, that is, once a day; it has not failed in my hands, says a writer in the Therapeutic Gazette, in any case of any size or long standing. The time it takes may try the patience of the user, but, if faithfully used, they will get their reward in the removal of the wart without leaving any scar.

(6564) J. S. S.: It is impossible to obtain Morse signals with a Thomson siphon recorder. Any book on telegraphy will give you a description of the Atlantic cable.

(6565) G. G. M. writes: 1. I have made my own zinc sticks, and would like to know the easiest and best way to amalgamate them? A. Dip them in dilute sulphuric acid, then sprinkle on a little mercury and rub it around, or dip the rods in a solution of nitrate of mercury. 2. Would like to know the ratio of the different ingredients for the solution of a bichromate of potash battery? A. To a saturated solution of bichromate of potash, slowly add one-fifth its bulk of sulphuric acid. 3. I have some electric light carbon sticks (without copper) 1/2 inch in diameter and 7 inches long. How many carbon sticks to zinc surface is necessary in a bisulphate of mercury battery; and give the solution for this battery. How many carbon sticks in a bichromate of potash? A. Six or 8 carbon rods. Make a thick paste of bisulphate of mercury in water. 4. Give the best and easiest way of connecting the carbon sticks without soldering? A. Cast lead caps on the carbons. 5. In the answer to query No. 6203, September 1, 1894, must the solution, when placed in the jar, be a thin paste or have some water added? A. Thin paste. 6. What is the best battery for induction coils? A. Grenet. 7. Does it matter whether or not the secondary is wound in opposite direction to the primary? A. No. 8. Give ratio of quantity of primary to secondary for any number of wire, especially for Nos. 16 and 36? A. It depends on the induced current desired, 500 to 1,000 to 1. 9. What is the best material to use between primary and secondary wire in an induction coil? A. A glass tube, a rubber tube, or writing paper coated with shellac, varnish, or paraffin.

(6566) H. W. N. says: Where can I find descriptions of automobile vehicles for use on common roads? A. See the SCIENTIFIC AMERICAN for February 14, 21, 1891; May 21, 1892; February 3, March 31, April 21, June 23, 1894; January 12, February 9, March 23, April 6, May 4, June 8, 1895; and the SCIENTIFIC AMERICAN SUPPLEMENT numbers 993, 979, 912, 857, and 839.

TO INVENTORS.

An experience of nearly fifty years, and the preparation of more than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess unequalled facilities for procuring patents everywhere. A synopsis of the patent laws of the United States and all foreign countries may be had on application, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices, which are low, in accordance with the times and our extensive facilities for conducting the business. Address MUNN & CO., office SCIENTIFIC AMERICAN, 361 Broadway, New York.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

June 25, 1895,

AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Table listing inventions with names and patent numbers. Includes entries like 'Acid and by-products, method of and apparatus for manufacturing sulphuric acid', 'Adjustable bit, A. T. Pearson', 'Alarm, See Burglar alarm', etc.

Table listing inventions with names and patent numbers. Includes entries like 'Electric conductors, protector casing for underground, J. A. Kinndon', 'Electric motor, F. E. Herdman', 'Electric motor, W. J. Still', etc.

Table listing inventions with names and patent numbers. Includes entries like 'Railway switch, A. R. Milliken', 'Refuse from scows, apparatus for discharging, C. Gullmann', 'Reostat for starting electric motors, automatic working, F. E. Herdman', etc.

DESIGNS.

Table listing designs with names and patent numbers. Includes entries like 'Badge, W. N. Brunt', 'Bicycle seat frame, G. Harden', 'Condenser tube, T. Ledward', etc.

TRADE MARKS.

Table listing trade marks with names and patent numbers. Includes entries like 'Beer, lager, National Union of the United Brewery Workmen', 'Roots and shoes, N. L. Millard & Company', 'Carpets, rugs, floor cloth, and oil cloth, James H. Humphries & Sons', etc.

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in force issued since 1835, will be furnished from this office for 25 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway New York.

Advertisements.

ORDINARY RATES.

Inside Page, each insertion - - 75 cents a line
Back Page, each insertion - - - \$1.00 a line

For some classes of Advertisements, Special and Higher rates are required.
The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

Star Lathes
Foot Power
Screw cutting
Automatic
Cross Feed
9 and 12 inch Swing.
New Designs. Novel Features.
Send for Catalogue B.
SENECA FALLS MFG. COMPANY,
695 Water St., Seneca Falls, N. Y.

LATHES, Shapers, Planers, Drills, Machine Shop
Outfits, Foot Lathes, Tools and Supplies.
Catalogue Free. SEBASTIAN LATHE CO.,
120 CULBERT ST., CINCINNATI, O.

FOOT POWER LATHES
For Electrical and Experimental
Work
Gunsmiths and Tool Makers
General Machine Shop Work
Bicycle Repair Work
High Grade Tools
Correct in Principle
Elegant in Design
Superior in Construction
THE BEST FOOT POWER LATHES MADE. CATALOGUE
FREE
W. F. & JOHN BARNES CO.
1999 RUBY STREET, ROCKFORD, ILLS.


AMERICAN PATENTS.—AN INTER-
esting and valuable table showing the number of patents
granted for the various subjects upon which petitions
have been filed from the beginning down to December
31, 1894. Contained in SCIENTIFIC AMERICAN SUP-
PLEMENT, No. 1042. Price 10 cents. To be had at
this office and from all newsdealers.

A NEW PIPE WRENCH
Grips Quickly and Firmly, GALVANIZED
as well as other Pipe, and will Not Crush
it. Won't lock on pipe. Does not
mar nut or highly polished
fitting. Other
features.
All
Dealers.
Send for Little Book, Free.
SAMUEL HALL'S SON, 229 West 10th St., New York.

SUPERIOR TO COTTON WASTE
Endorsed by Fire Underwriters
Safe, durable, cheaper
Agents wanted
RAW SILK MACHINERY WIPERS
Beware of
loose woven imitations
AMERICAN SILK MFG. CO.
313 Walnut Street, Philadelphia, Pa.

If you want the best Lathe and Drill
BUY
WESTCOTT'S
Strongest
Grip, Great-
est Capacity
and Durabil-
ity, Cheap and Accurate.
Westcott Chuck Co., Oneida, N. Y., U. S. A.
Ask for catalogue in English, French, Spanish or German.
FIRST PRIZE AT COLUMBIAN EXPOSITION, 1893.

Seventeenth Edition of
Experimental Science



REVISED AND ENLARGED.
120 Pages and 110 Superb Cuts added.

Just the thing for a holiday present for any man,
woman, student, teacher, or anyone interested in science.
In the new matter contained in the last edition will be
found the Scientific Use of the Phonograph, the curious
optical illusion known as the Anorthoscope, together
with other new and interesting Optical Illusions, the
Optical Projection of Opaque Objects, new experiments
in Projection, Iridescent Glass, some points in Photo-
graphy, including Hand Cameras, Camera Obscura, etc.;
Systems of Electrical Distribution, Electrical Ore Pinder,
Electrical Rocker, Electric Chimes, How to Color
Lantern Slides, Study of the Stars, and a great deal of
other new matter which will prove of interest to scienti-
fic readers.
840 pages, 782 fine cuts, substantially and beautifully
bound. Price in cloth, by mail, \$4. Half morocco, \$5.
Send for illustrated circular.

MUNN & CO., Publishers,
Office of the SCIENTIFIC AMERICAN,
361 BROADWAY, NEW YORK.

ELECTRICITY
Mechanics, Steam Engineering, Mechanical
Drawing, Architecture, R. R. and Bridge
Engineering, Plumbing, Heating, Mining,
English Branches. Send for free circular,
stating subject wish to study or your trade.
Correspondence School of Industrial
Sciences, SCRANTON, PA.

STARRETT'S
IMPROVED SPEED INDICATOR.
Graduations show every revolu-
tion, and with two rows of
figures, read both right and left
as the shaft may run. Auxil-
iary split cap is made to slip over the
pointed spindle to use on a center or
pointed shaft.
Price
\$1.50.
With Split
Cap, \$1.75.
Illustrated Catalogue Free.
The L. S. Starrett Co., Manufacturer of Fine Tools,
P. O. Box 13, ATHOL, MASS.

CATALOGUES FREE TO ANY ADDRESS
GOODNOW & WIGHTMAN
GEARS AND PARTS OF
MODELS
BOSTON

TO BUSINESS MEN
The value of the SCIENTIFIC AMERICAN as an adver-
tising medium cannot be overestimated. Its circulation
is many times greater than that of any similar journal
now published. It goes into all the States and Territo-
ries, and is read in all the principal libraries and reading
rooms of the world. A business man wants something
more than to see his advertisement in a printed news-
paper. He wants circulation. This he has when he ad-
vertises in the SCIENTIFIC AMERICAN. And do not let
the advertising agent influence you to substitute some
other paper for the SCIENTIFIC AMERICAN when se-
lecting a list of publications in which you decide it is
for your interest to advertise. This is frequently done for
the reason that the agent gets a larger commission from
the papers having a small circulation than is allowed on
the SCIENTIFIC AMERICAN.
For rates see top of first column of this page or ad-
dress MUNN & CO., Publishers,
361 Broadway, New York.

"WOLVERINE" GAS AND GASOLINE
ENGINES, STATIONARY
AND MARINE.
The "Wolverine" is the only re-
versible Marine Gas Engine on
the market. It is the lightest en-
gine for its power. Requires no
licensed engineer. Absolutely
safe. Manufactured by
WOLVERINE MOTOR WORKS,
12 Huron Street,
GRAND RAPIDS, MICH.

BALL BEARING AXLES AND RUB-
ber Tires.—A paper read before the Carriage Builders'
National Convention, Philadelphia, October, 1894, show-
ing the advantage to be derived from the use of ball
bearings and pneumatic tires in road vehicles. Con-
tained in SCIENTIFIC AMERICAN SUPPLEMENT, No.
992. Price 10 cents. To be had at this office and from
all newsdealers.

VANDUZEN STEAM PUMP
THE BEST IN THE WORLD
Pumps Any Kind of Liquid.
Always in Order, never Clogs nor
freezes. Every Pump Guaranteed.
10 SIZES.
200 to 12000 Gallons per Hour.
Cost \$7 to \$75 each. Address
THE E. W. VANDUZEN CO.,
102 to 108 E. Second St., Cincinnati, O.

A. W. FABER
Manufactory Established 1761.
LEAD PENCILS, COLORED PENCILS, SLATE
PENCILS, WRITING SLATES, STEEL PENS, GOLD
PENS, INKS, PENCIL CASES IN SILVER AND IN
GOLD, STATIONERS' RUBBER GOODS, RULERS,
COLORS AND ARTISTS' MATERIALS.
78 Reade Street, - - - New York, N. Y.
Manufactory Established 1761.

The "Climax" Stereotyper
AND
Moulding Press Combined,
for making perfect Celluloid Stereotypes to be used in place of metal
stereotypes. Also for making Rubber
stamps. Should be in use in
every printing office. See Sci. Am.,
Dec. 30, 1893. Send for circular to
THE J. F. W. DORMAN CO.
217 E. German St., Baltimore, Md.
Manufacturers of
Rubber Stamps, Vulcanizers, Stereo-
type Machinery and Supplies.

BUY
TELEPHONES
That are good—not "cheap things." The differ-
ence in cost is little. We guarantee our apparatus and
guarantee our customers against loss by patent suits.
Our guarantee and instruments are BOTH GOOD.
WESTERN TELEPHONE CONSTRUCTION CO.,
440 Monadnock Block, CHICAGO.
Largest Manufacturers of Telephones in the United States
SINTZ GAS ENGINE CO.
GRAND RAPIDS, MICH.,
U. S. A.
Manufacturers of the Sintz Sta-
tionary and Marine Gas and
Gasoline Engines. Especially
adapted for Boats and Electric
Lighting. Runs with manufac-
tured or natural gas—Boats and
launches. Prices within the reach
of all. Write for Illustrated catalogue.
Mention this paper.

HELLO, CENTRAL!
Do you use telephones? If so, we can give
you just what you want. Our specialty is Blake
Transmitters. There is a "best" in everything,
and ours are the best. We supply complete
telephones or all or any of the parts to construct
a telephone. Write for Illustrated catalogue.
PHENIX INTERIOR TELEPHONE CO.,
131 Liberty St., New York.

Chain BELTING of Various Styles, ELEVATORS, CONVEYORS,
COAL MINING and HANDLING MACHINERY.
The JEFFREY MANUFACTURING CO., COLUMBUS, O.
Send for late Catalogue "C."

WELL DRILLING MACHINERY,
MANUFACTURED BY
WILLIAMS BROTHERS,
ITHACA, N. Y.
MOUNTED ON OR ON SILLS, FOR
DEEP OR SHALLOW WELLS, WITH
STEAM OR HORSE POWER
SEND FOR CATALOGUE
ADDRESS WILLIAMS BROS. ITHACA, N. Y.

ARTESIAN WELLS—BY PROF. E.
G. SMITH. A paper on artesian wells as a source of
water supply. Essential geological conditions of artesian
wells. Some chemical features of artesian well
supply. Contained in SCIENTIFIC AMERICAN SUP-
PLEMENT, No. 943. Price 10 cents. To be had at this
office and from all newsdealers.

Pumping Water by Compressed Air.
We take pleasure in announcing that by arrangements
made with J. G. Pohlé, we are enabled to furnish our
customers with the
POHLÉ AIR LIFT PUMP,
protected by numerous American and Foreign patents.
This department of our business will be under the per-
sonal supervision of Dr. Pohlé, the inventor and paten-
tee.
THE INGERSOLL-SERGEANT DRILL CO.,
Havemeyer Building, 26 Cortlandt St., New York.

ROCK DRILLS
AIR COMPRESSORS &
GENERAL MACHINERY FOR
MINING, TUNNELING,
QUARRY & RAILROAD WORK
RAND DRILL CO. 23 PARK PLACE NEW YORK

ELECTRICITY AND PLANT GROW-
ing.—A paper by Prof. J. H. Bailey, of Cornell Univer-
sity, describing and giving the results of a series of ex-
periments upon the effect of electrical illumination
upon the growth of plants. Contained in SCIENTIFIC
AMERICAN SUPPLEMENT, Nos. 990 and 991. Price 10
cents each. To be had at this office and from all news-
dealers.

"Pacific" & "Union"
Gas & Gasoline
ENGINES.
Marine and Station-
ary. 1 to 75 h. p.
Safe, Simple, Eco-
nomical.
The GLOBE GAS
ENGINE CO.
Merton Av. & 49th St.
Philadelphia, Pa.

AMERICAN GAS FURNACE CO.
of ELIZABETH, N. J., PATENTEES OF
A Complete System for the generation of a
CHEAP AND PERFECT FUEL GAS.
GAS BLAST FURNACES,
for all kinds of Mechanical Work,
HIGH PRESSURE BLOWERS, ETC.
Illustrated Catalogues on application.
Address, 80 NASSAU STREET, NEW YORK.

ROBERT POOLE & SON CO.
ENGINEERS & MACHINISTS.
TRANSMISSION MACHINERY
MACHINE MOULDED GEARING
SPECIAL FACILITIES FOR THE
HEAVIEST CLASS OF WORK
BALTIMORE, MD.

SCIENTIFIC AMERICAN DYNAMO.
Description of a plain shunt-wound dynamo of simple
construction, capable of supplying a current of from 60
to 75 110-volt incandescent lamps, or of being used as a
5 h. p. motor. This machine was constructed especially
for the benefit of the readers of the Scientific American,
by Mr. W. S. Bishop, of New Haven, Conn. It is de-
signed to meet the wants of mechanics and amateurs
who desire to construct a simple dynamo for their own
use, but who do not care to enter into the subject sci-
entifically. With 24 illustrations. Contained in SCIENTIFIC
AMERICAN SUPPLEMENT, No. 945. Price 10 cents. To
be had at this office and from all newsdealers.

CLARK'S PATENTED
Rotary Upholstery Brush.
Moth Exterminator. For cleaning Button
Indentations in Furniture, Carriage Linings,
Mattresses, etc. "No moths live where this brush is
used." Agents wanted everywhere. Sample by mail, 50
cents. E. H. PHILLIPS & CO., Sole Owners,
150 Washington Street, Boston, Mass.

FRANKLIN S. MILES
MANUFACTURER OF
Brass, Iron, Steel & German Silver
SCREWS
208 Quarry Street,
Philadelphia, Pa.

ELECTRICAL PHENOMENA ILLUS-
trated by Applied Hydraulics.—Mr. G. Claude's method
of applying the movements of water to illustrate a few
of the first principles of electrical phenomena in such a
way as to enable the student to better understand and
the tutor to explain them. With 14 illustrations. Con-
tained in SCIENTIFIC AMERICAN SUPPLEMENT, No.
979. Price 10 cents. To be had at this office and from
all newsdealers.

MORSE UNIVERSAL
DRAUGHTING TABLE
THE LARGEST AND MOST COMPLETE
LINE OF DRAUGHTING ROOM FURNITURE
MANUFACTURED BY
MORSE MACHINE CO. ROCHESTER, N.Y.

GATES ROCK AND ORE
BREAKERS
GREATER CAPACITY USING LESS
POWER THAN ANY OTHER ON EARTH
MODELS OF
MINING MACHINERY
OF EVERY DESCRIPTION
GATES IRON WORKS DEPT. T
650 ELSTON AVE. CHICAGO.

How To Make a Dynamo
OR MOTOR. 4 horse power size, illustrated with
full working drawings. By Edw. Trevert. Price 10c.
Bubier Publishing Co., Lynn, Mass.

They All Like It.
The Ladies Like It.
So Do The Men.
Children Enjoy It.
Layman Pneumatic Boats.
See Sci. Am., May 18, 1895.
Send 4c. in stamps for our hand-
somerly illustrated catalogue.
Address H. D. LAYMAN,
851 Broadway, New York.

SCIENTIFIC AMERICAN
ESTABLISHED 1845.
The Most Popular Scientific Paper in the World
Only \$3.00 a Year, Including Postage.
Weekly—52 Numbers a Year.
This widely circulated and splendidly illustrated
paper is published weekly. Every number contains six-
teen pages of useful information and a large number of
original engravings of new inventions and discoveries,
representing Engineering Works, Steam Machinery,
New Inventions, Novelties in Mechanics, Manufactures,
Chemistry, Electricity, Telegraphy, Photography, Archi-
tecture, Agriculture, Horticulture, Natural History,
etc. Complete list of Patents each week.
Terms of Subscription.—One copy of the SCIENTIFIC
AMERICAN will be sent for one year—52 numbers—
postage prepaid, to any subscriber in the United States,
Canada, or Mexico, on receipt of Three Dollars by the
publishers; six months, \$1.50; three months, \$1.00.
Clubs.—Special rates for several names, and to Post-
masters. Write for particulars.
The safest way to remit is by Postal Order, Draft, or
Express Money Order. Money carefully placed inside
of envelopes, securely sealed, and correctly addressed,
seldom goes astray, but is at the sender's risk. Address
all letters and make all orders, drafts, etc., payable to
MUNN & CO., 361 Broadway, New York.

Scientific American Supplement
This is a separate and distinct publication from THE
SCIENTIFIC AMERICAN, but is uniform therewith in
size, every number containing sixteen large pages full
of engravings, many of which are taken from foreign
papers and accompanied with translated descriptions.
THE SCIENTIFIC AMERICAN SUPPLEMENT is published
weekly, and includes a very wide range of contents. It
presents the most recent papers by eminent writers in
all the principal departments of Science and the Useful
Arts, embracing Biology, Geology, Mineralogy, Natural
History, Geography, Archeology, Astronomy, Chemis-
try, Electricity, Light, Heat, Mechanical Engineering,
Steam and Railway Engineering, Mining, Ship Building,
Marine Engineering, Photography, Technology, Manu-
facturing Industries, Sanitary Engineering, Agriculture,
Horticulture, Domestic Economy, Biography, Medicine,
etc. A vast amount of fresh and valuable information
obtainable in no other publication.
The most important Engineering Works, Mechanisms,
and Manufactures at home and abroad are illustrated
and described in the SUPPLEMENT.
Price for the SUPPLEMENT, for the United States,
Canada, and Mexico, \$5.00 a year; or one copy of the
SCIENTIFIC AMERICAN and one copy of the SUPPLE-
MENT, both mailed for one year to one address for \$7.00.
Single copies, 10 cents. Address and remit by postal
order, express money order, or check,
MUNN & CO., 361 Broadway, New York.

Building Edition.
THE SCIENTIFIC AMERICAN BUILDING EDITION is
issued monthly. \$2.50 a year. Single copies, 25 cents.
Thirty-two large quarto pages, forming a large and
splendid Magazine of Architecture, richly adorned with
elegant plates and other fine engravings; illustrating the
most interesting examples of modern Architectural
Construction and allied subjects.
A special feature is the presentation in each number
of a variety of the latest and best plans for private resi-
dences, city and country, including those of very mod-
erate cost as well as the more expensive. Drawings in
perspective and in color are given, together with Floor
Plans, Descriptions, Locations, Estimated Cost, etc.
The elegance and cheapness of this magnificent work
have won for it the Largest Circulation of any
Architectural publication in the world. Sold by all
newsdealers. \$2.50 a year. Remit to
MUNN & CO., 361 Broadway, New York.

Export Edition
of the SCIENTIFIC AMERICAN, with which is incor-
porated "LA AMERICA CIENTIFICA E INDUSTRIAL,"
or Spanish edition of the SCIENTIFIC AMERICAN is pub-
lished monthly, and is uniform in size and typography
with the SCIENTIFIC AMERICAN. Every number con-
tains about 50 pages, profusely illustrated. It is the finest
scientific, industrial export paper published. It circu-
lates throughout Cuba, the West Indies, Mexico, Cen-
tral and South America, Spain and Spanish possessions
—wherever the Spanish language is spoken. THE SCIENTIFIC
AMERICAN EXPORT EDITION has a large
guaranteed circulation in all commercial places through-
out the world. \$3.00 a year, postpaid, to any part of the
world. Single copies, 25 cents.
Manufacturers and others who desire to secure
foreign trade may have large and handsomely displayed
announcements published in this edition at a very
moderate cost. Rates upon application.
MUNN & CO., Publishers,
361 Broadway, New York.

Founded by Mathew Carey, 1785.

HENRY CAREY BAIRD & CO. INDUSTRIAL PUBLISHERS, BOOKSELLERS & IMPORTERS 510 Walnut St., Philadelphia, Pa., U. S. A.

The Scientific American Reference Book.

A most useful little bound book of 150 pages, comprising, probably, the most extensive variety of standard, practical, condensed information ever furnished to the public for so small a price, only 25 cents.

Among its contents are: The Last Census of the United States (1890), by States, Territories, and Counties; Table of Cities having over 8,000 inhabitants; Map of the United States—miniature outline; The Patent Laws (full text); The Trade Mark Law (full text); The Copyright Law (full text); The Principal Mechanical Movements—illustrated by 150 small diagrams—of value to inventors and designers of mechanism; Medallion Portraits of Distinguished American Inventors; Valuable Tables relating to Steam, Electricity, Heat, Metals, Weights, and Measures.

Sent by mail to any address on receipt of price, 25 cents.

MUNN & CO., Publishers, 361 Broadway, New York.

WATER MOTORS

GAS ENGINES & VENTILATING FANS

The best Motor in the world for driving all kinds of light machinery, noiseless, neat, compact, invaluable for blowing church organs, running printing presses, coffee mills, ventilating fans, ice cream freezers, meat choppers, etc. In use the world over, and recommended by water companies everywhere. Address for circular, Backus Water Motor Co., Newark, N. J., U.S.A.

"DIETZ" TUBULAR DRIVING LAMP.

IT is the only practicable and perfect driving lamp ever made. IT will not blow out. IT gives a clear white light. IT looks like a locomotive head light.

IT throws all the light straight ahead from 200 to 300 feet. IT burns kerosene.

Send for Book. R. E. Dietz Co., 77 Laight Street, New York.


SEND for Catalogue of the Musical Instrument you think of buying. Violins repaired by the Cremona System, C. STORY, 26 Central St., Boston, Mass.

WANTED—A competent Manager for Boiler Works and Machine Shop. Must be experienced and able to give estimates if required. Address F. C., 69 Liberty Street, Room 16, New York City.

FASTER THAN SHORTHAND!

Anderson's Shorthand Typewriter prints a word at one stroke! Price, \$25. It is a perfect substitute for stenography, and has already taken its place in many of the largest establishments in the country. You can learn at home without a teacher; no knowledge of shorthand necessary. Begin practice NOW and you will be ready for WORK next month. S. G. K. Anderson, 114 Bennett Bldg., N. Y. Agencies: Auckland, N. Z., Bombay, India

A Valuable Book



12,500 Receipts, 708 Pages. Price \$5. Bound in Sheep, \$6. Half-Morocco, \$6.50.

This splendid work contains a careful compilation of the most useful Receipts and Replies given in the Notes and Queries of correspondents as published in the Scientific American during the past fifty years; together with many valuable and important additions.

Over Twelve Thousand selected Receipts are here collected; nearly every branch of the useful arts being represented. It is by far the most comprehensive volume of the kind ever placed before the public.

The work may be regarded as the product of the studies and practical experience of the ablest chemists and workers in all parts of the world; the information given being of the highest value, arranged and condensed in concise form convenient for ready use.

Almost every inquiry that can be thought of, relating to formulae used in the various manufacturing industries, will here be found answered.

Instructions for working many different processes in the arts are given.

Those who are engaged in any branch of industry probably will find in this book much that is of practical value in their respective callings.

Those who are in search of independent business or employment, relating to the home manufacture of sample articles, will find in it hundreds of most excellent suggestions.

Send for Descriptive Circular. MUNN & CO., Publishers, SCIENTIFIC AMERICAN OFFICE, 361 Broadway, New York.



Made of Large Blocks of Emery Set in Metal. Fastest Grinders known. Can grind anything NO PICKING. Made Sharp. Stay Sharp Will Fit any Mill Frame. Cheap as Best French Buhns. MILLSTONES. Sturtevant Mill Co., Boston Mass.

GAS ENGINE CASTINGS

also for Water Motor, Dynamo, Boiler, Engine, etc. A. F. WEED & CO., 106 Liberty St., N. Y.

Little Giant Drilling Machine WITH STRAIGHT TABLE. Furnished also with swinging table. Arranged for both Hand and Power. Drills from 1/8 to 1 1/4 inch hole. Drills to center of 1 1/2 inch circle. Table is perfectly square with spindle and has adjustment of 16 inches. Feed has a run of 4 inches. Send for fully illustrated Catalogue, WELLS BROS. & CO., P. O. Box B, Greenfield, Mass.

VERY LATEST NOVELTY THE MICROGRAPH

A Simple Automatic Powerful Lens Microscope for showing in miniature landscapes, statuary, steamships, yachts, photos, etc., and copies of all famous works of art. Micrograph complete with extra disk containing 16 views, mailed to all parts of the world for 50c. Extra disks 10c. each. Set of 8 pictures. Illus. circulars free.

LEADING NOVELTY CO., 202 Broadway, New York, N. Y.

TENTS.

We manufacture Tents of every variety and size, for all conceivable purposes. We have been in the business for fifty-four years and know how to make them properly. We have made Tents for the War Department of the U. S. Government for many years. We are now quoting the lowest prices ever heard of, owing to the low price of cotton canvas. We solicit your orders, large or small, and will send our illustrated Catalogue of Tents and Camp Furniture, if you are interested, upon receipt of your address and six cents in stamps.

GEO. B. CARPENTER & CO. 202-208 So. Water St., CHICAGO

RACINE BOAT MFG. CO. SAILING YACHTS LAUNCHES DESIGNERS AND BUILDERS. PRICES AND WORK GUARANTEED. SEND 10 CENTS FOR 25 PAGE ILLUSTRATED CATALOGUE.

MONITOR VAPOR ENGINE AND POWER COMPANY, 8 ERIE STREET, GRAND RAPIDS, MICHIGAN. GASOLINE LAUNCH ENGINES AND LAUNCHES

PATENTS taken through Munn & Co. receive special notice in the Scientific American. This splendid weekly paper, elegantly illustrated, has the largest circulation of any scientific work. \$5 a year. Specimen copies free. Address MUNN & CO., New York, 361 Broadway.

TYPE WHEELS, MODELS & EXPERIMENTAL WORK. SMALL MACHINERY NOVELTIES & ETC. NEW YORK STENL WINGS 100 NASSAU ST. N.Y.

WELL DRESSED MEN wear only merchant tailor made clothes.

A Tailor-Made Suit For \$10.00

We'll make to your measure a Frook or Sack Suit of ALL WOOL GOODS equal to any tailors \$18.00 garment for \$10.00 Other Suits and Trousers just as cheap. We save 50 per cent by buying big lots of woollens direct from the mills—that accounts for it. All goods sent C. O. D. with privilege of examination before paying express agent. We never express charges. Send for samples of cloth and full particulars, free.

LOUIS X VEHON, Tailor, 323 Dearborn St., Chicago.



THE DENSMORE "THE WORLD'S GREATEST TYPEWRITER."

"DOING A LAND OFFICE BUSINESS."

We have just received (April, 1895), on competition, a written order for DENSMORES for the Government Land Offices throughout the United States.

WE CHALLENGE any other Typewriter company to show so large an order from a customer for a single delivery.

Descriptive Pamphlet and Telling Testimonials sent Free. DENSMORE TYPEWRITER CO., 316 Broadway, New York

The Typewriter EXCHANGE, 1 1/2 Barclay St., New York. We will save you from 10 to 50 per cent. on Typewriters of all makes. Send for catalogue.

BI-SULPHIDE OF CARBON for use in the arts, Killing Insects in Grain, Killing Burrowing Animals, etc. Manufactured by E. R. TAYLOR, Cleveland, Ohio

HEATING BICYCLES APPLY AT ONCE FOR CATALOGUE OR AGENCY FOR FACTORY HOLYOKE MASS.

Western University of Penn'a.

The leading institution of learning between the Susquehanna River and the Lakes. The College, The Engineering School, (Civil, Mechanical, Electrical, and Mining Engineering), The Medical College.

For catalogue, address the Chancellor. W. J. HOLLAND ALLEGHENY PA.


ICE MACHINES, Corliss Engines, Brewers' and Bottlers' Machinery. THE VILTER MFG. CO., 339 Clinton Street, Milwaukee, Wis.

ALCO VAPOR LAUNCH Engine and Helm Controlled from Bow Latest improved and only 12 1/2 Motor now ready for the market. 18 to 40 ft. Launches, 2, 3, 5 and 7 horse power.

No licensed Engineer or Pilot required. Speed and Safety guaranteed. No Dangerous Naptha or Gasoline used. Marine Vapor Engine Co., Jersey City, N. J.

ICE HOUSES.—DESCRIPTION OF ice houses as they were built a century ago. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 933. Price 10 cents. To be had at this office and from all newsdealers.

SEND FOR CIRCULAR.



Experimental & Model Work E. V. BAILLARD, 106 Liberty Street, N. Y.

The Berkefeld House Filter The Only Filter Removing Typhoid and Cholera Bacilli, tested and indorsed by many leading authorities in Europe and America. It gives a continuous flow of filtered water, absolutely free from germs. It is easily cleaned, as all impurities remain on the surface of the filtering cylinder. Cylinders can be sterilized by boiling in water for one hour. Send for circulars and prices to the BERKEFELD FILTER CO., 4 Cedar Street, New York.

ACETYLENE. THE COMMERCIAL Synthesis of Illuminating Hydrocarbons.—A paper by Prof. Vivian B. Lewis, read before the London Society of Arts. The production of acetylene from calcic carbide obtained by means of the electric furnace, the light-giving value of this hydrocarbon, its value as a stepping stone to the synthesis of other hydrocarbons, and its commercial possibilities. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 998. Price 10 cents. To be had at this office and from all newsdealers.

TELESCOPES W. D. MOGEY, BAYONNE CITY, N. J.

MONEY MADE AT HOME. Last month I cleared, after paying all expenses, \$235.38, the month before \$186.86, and have at the same time attended to my regular business. I believe anyone, anywhere, can do as well, as I have not a particularly good location and not much experience. When you have an article that every family wants, it is very easy selling it. It seems strange that a good, cheap dish washer was never before placed on the market. With the Perfection, which sells for \$5, you can wash and dry the dishes for a family in two minutes, without putting the hands in water. As soon as people see the washer work, they want one, and that is why so much money can be made so quickly. For full particulars address The Perfection Mfg. Co., 715 63d St., Englewood, Ill. I feel convinced that any lady or gentleman, in any location, can make \$5 to \$10 a day, as every family will very soon have a dish washer. Try it and publish your experience for the benefit of others. ALICE O.

THE STURTEVANT PRESSURE BLOWERS ALL SIZES & STYLES SEND FOR CATALOGUES B.F. STURTEVANT & CO. BOSTON, MASS. NEW YORK PHILA. CHICAGO LONDON

CARBORUNDUM HARDEST ABRASIVE KNOWN. EMERY AND DIAMOND POWDER SUBSTITUTE. IN FLOUR, POWDER, CRYSTAL, WHEEL, SLAB & HONE FORM. CARBORUNDUM CO. MONROVIA, PA., U. S. A.

THE NEWSPAPER AND THE ART of Making It.—An address delivered at Cornell University, by Charles A. Dana, editor of the New York Sun. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 995. Price 10 cents. To be had at this office and from all newsdealers.

TELEPHONES

Transmitters, Receivers, Magneto Bells, Cords and Parts of Telephones.

Send Stamp for Catalogue. MIANUS ELECTRIC CO., MIANUS, CONN.

REPAIR BICYCLES FOR A LIVING.

Easy way to make GOOD Living. Full outfit—Bellows, Blowpipe, Vise, Files, Spoke Threader, Solder, Borax, Spoke Wire. Full outfits for factories. Send 3-cent stamps for illus. Catalogue of Tools. FRASSE CO., 21 Warren St., New York.

CALENDOLI'S TYPESETTING MACHINE.—Description of a machine recently invented by Father Calendoli, a Sicilian Dominican, which permits an experienced operator to compose fifty thousand letters an hour. With 7 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1005. Price 10 cents. To be had at this office and from all newsdealers.

OPERATING NORWICH LINE AND THE AIR LINE LIMITED BETWEEN New York and Boston.

Parson's Horological Institute. School for Watchmakers ENGRAVERS AND JEWELERS.

Send for Catalogue and References. PARSON'S HOROLOGICAL INSTITUTE, 302 Bradley Avenue, PEORIA, ILL.

CLAY & TORBENSEN, GLOUCESTER CITY, N. J. DESIGNERS & BUILDERS OF YACHTS, LAUNCHES AND HOUSE BOATS.

SEND 8 CENTS FOR CATALOGUE.

Engineers and Firemen Send 2c. stamp for 24 page pamphlet containing a list of questions asked by a board of examining engineers. Stromberg Pub. Co., St. Louis, Mo.

SANITARY SOAP VASE PREVENTS disease, waste, piling of soap, clogging of waste pipes, stain of marble, uncleanly soap dish. AFFORDS each user fresh, dry pure soap. The Only Clean, Sanitary, and Safe way to use soap. Agents Wanted. Sanitary Soap Vase Co., Aqueduct Bldg., ROCHESTER, N. Y.

THE ONLY Small Foot Power Drill Press

Now ready for the market. For Bicycle Repairing and all kinds of Small Drill Work. Manufactured especially for small work. Just the thing for Experimenters, Electricians, Inventors and Model Makers. Made for power use without stand. Sells at merely a nominal price. Full particulars and prices by mail. RICHARDS MFG. CO., 218 Fulton St., Brooklyn, N. Y.

1895 High Grade Bicycles

Shipped anywhere C.O.D. Saving you dealers profit. \$100 oak wood for \$62.50 \$85 'Arlington' for \$45.00 \$65 " " for \$37.50 \$50 " " for \$30.00 Latest models, wood or steel rims; pneumatic tires; weight 17 1/2 to 30 lbs.; all styles and prices. Large illustrated catalogue free. Cash Buyers' Union, 162 W. Van Buren St. B 17, Chicago

Architectural Books

Useful, Beautiful and Cheap.

Any person about to erect a dwelling house or stable, either in the country or city, or any builder wishing to examine the latest and best plans for a church, school house, club house, or any other public building of high or low cost, should procure a complete set of the ARCHITECTS' AND BUILDERS' EDITION of the SCIENTIFIC AMERICAN.

The information these volumes contain renders the work almost indispensable to the architect and builder, and persons about to build for themselves will find the work suggestive and most useful. They contain drawings in perspective and in color, together with floor plans, costs, location of residence, etc.

Two volumes are published annually. Volumes 1 to 18, which include all the numbers of this work from commencement to December, 1894, may now be obtained at this office or from Booksellers and Newsdealers. Price, stitched in paper \$2.00 per volume. These volumes contain all the plates and all the other interesting matter pertaining to the work. They are of great permanent value. Forwarded to any address.

MUNN & CO., Publishers, 361 Broadway, New York.

THE HYPNOSCOPE for physicians, dentists, investigators and students of the occult, proves hypnotization possible in all cases. 296 page book on hypnosis, etc. \$2. 100 page pamphlet, 10c. NATIONAL INST., 321 Spring St., S. 7., Los Angeles, Cal.

Advertisements.

ORDINARY RATES.

Inside Page, each insertion, - 75 cents a line
Back Page, each insertion, - \$1.00 a line
For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

ABOUT STOCK COMPANIES
THEIR BOOKKEEPING & MANAGEMENT.
INVALUABLE POINTS ABOUT BOTH IN MY BOOK.
PRICE, POSTPAID, \$3.00
CUT THIS OUT AND SEND FOR A DESCRIPTIVE PAMPHLET.
J. H. GOODWIN, R. 579, 115 Broadway, NEW YORK.


EMPIRE BOILER CLEANER
COMPOUND
We Don't Offer Gratuities, but our Circular will give you the information that will enable you to Save Time, Trouble and Money. Tried, approved, and being used by the Largest Railways and Factories in the East.
OFFICE: Kemble Bldg., 19 Whitehall St., N. Y.

WE ARE BUILDING . . .
The Celebrated **"HORNSBY-AKROYD"** OIL ENGINE
The De La Vergne Refrigerating Machine Co.
FOOT E. 138TH STREET, NEW YORK.

\$18 buys a beautiful little Canoe; or a Magnificent Pleasure Boat for **\$125**
Send for 60-page illus. catalog.
J. H. RUSHTON, CANTON, N. Y.

DO YOU WANT A LAUNCH?

That you can run yourself.
That is Clean and Safe.



That requires neither Licensed Engineer nor Pilot.

Send 10 cent stamp for Illustrated Catalogue of . . .
THE ONLY NAPHTHA LAUNCH.
GAS ENGINE AND POWER COMPANY, 185th St., Morris Heights, New York City.

"Brownie" Bicycle Lock.
Springs shut on the sprocket wheel. Cannot be picked.
Mailed on receipt of 40c.
G. A. SUPPLEE & CO., 265 N. 9th St., PHILA.

THE BICYCLE: ITS INFLUENCE IN Health and Disease.—By G. M. Hammond, M.D. A valuable and interesting paper in which the subject is exhaustively treated from the following standpoints: 1. The use of the cycle by persons in health. 2. The use of the cycle by persons diseased. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1002. Price 10 cents. To be had at this office and from all newsdealers.

PERFORATED METAL FOR ALL USES
OF EVERY DESCRIPTION
THE HARRINGTON & KING PERFORATING CO.
CHICAGO, ILL. U.S.A. AND 284 PEARL ST. NEW YORK

AGENTS WANTED FOR FINE TOOLS IN EVERY SHOP.
C. H. BESLY & CO.
CHICAGO, ILL. U.S.A.

THE "TRENTON" CYCLOMETERS are unequalled at any price. **MADE OF ALUMINUM.** Handsomest and lightest on the market. Weight 2 1/4 oz. Absolutely accurate. Fully guaranteed. Dustproof and waterproof. Registers 1,000 miles and repeats. Ask your dealer for them and you will want no other. Price, \$2.00.
TRENTON WATCH CO., TRENTON, N. J., U.S.A.

HARTFORD STEAM BOILER INSPECTION AND INSURANCE CO.
HARTFORD, CONN.

At 1/4 Price Bicycles, Watches, Gaps, Puggies, Harness, Sewing Machines, Organs, Pianos, Saws, Tools, Scales of all varieties and 1000 other articles. Lists free. CHICAGO SEAR & CO., Chicago, Ill.

ENGINES, Boilers and Machine Tools. New and Second-hand. Send stamp for paper "Machinery & Supplies." W. P. Davis, Rochester, N. Y.

EMERY. Emery Wheels, Grinding Machines, and Grinders' Supplies. Quick process and large stock. When in a hurry, buy of THE TANITE CO., NEW YORK CITY, CINCINNATI, and STROUDSBURG, PA.

Patented Novelties Manufactured.
S. P. DENISON, 143 Center St., New York.
CIDER & WINE PRESS MACHINERY.
POWER AND HAND PRESSES.
(Capacity, 10 to 130 Bbls. in ten hours.)
Send for 50-page Catalogue.
Empire State Pulley and Press Co.
FULTON, OSWEGO CO., N. Y.

\$1-Pocket Camera-\$1
Takes six good pictures each loading and as fast as you can snap it. Is reloadable in daylight, and SO SIMPLE A CHILD CAN OPERATE IT.
Booklet on receipt of stamp or Photoret, with instructions, on receipt of \$1. Magazine with films for 36 pictures, 25c. extra. Sample photo free if you mention this paper. Agents Wanted. Satisfaction or money refunded.
MAGIC INTRODUCTION CO., 371 Broadway, New York.

ICE-HOUSE AND COLD ROOM.—BY R. G. Hatfield. With directions for construction. Four engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 591. Price 10 cents. To be had at this office and from all newsdealers.

1/4 to 50 H. P. THE Motor of 19th Century
Can be used any place, to do any work, and by any one. No Boiler! No Fire! No Steam! No Ashes! No Goggles! No Engineer! A perfectly safe Motor for all places and purposes. Cost of operation about one cent an hour to each indicated horse power. For circulars, etc., address Charter Gas Engine Co., P. O. Box 148, Sterling, Ill.

THE M. & B. TELEPHONE.
Absolutely Non-infringing. Absolutely Guaranteed. Absolutely the Best Exchange SWITCH BOARDS.
Illustrated Catalogue on application Free.
Agents Wanted.
THE U. S. TELEPHONE CONSTRUCTION CO.
131-133 S. Fourth St., PHILADELPHIA.

THE BACHELDER ADJUSTABLE SPRING INDICATOR.
Always ready for use at any speed or pressure.
This instrument received a special diploma at the World's Exposition, Chicago, 1893, for Convenience, Mechanical Construction, and Accuracy under all pressure. Catalogue B sent upon application.
THOMPSON & BUSHNELL CO., 112 Liberty St., New York

PRIESTMAN SAFETY OIL ENGINE
"Phenomenally low in cost of operation."—Franklin Inst.
NEITHER STEAM Kerosene, NOT Gasoline ENGINEER
Economical, Simple, Safe, Automatic. For Electric Lighting, Pumping, Milling, etc.
PRIESTMAN & COMPANY, Inc.
Front and Tasker Streets, - - Philadelphia

STERLING BICYCLES
Built like a Watch . . .
The STRONGEST, LIGHTEST, and FASTEST Bicycles in the World . . .
Elegant Catalogue Free on request.
STERLING CYCLE WORKS,
236-240 Carroll Ave., D 1, CHICAGO.

MACHINISTS' LATHE.
Latest improvements. New Styles. New Prices. Growing rapidly in favor.
Send for Catalogue A.
American Watch Tool Co., Waltham, Mass.

COMPOSITION AND CONSTITUTION of certain Alloys.—A paper by Dr. C. R. Alder Wright, F.R.S., epitomizing the author's experimental inquiries into the subject of the relations of metals to one another as regards their mutual miscibility or solubility when rendered fluid by heat. With one illustration. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 999 and 1000. Price 10 cents each. To be had at this office and from all newsdealers.

Towers, Tanks and Tubs
PATENT SECTIONAL
ALL IRON TOWERS
PLAIN
ALL WOOD TOWERS.
ELEVATED TANKS
for Automatic Fire Sprinkler Plants.
Louisiana Red Cypress Tanks a Specialty.
W. E. CALDWELL CO.,
219 E. Main Street,
LOUISVILLE, KY., U. S. A.

PRINTING INKS.
The SCIENTIFIC AMERICAN is printed with CHAS. F. JOHNSON & CO'S INK, Tenth and Lombard Sts., Philadelphia, and 47 Rose St., opp. Duane, New York

THE GRIFFIN MILL
The Only Perfect Pulverizer of all Refractory Substances.
Will work either wet or dry, and deliver a finished product. Capacity, 3 to 4 tons per hour on Phosphate Rock; 1 1/2 to 2 tons per hour on Portland Cement, Quartz, or Ores, depending on hardness of material to be pulverized and fineness of product. Grinds from 30 to 250 Mesh with equal facility.
NO JOURNALS IN GRINDING CHAMBER. BALL RIGID ON SHAFT HAVING DIRECT POSITIVE ACTION ON MATERIAL. MINIMUM POWER PRODUCES MAXIMUM AMOUNT OF PRODUCT. IT IS ABSOLUTELY GUARANTEED IN EVERY RESPECT, BOTH AS TO CONSTRUCTION AND CAPACITY. FIRST COST, WEAR, AND OPERATING EXPENSE MUCH LESS THAN STAMP MILLS. LARGE NUMBER OF MILLS IN USE ON DIFFERENT MATERIALS WITH POSITIVE SUCCESS IN EVERY INSTANCE.
Correspondence solicited, and illustrated descriptive pamphlet furnished on application to
BRADLEY PULVERIZER CO., 92 STATE STREET, BOSTON.

The American Bell Telephone Company,
125 Milk Street, Boston, Mass.
This Company owns Letters-Patent No. 463,569, granted to Emile Berliner November 17, 1891, for a combined Telegraph and Telephone, covering all forms of Microphone Transmitters or contact Telephones.

KODAKS \$6.00 to \$100.00.
The lightest and most practical cameras for hand or tripod use. An illustrated manual, free with every Kodak, tells how to develop and print the pictures.
Eastman Kodak Company, Rochester, N. Y.
Send for Catalogue.

Computing Figures mentally is probably the hardest kind of toil known. The Comptometer makes it easy, is twice as quick, insures accuracy and relieves all mental and nervous strain. Why don't you get one? Write for Pamphlet.
FELT & TARRANT MFG CO.
52-56 ILLINOIS ST., CHICAGO.

ELECTRO MOTOR. SIMPLE. HOW TO MAKE. By G. M. Hopkins.—Description of a small electro motor devised and constructed with a view to assisting amateurs to make a motor which might be driven with advantage by a current derived from a battery, and which would have sufficient power to operate a foot lathe or any machine requiring not over one man power. With 11 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 614. Price 10 cents. To be had at this office and from all newsdealers.

PREMO CAMERAS
Premos Produce Perfect Pictures
Are perfect in construction, workmanship and finish, and contain more modern improvements than any other Camera. We make several styles and guarantee them all.
ROCHESTER OPTICAL CO.
22 SOUTH STREET, ROCHESTER, N. Y.
JESSOP'S STEEL THE VERY BEST FOR TOOLS, SAWS ETC.
Wm JESSOP & SONS, 121 JOHN ST. NEW YORK
"IMPROVE THE ORDER OF THE AGE."
Three New Model Smith Premier Typewriters
Nos. 2, 3 AND 4
HAVE YOU EXAMINED THEM?
Many Improvements Heretofore Overlooked by Other Manufacturers.
Address **THE SMITH PREMIER TYPEWRITER COMPANY,** Syracuse, N. Y., U. S. A.
BRANCH OFFICES IN TWENTY-NINE PRINCIPAL CITIES IN THE UNITED STATES.