


Vol. XC.-No. 10. ESTABLISHED 1845.

NEW YORK, MARCH 5, 1904.

S CENTS A COPY \$3.00 A YEAR.



Copyright 1904 by Munn & Co.

S. P. Langley

After a painting by Robert Gordon Hardie.

### SCIENTIFIC AMERICAN

**ESTABLISHED 1845** 

MUNN & CO.,

- Editors and Proprietors

Published Weekly at

No. 361 Broadway, New York

TERMS TO SUBSCRIBERS

One copy, one year for the United States. Canada. or Mexico ......... \$3.00 One copy, one year, to any foreign country, postage prepaid. £0 16s. 5d. 4.00 THE SCIENTIFIC AMERICAN PUBLICATIONS.

Remit by postal or express money order, or by bank draft or check. MUNN & CO., 361 Broadway, New York.

NEW YORK, SATURDAY, MARCH 5, 1904.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentic, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

### THE HIGH-SPEED MOTOR-BOAT MODEL.

The growing popularity of the high-speed motor boat is shown by the fact that an exhibition devoted entimely to small power-driven vessels of high speed has recently been held in this city in which an excellent exhibit was made of some of the latest and fastest of these craft and of the most approved types of engine used for their propulsion. The cause of the extremely high speed that is developed by these boats is twofold. In the first place, it is due to the introduction and refinement of a new principle of modeling developed during the past few years, which is an entire departure in some respects from the accepted speed lines for fast vessels which have governed designers ever since the modeling of high-speed craft was placed upon a scientific basis. The other cause is to be found in the remarkable development of the gas engine, resulting in the production of a given horse power for a minimum amount of dead weight. It is the simultaneous production of a high-speed model and an ideal motor to drive it that is responsible for the widespread interest in this fascinating form of sport.

The credit for the development of what might be called, for want of a more descriptive term, the motor-boat model, is shared equally by the yacht designers of the old and the new world; and we say this without any disparagement of the work done by the torpedo-boat builders, such as Thornycroft and Yarrow in England, Normand in France, and Schichau in Germany. Mention should be made of the speedy craft built by Herreshoff and Mosher in this country, and the work done by Kretschmer, naval constructor of the German navy. It is difficult to say just who was the originator of the type, and it is probable that it was an evolution that was the outcome of continued experiment and trial. Kretschmer, working on independent lines in Germany, seems to have clear title to originality in his own country, where he was enabled to patent his "tetrahedral construction;" but we understand that his application in this country was denied on the ground that the same principle has been in use for some years in the Mosher boats. In this connection we may mention that in the current issue of the Supplement we publish the plans of one or two fast German launches of this design, together with a description of the principles upon which their lines were drawn

The main object aimed at in the lines of this craft is to keep down wave-making, which at high speed is the chief cause of resistance. The water lines are practically straight from the bow almost to the stern, and the bow angle at the water line is twice as sharp as that of a boat of equal length and beam modeled on the old speed-line theories. Straight water lines are secured by placing the point of greatest beam at the extreme or almost extreme stern of the vessel, an arrangement which causes the immersed sections to vary from a sharp, deep V at the bow to a broad, shallow U at the stern. The sharp angles of the water line and the gradual change from V to U sections may be regarded as the cause of the inappreciable wave formation, since the currents of displaced water are not subjected to a constant change in direction as in ordinary boats; and when these craft are driven at full speed, only a slight bow-wave is formed and a relatively small stern-wave, while no hollowing of the water at the sides of the boat is perceptible. Another advantage is that in spite of the great sharpness of the lines, the boat has a greater beam than one of equal fineness of line built upon the ordinary model, with a corresponding gain in stability. At the same time, these vessels are extremely sensitive to any disarrangement of their trim, and if the proper trim be not preserved, there is a marked diminution of the speed.

Whether principles that have been so successful in small boats are capable of application to large oceangoing ships is, we think, open to question. This very

matter of trimming would, at the outset, present considerable difficulties of a commercial and operative quality. Mr. Kretschmer, however, has been engaged in designing upon his "tetrahedral" principles an ocean-going vessel of the size of "Kaiser Wilhelm II.," and on a length of 690 feet, a beam of 781/2 feet and a maximum draft forward of  $24\frac{1}{2}$  feet, diminishing toward the stern, he produces a ship which, with an indicated horse power of 20,000, he expects to realize a speed of 24 knots. In this connection it is interesting to note that towing tank experiments carried out by the Russian navy department at St. Petersburg have demonstrated the merits of this form for the attainment of high speed. For low speeds of 12 knots and under, no perceptible advantage is noticeable between the tetrahedral and the ordinary model; from 12 to 14 and even up to 16 knots, the towing tests showed that the tetrahedral form is at a disadvantage, since by reason of the greater amount of frictional surface presented, greater power is required for a given speed than with a ship constructed in accordance with the usual principles: but for speeds above those mentioned. where wave-making is set up, the new design gains in speed at a multiplying rate.

### RAISING CARRIER PIGEONS.

The popularity of the homing, or carrier, pigeon has been greatly enhanced in the last few years by the annual races held in different parts of the country. At the present time fanciers are arranging for a race during the coming summer, which will eclipse anything heretofore attempted. The race will be for 500 miles, from Spartanburg, N. C., to Philadelphia, and over 2,000 birds are expected to enter the contest. It will be held on the Fourth of July, and in all probability most of the pigeons will cover the distance in ten hours. The present record for the flight is 1.603 vards in a minute, which in a 500-mile race should enable birds of ordinary speed to finish within ten or twelve hours.

The event will be one of a series of contests which have been held in the past ten years; but it will be the first 500-mile one in which anything like so many birds have started. In the 200-mile race of several years ago from Orangeburg, Va., 1,500 birds were liberated. In 1896 a smaller number of birds were started in the race. In this race two birds flew 614 miles in one day, and several have covered 600 miles in a day with apparent ease. The pigeons are carried to the starting place in baskets arranged especially for them, and liberated directly from the baskets if the day is favorable for an immediate start. Pigeon sheds are made to accommodate the birds for a prolonged stay in the event of unfavorable weather. The birds are shipped to the scene of the race by special cars under the direct care of the Pigeon-Flyers' Protective Association. Hundreds of birds have been lost in the past races through theft, and many owners of fine homing-pigeons have consequently been reluctant to enter their birds in the contests for fear of losing them. In the present race a uniform style of lock for the baskets will be adopted, and only the caretakers will be provided with keys. If the locks are opened or picked, and pigeons stolen, the association will investigate and prosecute the offenders.

There is no more delightful sport than pigeon racing of this character, nor any more enthusiastic sportsmen than the breeders of the homing pigeons. Clubs devoted to raising and improving the carriers are scattered in every State in the Union, and their memberships are all large; but there are tens of thousands of individual breeders who do not belong to any association. Thousands of these breeders enter their home-raised pigeons in the races and sometimes win prizes which the professionals fail to capture.

The best carrier pigeons are worth several hundred dollars in the market, and some cannot be purchased at any price. During the annual pigeon show at Madison Square Garden last year, \$200 and even \$300 were refused by the owners for some of their choicest pets. The average exhibited were valued at \$25 and \$50. Prices, however, do not stand in the way of the pigeon fancier to-day, for excellent homing pigeons can be purchased for \$5 and less. One can start a loft with half a dozen breeders, and within a few seasons have all the birds desired. The loft is a simple affair where only a few birds are raised. The breeding quarters are separated from the living quarters, and a place large enough for the birds to stretch their wings is provided. The wonderful instinct of the homers is made apparent at an early age; but it is something that is partly due to training and development. A carrier pigeon that has never been released from its loft until full grown cannot find its way back over a long route. The process of training is necessary when the pigeons take their first flight.

"Home," to the carrier pigeon, is where it was born. There is no other home, although they have been trained to adopt a second home in some instances. When born in the loft, it is an easy matter for the breeder to teach the pigeon to return to it. The pro-

cess of training consists simply in releasing the bird when first able to fly a short distance from the loft. The pigeon will jump into the air, and after a few circles, fly straight to the loft. In the second flight the distance is increased, and so on until the bird's education is complete. This education must be conducted by the breeder with gentleness and due consideration for the bird's feeling. If the distance for the first flight is too great for the pigeon, it will get confused, and it is liable to prove less accurate in its future flights. Each progressive step must be made for the purpose of establishing the bird's sense of distance and direction, and not to see how far it can be removed from the loft without losing the way in returning. A lost homing-pigeon is never quite the same, even after being rescued and taken home. After the bird gains full maturity and its education has been completed by the process described, it seems capable of finding its way home from almost anywhere. Birds released in Jacksonville have flown a thousand miles north to their homes without being lost.

When released, a homing-pigeon does not fly continuously unless the distance is short enough to enable it to reach home without stopping for rest. If the distance can be covered in ten or twelve hours, the pigeons apparently take little rest, but fly almost continuously until they reach their loft. In the few 1,000-mile races conducted years ago on the Atlantic sea coast from Florida to New York and Philadelphia, a number of the birds were lost, while others stopped on the way several times to rest; but the choicest birds which finished the long course were apparently on the wing most of the time, stopping possibly a few hours on the way to get food and rest. These long flights are not encouraged to any great extent any more, for the birds are not only frequently lost, but they cannot always get proper food along the route to sustain their powers. The birds have been weakened, and the effect on their health proved permanent. The 500-mile race is the favorite for long-distance birds, and 200 and 300-mile courses for the younger birds that have not yet won their laurels.

Besides being bred as pets and desirable companions. the homing-pigeons are now being used for various services. It looks very much as if their services as war messengers would soon be dispensed with, for wireless telegraphy has made the pigeons superfluous, and the extensive pigeon lofts in the military and naval services of European nations will probably soon become useless.

In peaceful pursuits, however, the homing-pigeons have in recent years become of great service. Country physicians have in many instances adopted them as messengers. A physician raises a loft of carriers for the pleasure of it, and when he visits a patient four or five miles away, he carries with him a basket containing one of his birds. If dangerous symptoms arise in the night or the following day, the pigeon is released. with a message. Some physicians with long country routes carry a half a dozen or more of these pigeons on their rounds, and leave one at each place. A daily report of the different cases can thus be obtained by pigeon service at no cost to physician or patient. This service has also been extended on the large Western farms. Some farmers receive daily reports of the markets from the city in this way. There are no telephone or telegraph wires to send the messages; but the pigeons answer the purpose satisfactorily. All that is required is a trip to the city once a fortnight to carry back the birds, and some one in the city to write the reports and release the birds.

### ON THE WORKING OF COMBINED COHERERS.

In a paper recently read before the French Academy of Sciences, M. A. Turpain examines the behavior of a set of several coherers connected to the same antenna. The sensitiveness of a coherer is determined by means of the distance over which a radiator is just capable of acting distinctly on the coherer. The distinctness of this action is given by the value of the current, which, after cohesion has been established, will traverse a very sensitive galvanometer. If the coherer be inserted in a closed circuit, its sensitiveness is found to be much higher than when in open circuit: in fact, at the moment of the emission of waves, one electrode only of the coherer is connected to the antenna and to one pole of the cell, the current of which is intended to traverse it while the other electrode of the coherer is insulated. This is started by connecting the insulated electrode of the coherer to the ground and to the second pole of the battery after the waves have been emitted. If several coherers be connected in shunt, one of the electrodes of each coherer being connected to the common antenna, while the other is or is not connected to the remainder of the circuit, the following facts are stated: 1. The coherers will preserve the same relative sensitiveness both in open and in closed circuits. 2. In order to ascertain the sensitiveness of several associated coherers, an emission of waves such that one coherer only is acted on, should be produced, all the

coherers being in closed circuit. The operative coherer is next put in open circuit by insulating one of its electrodes, when another emission of waves is caused to act on the coherer left in closed circuit. After putting this second coherer in open circuit the same@process is continued until all the coherers to be classified have been dealt with. Experiment goes to show that the sensitiveness of each coherer is the same when used both separately and in connection with neighboring coherers experimented on at the same time. As regards, in the second place, coherers connected in series, if all the coherers be decohered, the circuit (coherers-battery-galvanometer-coherers) will include as many breaks as coherers. In order to ascertain the sensitiveness of each of the coherers, waves are produced by establishing conductive bridges connecting the mercury vessels, the distribution of which may easily be imagined when each of the coherers taken apart is connected to the circuit (battery-galvanometer), the degree of cohesion produced by the emission of waves being thus ascertained. The connection of an antenna with a coherer electrode will augment the sensitiveness of the latter. The point of contact between the antenna and a circuit, comprising several series-connected coherers, being varied, the sensitiveness of the coherer system is thus found to undergo material alterations. The results of this experimental investigation are applied first to constructing an apparatus for recording the course of thunder storms; and, second, to designing sensitive instruments which may be utilized both in wireless telegraphy and in Hertzian wave telegraphy with conductors.

### FLEETS IN THE FAR EAST-AN ENGLISH REVIEW OF THE POSITION OF RUSSIA AND JAPAN.

BY ARCHIBALD S. HURD, OF LONDON, ENGLAND. (Concluded from page 171.)

As the two powers are at present, Japan had the advantage at the opening of the war, and this has been greatly enhanced by her initial success. She possesses more ships, such as her six battleships and her eight armored cruisers, of first-class fighting power, while the value of one or two of the Russian battleships and armored cruisers is problematical. Moreover, the Japanese ships are well manned with officers and men of the highest intelligence and training, while Russia has hurried her ships out to the Far East inadequately manned, especially as to mechanical ratings, which are of supreme importance. This is the present situation.

What will be the position six or eight months hence? Unless the present war is to be an unbroken succession of disasters, which is scarcely probable, Russia should at least hold her own on land, until the arrival of the five powerful battleships which are nearing completion in the Baltic yards. Her programme of shipbuilding of 1898 included seven first-class battleships. At present only two of these ships have been completed and sent to the Pacific, the "Retvisan" and the "Czarevitch," together with several armored cruisers. The five other battleships are nearly ready for sea. It is officially announced that they will be finished this year (1904) and unless the early disasters have caused a change in the Russian plans, all these vessels are to be dispatched at the earliest moment to strengthen the Far Eastern squadron. According to the official programme the following reinforcements will be sent from the Baltic to Port Arthur to join Admiral Alexieff's command in the course of this year:

Five battleships—"Imperator Alexander III." "Borodino," "Orel," "Slava," and "Kniaz Souvarow.'

Two cruisers of the second class-"Jemtchug" and "Izumrud," of 3,200 tons displacement and 221/2 knots speed.

Eleven torpedo boats.

The five battleships are of a most powerful type, displacing 13,500 tons of water, well armored, and armed with the following weapons of the latest manu-

- 20 12-inch breechloaders.
- 60 6-inch quickfirers.
- 100 3-inch quickfirers.
- 100 3 pounders. 40 1 pounders.
- 20 torpedo tubes.

These fine ships are improvements upon the "Czarevitch," which was illustrated recently in the Scientific AMERICAN. It must be confessed that these ships represent most substantial reinforcements. Stated in the fewest possible words, their arrival at Port Arthur will signify that if she can repair her damaged battleships Russia has won, on paper, at least, the game she has played so skillfully for the past eight years. The "Imperator Alexander III." will be completed this spring and the others during the year. It is officially announced that the three battleships and most of the cruisers injured at Port Arthur can be repaired; and the damages as detailed in Alexieff's report are not necessarily irreparable. If Port Arthur and Vladivostock can hold out and the fleets remain under their guns until the five battleships arrive Russia will have an overwhelming superiority in battleships.

But it may be asked what will be Japan's position six or eight months hence. As she is to-day, so she will be then. Her shipbuilding programme, undertaken at the close of the war with China, has been completed, and she has commenced the construction of no more armored ships. A project has been under discussion for two years, but financial difficulties have interposed to cause its postponement. Time can render this newest member of the concert of the powers no aid, and meantime Russia will be reaping the full advantage of the colossal naval expenditure on which she embarked in 1898.

Should the Russian reinforcements succeed in reaching Port Arthur, she would have at least eleven and possibly thirteen battleships, and five armored cruisers to oppose the six battleships and eight armored cruisers of Japan, and against such odds, unless the Russian personnel is hopelessly incapable, Japan could not fight with any hope of success. The Russian fleet will be far superior numerically at this date to the British Mediterranean squadron in armored ships. though not equal to it in fighting power.

Other powers do not maintain their navies for the express purpose of guarding their interests in the Far East, and it is unlikely that any of them will make any considerable additions to their squadrons in the Pacific in the next few months. Great Britain, it is true, has sent out an additional battleship, the "Centurion," but it is impossible that with the claims on her resources for the defense of the Mediterranean, the English Channel, and the North Sea, she can strengthen her squadron in the Far East much more. There is also little likelihood that either the United States, Germany, or France will materially weaken their position at vital points nearer home to add to the squadrons they now maintain in Chinese waters. It may be taken for granted that six or eight months hence the naval representation of the other great powers will be much the same as to-day. The strength of the several fleets is set out below in summary, the British and Russian reinforcements being included:

Russia.	Great Britain.	Japan.	U. S.	Ger- many.	France
Battleships 13*	5	6	3	• •	1
Cruisers— Armored 5	2	8	2†	1	2
Protected 11‡	8	16	4	6	5
Torpedo craft 40	13	97		1	14

\* Three of these battleships are temporarily disabled. †These two ships are coast service monitors

This is exclusive of the four cruisers sunk; but includes four that are temporarily disabled.

These brief details indicate inadequately the relative strength of the squadrons, but they serve to bring into relief the strong position which Russia will hold should she be able to maintain her position until her fleet has been reinforced. In St. Petersburg it is realized that while in Europe Russia must continue to be at considerable disadvantage, she can dominate Chinese waters with little fear of any other power interfering with her designs. Whatever the outcome of the present war, the eventual result of Russia's action cannot be prevented by the Island Kingdom because it has not the requisite staying and financial power and natural resources which will enable it to continue indefinitely its opposition to Russian designs.

It may be of interest to append a complete list of the fleets of the great powers in the Far East.

,
GREAT BRITAIN.
Glory) (Admiral Sir Gerard Noel)
Albion (Rear Admiral the Hon, A. G. Curzon- Sister battleships of 12,950
Howe) tons.
Ocean
Vengeance
CenturionBattleship, 10,500 tons.
Cressy Armored cruiser, 12,000 tons.
Leviathan Armored cruiser, 14,100 tons.
Amphitrite First class cruiser, 11,000 tons.
Argonaut
Blenheim First class cruiser, 9,000 tons.
Eclipse
SiriusSecond class cruiser, 3,600 tons.
ThetisSecond class cruiser, 3,400 tons.
FearlessThird class cruiser, 1,580 tons.
Phœnix)
Algerine Sloop, 1,050 tons.
Esplegle
Rinaldo
Rosario Sloop, 980 tons.
vestar
Mutine
Bramble First class gunboat, 710 tons.
Britomart Frist class garbote, 176 cons.  Kinsha River steamer, 331 tons.
Moorhen Second class gunboat, 180 tons.
Robin
Snipe Second class gunboat, 85 tons.
Sandpiper River gunboat, 85 tons.
Woodcock) Second class gunboat, 150 tons.
Six torpedo boat destroyers.
UNITED STATES.
Kentucky(Rear-Admiral R. D. Evans, commander-in-

```
Oregon......Battleship, 10,288 tons.
Monadnock....
               Monitor, 4,005 tons.
Monterey . . . .
Albany . . . . . .
                Second class cruiser, 3,769 tons.
New Orleans..
Raleigh.....
                Second class cruiser, 3,213 tons.
Cincinnati....
Isla de Cuba . . . . Gunboat, 1,125 tons.
Wilmington... Gunboat, 1,397 tons.
Helena . . . . . .
Annapolis....
Vicksburg....
                Gunboat, 1,000 tons,
Don Juan of
  Austria..... Gunboat, 1,130 tons.
Villabos......Gunboat, 347 tons.
Callao . . . . . . . . . . . . . . . Gunboat, 250 tons.
El Cano...... Gunboat, 600 tons.
Alhoy.....Gunboat, 51 tons.
Samar..... Gunboat, 210 tons.
Frolic......Converted yacht, 607 tons.
Rainbow......(At Cavite, Rear Admiral Yates Stirling),
                  distilling ship.
```

In addition there are two colliers, the Justin and Pompey two tugs, the Piacalagua and Wompatuck, and the supply ships Zaffro and Nanshan.

ships Zaffro and Nanshan.	
FRANCE.	
RedoubtableBattleship, old, 8,767 tons.	
VaubanArmored cruiser, old, 6,150 tons.	
Montcalm (Vice-Admiral Marechal), armored cruiser	
9,516 tons.	•
ChateaurenaultFirst class cruiser, 8,018 tons.	
BugeaudSecond class cruiser, 3,722 tons.	
Pascal Second class cruiser, 3,985 tons,	
Styx)	
Acheron Armored gunboat, 1,640 tons.	
SurpriseGunboat, 627 tons.	
VigilantGunboat, 123 tons.	
DecideeGunboat, 646 tons.	
ArgusGunboat, 123 tons.	
CometeGunboat, 473 tons.	
CaronadeGunboat, 140 tons.	
BengaliDispatch vessel, 547 tons.	
AlouetteDispatch vessel, 506 tons.	
GERMANY.	
Furst Bismarck(Rear-Admiral von Prittwitz), armored	1
cruiser, 10,650 tons.	
Hansa	3

ed cruiser, 6,100 tons. Bertha..... Second class cruiser, 6,100 tons. Thetis...... Third class cruiser, 2,645 tons. Grier..... Third class cruiser, 1,776 tons. Bussard..... Third class cruiser, 1,580 tons. Seeadler..... ITALY.

Vettor Pisani... Armored cruiser, 6,500 tons. Elba..... Second class cruiser, 2.730 tons.

### SCIENCE NOTES.

A Russian naturalist has made a series of measurements, by a thermo-electric method, of the temperature of insects. A few of his results are noticed below. The temperature of the human body, it will be remembered, is essentially the same in the tropics and in the polar zones. Insects at rest have a temperature essentially the same as that of the surrounding air in ordinary conditions of heat and of humidity. Under usual conditions the temperature of an insect rises with that of the surrounding air, only more slowly. When the air is very moist the insect's temperature may rise more rapidly than that of the air. When the insect begins to move, its temperature rises and continues to rise until the motion ceases. This rise of temperature continues till at about 38 deg. C. (102.2 deg. F.) a heat paralysis sets in. The paralysis is only temporary; it ceases as the temperature falls once more. Below -0.5 deg. C. (31 deg. F.) insects are perfectly without motion. The temperature must, in general, be raised to 12 deg. C. (53.6 deg. F.) before the wings are moved. For one species-Saturnia pyri-the highest temperature compatible with life is 115 deg. F. This is about the temperature that is fatal to vegetable


For some time past prussic acid has been considered to be the most deadly poison extant. Mr. Lascelles Scott, of Little Ilford, England, however, has now discovered a far more deadly poison—the substance scientifically known as di-methylarsine cyanide, or more familiarly as cyanide of cacodyl. Three grains of this substance diffused in a room full of people would kill all present, so powerful is it. So deadly is this poison, that it is highly dangerous to handle it. It is a white powder melting at 33 deg. and boiling at 140 deg. When exposed to the air it emits a slight vapor, to inhale which is death. Mr. Lascelles Scott has experienced the deadly nature of this poison, for while he was assisting Sir B. W. Richardson in the compilation of his work "On the Causes of the Coagulation of the Blood," he tried its effect upon animals. One-millionth part of cyanide of cacodyl in the atmosphere of an airtight cage killed a dog almost instantaneously, and then its power was by no means exhausted, for a second, third, and fourth dog placed in the same cage, instantaneously died from the effect of that single infinitesimal dose. Although so little of the properties of this poison are known, it was first made many years ago. Cadet, the famous French chemist, by combining acetate of potassium with white arsenic, produced a fuming liquid which, although he did not know it, was oxide of cacodyl. The German chemist Bunsen combined this with cyanogen, a radical of prussic acid, and made cyanide of cacodyl, the formula of which is AsMe<sub>2</sub>Cy.

chief), battleship, 11,540 tons.

Wisconsin..... (Rear-Admiral P. H. Cooper, commanding Northern Squadron), battleship, 11,565

### ROTARY VALVE FOR SAWMILLS.

An improved form of rotary valve has recently been invented by Mr. Randolph Gillette, of Little Falls, Minn. This valve is particularly adapted for use on sawmills and embodies means for quickly shutting off the live and exhaust steam at the same time when desired, thus bringing the carriage almost instantly to a stop, and effectually preventing it from running



ROTARY VALVE FOR SAWMILLS.

away. Furthermore, the revoluble valve plug is arranged to prevent unequal expansion and contraction, which would distort it and cause it to bind. In our illustration we show one end of a steam cylinder with the rotary valve attached thereto. A similar valve with the exception of a slightly different arrangement of the ports, as shown in the lower left-hand sectional view, is attached to the opposite end of the steam cylinder. These valves are connected to a common live steam pipe and are also controlled by a common lever. As more clearly shown in the section views, the steam is admitted to two ports in each valve casing, one at each side of the revoluble cylinder plug. A shaft passes through the center of the cylinder plug and on this, at each end of the cylinder, a hub is mounted. To allow for contraction and expansion the cylinder plug is not directly connected to these hubs, but is secured by pins to webs formed thereon. The cylinder plug opens at the ends into steam passages which connect with the steam cylinder above. The exhaust port is shown at the bottom of the casing, and may be connected with the steam cylinder through either of two ports oppositely disposed in the cylinder plug. Similarly the live steam ports may be connected with the steam cylinder by bringing into register with them two ports lying between the exhaust ports in the cylinder plug. It will be observed that the valve may be turned to cut off the steam from the steam cylinder, at the same time opening the exhaust port; or, by further turning the valve in the same direction, or

by reverse movement of the valve, both the inlet and exhaust ports will be closed. If a workman finds that he cannot stop the steam feed by operating the controlling lever backward, he may drive it forward, and thus stop the feed, or, if the carriage is moving backward, and he cannot cause the lever to move forward, he can drive the lever backward in the same direction and stop the feed.

### THE ADAM-BOUDIN GLOBULAR BOAT.

Evidently the roller boat idea is hard to kill. The continental papers have been illustrating what is considered a new type of craft which goes by the name of the "Adam-Boudin self-propeller." The boat, from what we have been able to gather, consists of two concentric spheres, the inner of which, containing a 24-horsepower motor, drives the outer sphere. Vanes are provided on the outer sphere, for the purpose, we presume, of securing some kind of a hold on the water. The motor has four speeds and a reversing gear. The inventor has high hopes for his craft. He confidently


assures the representatives of the foreign press that he will be able to make 50 kilometers (31 miles) an hour with his boat. For our illustrations we are indebted to the London Illustrated News.

### How Baby Bats are Nursed.


"Ever since the days of Pliny," writes Mr. R. Lydekker in Knowledge, "it has been a matter of com-

mon knowledge that female bats are in the habit of carrying their helpless young about with them during their aerial flights for some time after birth. With the exception of one peculiar species, the young bat always clings to the under surface of its mother's body, where it obtains a secure hold among the dense coat of fur. The precise position in which the young bat supports itself when its parent is in flight does not appear to be recorded. By the older observers it was generally considered that bats commonly produced two young at a birth, as is testified by Pliny, who wrote that the female carried her twin offspring about with her. Later observations, however, led to the conclusion that this idea was erroneous, and that as a rule only one is produced at a birth. . . . The late Dr. G. E. Dobson. in his time the greatest authority on bats noticed that in certain species of fruit-bata the nipples of the males were much enlarged during the breeding season; and from this circumstance he started an entirely novel idea, which is expressed in the following sentences: 'It is probable that where two young are born at a single birth, the male relieves the female of the charge of one (as the weight of two might render flight difficult or impossible), and at the same time performs the office of a nurse. It is well known that many species of bats have occasionally two young at a birth, but I have never found a mother with more than one clinging to her body. The size of the pectoral teats in many male specimens (though in none yet observed by me so large as in this species and in another case referred to above) led me to think that instances of the male performing the office of nurse are probably not uncommon

among bats.' Whether this suggestion is true of fruit-bats must be left for future observation to determine; but it is now practically certain that it will not hold good for the ordinary insectivorous bats; although, so far as I know, no case has hitherto been recorded where a female of any of the European species of bats has been actually seen carrying about her twin offspring. The interest that would attach to a well-authenticated instance of this nature may be commended to the attention of the readers of Knowledge. If, however, instances of female bats carrying more



The Boat Entering the Water.




The Boat on Shore.

A GLOBULAR VESSEL.

than one baby offspring clinging to their bodies are unknown in Europe, they have recently been brought to light in America. And in these instances not only has the parent bat been seen loaded with the weight of twins, but actually with that of a quartette."

### VALVE FOR CONTROL OF HYDRAULIC ELEVATORS.

A patent has recently been granted to Mr. Joseph Utrilla, of 205 Second Street, Jersey City, N. J., for an improved form of valve particularly adapted for use in controlling the motive agent for hydraulic or similar elevators. The valve is very simply constructed and may be readily and quickly operated. A perspective view of the valve in section and the gear-



VALVE FOR HYDRAULIC ELEVATORS.

ing by which it is operated is shown herewith, also a transverse section taken through the center of the valve. By comparing these two views the simple construction will be readily understood. The valve proper consists of a drum with a large opening at the bottom, and a smaller opening at one side. Passing transversely through the drum is a tubular port of oval cross section, which is designed to communicate with inlet and outlet ports in the side walls of the valve casing. The valve proper rests upon a wear ring in the bottom of the casing, and extending upward from the valve through a stuffing box on the top wall of the casing is a valve stem having a segmental bevel pinion on its end engaging with a segmental bevel gear on a shaft supported in bearings attached to the valve casing. Mounted on this shaft is a cable wheel by which the valve is operated. A counter-weight is attached to the cable wheel for automatically moving the valve to closed position upon releasing the cable pressure. In operation, when the valve lies in such position as to bring the tubular port in line with the ports in the valve casing, pressure is admitted to move the elevator upward. By moving the valve through an angle of 45 degrees the tubular port is thrown out of register with the ports in the side walls of the valve casing, as shown in the transverse-section view, and the pressure is thus cut off and the elevator stopped. To cause downward movement of the elevator the valve is turned through a further angle of 45 degrees, bringing the port in the side wall of the valve drum into communication with the outlet port of the valve casing, thus permitting the water or other motive agent to pass back through the outlet port, and thence through the ports in the side wall and the bottom of the valve drum and out through the port in the bottom of the valve casing. It will be noted that the whole movement of the valve is in the

space of 90 degrees; therefore, it may be quickly operated in both directions.

The "blue ground" in which diamonds are found at the De Beers and Kimberley mines is called by Dr. Stelzner a "breccia" Most of the angular-edged or rounded fragments of this breccia are composed of a greenblack or blue-black serpentine-like mass. Fragments of rock which are found in Karoo formation—such as sandstone, shale, and diabase—are to be found in the "blue ground." There are also other rocks, in the shape of bowlders, which are not known in the Karoo formation, and which doubtless come from a greater depth, possibly from the rocks upon which the Karoo beds lie. The mass of the "blue ground" consists of olivine, more or less changed by oxidation, with the following minerals: Chromic diallage, bronzite, pyrope containing chromium, flesh-colored zircons (locally called Dutch bort), cyanite, biotite, chromite, titanium, magnetic iron, and, finally, small crystals of perofskite.—The Engineering Record.

### THE LARGEST PHOTOGRAPH IN THE WORLD.

BY OUR BERLIN CORRESPONDENT.


At the recent Dresden Exhibition of German Civic Life, the Neue Photographische Ges. Berlin Steglitz exhibited a photograph which is said to be the largest ever taken. This gigantic picture measures 12 meters by 1½ meters (39 feet 8 inches by 4 feet 11 inches). Another copy of the photograph will be exhibited at the World's Fair by the Rotograph Company, of New York.

The photograph represents the Bay of Naples, and was taken from Castel San Marino, the highest point behind Naples, from which the eye commands the


whole city and bay as far as Mount Vesuvius and Capri. In order to secure as extensive a panorama as possible, six different views on as many plates, measuring 21 x 27 centimeters (8.1 inches x 10.5 inches) were first taken. From these six plates, which were designed with a view to being connected to one another in a continuous series, six enlargements,  $1\frac{1}{2}$  x 2 meters (4 feet 11 inches by 6 feet 7 inches) in size were prepared by means of an apparatus with a lens 32 centimeters (1 foot) in diameter. The enlargements were made directly on silver bromide paper. The inherent difficulty of connecting the single plates so as to avoid any break was overcome so successfully

that it is practically impossible to detect the boundary line of any two plates. According to their character, the six negatives were exposed for unequal periods, varying between ½ and 1¼ hours.

In order to develop the picture, a huge wheel was made of specially prepared wood. The wheel was 4 meters (13.12 feet) in diameter and 1.75 meters (5.5 feet) in breadth, the periphery thus being 12½ meters (41 feet), and containing 90 slats intended for receiving the photographic paper. There were further used three large tanks about 70½ cubic feet in capacity, intended respectively for the developing, clearing, and fixing solutions, acetic acid and sodium hydroxide




The Photograph During Development.



Preparing the Developing Bath.



Retouching the Finished Photograph.



Unreeling the Print into the Clearing Bath.

MAKING THE LARGEST PHOTOGRAPH IN THE WORLD.

solutions. Each tank could be shifted about on five fron wheels moving along rails 16 meters (52.48 feet) in length. A gigantic water tank, 15 meters (49.2 feet) in length, 2 meters (6.56 feet) in breadth, and  $\frac{3}{4}$  meter (2.46 feet) in height, having a total capacity as high as 476.68 cubic feet, was further used.

On account of the large developing wheel employed, the paper was developed by night in the open air. Before developing the picture, the exposed paper, fitted with a protecting cover, was laid over the slats of the wheel. The wheel was then set rotating. As it turned, it dipped the lower part of the paper into the developing liquid. The light portions were especially treated with sponges impregnated with energetic developers. Portions whose development was too rapid were checked by means of iced acetic acid solutions. An iron oxalate developer was used.

After first interrupting the developing process by projecting iced acetic acid on the photograph by means of a hand pump, the paper was conveyed into an acetic acid bath, where the clearing process was completed after twenty minutes' time. The picture, after an intense rinsing, was transferred into the fixing bath, where it remained three-quarters of an hour. After another rinsing the photograph was thence conveyed into the large washing tank above mentioned, where it remained for about eight hours, while a continuous supply and withdrawal of water took place. The total consumption of water used in washing the print was about 10,593 cubic feet.

After the water was drawn off, the picture was stretched out on wooden bars attached to the upper edge of the tank, where it remained for about ten hours before it was completely dried.

### SAMUEL PIERPONT LANGLEY.

It is safe to say that no just estimate of the very eminent and useful pioneers of the physical sciences for the past several decades would fail to include Samuel Pierpont Langley.

Born in Roxbury, Mass., August 22, 1834, Mr. Langley was graduated from the Boston High School in 1851, thereafter took up the study of civil engineering and architecture, and subsequently practiced these professions, furnishing an instance of a certain tendency among men of attainment to believe in and utilize a minor talent in the beginning as the working field for a career. But his interest in astronomy was innate, and the time saved from the demands of engineering and architecture went to the study of that science. Parts of the years 1864 and 1865 he spent in European travel, visiting foreign observatories and learned institutions, to return bent upon devoting his life to scientific pursuits. The practice of architecture had imbued him with a keen æsthetic sense and powerful constructive imagination. No one better enjoys the beautiful solution of a problem. This fine sense of proportion, but more especially the faculty of creative imagination, modern astronomy and physics both demand as the working basis for success.

In 1865 he became an assistant at the Harvard College Observatory, and the following year was appointed Assistant Professor of Mathematics in the United States Naval Academy at Annapolis. Within the same year he became the director of the new Allegheny Observatory at Pittsburg.

It was here that he found opportunity for one of the few directly utilitarian services ever rendered by astronomy—the establishment in connection with the Pennsylvania Railroad Company's telegraphs, of the now familiar system of the standard time service by telegraphic signals. At that time (1868) the use of local times was universal in this country, even by the railways, and confusion or accident was frequent and inevitable. By these signals this confusion was stopped over the whole area from the Atlantic seaboard to the Great Lakes. The system was at once widely imitated.

Mr. Langley's interest in pure astronomy was now rapidly developing into a greater interest in astrophysics, and he began the well-known series of researches upon the sun and the physics of the solar radiation with which his name has been most intimately associated. In 1869, in 1870, and in 1878 he had charge of government eclipse expeditions, of which the latter, to Pike's Peak, resulted in determining a hitherto unsuspected extent of the corona. His work upon sun spots, extending over this period, is too well known to need mention here, except to call attention to the remarkable accuracy of observation, as well as the skill of draftsmanship, which renders his drawings of sun-spot phenomena made before the days of solar photography, perhaps the final statement of what the eye can see of the surface of the sun.

About 1875 he began to devote much attention to the heat spectra of the sun and other hot bodies, and as an aid to that research he in 1880 devised the bolometer, probably the most useful and delicate instrument for the measurement of radiation.

To this period, and as part of the general research upon the sun's physical relation to the earth, belong the important preliminary papers on the energy spectrum of the sun, the transmission of the earth's atmosphere, on the Solar Constant, the behavior of prisms toward radiations of long wave-length from bodies at low temperatures, the energy-spectra of heated terrestrial objects, and the energy spectrum of the moon. The moon's heat had hitherto been barely recognized by the thermopile, but with the bolometer Mr. Langley was able to analyze minutely the details of its spectrum.

During these researches at Allegheny he had become convinced that there was a great, and then unsuspected, selective absorption of the sun's energy both in the sun's and the earth's atmosphere. Again successful in obtaining the aid of the government, he organized in 1881 an expedition to the top of Mount Whitney, in California, the abrupt heights of that lofty peak permitting observations to be made from two stations geographically close together, but separated by more than two miles of altitude. The result of the observations made became the basis for an entire change in the hitherto accepted value of the Solar Constant, as determined by Pouillet's methods, and the reversal of the old belief that the atmospheric absorption was greatest in the red end of the spectrum.

Mr. Langley was now fairly embarked upon a monumental task, not yet fully completed, requiring unusual niceties of observation and deduction. This was the exploration and mapping of the great unknown region of the solar spectrum lying beyond the visible red light, and in which region fall the wave-lengths of the far greater part of the heat-energy lavished upon the solar system. To the study of the visible spectrum the science of chemistry is under a vast debt, and upon it is largely founded all modern knowledge of stellar systems other than our own. Photography had revealed the invisible region beyond the violet, but wave-lengths of only one-tenth the range he had by 1885 demonstrated to exist were under study by these means.

In 1887, at the beginning of this research, Mr. Langley became secretary of the Smithsonian Institution, which officially represents the interests of the United States in pure science.

It is here that Mr. Langley has most conspicuously shown the characteristics which had early marked him for an eminent career. Without an executive intelligence of a high order, the workings of the institution must have suffered a decline from the high plane of usefulness inaugurated for it by Prof. Joseph Henry, and carried on by Prof. S. F. Baird, whose administration had preceded Mr. Langley's. The institution has expanded in all of its activities under his charge, and his fitness to control a complex system of subordinate bureaus and men has been salient. As the head of the institution, his ability to present to Congress the needs of the sciences in this country has been of great service, and it is due largely to his efforts that the institution also administers private appropriations for scientific purposes, and has attracted large bequests to be devoted to similar ends.

These duties have necessarily occupied much of his time, but he has continued to give his personal direction to the Astrophysical Observatory, which has been most steadily engaged in the investigation of the infra-red spectrum. Here also were carried out a series of comparisons (with the bolometer) of the heat-energy emitted by various natural and artificial sources of light, with that of fire-flies and glow-worms, to demonstrate their relative efficiencies. It was here that, in 1892, the instrumental equipment was brought to include the automatic mechanism whereby the relative movement of the bolometer in the spectrum, and of a photographic plate past the beam of light reflected from the mirror of the galvanometer, were very accurately related, so that the infra-red spectrum could be quickly explored, and a photographic image of its energy-curve recorded. Much valuable minor research in optical physics, as well as in instrumental design, has been here accomplished. Mr. Langley directed a very completely equipped expedition from this observatory to Wadesboro, N. C., for the observation of the eclipse of 1900, which resulted in an interesting determination of a value for the radiation from the corona, and some very remarkable photographic observations.

After Mr. Langley became the head of the Smithsonian Institution, he was enabled to begin that series of efforts to solve one of the greatest of human problems-that of mechanical flight-which has lately attracted such widespread popular interest in this country. His interest in flight dates from boyhood, and it has long been his belief that the true course for the solution of this problem 'lies initially in the result of a research into the conditions surrounding the behavior of heavy bodies in motion through the air, rather than in immediate experimental attempts at flight. It has been his aim then, in inaugurating any work whatever in this direction, to establish, first of all, with such accuracy as the resources of refined physical measurement and diligent experiment could produce, the conditions which would surround the final mechanical solution. He took up the subject seriously in 1889, and in 1891 published his "Experiments in

Aerodynamics"\* and later, after unceasing ment he was enabled to print the larger theory ... paper entitled "The Internal Work of the Wind."; This preliminary work satisfied him of the possibilities of mechanical flight, and under the great discouragements of what will perhaps ultimately be recognized as the most difficult branch of mechanical engineering, he commenced and for several years carried on the actual construction of experimental flying machines based upon the principles which had been developed in his private workshop at the Institution. In 1896, for the first time in history, a mechanical structure, free of any attachment to the ground and wholly without any supporting power but its own engines, made several flights of over one-half mile each. Mr. Langley had at this point reached the original aim of his researches in this direction---that of demonstrating, as a question of mechanical engineering, first, the conditions for, and second, the possibility of accomplishing, mechanical flight. It was only later, the necessities of the military branch of the government indicating the need of a demonstration of the practical possibilities of flight, that Mr. Langley determined to go on with those experiments, which are so well known to the newspaperreading public, and which have so far brought only negative results. It may be said in passing that it requires moral courage of a high order for a man already secure in popular estimation as a savant to attempt to build a flying machine, since the effort is sure of ridicule by a large section of the unthinking public, which sees no merit save in absolute success.

It is difficult to speak of Mr. Langley apart from his work. The two are inseparable. Yet the esthetic sense mentioned as one of his chief characteristics finds outlet in a very wide reading, by no means confined to scientific literature. Added to his capacity to recuperate from the cares of his work by travel, which is perhaps his chief amusement, Mr. Langley is a member of the Metropolitan and Cosmos clubs in Washington, of the Metropolitan and Century clubs in New York, and of the St. Botolph Club in Boston, and may frequently be found at one or the other of their houses, or enjoying the game of golf at some country club.

Foreign institutions and scientific bodies have showered upon him degrees and honors. He has received the degrees, D.C.L. of Oxford; D.Sc., of Cambridge; is a foreign member of the Royal Society of Great Britain, correspondent of the Academy of Sciences, Institute of France, and Fellow of the Royal Astronomical Society, and Member of the Royal Institution; he has been awarded the Janssen medal by the Institute of France, and the medal of the Scientific Society of France, and the Rumford medal by the Royal Society of London: while at home the universities of Harvard, Princeton, Michigan, and Wisconsin have given him the degree of LL.D. He was president of the American Association for the Advancement of Science (1887), and has been awarded the Henry Draper medal and the Rumford medal by the National Academy of Sciences of the United States, of which body he is a member.

Mr. Langley's published writings include over one hundred titles. It is not the least of his important qualifications as an investigator, that he writes with conspicuous clearness and in an English style which enlivens the driest statement.

### A 63-Mile Fence.

According to the Kansas City Journal, one of the longest fences in the Northwest is being constructed, running entirely around the Lower Brule Indian Reservation, on the Missouri River, in the central portion of South Dakota. This remarkable fence will be sixty-three miles in length. It is composed of four wires placed on posts set a rod apart, cedar and ash posts alternating. In its construction 250 miles of wire will be used, or 76,000 pounds. To erect the fence required an aggregate of 19,000 posts. In this long fence there will be only three gateways, which will be guarded when the fence is completed.

The fence is being constructed by the Indians themselves under the direction of the agency authorities, the Indians receiving \$2.50 per day for man and team and \$1.25 per day for men. It is understood that next spring the government will issue stock cattle to the Indians, to be grazed inside this huge inclosure, the purpose of the government being to encourage the Indians in stock-raising so that they can ultimately support themselves.

Andrew H. Bergstrom, of a firm of contractors at St. Louis, has agreed with the Swedish World's Fair commission, to put together their national pavilion free of all cost. The building was erected at Stockholm and has been shipped to St. Louis in sections. Mr. Bergstrom estimates that it will require the services of 150 men three days to put the building together.

<sup>\*</sup> Smithsonian Publication No. 801.

<sup>†</sup> Smithsonian Publication No. 884.

### Correspondence.

### Our Youngest Old Subscriber.

To the Editor of the SCIENTIFIC AMERICAN:

I notice under the head of "Correspondence" in this week's issue of the SCIENTIFIC AMERICAN that A. C. L. takes great credit to himself for having been a reader of the SCIENTIFIC AMERICAN from the time when he was seven years old to the present, when he is thirty-five. The writer of this has been a reader of your paper under the same conditions mentioned in A. C. L.'s article from the time he was six years to the present, when he is forty-three.

J. R. F.

Dayton, Ohio, February 20, 1904.

### Artificial Cooling and a New System of Heating. To the Editor of the SCIENTIFIC AMERICAN:

The subject of artificial cooling is one of those that each summer arises anew and figures among the few that are felt as an incongruity in our age of high technical advancement. That an electric desk or ceiling fan does not only not cool the atmosphere of an interior, but helps to heat it through its rapid motion, is well enough known, but strong artificial draft continuously interchanges the hot air, immediately surrounding the human body, for cooler air and accelerates the evaporation taking place, especially on surfaces, thus creating the sensation of cooling with which we satisfy ourselves.

Why are interiors not cooled effectively and in the same way as in heating? Cold, in the shape of ice, is a market article, very common and very cheap, and which is brought daily to everybody's house. A hundred pounds of it cost 20 cents, and with that amount 57,000 cubic feet of air can be cooled from 90 deg. F. down to 70 deg. Such an expense apparently would be no hindrance to the practical introduction and general use of ice for cooling restaurants, residences, or any other interiors. But what has prevented up to the present time the utilization of ice for that purpose is the lack of the proper means for transferring the cold from the ice to the air. Experiments on a large scale conducted during last summer in cooling a store at 553 River Street, Paterson, N. J., have enabled the writer to convince himself and others of the perfect feasibility of the plan to cool any premises by the use of ice. An apparatus of extreme compactness, consisting of one or more segments, each of which represents an actual cooling (radiating) surface of 275 square feet with but 6 cubic feet of space-displacement, cools the air driven therethrough by a blower, before delivering it to the locality to be cooled; where cold spring water is at disposal this will be sufficient to assure satisfactory results.

Any premises provided with such a cooling plant may with advantage be heated in winter by the very same means, i. e., the same apparatus and the same ducts, adding only a simple hot water heater and omitting the use of a fan. Such a system of heating would then coincide in principle with the well known hot air furnace heating, however, without the latter's drawbacks of possibly overheating the air or deteriorating it in consequence of a leak in the furnace.

Paterson, N. J. G. EPPRECHT.

### The Sportsmen's Show.

The annual New York Sportsmen's Show opened in Madison Square Garden on the evening of February 19. and will be kept open till 11 P. M. on that of March 5. The great attraction this year is a large rectangular tank in the center of the garden, moored to the sides of which are the launches and automobile boats of the various exhibitors. No less than five highspeed launches or automobile boats are exhibited, besides an equal number of small launches. Numerous launch motors are also on view. Exhibits of various birds and animals are located on the ground floor, besides a most interesting exhibit of salmon and trout eggs and fry. On the arena platform is a tank of over which the fly-casting contests are held. while the exhibits of several sporting goods firms are also displayed there in rustic booths. The concert hall contains an exhibit of motor bicycles, one of which, with its motor cut in half longitudinally, is shown operated by an electric motor. An operating sectional model of a two-cycle launch motor is also shown in the main hall.

The armor manufacturers of the United States, in accordance with promise, have added to their facilities, and deliveries amounting to 11,493 tons have been made—a marked increase over any previous year. We learn from the Iron Age that armor plates are now tested with capped projectiles. The acceptance tests for armor-piercing projectiles have been made more rigorous, it being now required that they shall, at a prescribed velocity, perforate unbroken a plate of hard-faced armor equal in thickness to the diameter of the projectile, and then be in a condition for bursting.

### THE HEAVENS IN MARCH.

BY HENRY NORRIS RUSSELL, PH.

With the departure westward of the bright winter constellations, the skies are becoming duller, especially as there are no conspicuous planets now visible in the evening; but the western half of the visible heavens is still very fine.

At 9 o'clock in the evening in the middle of March, Orion is still in sight, fairly well up in the southeast. The line of his belt is nearly horizontal, and points to Aldebaran on the right and Sirius on the left. The Milky Way, strong with bright groups of stars, lies above these constellations.

Starting almost below the Pole-star, we come first to the zigzag line of Cassiopeia. Next is Perseus, whose configuration is familiar to many who watched the fading of the new star of 1901. Auriga, with the brilliant Capella, follows, and then comes Gemini, whose two brightest stars, Castor and Pollux, lie considerably above the galaxy.

The still brighter star farther south is Procyon, in Canis Minor. South of this is a vacant region, beyond which appear some stars of Argo—a fine constellation, which can only be seen to advantage in the southern hemisphere.

The contrast is great when we turn to the eastern sky. The Dipper in Ursa Major and the Sickle in Leo are the only conspicuous groups near the meridian. Below the latter lies Hydra, a long irregular line of stars extending from a small group east of Procyon clear to the southeastern horizon. The small quadrangle of brightish stars low in the southeast is Corvus, which certainly bears no resemblance to the Raven it is supposed to represent, while Hydra is a pretty fair serpent.

Above this, and south and east of Leo, is Virgo, with one bright star, Spica, and a wide curve of five pretty bright ones between the latter and Leo. Farther north is Bootes, with the brilliant Arcturus, and several second and third magnitude stars. Draco, which is on the right of the pole, and Ursa Minor, inclosed in its coils, are the only other notable constellations in sight.

### THE PLANETS.

Mercury is evening star until the 26th, when he passes through superior conjunction—behind the sun—and becomes a morning star. He is invisible to the naked eye throughout the month, as he is very near the sun, and also south of him for most of the time.

Venus is morning star in Capricornus, Aquarius and Pisces. She is much less conspicuous than at the first of the year, being farther south and less than half as bright. However, she is still easily visible before sunrise, as she rises at about 5 A. M. in the middle of the month.

Mars is evening star in Pisces, and can still be seen after sunset rather to the south of west, as he sets more than an hour later than the sun. His brightness is greater than that of the Pole star, and he is much the most conspicuous object in that part of the sky, next to Jupiter, which in the early part of the month is a few degrees below him.

Jupiter is also in Pisces, and is evening star until the 27th, when he is in conjunction with the sun, and becomes a morning star, just as Mercury does a few hours earlier. The two planets are in conjunction about the same time, but they are so near the sun that they are quite invisible.

Saturn is morning star in Capricornus, and is once more fairly visible. At the end of the month he rises about two hours before the sun.

On the night of the 7th he is in conjunction with Venus, which is one-third of a degree to the north of him. The pair of planets should be easily visible in the southeast before sunrise.

Uranus is in Sagittarius, and is in quadrature with the sun on the 20th, coming to the meridian at  ${\bf 6}$ 

Neptune is evening star in Gemini. He is also in quadrature, on the 23d, but, being east of the sun, is due south at 6 P. M.

### THE MOON.

Full moon occurs at 10 P. M. on the 1st, last quarter at 8 P. M. on the 8th, new moon at 1 A. M. on the 17th, first quarter at 4 P. M. on the 24th, and full moon again at 8 A. M. on the 31st. The moon is nearest the earth on the 1st and 29th, and farthest away on the 14th. She is in conjunction with Uranus on the 9th, Saturn on the 13th, Venus on the 14th, Mercury on the 16th, Jupiter on the 17th, Mars on the 18th and Neptune on the 24th.

At 8 P. M. on the 20th the sun crosses the celestial equator, and enters the sign of Aries, and in the phrase of the almanacs, "Spring begins."

On what is for us the night of March 16, but in Asia daytime on the 17th, there is an annular eclipse of the sun. It is of course invisible in America, but is an important eclipse in Madagascar, India, China, the Philippines, and the Malay Archipelago. The track of central eclipse passes just north of Madagascar, touches the north end of Sumatra, crosses part of

Siam, and the extreme northern end of the Philippine group.

The excess of the sun's apparent diameter over the moon's is unusually great, so that the annular phase of the eclipse lasts at maximum for more than eight minutes. An eclipse of the sun is frequently accompanied by one of the moon, a fortnight earlier or later, but this is not the case now, for at the previous full moon the moon passes just south of the edge of the earth's shadow, and at the subsequent one just north of it. At the time of the present solar eclipse, however, the moon is almost exactly between the earth and sun, so that her shadow falls on the earth's equatorial regions. If she was farther north, so that her shadow fell in the Arctic regions, she would be farther south at the ensuing full moon, and would enter the earth's shadow and be eclipsed (partially at least). In general, we may expect that a solar eclipse which is central in the equatorial regions will not be accompanied by a lunar eclipse, while if one is visible near one of the poles, there will be a lunar eclipse at the preceding or following full moon (which one depends on whether the moon is moving north or south at the time).

An exceptionally good chance of observing an occultation of a star by the moon is afforded on the evening of March 22, when the bright star Aldebaran is occulted. As seen from Washington, the star disappears behind the moon's dark limb at 8 o'clock, and reappears on the other side at six minutes past 9. The exact times of the immersion and emersion will be different at each place of observation.

As the moon is in her first quarter, her dark limb will be sufficiently illuminated by the "earth-shine" to make it visible, and one will have fair warning of the star's disappearance. The disappearance of such a bright star can be observed even with the naked eye, but a field-glass is a valuable aid, and a telescope stul better. The reappearance is much harder to observe, for unless one knows just where the star will reappear, it is hard to pick it up when it first comes out.

The most striking feature of the star's disappearance is its absolute suddenness. It vanishes instantly. As is well known, this is the strongest proof that the moon has practically no atmosphere, for the refraction of an atmosphere would delay the star's disappearance, and make it gradual. Such gradual disappearances of a star's light have been observed, but many cases have later been explained by the discovery that the occulted star was double.

Cambridge University, England.

### The British International Cup Race for Motor Boats.

The Automobile Club of Great Britain and Ireland has extended the time for receiving entries for the international cup race to June 30, 1904, and the Automobile Club of America will receive entries up to June 1. If the entries are so numerous as to make it necessary to hold eliminating trials, in order to determine which three boats shall represent America, these trials will be held shortly after the latter date. The race will take place in the Solent on July 30.

This race is to be held annually for a trophy presented by Mr. Alfred Harmsworth. Not more than three competing boats can represent each country, and each competing boat must be constructed wholly, in every particular, in the country which it represents. The boat must not be longer than 40 feet over all, but there is no restriction as to the number, size, or horse power of its motors. These must be sufficiently powerful to drive the boat astern at four knots an hour in still water, and to drive it over the entire course at an average speed of at least 12 knots. The course must be in sheltered waters of the country holding the cup, and it must be from 6 to 12 nautical miles in length.

In addition to the two Napier boats entered in the English eliminating trials, J. E. Hutton, Ltd., has entered three 40-foot racers fitted with six-cylinder motors having a bore and stroke of 6.889 and 6.299 inches respectively and said to develop 170 brake horse power at 1,200 revolutions per minute. The total weight of the motor is 1,500 pounds. The Messrs. Thornycroft and Lord Howard de Walden have also entered boats in these trials.

France will also be represented by a strong team. Among the entries already made in that country are A. Clement's and Pitre & Co.'s gasoline boats, and a Gardner-Serpollet steam launch. It is hoped that Germany and America will also be well represented.

The estimated capacity of the new blast furnace plants to be started in the United States in 1904 is about 2,000,000 tons, and of this quantity it is computed that 905,000 tons will be for sale in the general market, which may mean increased competition in Europe. A further increase of capacity, equaling 2,425,000 tons, is credited to the year 1904, of which 405,000 tons will be thrown on the general market, so that a total of 1,310,000 tons is likely to be thus dealt with.

### THE MODERN TORPEDO.

Commenting during the late Spanish war upon the efficiency of the torpedo, we said: "Although torpedo warfare has not as yet achieved results at all proportionate to the amount of thought and skill that have been devoted to it, the failure has probably been due more to a lack of opportunity or of efficient

handling than to any deficiency in the torpedo itself." The startling events that marked the opening of the Russo-Janan war have established the truth of that statement, for in the hands of an alert intelligent and daring people this deadly weapon, in the first half hour of hostilities, sank two of the finest battleships and one of the best cruisers of the Russian navy, and incidentally struck a blow at the naval prestige of Russia from which that country will take many years to recover. At the same time the Port Arthur tornedo attack must be judged at its true value; and, therefore, we must not lose sight of the fact that information is finding its way to the public ear which makes it pretty evident that the Russian ships were not looking for, and were totally unprepared to receive, a torpedo attack. If this is the case, what has been proved is that if the torpedo boat can get unmolested within easy range, the torpedo is fairly sure of its mark--and this we all knew well enough before the war began.

The Whitehead torpedo is undergoing constant development, the latest improvement being the introduction of the gyroscope for the purpose of keeping the torpedo more accurately upon its true course. The latest patterns include this device and are generally of larger diameter and greater length than the earlier types. We show illustrations of a Schwartzkopff torpedo, which is the type used in the Russian navy. It is merely a modification of the Whitehead and operates upon the same prin-


ciples. In a later issue we shall illustrate the latest type of Whitehead as used in the Japanese navy, and illustrate in detail the operation of the Obrey gyroscope.

The torpedo here shown consists of a cigar-shaped body of phosphor-bronze or steel, divided into six separate compartments as follows: 1, the magazine; 2, the secret chamber; 3, the reservoir; 4, the engine compartment; 5, the buoyancy compartment; 6, the bevel-gear chamber.

The magazine contains the explosive charge, which

pedo strikes the water, the rotation of the little propellers releases the sleeve and leaves the firing pin ready to strike the detonating primer the moment the torpedo meets an obstruction.

The "secret chamber" is the most ingenious part of this most ingenious piece of mechanism. Its piston, pendulum, and springs perform the important work of



Copyright by Frank H. Child.

TORPEDO PRACTICE AT NEWPORT, R. I.—LAUNCHING A WHITEHEAD TOR-PEDO FROM THE TORPEDO-BOAT "MORRIS."

regulating the horizontal rudders which keep the torpedo at the proper depth. Immediately in front of the secret chamber is a narrow compartment perforated on its walls to allow the outside water to enter. The front wall of the secret chamber carries a piston, a, which can move in the direction of the axis of the torpedo. The pressure of the water is resisted by three coiled springs, as shown in the longitudinal section. At a certain predetermined depth, according to the tension on the springs, the springs and water pressure will be in equilibrium; below that depth the piston

first part of its run is made on a wave line which crosses and recrosses the desired and ultimate level of immersion, the piston and the pendulum gradually bringing the torpedo to a true course. The reservoir forms the central body of the "fish." It is made of forged cast steel and is tested up to seventy atmospheres. A tuyere at its after end feeds the air to the

engine. The torpedo is driven by a three-cylinder engine, with cylinders 120 deg. apart, acting on a common crank. The engine is started by means of a valve which is opened by a lever striking a projecting lug on the launching tube, when the torpedo is fired.

The buoyancy chamber is an air-tight compartment, the purpose of which is to afford the proper buoyancy to the torpedo; it carries a piece of lead ballast, by shifting which the trim can be controlled. The two tubes, f and g, carry the connecting rods for controlling the horizontal diving rudders.

Next comes the bevel gear chamber, where is located the gear, l, for causing the propellers, m, to rotate in opposite directions. The after propeller is keyed to the main shaft; the forward propeller is keyed to a sleeve which rotates freely upon the main shaft, and the motion is reversed by means of two bevel-wheel gears which turn on a spindle at right angles to the main shaft. The "tail's consists of a stock with vertical vanes, which act as the vertical rudder, and two frames which carry the horizontal rudders.


The torpedo is fired from a launching tube by the explosion of a small charge of gunpowder behind it. This compresses the air which surrounds the rear half of the torpedo and thrusts it out of the tube without any serious jar.

The range and speed of the torpedoes vary with the size. The weapon here shown is 14 inches in diameter, 15 feet in length, carries 90 pounds of guncotton, and has a speed of 28 knots for

a range of 800 yards. The 18-inch Whitehead torpedo is 16 feet 7½ inches in length, carries a charge of 220 pounds of guncotton, and has a speed of 31 knots for 1,000 yards.

### The Destructive Action of Radium on Fabrics.

In a recent number of Nature Mr. Blythswood states that he happened to replace the usual mica plates used in connection with the ordinary ebonite box with a piece of cambric, so as to permit the whole of the emanations to pass out, the mica stopping the alpha




SIDE VIEW OF A 14-INCH TORPEDO.

consists of a series of disks of wet guncotton packed snugly together. The cartridge primer, k, for exploding the charge, consists of several cylinders of dry guncotton packed in a tube which passes through perforations in the guncotton disks, t. The foremost of the six cylinders contains a detonating primer consisting of fulminate of mercury. The small propeller at the extreme point of the torpedo is part of an ingenious safety device for preventing premature explosion in handling. When not in use, the firing pin is held in check by a sleeve; but as soon as the tor-

will be driven in by the water pressure, and above it the springs will push forward the piston. To prevent too sudden oscillation in this action, the piston is connected to the rod, e, of a swinging pendulum. d. The motion of the piston is communicated by rods, which pass through the hollow stay rods of the air chamber to the horizontal or diving rudders. If the torpedo goes too deep, the piston moves back, the pendulum swings forward, and the rudders are elevated, the reverse movements taking place if the immersion is not sufficient. When a torpedo dives into the water, the

rays. In four days the cambric was rotted away. Mr. Blythswood states that he has renewed the cambric several times with the same result.

The United States Navy Bureau of Steam Engineering is about to place an order for nickel steel boiler tubes and condenser tubes, to be installed on one of the vessels plying in home waters, so that the tests which will be made can be under constant supervision. A careful comparison will be made of this material and the simple steel tubes now in use.



t, explosive charge; k, cartridge primer; a, safety device to check premature explosion; a, depth-regulating piston; e, rod of swinging pendulum d; d, compressed air chamber; f and g, tubes that connecting depth-regulating device a, e, d, with diving rudders; I, bevel gear for causing propellers m to rotate in opposite directions; n, vertical rudder.

### JUPITER AND HIS SURFACE CURRENTS.

BY THE REV. T. E. R. PHILLIPS, M.A., F.R.A.S.

The general aspect in the telescope of the planet Jupiter is well known. His markedly elliptical disk, which is distinctly brighter in the center and gradually fades off toward the limb, is traversed by a series of dusky belts which vary from time to time both in width and position. These belts frequently show great irregularities at the edges, being broken up or indented by a number of light and dark spots, while dusky wisps are often to be seen projecting from them across the bright zones which separate them. The accompanying drawings will serve to illustrate the general arrangement of the surface features and also the great and rapid changes of aspect to which they are subject. Thus it will be seen from the illustrations that in the years 1896 and 1898 (Figs. 1 and 3)—as was also the case in 1901 and 1903—the belt lying north of the equator was quite narrow, but that at other times it was broad, and exhibited numerous condensations and white spots at its edges. It not infrequently happens that the general aspect of the planet undergoes a marked alteration even in the course of a single apparition. Thus Fig. 6 represents a view of Jupiter in June, 1902, but by the latter part of the autumn the appearance of the disk had materially changed. The equatorial regions were intense-Jy white—a very striking contrast to the rich, warm,

coppery tone which was so marked a feature of the planet a few years agoand the whole of the disk north of the N. t e mperate belt was deeply shaded with a delicate bluish gray.

It is probable that some of the changes on Jupiter are of a cyclical or seasonal character. Mr. A Stanley Williams in a valuable paper c**om-**municated to the Royal Astronomical Society in April, 1899, showed from a discussion of a large number of observations extending over many years that there is a remarkable variation in the color of the two principal equatorial belts. Thus, when the S. equatorial belt is at a maxi-

mum of redness, the N. equatorial belt is at a minimum, or even bluish in tone, and vice versa. The mean period of these variations is found to be about twelve years, and as this corresponds with the length of a sidereal revolution of Jupiter round the sun, it is probable that the change observed is of a seasonal character. The maximum redness occurs soon after the vernal equinox of the particular hemisphere in which the belt exhibiting it is situated. In accordance with the interesting conclusion at which Mr. Williams has arrived the N equatorial belt has lately been intensely red, and the S. equatorial belt almost colorless, except in the region immediately following the Red Spot bay.

But, perhaps, the most interesting and instructive feature hitherto observed in connection with Jupiter is the difference of speed with which his spots and other markings are drifting. So long ago as the latter part of the seventeenth century, Cassini found that the markings in the neighborhood of the equator performed a rotation in nearly six minutes less time than was required by objects further north and south. Sir William Herschel, Schröter, and other observers confirmed this result, but as the outcome of the labors of more modern investigators, a considerable number of distinct currents are now known to control the movements of Jupiter's surface material. There can be ne doubt that many recorded changes on Jupiter are

in reality due to the great proper motions of the objects observed, which quickly cause them to become relatively displaced.

With one or two exceptions these surface currents are pretty constant. Their velocity varies within certain limits, and the latitude of their boundaries is not always the same, but whenever definite spots or observable condensations appear their movements of rotation are nearly always found to conform more or less closely to the normal speed of that latitude.


But interesting as is the investigation of these surface currents, the real nature of Jupiter's physical condition is the problem which students of the planet must endeavor to solve. It has generally been agreed that the belts and spots of Jupiter are of the nature of clouds and atmospheric vapors: that the true globe of the planet has never been seen; and that its real rotation period is consequently unknown. But whatever view may be adopted as to the vaporous character or otherwise of the visible features of the disk, it is probable that the internal body of the planet rotates in a period somewhat longer than any markings we can observe—possibly in a period just a minute or so less than 10 hours. As regards the relative altitudes of the various markings, there seems good reason to suppose that the more swiftly moving objects are situated at a greater height than those which move more slowly. Of course, it must be remembered that the we catch a glimpse, though on a giant scale, of our own world in the dim recesses of the past.—Abstracted from Knowledge.

### The Chord Galvanometer and the Human Electrocardiogram.

In the Archives Néerlandaises, W. Einthoven has indicated the principle of a novel galvanometer, made up of a silvered quartz thread, stretched like a chord in a strong magnetic field. As soon as an electric current was led through the thread, the latter will diverge at right angles to the direction of the magnetic flux, the amount of deflection being directly measured by means of a microscope with an eyepiece micrometer. Some important improvements of the instrument have been made, enabling the chord (a quartz thread 2.4 millimeters in thickness and 10.000 ohms in resistance) to be stretched strongly. Under certain circumstances, currents not higher than 10-12 amperes may be detected by the instrument. The chord may be stretched sufficiently to have a current of a given strength produce a predetermined deflection. The image of the middle of the chord, after being magnified 660 times, is thrown on a split perpendicular to the image of the chord. In front of the split there is a cylindric lens, the axis of which is parallel to the split, while behind a photographic plate is moved in the direction of the image of the chord.

> At the same time, a system of co-ordinates is projected on the sensitive plate according to Garten's method. where the horizontal lines are obtained by a glass millimeter scale. placed immediately in front of the s e n s i t i v eplate, so that the sharp shadows of t h e division re projected on the plate, whereas the vertical lines are due to the spokes of a disk rotating uniformly intercepting int e r m ittently the light failing on the split. From the photographic diagrams thus obtained it is inferred that the deflections, being aperiodical, are exactly proportional to the in-


tensities of the




1896, March, 2d. 6h. 30m. G.M.T.

1897, March, 9d. 11h. 55m. G.M.T.


1898, April, 4d. 9h. 55m. G.M.T.







1900, April, 20d. 14h. 15m. G.M T.



1902, June, 26d. 14h. 31m. G.M.T.

CHANGES IN THE ASPECT OF THE PLANET JUPITER OBSERVED AT VARIOUS TIMES,

planet may have no solid or definite surface divided off from the vapors which form its belts and spots. It is highly probable—bearing in mind the very low density of Jupiter-that the whole globe is still in an intensely heated, semi-molten, and viscous condition, and that what we see is but the outermost shell of visible material. Prof. Hough, in his important and valuable paper already referred to, suggests that the visible boundary of Jupiter has a density of about onehalf that of water, is of the nature of a liquid, and that in it are immersed the Red Spot and others whose motion in longitude and latitude are slow and gradual, and which are tolerably permanent or long enduring. He considers that the equatorial and other belts may be at the surface of this liquid or at a higher level than the Red Spot, and that the equatorial regions may be concealed by overlying vapors at a much greater altitude, in which openings and irregular condensations give rise to the appearance of white and dark spots.

No doubt there are many interesting questions in connection with Jupiter of which the solution must be left for future students; but this much, at any rate, we may suggest with some confidence: We look at Mars and our own satellite; in them we see a forecast of physical conditions to which some day the earth must at least approximately attain. We look at Jupiter, and, in the constant agitation of his heated globe,


current. This instrument is applied by the author to determining the human electrocardiogram discovered by A. D. Waller (Philoso. Transactions, vol. 180, 1899, B, p. 169). It is interesting to note the constancy in the form of this curve for a given person, the alterations occurring in the course of time being so small as to allow with little practice to recognize many persons by their electrocardiograms.

### Russia and Korea's Non-Participation in the St. Louis Fair.

The American Ambassador at St. Petersburg has cabled to the State Department at Washington that the Russian government has notified him of its intention to withdraw from participation in the St. Louis Fair.

A similar notice of withdrawal has been sent by Korea.

To prevent further disasters, such as that which visited Galveston, Tex., in 1900, when 3,000 houses were destroyed and 8.000 lives were lost in the floods. it is proposed to raise the whole of the city. According to the present plan, earth is to be brought from along the coasts of the Gulf and banked upon the site of the city, so that it shall be at level of from 17 feet to 20 feet above the sea.



Protected Cruiser "Askold." 6,500 tons. 23 knots. Hole below waterline.


Protected Cruiser "Variag." 6,500 tons. 24.6 knots. Sunk by gun fire. Protected Cruiser "Novik." 3,000 tons. 26 knots. Hole below waterline.

Protected Cruiser "Pallada."
6,630 tons. 20 knots.
Sunk by torpedo.
Gunboat "Korletz."

Battleship "( 13,000 tons. Sunk by t

1,500 tons. 11 knots. Sunk by gun fire.

RUSSIAN BATTLESHIPS AND CRUISERS DISABLED OR



zarevitch."
18 knots.

Battleship "Retvizan."
12,700 tons. 18.6 knots.
Sunk by torpedo.

Torpedo Transport "Yenesel." 2,500 tons. 18 knots. Sunk by mine. Battleship "Poltava."
11,000 tons. 17 knots.
Hole below waterline.

Protected Cruiser "Boyarin."
3,200 tons. 22.5 knots.
Sunk by mine.

Protected Cruiser "Diana." 6,630 tons. 20 knets, Hole below waterline. [See page 200.]

### RUSSIA'S LOSSES IN THE FIRST WEEK OF THE WAR.

There has been no war of modern times in which there was such a dearth of reliable information as in the present struggle between Russia and Japan. If we carefully sift out all the sensational reports with which the papers have been flooded, we find that the only really reliable information is contained in the brief but expressive official reports sent by Admiral Alexieff, the Russian Viceroy in the Far East, to the Czar. These, supplemented by a few authentic accounts by eye-witnesses and some meager information from the Japanese government, enable us to tabulate the number of Russian ships that have been disabled, but without being able to state, except in two cases, what is the nature and extent of their injuries.

It has been proved in the case of ships of our own navy that it takes but a mere touch of a reef of sand or rock to send a ship to the drydock for several months at a stretch; yet, speaking broadly, it may be said that injuries from striking a reef are relatively mild compared with the blowing in of a large section of the ship's side or bottom, which must result from the explosion of a modern Whitehead torpedo carrying over 200 pounds of guncotton. Consequently, it may be safely assumed that the Russian ships which have been disabled by torpedoes are put out of action, at least for several weeks, probably for several months, and quite possibly, for good. Of the eleven Russian vessels already disabled in the war, we know that three, the battleships "Czarevitch," of 13,000 tons, and "Retvizan," of 12,700 tons, and the cruiser "Pallada," of 6,630 tons, were disabled by the torpedo during the first attack on Port Arthur. We think it is unlikely that either of the two battleships can be made available for active service except, perhaps, in a more or less crippled condition, during the present war, and this for the following reasons: The draft of these vessels at normal displacement is 26 feet, and since they were probably in war trim, with a full complement of sea stores and coal aboard, the draft may easily have been 28 feet. The crushing in of the bottom or side by the torpedo must have resulted in the flooding of at least one compartment, if not two, which would easily add another three feet or more to the draft, especially if the vessels had taken on a heavy list throwing one bilge deeper in the water. Now, the Port Arthur dock is supposed to be only about 450 feet in length, and it is quite possible that it has only a draft of 28 feet over the sill, in which case the disabled battleships would be unable to enter, unless the bottom could be temporarily patched up and made sufficiently air-tight to permit of pumping out the damaged compartments. This presumption is borne out by a recent report supposed to emanate from Port Arthur, to the effect that these two ships are to be employed as guard ships at Port Arthur, until some opportunity occurs to send them for repairs to the big drydock at Vladivostok. The cruiser "Pallada," of 6,630 tons, whose draft is only 21 feet, will probably take her turn in drydock, that is if she is still afloat. In addition to these three vessels, that are known to be seriously crippled, two others, the protected cruiser "Boyarin," of 3,200 tons, and the torpedo transport "Yenesei," of 2,500 tons, have been "hoist with their own petard," by coming in contact with submarine mines that had been laid for the protection of Port Arthur harbor. These two vessels may be stricken off the list for good. Two other ships, the cruiser "Variag," of 6,500 tons, and the gunboat "Korietz," of 1,500 tons, were sunk by gun fire at the battle of Chemulpho. If they are floated it will be by the Japanese salvage ships, and they will become an asset of their navy. The battleship "Poltova," of 11,000tons, and the cruisers "Pallada," "Askold," and "Diana," vessels of about 6,500 tons and 23 knots speed, are reported as having been disabled by a "hole beneath the waterline," the same description being used of the injury to the 3,000-ton protected cruised "Novik." It is puzzling to determine just what this injury amounts to, or by what agency it was inflicted. If ships were penetrated by gun fire, the holes would scarcely be below the waterline, unless the vessel happened to be rolling her under-body out of the water at the time the shell struck. It is, of course, possible that the hole was made by some solid projectile that struck the ship with a plunging effect, hitting her just at the waterline on the side that was exposed to fire, and passing out below the waterline on the other side. If the injury were not caused by a shell, it must have been the work of the torpedo, in which case these vessels must be included in the terrible list of fatalities wrought by the Japanese destroyers. There is presumptive evidence that the cruisers were injured by gun fire, in the fact that the "Novik" is reported as having left the dock after repairs were made, for it is certain that no injury wrought by a torpedo could be made good in so short a time.

After one has taken the most optimistic view possible of the present condition of the Russian fleet, the fact remains that in the very first week of the war, a fleet of eleven vessels, all but one of which were

of the most modern and approved construction, and several of which were among the very best of their class, were temporarily or permanently disabled, and four at least of them completely lost to the Russian navy. If one wishes to obtain a vivid idea of the enormous damage entailed in this one week of the war, he has but to look at our double-page illustration, showing this fleet of eleven ships assembled in one group, and then turn to the accompanying table, showing the size and

RUSSIAN SHIPS LOST OR DISABLED IN FIRST FEW DAYS OF THE WAR.

Name.	Date.	Tons.	Cost.	Nature •f Damage.
Czarevitch	1901	13,000	\$6,900,000	Torpedoed.
Retvizan	1900	12,700	6.500,000	Torpedoed.
Poltova	1894	11,000	5,500,000	Hole below waterline
Pallada	1899	<b>6,6</b> 30	3,000,000	Torpedoed.
Askold	1900	6,500	3,000,000	Hulled at waterline.
Diana	1899	6,630	3,000,000	Hulled at waterline.
Variag	1899	6,500	3,000,000	Sunk by gun fire.
Boyarin	1900	3,200	1,400,000	Blown up by mine.
Novik	1900	3,000	1,300,000	Hulled at waterline.
Korietz	1886	1,500	450,000	Sunk by gun fire.
Yenesei	1900	2,500	800,000	Blown up by mine.
Tonnage and value of ships destroyed or disabled		73,160	\$34,850,000	

cost of each vessel. Here we have eleven ships of a total tonnage of 73,160 tons, and a total cost of about \$35,000,000, put out of action at a cost in torpedoes, powder, and shell to the Japanese of far less than the cost of the "Korietz," the smallest vessel in the disabled fleet.

Such is modern naval warfare. It was believed that it would be swift, sudden, disastrous, and costly. The first seven days of this, the first struggle between two navies that were both well equipped and thoroughly up-to-date, has proved that modern naval warfare is even more terrific than was foretold.

### Melting Out Frozen Water Pipes Electrically.

During the recent intense weather the method of thawing out frozen water pipes electrically was undertaken successfully at Altoona, Pa. Mr. E. B. Greene, the well-known superintendent of the Edison Electric Illuminating Company of that city. He now writes to the Electrical World and Engineer as follows concerning practical results:

We use for this purpose alternating current of low voltage, the maximum voltage not being over 50. The method of doing this, as you know, originated with Messrs. Jackson and Wood about the year 1900, so you will appreciate that it is not new with us. We use a 25-kilowatt transformer wound for 50 volts, using an amperemeter to know what quantity of current we are using, and reduce the voltage with a water rheostat, using common table salt to impart the necessary conductivity.

The transformer, water rheostat, and instruments are assembled in a box which is hauled out to the place desired to use, when the transformer is connected up to run as in ordinary methods of lighting, using the water rheostat on the primary side of the transformer (as this requires a very much smaller vessel for the water rheostat). The secondary, or low-voltage cables, are connected directly to the spigot or to the pipe inside the building, the other one being connected to a fire plug, or, if more convenient, to the pipe in the adjoining house, which then completes the circuit on the iron pipe for the low potential.

We have thawed 250 feet of one-inch pipe in twenty minutes actual time of current on, using between 18 and 20 kilowatts. In smaller services, say ¾ inch, and on 30 or 40 feet, we have thawed out in from five to eight minutes, using about 11 to 15 kilowatts. The apparatus is very small and it is quite a convenience to people to have water, when their pipes are frozen, in two or three hours after asking to have the apparatus connected up. There is, of course, very little business in the sale of current in connection with the above, but the advertisement we get from being able to help out people who don't have water we think will repay us amply for the trouble and the expense entailed.

As you, no doubt, can see from the above the cost of sending out the transformer, the time of the men connecting up and disconnecting, and the draying charges would leave very small margin unless you would charge an excessive price, which we don't believe it pays us to do. The cost varies very much. The cheapest job, which was near by the station, was \$2.50; the most expensive one was \$9.50; yet the amount of current used is a very small amount as compared with the charges for labor and drayage.

### Electrical Notes.

The news comes from Paris that the operation of extracting radium from the ores has been considerably shortened. The preliminary process, which reduces the material to laboratory dimensions, now occupies one month, whereas it has previously taken three months. It is estimated that up to the present about 730 tons of ore have been used to produce about one-fifth of an ounce of radium.

Advices from Canada state that the Canadian government is looking into the subject of the electrical smelting of iron, and is sending a commissioner to Europe to study the subject. Canada has many valuable iron ore deposits in the vicinity of large water powers which could be utilized for generating a cheap supply of electrical energy.

What is known as the inverted arc lamp, and which has been used for illumination in some workshops for many years, is suggested for the artificial lighting of lawn tennis courts on dull days and at evening time. An installation of these lamps has recently been put up at the tennis courts at Sheen, near Richmond, and was brought into use recently at a special tournament arranged to test the capabilities of the light. Four lamps of 1,500 candle power each are arranged around the court, an even illumination being obtained with the aid of screen sheets, from which the light is reflected. The experiment is said to have been a success, the illumination obtained being only slightly inferior to daylight on bright days.—Electrical Eng. (London).

It has been frequently found by experimenters that when an oxide of a metal, whose temperatures of reduction and volatilization are nearly the same, is mixed with sufficient carbon to combine with the oxygen, and heated to the temperature of reduction, the main resulting product is not the metal which is wanted, but a carbide. The reason is thought to be that the metal becomes volatile as soon as it is formed and combines with free carbon present in the mixture. In a patent granted to Mr. F. J. Tone, engineer of the Carborundum Company, of Niagara Falls, and described in the Electrical World, these disadvantages are overcome by maintaining proper conditions of temperature proper distribution of heat and proper arrangements of the charge. The method may be described by its application to the production of silicon for a mixture of silica and carbon. The constituents are finally subdivided and thoroughly mixed, and the design of the furnace is such that the discharge of heat is over a wide zone (as opposed to localized heat), so that the progress of the reaction is relatively slow and the best conditions are maintained for agglomerating the particles. The most even temperature possible is maintained throughout the zone of reaction to prevent the silicon from being vol tilized as soon as formed, and the charge is so arranged in the furnace as to allow globules of reduced silicon to drop by gravity out of the zone of reaction to a lower portion of the furnace. It is evident that for these purposes an arc furnace would be unsuitable. Mr. Tone therefore employs a resistance furnace. The heating resistance in the center of the furnace is made up of carbon blocks piled together with intervening spaces. The charge is fed into the furnace at the top, and as the silicon is reduced it sinks down into the cooler portion of the furnace, and finally into the receptacles at the bottom, where it solidifies as a metal-

### The Current Supplement.

The opening article of the current Supplement, No. 1470, deals with the whale-oil industry of the United States. It is copiously illustrated. Various types of rails used in Europe and in America are described in an exhaustive article. Dugald C. Jackson's paper on the typical college course dealing with the professional and theoretical phases of electrical engineering is published in full. Foreign and American types of horizontal boring machines electrically operated are described by F. C. Perkins. Dr. Samuel G. Tracy writes instructively on thorium and its therapeutical possibilities. Kretschmer's tetrahedral design for boats is described in full. "Tobogganing in a Basket" is the title of an entertaining article by Laura B. Starr. The usual notes will be found in the Supplement

### The Depth of the Antarctic Ocean.

The State Department has received from John Barrett, United States Minister to the Argentine Republic, a communication to the effect that the Scotia scientific expedition, sent to the Antarctic from Scotland to make meteorological and oceanographical observations, cruised about five thousand miles to the south and east of the South Orkney Islands, between longitude 16 degrees west and 45 degrees west and as far south as 70 degrees 25 minutes, and in this region located a deep sea of an almost uniform depth of 2.500 fathoms. The deepest sounding was 2,739 fathoms, or 16,434 feet.

### THE "SCOOTER."

That "necessity is the mother of invention" finds singular and forcible illustration in the ice-scooter, which, essentially a Long Island creation, is almost as necessary there in the winter as are the yachts in

the summer season. It is an amphibious craft, combining in its construction a modification of both the yacht and ice boat, the advantages of each of which it possesses in a remarkable degree.

Reference to the illustrations will show both the sail arrangement and runners on the bottom. It is to these latter, perhaps, that the speed and steady flight of the ice-scooter is due, as well as to the absence of a rudder, which would necessarily arrest the free motion. The jib is utilized for a rudder, serving the double purpose of directing the course and tacking. Steel runners are said to be preferable to those of brass, through their superior hardness; which prevents any sliding when a tack is being made. Such an amphibious boat will lay within five points of the wind, and can execute, in less time and space, any evolution which an ice boat or yacht can perform. Incredible speed is attained by the largerand more completely equipped scooters, and when their respective courses run parallel, they can often maintain their lead over a fast express train. While a boy can manage one of these strange

craft, the requirements and possibilities are such as to afford exhibitanting sport for a strong man in handling the sails and obtaining the maximum degree of speed possible under given conditions.

The sail area is always determined by the capacity for carrying canvas on the ice. When the water is reached there is consequently, under normal wind conditions, a dangerous excess of sail, and the utmost skill is required to avert an accident. Such is the proficiency attained by the votaries of "scootering," however, that injury to the owners or scooters is rarely if ever witnessed.

There are, perhaps, few more interesting sights seen



SQUARE-END SCOW FITTED UP AS A "SCOOTER."

than those afforded by a scooter plunging at full speed from the ice into the water. At such times the water, cleaved as by a shot hurled from a cannon, is thrown into the air a distance of twenty feet, completely enshrouding the scooter from view until, with speed little diminished, it glides smoothly and triumphantly out upon the ice at the other side of the opening.

While "scootering" provides a healthy and hearten-


ing sport for the South Beach life savers during their long period of enforced leisure, its value consists chiefly in permitting them to cross to their mainland homes over thin and treacherous ice when no other means would permit of such visits. It also affords an

easy and speedy access to vessels caught in the ice when intervening open-water patches or unsafe ice would render the tendering of assistance impossible.

Long Island sportsmen have also adopted the craft, and successfully employ it in carrying them to favorite duck and goose hunting grounds on the ice, miles away from the shore. When the point for shooting operations is reached, the sail can be furled and the mast removed. Then, by covering the scooter with cakes of ice or snow, it provides an ideal concealed shelter from which to shoot birds.

The scooter has been suggested as a more sure, safe, and speedy method of reaching the North Pole than any hitherto devised. It can be carried on the vessel as far as open water will admit, and, after it has been loaded with provisions, the journey can be continued with it, as neither ice nor water presents any obstacles to its progress. While, like the summer yacht, these boats may be built with any degree of elaborateness, those used on Long Island are made with a view to speed and lightness rather than to other objects.

One of our illustrations also shows a square-end scow fitted up as a scooter. This boat is a home-made affair, and, to be properly steered, requires the use of a rudder. The rudder, it will be observed, consists of a metal blade secured to a pole in such a manner that when in water it can be used as an oar blade, and when out of the water its edge will cut into the icc, thus affording a suitable means for steering the boat.



FLEET OF "SCOOTERS" AT GREAT SOUTH BAY, LONG ISLAND.



OVERTURNED "SCOOTER," SHOWING THE STEEL RUNNERS ON THE BOTTOM.

### RECENTLY PATENTED INVENTIONS. Electrical Devices

ELECTRIC SWITCH .- W. K. Dodge, Manhattan, Kan. The invention is in the nature of a switch so constructed and arranged that two or more lights or sets of lights or any combination of the same may be thrown into circuit and the circuits which are "on" are plainly indicated from the exterior of the case. It consists in the novel construction and arrangement of the switch and in the combination with the same of an indicator which plainly shows what circuits are turned on even in the dark.

### Engineering Improvements.

STEAM-BOILER .- N. L. WARREN, Macon, Ga. An object in this case is to provide a boiler of large heating capacity, but requiring comparatively little floor-space and so arranged that it may be readily inspected and cleaned both within and without. Space between the tubes will permit a person to inspect flues and other parts of the interior, and the boiler is provided with a manhole, normally closed by a cover.

TRACK-SANDER FOR LOCOMOTIVES. G. M. SCHWEND, Birmingham, Ala. The intention in this improvement is to utilize water as a medium for effecting the discharge of sand from the reservoir or sand-box usually arranged upon the boiler of the locomotive, the same being delivered upon the rails in front of or behind the driving-wheels for understood purposes. The apparatus is specially adapted for using sand in any condition-that is, wet or dry sand—as it may be had from banks thereof at any point along the track.

LOCOMOTIVE-VALVE.—H. G. CORYELL and J. E. STEPHENS, Marietta, Ga. The present invention has for its object the provision of a valve designed to be operated from the outer the steam may be quickly cut off from either one of the steam-chests should accident or breakage occur in one of the chests, thus permitting the locomotive to be at once worked from the opposite or intact steam-chest.

### Miscellaneous.

PIPE .- E. SEMPLE, Seattle, Wash. The improvement is particularly in pipes for use in carrying sand, gravel, and other material from number of the auxiliary strings. dredges, hydraulics, or other excavating devices, the pipe being particularly designed for use as a dredger delivery-pipe. Pipes used for carrying the above named material are rapidly worn out by the grinding of the same as it passes through. The wooden lining of blocks on end, with the hoops to hold the blocks in place, is designed for the lining of any pipe, the object being to increase the life of pipes where the wear is great enough to wear them out in

COLLAR OR CUFF HOLDER.—E. L. PITTS, Jerome, Arizona Ter. This device holds cuffs and holds collars in place when in use. use the device may be buttoned by a divided button to the neckband, or to the wristband, and a socketed head be forced through the buttonhole of the collar or cuff, as the case may be, and a hinged section be then adjusted over the collar or cuff and a spring-catch be forced into the socketed head to secure the collar or cuff as desired.

VALVE.—N. Obolensku, Hermitage, N. Y. The object of this case is to provide a valve, plan of the cover-dish shows a symmetrical arranged to allow of regulating the speed of the water or other fluid passing through the valve to prevent leakage and to give convenient access to the parts for repairs and dles at the ends are very gracefully fashioned. for quick replacement of worn-out parts and The ornamental decorations are richly spread check-valves, such as shown and described in Letters Patent formerly granted to this inven-

DRAWERS-SUPPORTER.—H. W. Post, New York, N. Y. The purpose in this instance is to provide a form of supporter adapted for attachment at the inner portion of the waistband of the trousers, the supporter constructed, preferably, of one piece of wire of suitable gage or a strip of metal of any cross-sectional shape, the supporter comprising two loops rigidly held apart and means whereby the device may be secured to the inner face of the waistband or between the layers forming the same projecting upward at the inner face of the trousers-waistband.

FIRE-EXTINGUISHER.—F. YOST, hawken Heights, N. J. Mr. Yost's invention pertains particularly to improvements in portable hand-operated extinguishers of the class designed to contain an extinguishing chemical solution, an object being to provide clamping devices of novel form and operation for tightly holding the pump mechanism in place; and another object is to provide a piston-rod with cept by opening the door of the house. a large air capacity, the confined air acting as

ING TROUSERS.-F. STEVENS, Syracuse, N. pivoted to a rotatable carrier which is mounted The aim in view in this case is the provision of a durable article adapted for the purpose of stretching trousers to take out the bagging" in the knees thereof or for pressing the trousers, to the end that the wrinkles and bagging may be removed and made to present a neat appearance.

C. Wood, Rockhill, S. C. The particular ap-1 the invention, and date of this paper,

plication of this invention is to a hoisting device for lifting the cylinders of cotton-seed linters from their bearings and conveying the cylinders to a desired point. The principal object is to provide a device for hoisting the dulled cylinder from its bearings and removing the same to a suitable point, after which a sharpened cylinder may be conveyed by the hoisting mechanism to the linter and substituted for the previous cylinder.

TILE .- S. B. FLINT, New York, N. Y. The tiles are of such construction that they may be assembled by hooking together, to the end that each tile assists in holding a series of other tiles in place, and in a manner to prevent separation, notwithstanding that they are subjected to strain in any direction. The tile has considerable strength owing to the disposition of the recesses and the construction of the hooking projections. Their corresponding shape and size enable them to be assembled easily and quickly for covering a surface of any size.

TWINE-HOLDER.—R. A. STEEB, Roselle, N. J. The object of the invention is to provide a twine-holder, more especially designed for household use in conveniently storing odd pieces of twine, cord, string, thread, and the like, such as are received from stores, etc., arranged to permit of winding up in a spool and tied together to allow ready use of the continuous twine thus formed for tying packages, bundles, boxes, etc. The holder may also be used for holding a ball of twine, etc., if not too large for the device, one end of the spool being removable permitting the ball to be placed on the spool.

FLY-CATCHER .- J. Zierl, Hechingen, Germany. In this patent the invention is embodied in a body or bar provided at the top with a receiver or holder for the tacky substance and at the lower end with a reservoir for the flies, also with detachable end portions side of the locomotive and by means of which which are adapted to receive the tacky substance and to be interchanged when the lower one becomes full.

MUSICAL INSTRUMENT.—E. S. STEVEN son, Eldorado, Kan. The purpose in this case is to provide an instrument having the general characteristics of a guitar—that is, as to its strings and notes, with an auxiliary set of strings and frets with stops by means of which a large number of notes and variations

MEANS FOR ATTACHING STIRRUP-LEATHERS TO RIDING-SADDLES .- J. MAR-TIN, Chalet Elizabeth, Avenue des Casernes, Grasse, France. The aim of the present invention is to construct a support for stirrupleathers in which when the rider falls from his horse and his foot remains in the stirrup the stirrup-leather becomes detached from the saddle by the weight of the rider. When in the saddle the rider may bear upon the stirrups without fear.

HORSE-COLLAR .- J. V. STONE, Moorhead Minn. This invention has reference to improvements in horse-collars, and the object is to construct a collar having a stuffed body and pneumatic pad which will serve to protect the horse's shoulder. Should the bag collapse, the driver need not unhitch, since the stuffing forms a body of the usual shape, and a horse could pull as well with both bags collapsed as with an ordinary hard collar.

DESIGN FOR A COVER-DISH.—R. L. JOHNSON, Hanley, Stafford, England. oval shape. The outline of the side presentation is beautifully curved from the handle of the cover down to the flanged base. The hanother purposes. The invention refers to around and near the edge of the cover, the upper part of the body, and the base.

> AUTOMATIC OR SELF-ACTING GATE.-J. DELAUNAY and R. VASQUEZ, Buenos Ayres Argentina. The gate may be opened from either side by pulling a cord and in every case the gate opens away from the passer. The opening is effected by moving to one side or the other the upper end of the rod or axle on which the gate is hinged, whereupon the gate under action of gravity swings open in the direction in which its axis has been inclined.

> RECEIVER FOR MAIL, ETC.—N. D. CLEAR-WATER, Binghamton, N. Y. The device consists of a box hinged to the iam of an oute door of a residence. The box is open only at one side through which packages may be placed in or removed from the box. When a package is placed in the box, the box may be swung on its hinges until the open side lies against the door of the house. In this position it is held by a spring latch which can be released only through the open side of the box. The con tents of the box are thus rendered secure against theft, for they cannot be removed ex

CLOTHES-DRIER .- F. S. MACDOUGALL, of Seattle, Washington. This clothes drier com-DEVICE FOR STRETCHING AND PRESS- prises a number of clothes-suspension arms on a leaf hinge'd to a back-board. When in use the leaf is swung to a horizontal position at right angles to the back-board and is held by a latch. Means are provided for holding the rotatable carrier in any desired position.

Note.-Copies of any of these patents will be furnished by Munn & Co. for ten cents each. HOISTING AND CARRYING DEVICE.-M. Please state the name of the patentee, title of

### Business and Personal Wants.

READ THIS COLUMN CAREFULLY.—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send you the name and address of the party desir-ing themformation. In every case it is neces-sary to give the number of the inquiry.

Marine Iron Works. Chicago. Catalogue free. Inquiry No. 5183.—For makers of pyrometers uitable for regulating the heat of a tin-plating bath.

AUTOS.—Duryea Power Co., Reading, Pa.

Inquiry No. 5184.—For parties engaged in printing premium magazines.

For hoisting engines. J. S. Mundy, Newark, N. J.

Inquiry No. 5185. - For manufacturers of silver-ware, watches and clocks, dinner sets, dishes, etc. "U.S." Metal Polish. Indianapolis. Samples free.

Inquiry No. 5186.—For makers of paper cartons, such as are used for oysters, ice cream, etc.

Handle & Spoke Mchy. Ober Mfg. Co., 10 Bell St.

Inquiry No. 5187.—For makers of electric automatic knitting machines.

Sawmill machinery and outfits manufactured by the Lane Mfg. Co.. Box 13, Montpelier, Vt.

Inquiry No. 5188.—For makers of refrigerating plants, abattoirs, air compressors, boilers, steam engines, ventilators, pumps, hydraulic presses, etc.

FOR SALE.—Patent right on newly invented propeller. B. Charles, 25 So. 14th St., Newark, N. J.

Inquiry No. 5189.—For machinery for preparing extract of meat and peptone.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway New York, Free on application

Inquiry No. 5190.—For machinery for the preparation of tinned meat

The largest manufacturer in the world of merry-go rounds, shooting galleries and hand organs. For prices and terms write to C. W. Parker, Abilene, Kan.

Inquiry No. 5191.—For machinery for making tins.

The celebrated "Hornshy-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 138th Street, New York.

Inquiry No. 5192.—For machinery for mechanical workshop, such as carpenters' utensils for iron and brass foundry, metallic roofs, filtration systems, pipes, cranes, rails, trucks, cars, etc., also all materials, implements and accessories connected with this industry.

Manufacturers of patent articles, dies, metal stamping, screw machine work, hardware specialties, machinery and tools. Quadriga Manufacturing Company, 18 South Canal Street, Chicago.

Inquiry No. 5193.—For makers of ice-harvesting machines, for cutting and for filling houses.

WANTED.-An up-to-date superintendent for our plant employing 250 men; foundry, machine shop and wood shop. Also foreman for machine shop, and foreman for wood shop. DeLoach Mill Manufacturing Company, Atlanta, Ga.

Inquiry No. 5194.—For makers of lathe machinery for making all kinds of turnings, such as druggists cases, etc.

Wanted-Revolutionary Documents, Autograph Letters, Journals, Prints, Washington Portraits, Early American Illustrated Magazines, Early Patents signed by Presidents of the United States. Valentine's Manuals of the early 40's. Correspondence solicited. Address C. A. M., Box 773. New York.

Inquiry No. 5195.—For makers of ice-making nachinery, such as plants of from four to ten ton capa-

Inquiry No. 5196.—For manufacturers of molding pachines for molding wax cakes.

Inquiry No. 5197.—For manufacturers of light roller bearings, suitable for grindstone shafts and pedal shafts.

Inquiry No. 5198.—For machinery for erecting a plant for manufacturing telescope mailing tubes.

Inquiry No. 5199.—For makers of pulley blocks or clotheslines, also for makers of clothes dryers, such a used in kitchen.

Inquiry No. 5200.—For the address of the manufacturer of the Magic Flute. Inquiry No. 5201.—For the manufacturer of a mail check punch having stamped thereon the following: "Grabler's Patent, Jan. 7, 1902, U. S. A."

Inquiry No. 5202.—For makers of the quarters of a hollow sphere, to be made in sheet metal in sizes 8, 12, 16, 20 and 24 inches diameter of sphere.

Inquiry No. 5203.—For parties engaged in forming or bending spring wire.

Inquiry No. 5204.—For makers of smail tanks made of copper and galvanized iron.

Inquiry No. 5205 .- For manufacturers of chain

Inquiry No. 5206.-For manufacturers of boots.

Inquiry No. 5207.—For machinery for cutting rooden shoe pegs. Inquiry No. 520S.—For makers of Tripoli stone, such as used in filters.

Inquiry No. 5209.—For parties to make small coils and strings of piano wire.

Inquiry No. 5210.—For makers of small steel chains the size of watch chains.

Inquiry No. 5211.—For small castings for boat engines and motors, of 2 to 5 h. p.

Inquiry No. 5213.—For makers of carrousels or riding galleries.

Inquiry No. 5214. For an outfit of archery court.

Inquiry No. 5215. For makers of small articles suitable for canvassing.

Inquiry No. 5216.—For manufacturers of card embossing and card beveling machines. Inquiry No. 5217.-For manufacturers of pneu-

Inquiry No. 5218 .- For makers of gas engine cast-

Inquiry No. 5219.—For makers of headiess steel hat pins.

Inquiry No. 5220.-For makers of castings of every description.

Inquiry No. 5221.—For the maker of a machine or producing quartered figures on plain oak lumber.

Inquiry No. 5222.—For makers of gasoline or hot air engines of about 1/2 h. p.

Inquiry No. 5223.—For a small hand loom for yeaving rag carpets and looms.

Inquiry No. 5224.—For a device for cleaning cisterns of the shape of a common wooden bucket reversed, with a long handle attached, for extracting dirt from cisterns without re noving the water.

Inquiry No. 5225. -For manufacturers of exhaust fans for ventilating purposes.



HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question. Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wishing to purchase any article not adver-tised in our columns will be furnished with addresses of houses manufacturing or carrying the same.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked or labeled.

(9324) W. I. R. says: Can you give me through the inquiry column of the Scien-TIFIC AMERICAN, a reliable formula for determining the number of square feet needed for steam or hot water radiators? A. The amount of radiating surface for steam heating varies considerably with the variable exposure of rooms. For house heating with low-pressure steam, in rooms with much exposure and windows on two sides of the room, a good rule is one square foot of radiating surface for each eighty cubic feet of room space, and for bedrooms of small exposure, one square foot steam surface to 120 cubic feet is a good rule. For halls and reception rooms, 1 to 100 is the general rule. For hot-water heating about 15 per cent larger than above surface should be supplied.

(9325) V. R. W. asks: Kindly inform me through your Notes and Queries whether or not molten lead when dropped in small quantities from a receptacle, from a great height, will form into spherical shapes while passing through space. A. Small quantities of molten lead when dropped from such a height that it will solidify before reaching the earth will be found to be in the shape of spheres. It is in this way that shot is manufactured. All drops of liquids are in the form of spheres.

### NEW BOOKS, ETC.

MACHINE DESIGN.

We have received from the American School of Correspondence, Chicago, a copy of their new instruction paper on Machine Design. This paper has been prepared by Mr. Charles L. Griffin, who was formerly Professor of Machine Design at Pennsylvania State College, and has since had ample opportunity to put theory into practice, as chief draftsman of a prominent manufacturing company at Syracuse, N. Y. The results of his experience are clearly shown in the instruction paper. Mr. Griffin approaches his subject methodically. In fact, "method" is the key word of the whole paper, and characterizes its whole teaching. The student is first clearly taught the meaning of machine design and its relation to the problems it has to solve, viewed from the point of theory, and then from the point of production. With the relative and mutual importance of these points clearly in mind, the method of design is next taken up. The student is shown the importance of a complete analysis of the problem-its conditions and forces-before undertaking its solution. Then he must attack the problem theoretically, sketching out his design on scientific lines. The theoretical design when completed must be modified to suit practical requirements. Not until these steps have been successively followed out can the delineation and specification be taken up. These steps are clearly illustrated by a practical example, and the student is instructed to pursue them in every  ${\tt problem}$ attacked, until they become so familiar as to be intuitively applied. Delineation and specification are just as methodically taught, and the student is thoroughly grounded in these important principles before taking up questions of mechanical construction and move-The importance of such a method of attacking a problem will appeal to every experienced designer. In these days "system" plays a very important part in the success of business enterprises, and particularly in manufacturing concerns. It is a simple task to teach a new draftsman the "system" of one's drafting room, but quite a different matter to teach him a good system of thinking, a correct method of dealing with all questions which confront him, a "mechanical sense" which may be depended upon to result in scientific designing. It is a difficult matter to induce the draftsman to break away from his habit of guessing at proportions and dimensions without knowing their exact purpose or meaning. The time for learning a proper system of mechanical thought should, undoubtedly, come at the beginning of the student's course, before any guessing habits have been formed. We are pleased to find that the American School of Correspondence appreciates the importance of system in thought, and has given it due emphasis at the outset of the student's course.



# ELIODI MACHINE SHOP OUTFITS TOOLS & SUPPLIES SEBASTIAN LATHE COMMINIST

Is the product of long experience, the best Packer hides, the purest oak bark that grows, and a tannery that knows none but the most modern methods. Schleren Belt ting is reasonable in price and highly satisfactory in service.
Send for our Dixie Belt Leather Booklet.


CHAS. A. SCHIEREN & CO. New York: 52 Ferry St.
Chicago: 92 Franklin St.
Boston: 192 Lincoln St.
Hamburg Pickauben 4.

Pittsburg: 243 Third Av.
Philadelphia: 228 N. Third St
Denver: 1519 Sixteenth St.

Veeder

Counters
to register reciprocating
movements or revolutions. Cut full size. Booklet Free

VEEDER MFG. CO. Hartford, Conn. Cyclometers, Odometers, Tachometers, Counters and Fine Castings.





### THE (LIPPER (LIP

Its triangular shape prevents entangling and gives three times the capacity of any other Clip for attaching papers together.

Best & Cheapest. All Stationers.

CLIPPER MFG. CO., 401 West 124th St., New York, U.S.A. For free samples and information write to us.

A BIG SAVING in GAS

is effected for the house, office, store, factory or public building by making it yourself with a "CARTER" ACETYLENE GAS GENERATOR It generates from carbide and water, producing a better light of highest candle power. Purer, safer, cleaner, than ordinary gas. Takes up little room. Saves much money. NIAGARA FALLS ACETYLENE GAS



A Constant Water Supply is best afforded by the use of a NIAGARA HYDRAULIC RAM

The Niagara is a new improvement upon the old-fashioned ram, and delivers from 2 to 5 times as much water under the same condition. Our rams have been used in almost every state in the Union, and have proved the superior of all others. Write for catalog and ! testimonials. an testimonials.

Niagara Hydraulic Engine Co.,

Chester. Pa.


INDUCTION COILS for experiments in X rays and other electrical work.




### NO LOOP-HOLES

in our guarantee, for it makes every body safe—"Money back, if the Reliable Incub stor doesn't give satisfact that the safter a fair test." Ask about it and get our 20th annual catalogue free. Just send 10c. to pay postage Reliable Incubator and Brooder Co., Box B-105. Quincy, III.

Volt Ammeters








### Lackawanna Reversing Device



Within the boundary of reversing devices "The Lackawanna"? rules supreme. Used in connection with our marine motors it obviates the necessity of a reversible blade propeller or reversing gent. Simple and reliable. Price \$15.00 net.

LACKAWANNA MOTOR CO. 51 61 Letchworth St., Buffalo, N. Y



### INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending

February 23, 1904.

AND EACH BEARING THAT DATE

[See note at end of list about copies of these patents.]

Acid, making suphuric, leinz & Hegeler, 752,677
Acids, making suphuric, leinz & Hegeler, 752,677
Acids, making suphuric, leinz & Hegeler, 752,674
Acids, making suphuric, leinz & Hegeler, 752,744
Ari pressure clevator, differential, G. F.
Steedman, J. W. Hasburg, enhert, 752,740
Alarm system, J. W. Hasburg, 1752,760
Alarm system, J. W. Hasburg, 1752,760
Alarm system, J. W. Hasburg, 1752,760
Alarm system, J. W. Hasburg, 1752,761
Alexandro, inductors, 1752,761
Alexandro, 1752,761
Alexandro, 1752,761
Schwalhn T. Toncols, 1752,761
Alminum sulphate, preparing, H. F. D.
Schwalhn T. Toncols, 1752,761
Alminum sulphate, preparing, H. H. Haner, 1752,082
Alminum sulphate, 1752,761
Audiphone receiver, H. G. Pape, 752,755, 752,291
Automatic coupling, J. L. Crisler, 1752,762
Automatic ecopling, J. L. Crisler, 1752,763
Balance, spring, S. R. Munson 1752,281
Balance, Spring, S. R. Munson 1752,281
Balance, Spring, S. R. Munson 1752,281
Balance, J. B. Baller, P. H. Foloy, 1752,281
Balance, J. H. H. L. F. Foloy, 1752,281
Balance, J. H. H. L. F. Foloy, 1752,281
Balance, J. G. R. H. F. Foloy, 1752,281
Bed spring device, swinging, H. D. Smith, 1752,281
Bevel and square, J. Graff, 1752,474
Beller, F. Heyl, 1752, 1752,1752
Bevel and square, J. Graff, 1752,474
Beller, F. Heyl, 1752, 1752,1752
Bevel and square, J. Graff, 1752,474
Beller, J. Collis, 1752,475
Boller, J. Collis, 1752,475
Boller, J. Collis, 1752,475
Boller, J. F. Seddon, 1752,476
Boller, J. Collis, 1752,476
Boller, J. S. Andrews, 1752,476
Boller, J. S. Andr

 Cocoa mill, P. Faust.
 753,129

 Coffee urn, A. & J. Phillips
 753,129

 Cofn carrier or mailer, magic, Short & Poling
 753,170

 Coke from ovens, machine for discharging, J. Kershgens
 753,142

 Coke handling apparatus, C. W. Hunt
 752,904

 Coke oven, H. Koppers
 753,146

 Collar, pneumatic horse, E. L. Sill
 753,009

 Composition of matter, M. A. Dillard
 752,009

 Composition of matter, M. A. Dillard
 753,015

 Compressometer, W. J. Tretch
 753,015

 Concrete piles, forming, F. Shuman
 752,005

 Conducting cord, flexible, H. B. Holmes
 752,838

 Cooker, steam, C. H. Burton
 753,118

 Core box cutter, F. E. Thomes
 753,178

 Coupling, W. H. Wallace
 752,738

 Crate, bottle, W. W. Price
 752,039

 Cream separator, E. & B. Starch
 752,039

 Cream separator, E. & B. Starch
 752,034

 Crimped sheet, P. Hinkel
 752,024

 Cutivator, S. M. Adams
 752,736

 Cuttivator, J. Nagel
 752,832

 Cupel making machine, A. C. Calkins
 753,121



The Improved Method of FINISHING FLOORS

oid or new, for rugs or otherwise, with GRIPPIN'S WOOD CRACK and CREVICE FILLER and FINISHING SPECIALTIES, is very simple and economical not requiring skilled labor though the highest degree of perfection is attitude. We give full instructions for treating all surfaces. Write to-day ing all surfaces. Write to-day for our descriptive matter to

GRIPPIN MFG. CO. Dept. 6 Newark New York

## **Scale Removed FREI**



We'll remove the scale from your boilers with a

DEAN BOILER TUBE CLEANER

free, by loaning you one of these cleaners for a thorough trial. Our booklet, "Economy in the Boiler Room," is free. Send for it.

WM. B. PIERCE CO. 319 Washington St. But Buffalo, N. Y.



### Kerosene VII Engine

Nothing but Kerosene Oil to run it Simple, Safe and Efficient. Needs little attention, is less likely to get out of order, and is cheaper to run than any other engine manufactured. Economical and Easily Operated.

International Power Vehicle Co. Stamford, Conn.







THE MIETZ & WEISS KEROSENE is WEISZ WEISS KERUSENE

lote 0 H. P.
Send for Catalogue.

Catalogue.

Send for Catalogue.

Lote of the property of the proper

THE



a good strong storage battery for ignition. The "Champion" No. 3 is especially designed for

No. 3 is especially designed for this work, 4 volts, 40 ampere hours. Price \$15.00.

For two-cylinder cars, use "Champion" No. 1, 4 volts, 20 ampere hours. Price \$8.00.

Send for new illustrated catalogue logue.

H. C. MacRAE

No. 315 St. Paul Street, . Baltimore, Md.

SAYE YOUR FUEL Hoisting Engines saving over steam and

"The truth, the whole truth and nothing but the truth in time telling means the time as told by the

# WATCH

Every Elgin Watch is fully guaranteed. All jewelers have Elgin Watches. "Timemakers and Timekeepers," an illustrated history of the watch, sent free upon request to ELGIN NATIONAL WATCH CO., ELGIN, ILLINO

READY APRIL 15. Spangenberg's Steam and

752,742 Electrical Engineering
753,155
752,757 Containing 1,035 Questions and Answers, with 648 Illustrations. Price. \$3.50.
The best book on the subject ever published.
753,141 GEO. A. ZELLER, Publisher, Estab. 1870
68 S. Fourth St. St. Louis, Mo.



FOR LIGHT AND MEDIUM WORK

this new 14 inch

\_B. F. BARNES

Upright Drill is the best tool made. Substantial, well built, up to date. The diving power is strong and positive—the five-step cone gives wide range of speeds—will drill from 1/16-inch to %-inch. Reading matter on request. ing matter on request.

B. F. BARNES COMPANY, Rockford, III.

BABBITT METALS.—SIX IMPORTANT . 753,170 Price 10 cents. For sale by Munn & Co. and all news. dealers. Send for catalogue.

# GAS & GASOLINE ENGINE

Simple, Economical, Durable Suitable for all kinds of work

BACKUS WATER MOTOR, cheapest power known. Write for circular and prices.

BACKUS WATER MOTOR CO., Newark, N.J., U.S.A.

### DRILLING **Machines**

Over 70 sizes and styles, for drilling either deep or shallow wells in any kind of soil or rock. Mounted on wheels or on sills. With engines or horse powers. Strong, simple and durable. Any mechanic can operate them easily. Send for catalog. WILLIAMS BROS., Ithaca, N. Y.





GUNSMITHS. TOOL WORK, ETC.

From 9-in. to 13-in. swing. Arranged for Steam or Foot Power, Velocipede or Stand-up Treadle. Send for Lathe Catalog.

W. F. & JNO. BARNES CO. Established 1872. 1999 Ruby St., ROCKFORD, ILL.

The Best **AUTOMOBILE** Dry Battery for **SPARKING** 

Beeko Spark Cell

H. BUNNELL & CO. Electrical Manufacturers

ELEVATING--CONVEYING--POWER

For Catalogues address
THE JEFFREY MFG. CO.

Transmission--Screening--Dredging--Coal Cutting Drilling--Hauling--Washing Machinery.

DRAWING

Mechanical Electrical Stationary

### ARCHITECTURE TELEPHONY


TAUGHT BY CORRESPONDENCE

Illustrated bulletin giving full information free on request.



UNDREDS of aspiring young and middle-aged men in all walks of life know what the instruction of the American School of Correspondence is. Other hundreds need just such instruction to enable them to get on in life. To bring to the attention of draftsmen, engineers, architects, drawing teachers and others interested in drawing, the high standard of our instruction, we have compiled from the regular instruction papers in our Drawing Courses a practical treatise under the title of

# **Compendium of Drawing**



including full page drawings, sections, diagrams and folding plates

OR TWO **UU** MONTHLY **PAYMENTS** OF \$3 EACH SINGLE VOLUMES \$3 EACH

By Express Prepaid. Money Refunded if Not Satisfactory

On receipt of the price (Address Room 124k) and the names of two persons whom you know to be interested in our courses (designating the course), the books will be sent, express prepaid. If the work is not all we claim, return it in 10 days and get your money back.

A compendium of such practical value and covering so many branches of drawing has never before been offered. The separate volumes necessary to cover the ground would easily cost \$15.00. We offer the work practically at cost, believing that it will be the means of interesting you further in the work of the School.

### AUTHORS OF TREATISES IN THE WORK.

PART I.

PROF. E. KENISON,
 Massachusetts Institute of Technology.
PROF. H. W. GARDNER,
 Massachusetts Institute of Technology.
PROF. D. A. GREGG,
 Massachusetts Institute of Technology.
PROF. W. H. LAWRENCE,
 Massachusetts Institute of Technology.
F. C. BROWN,
 Architect, Boston.

PART II. Prof. W. H. JAMES.

Massachusetts Institute of Technology.

PART II.

PROF. C. L. GRIFFIN,

Formerly with Pennsylvania State College.

WM. NEUBECKER, New York Trade School.

WORKING DRAWINGS AND MECHANISM

### PARTIAL TABLE OF CONTENTS

### PART I.

MECHANICAL DRAWING
Instruments and Materials, Geometrical
Drawing, Projections, Line Shading and
Lettering, Blue Printing.

### SHADES AND SHADOWS

Principles and Notation, Co-ordinate Planes, Ground Line, Problems, Short Methods, Full Page Rendered Examples.

### PEN AND INK RENDERING

Materials, Value, Accents, Faults, Rendering by Shadows Only, Pencil Work, Suggestions, Examples.

PERSPECTIVE DRAWING
Principles, Station Point, Vanishing
Points, Ground Line, Horizon Line, of
Measures, Perspective Plan, One Point
Perspective, Curves, Distortion.

### ARCHITECTURAL LETTERING

Study of Old Examples, Forms, Proportions, Composition, Spacing, Full Page Examples, Greek, Roman, Gothic, Renaissance, Office Lettering.

### Threads. Bolts, Nuts, Scale and Assembly Drawings, Blue Printing, Cams, Pulleys, Belts, Gearing, Pencil Layouts, Working Drawings, Cost, Dimensions, Lettering, Order Sheets, MACHINE DESIGN

Theoretical and Commercial Considerations, Original Design, Handbooks, Data, Calculations, Notes, Records, Forces, Stresses, Power Transmission, Speed Radio, Power, Load, Layout, Belts, Pulleys, Shafts, Gears, Clutches.

### SHEET METAL PATTER

DRAFTING AND TINSMITHING Construction, Tools, Intersections, Developments, Irregular Shapes, Triangulation, Approximate Developments, Practical Shop Problems.

The regular examination questions of the School are bound into each volume to test the reader's knowledge.

This is merely a synopsis of the contents, but it will serve to convey an idea of the thoroughness of the instruction, the character of the men who prepare the instruction and the value of the instruction to every young man who enrolls in the School. In each of our 60 different courses the character of the instruction is equally authoritative, equally thorough and equally valuable to the student.

### AMERICAN SCHOOL OF CORRESPONDENCE

ARMOUR INSTITUTE OF TECHNOLOGY Chicago, III.

American		
Desk, book rack, and easel, combination, E. M. Miller	752,990	Í
Desk, book rack, and easel, combination, E. M. Miller Desk for hotel registers, G. P. Rose, Jr Disinfecting device, F. A. Martin Door, gate, or like hanger, Rohde & Hastings	752,802 752,695 752,924	
Door lock, cell, J. J. Lankford	753,150 752,669 752,835	
Disinfecting device, F. A. Martin. Door, gate, or like hanger, Rohde & Hastings Door lock, cell. J. J. Lankford. Dowel, J. Guzowski. Draft equalizer, F. R. Goode. Draft equalizer, F. R. Goode. Draft equalizer, J. Farmer. Drawing tool, combination, P. Neukirchen. Dredge, O. K. Hogan. Drier. See Grain drier. Drying apparatus for wool, etc., Keith & Wardle Drilling and boring machines, bed fastening for horizontal spindle, G. H. Smith. Driving mechanism, J. F. Kay. Driving mechanism, J. F. Kay. Driving mechanism, J. F. Kay. Driving mechanism, J. E. Kay. Driving mechanism, J. F. Kay. Driving mechanism,	752,966 752,699 752,903	ļ
Drying apparatus for wool, etc., Keith & Wardle	753,200	1
for horizontal spindle, G. H. Smith  Driving mechanism, J. F. Kay  Dust pan, W. H. Hills	752,714 752,905 753,137	
Dynamo brush, M. Bunnig Egg tester, P. B. Southworth Electric cord adjuster, J. E. Masterson	752,804 752,820 752,806 752,696	'
Electric meter, T. Duncan753,191 to Electrical illuminating device for show windows. J. H. Goehst	753,194 753,134	1
Electrical receptacle, P. H. Fielding Elevator, J. Rice Elevator safety appa , M. Hanford	752,834 752,800 753,135	1 -
Embroidered fabrie, A. Burgess. End cell switch, J. W. Achard. End gate, J. W. Schirmer. Engine sparking apparatus, explosive, L. H.	752,762 753,039 752,942 753,167	
Engine sparking apparatus, explosive, L. H. Fey		
Engines, cooling attachment for internal combustion, J. W. Sutton	753,013 752,690	
Engine sparking apparatus, explosive, L. H. Fey Engine tender, traction, W. S. Kelley. Engines, cooling attachment for internal combustion, J. W. Sutton. Engines, producing sparks in the cylinders of internal combustion, L. J. Le Pontois Excavating, raising, screening, and filling gravel ballast, etc., machine for, H. Quertier	752,709	
Quertier Fan, oscillating electric, J. Amrom. Fan structure, ventilating, W. Clifford. Farm gate, T. J. Ryan Fastener device, W. C. Stange. Feed mechanism, automatic vacuum and suction.  A. D. Coloman	753,027 752,956 753,166 753,175	
Fastener device, W. C. Stange.  Feed mecbanism, automatic vacuum and suction, A. D. Coleman.  Feed water heater, W. A. McKee.		=
Feed water heaters, device for controlling the supply of steam to, M. P. Osbourn Fence, J. A. Odell	752,998 752,854	1
Fence post, S. C. Silver	752,930 752,964 752,693 752,873	Į
Filter, H. G. Sweeney	752,873 752,825 753,007	t
tion, A. D. Coleman. Feed water heaters, device for controlling the supply of steam to, M. P. Osbourn Fence, J. A. Odell. Fence post, S. C. Silver. Fence post, J. N. Erixon. Filter, O. Loffer Filter, O. Loffer Filter, H. G. Sweeney. Fire door closing device, H. L. Cochran. Fire extinguishers, H. C. Shaw. Fire extinguishers, valve for automatic, W. A. Goldthwait Fireproof door, N. Poulson. Fireproof structure, N. Poulson 753,208, Fish line reel, E. A. & W. H. Leaver Flooring of blocks of wood, machine for making mosaic, J. Webinger. Flue or tube cutter, J. Ulrich Folding box, A. J. Bacon. Fruit pitter, S. H. Shelley. Fumigator, W. B. Cunningham. Frunace, W. H. Gregg Furnace, W. H. Gregg Furnace grate, H. A. Poppenhusen. Gage. See Saw table gage. Gage, J. J. Butterworth. Garment supporting means, C. W. Mesick.	$\begin{array}{c} 752,969 \\ 753,210 \\ 753,209 \end{array}$	1
Fish line reel, E. A. & W. H. Leaver Flooring of blocks of wood, machine for making mosaic, J. Webinger  Elno or tube entter. I. Ulrich	752,786 752,938 752,728	3
Folding box, A. J. Bacon	752,880 753,143 752,929	-
Furnace, W. H. Gregg	752,657 752,770 753,108	
Gage. See Saw table gage. Gage, J. J. Butterworth	752,781 753,120 752,789	
Gas engine, A. G. Ronan	753,003 753,045 752,713 752,985	
Gas generator, acetylene, H. W. Koehler Gas heater, H. A. Schmidt Gas regulator, automatic, F. W. Priestley,	752,985 752,805	
Gas valve lock, R. L. Boulter	753,110 752,818 753,116 753,139	
Gate attachment, A. Skellenger	753,172 752,778 752,867	w
Gearl, transmission, A. P. Brush	752,953 752,667 753,177 753,069	
Gabion, C. Kerr. Gage. See Saw table gage. Gage. J. J. Butterworth. Garment supporting means, C. W. Mesick. Gas engine, A. G. Roman. Gas from wells, obtaining, A. S. Cooper. Gas generator, neetylene, A. E. Schlieder. Gas generator, neetylene, H. W. Kochler. Gas peater, H. A. Schmidt. Gas regulator, automatic, F. W. Priestley, et al. Gas valve lock, R. L. Boulter. Gate, A. A. Bradbury. Gate, S. & H. Kalisher. Gate attachment, A. Skellenger. Gear, driving, R. Hundhausen. Gear, power transmitting, C. Sintz. Gear, transmission, A. P. Brush. Geodetical instrument, H. Grubb. Glandular extractive compound, J. Takamine Glass forming apparatus, plate, H. J. Hays Glove gauntlet, W. C. Graichen. Gold separator, reciprocatory, J. P. Schmitz Governing mechanism for internal combus- tion engines, W. J. McVicker. Govin, house, F. A. Flutie. Grain conveyer, J. E. Camp. Grain, etc., mill for rolling or grinding, E. Brown Grass hook, M. A. Stewat.	753,101 752,674	
Glove gauntlet, W. C. Graichen	753,000 752,769 752,926	E
tion engines, W. J. McVicker	753,091 753,131 752,912	
Grain conveyer, J. E. Camp	752,651 752,688 752,882	4
Grain, etc., mill for rolling or grinding, E. Brown Grass hook, M. A. Stewart	752,755 752,808	•
Grave protector, W. H. HalfakerGrinding machine, S. E. DartGrip wheel, H. F. Ong	752,902 752,658 752,997	P
Gun magazine, C. H. Snow	753,127 752,932 752,962	
Hair pins, apparatus for making, D. H. Hayward Hammer, claw, E. A. Ashland	753,070 752,879 752,996	
Hay and stock rack, J. H. Anderson  Hay rack attachment, J. J. Acton  Heat retainer E. C. Kirk	752,996 753,028 752,745 752,687	
Heater, A. von Chigor.  Heating water by steam, apparatus for, W. G. F. Steinmetz	753,042 752,721 752,736	
Heel protector, M. M. West	752,736 753,047 753,103	
Hair pins, apparatus for making, D. H. Hayward Hammer, claw, E. A. Ashland. Hanger, G. Nissenson. Hay and stock rack, J. H. Anderson. Hay rack attachment, J. J. Acton. Heat retainer, E. C. Kirk. Heater, A. von Chigor. Heating water by steam, apparatus for, W. G. F. Stelnmetz. Heel protector, M. M. West. Helmet, J. J. Curtis. Hinge, gate, C. Pelmulder Hoisting mechanism, safety and signaling device for, W. N. Dickinson, Jr. Hoops to casks or barrels, machine for ap- plying bilge, E. C. Thorschmidt.	752,659 753,014	
Horseshoe ice creeper, C. H. Reckefus Hose coupling, P. C. Osteen Hose supporter, E. N. Humphrey	753,160 753,096 752,777	F
Hulling and scouring machine, F. A. Loescher	753,011 753,152 752,890	Re
Hydrocarbon burner, W. E. Gibbs	752,900 752,928 753,081	
Ice shaving machine, F. J. Reinhold	753,161 753,133 752,787 752,936	H ma
Jewelry, manufacture of, E. F. Bennett Joist hanger, A. H. Eberhardt Knitted fabric, A. W. Redin Knitting machine bur wheel support, R. W.	752,816 753,053 752,862	
Knitting machine bur wheel support, R. W. Gormly Knitting machine cloth wheel or cloth shoe, T. P. Halloren	752,666 753,074	71
Knob shank filling, N. W. Crandall' Knockdown chair E. Robn	752,886 753,034	
	12,197 753,066 753,075	
Lamp burner, J. Gregory	$752,901 \ 753,065 \ 752,865 \ 753,138$	
Level, plumb, J. J. Lankford	753,149. 752,654	
Lifting jack, F. V. Dalton	752,656 753,115	
Locomotive engine, E. Field	752,653 753,057 752,815	
Loom, J. I. Poalk Loom filling feeder mechanism, automatic, J. C. Edwards	752,922 753,054 753,012	039
Loom incount annaratus Edouard & Sarlin	752.830	M



# Valuable Books!

### Home Mechanics for Amateurs

By GEORGE M. HOPKINS
Author of "Experimental Science"

70 Pages

326 Engravings

Price \$1.50



HIS important work has achieved great popularity. It tells how to do things. The New York Tribune says: "The book may be commended for its practicability and suggestiveness and will be found to appeal to boy readers almost as much as to older amateur mechanics."

Telescopes and Microscopes

CONTENTS:

Woodworking
How to Make Household Ornaments Metal Working Model Engines and Boilers Meteorology

Electricity ach subject is adequately treated.

Send for free descriptive circular.

REVISED and ENLARGED EDITION The Scientific American Gyclopedia Of Receipts,
Notes and 3
Queries. 3
15,000 Receipts, 734 Pages.

rice, \$5.00 in Cloth. \$6.00 in Sheep. \$6.50 in Half Morocco. Post Free.



This work has been re-vised and enlarged,

900 New Formulas. The work is so arranged as to be of use not only to the specialist, but to the general reader. It should have a place in every home and workshop. A circular containing tuil Table of Contents will be sent on application.


Those who already have the Cyclopedia may obtain the

1901 APPENDIX. Price, bound in cloth, \$1.00 postpaid.

### TWENTY=THIRD EDITION EXPERIMENTAL SCIENCE.

By GEORGE M. HOPKINS

evised and Greatly Enlarged. 2 Octayo Volumes. 1,100
Pages. 900 Hinstrations. Cloth Bound, Postpaid,
\$5.00. Half Morocco, Postpaid, \$7.00. Or
Volumes Sola Separately; Cloth, \$3.00
per Volume, Half Morocco,
\$4.00 per Volume.



Full descriptive circulars of above books will be mailed free upon application

filling replenishing, E. S. Stimpson. 753,012 jacquard apparatus, Edouard & Sorlin 752,830 MUNN & CO., 361 Broadway, New York



### Intrinsic Merit is in Morgan & Wright Clincher

ure of automobiling.
The most critical investigation is courted.

Send for a copy of "A Tre Triumph," which treats of the tire onstruction in detail. Mail request to home office.

MORGAN @ WRIGHT

# The 1904 Haynes




TONNEAU, \$2,550 complete. \$2,450 without top and front glass. TWO-PASSENGER TOURING CAR, \$1,450 complete with top For par-

Most HAYNES-APPERSON CARS have practically been sold before they were built. Get your order in early.

### THE HAYNES=APPERSON CO., Kokomo, Ind.

(The Oldest Builders of Motor Cars in America)
Members of the Association of Licensed Automobile Manufacturers Branch Store, 1420 Michigan Av., Chicago. Eastern Representatives, Brooklyn Automobile Co., 1239-41-43 Fulton St., Brooklyn, N. Y., and 56 West 434 St., New York. Agents for Western New York, Buffalo Automobile Exchange, 401 Franklin St., Buffalo, N. Y.

Please mention the Scientific American when you communicate with us.






### ARMSTRONG'S PIPE THREADING



**CUTTING-OFF MACHINES** Both Hand and Power.
Sizes 1 to 6 inches.
Wa er, Gas, and Steam Fiters' Tools, Hinzed Pipe Vises.
Pipe Cutters. Stocks and Dies
miversally acknowledged to be
HE BEST. FF Sendfor catalog. ARMSTRONG MFG. CO. Bridgeport, Conn.

Specialty : TTT TO THE TOTAL PROPERTY OF THE TOTAL PROPE Knock-Down Boats of any description

AMERICAN BOAT & ROW, SAIL AND PLEASURE BOATS, Marine Station. ST. LOUIS, MO.



Flastic materials, die for producing articles for Automobic Rechange, 40 Frankin St., Baffalo, N. Y.

Please monition the Scientific Automobic Rechange, 40 Frankin St., Baffalo, N. Y.

Please monition the Scientific Automobic Rechange and Frankin St., Baffalo, N. Y.

Please monition the Scientific Automobic Rechange and Scientific Rechange and Producing articles for the producing articles for the





### YourTelephone DOESN'T RING LOUD ENOUGH?

THE Placed on front of 'phone rings
a battery bell of any size, located any place you choose, until
DROP 'phone is answered. No magnets. Pamphlet "D" free on request.

Sent postpaid for GARTON-DANIELS CO. KEOKUK, IA.



### The "Best" The World's Best Light Sold in every civilized country on earth. Costs less than kerosene, gives six times more light than electricity.

APure White Steady Light Makes and burns its own gas. No wick, no odor, no smoke. Absolutely safe. For indoor and outdoor use Agents Wanted, Exclusive territory, liberal commissions. Catalog free.

THE BEST LIGHT CO.

87 E. 5th St. CANTON, OHIO.

Twenty-Third Edition

# **Experimental** Science & & BY & & George M. Hopkins

Revised and Greatly Enlarged. 2 Octavo Volumes.

1,100 Pages. 900 Illustrations. Cloth Bound, Postpaid, \$5.00. Half Morocco, Postpaid, 7.00. Or Volumes Sold Separately: Cloth, \$3.00 per Volume.

Half Morocco, \$4.00 per Volume.



XPERIMENTAL SCIENCE is so well known to many of our readers that it is hardly necessary now to give a description of this work. Mr. Hopkins decided some months ago that it would be necessary to prepare a new edition of this work in order that the many wonderful discoveries of modern times might be fully described in its pages. Since the last edition was published, wonderful developments in wireless telegraphy, for example, have been made. It was necessary, therefore, that a good deal of new matter should be added to the work in order to make it thoroughly up to date, and with this object in view some 200 pages have been added. On account of the increased size of the work it has been necessary to divide it into two volumes, handsomely bound in buckram. It may be interesting to note the following additions that have been made to these volumes:

Volume I contains in addition to a large number of simple, well illustrated experiments, a full description of a ¼ H. P. electric motor made expressly for illustration in this edition of "Experimental Science." It is an enclosed self-regulating electric motor for a no voli circuit. It can be operated by a current from a no voll tamp-socket, yielding a full ½ H. P. or it may be used as a dynamo, furnishing a current capable of operating three focandle power, no voll uncandescent lamps. The construction of the machine is perfect enough to admit of enlarging or reducing its size if desired.

Volume II contains much on the general subject of electricity, besides new articles of great importance. Among these the subject of alternate current machinery is treated. Wireless Telegraphy and Telephony receive attention. Electrical Measuring Instruments, The Electric of the Stars are all thoroughly illustrated and described.

The unprecedented sale of this work shows conclusively that it is the book of the age for teachers, students, experimenters and all others who desire a general knowledge of Physics or Natural Philosophy.

SEND FOR DESCRIPTIVE CIRCULAR.

MUNN & CO., Publishers, 361 Broadway, New York.

## **Save Half Your Cigar Money**

and Get a Better Smoke. Our proposition is a simple cent. of ordinary retail cigar prices, not by price cutting, but by cutting out the profits and expenses of the Jobbers, Saismen, and Retallers who successfully sold the output of our factory for years, and who each made a profit out of you,

not out of us. We are now selling exclusively to the smoker direct, by the box, the same identical time-tested, popular brands of cigars that we formerly made for the wholesale trade in case lots, at precisely the same factory prices we formerly charged jobbers, shipping your choice of these same brands.

Direct from Our Factory to You. All charges prepald.

John B. Rogers & Co. Jarvis

Binghamton, N. Y.

### Steel Castings for Special Purposes

R WATER DELIVERIES.
SEABOARD STEEL CASTING CO., Chester, Pa.

Send for circulars of Sir Wm. Crookes' latest invention,

THE SPINTHARISCOPE for showing the marvelous properties of radium. With particle of Radium, postpaid, \$9.00. WILLIAMS, BROWN & EARLE, Dept. 6. 918 Chestnut St., Philadelphia, Pa.



A MOTOR CYCLE AT SMALL COST by using one of our Attachable Motor Outfits. Thoroughly practical. Also complete Motor Cycles, Castings, etc. Bicycle, automobile, ma-rine. LOWEST PRICES. Send stamp

STEFFEY MFG. CO. 2720 Brown Street, PHILADELPHIA, P.

ELECTRIC SEWING MACHINE MOtor.—The instructions and numerous illustrations of details contained in this article will enable any mechanic of average ability to build an efficient motor that will operate a sewing machine. The cost of materials for this machine should not exceed five dollars. See SCIENTIFIC AMERICAN SUPPLEMENT, No. 1210. Price 10 cents by mail, from this office and from all newsdealers.

### INDIAN MOTOCYCLE



HENDEE MFG. CO. SPRINGFIELD, MASS. Get our 1904 catalog.



### BARKER MOTORS

Have more good points, fewer parts and require less atten-tion in operation than any

Launches, Valves, Specialties. C. L. Barker, Norwalk, Ct.



Anyone sending a sketch and description may quickly ascertain our opinion free whether an invention is probably patentable. Communications strictly confidential. Handbook on Patents sent free. Oldest agency for sequence

### Scientific American

four months, \$1. Sold by all newsdealers. MUNN & CO.361 Broadway, NewYork fice 625 F St. Washington, D. C



KENT POCKET METERS

Automatic Volt-Ammeter
Is designed and can brated especially for testing batteries on gas
oline automobiles and launches
and for any other use of like capacity. Accurate and substantial. Ampere reading made simply by pressing button. The
most convenient and complete
the market.

battery tester on the market.
Volt-Ammeter \$6.00.
Atwater Kent Mfg. Works, 110 N. oth St., Philadelphia,

### Presses for Sub=Press Work.

Five sizes. Sub-Presses and Tools to order. Send for Catalogue.







## Managa and Allill For All Sorts of Houses

NOTHING equals Patton's Sun-Proof Paints for houses. They protect, preserve and beautify. The experiences of owners, builders, architects and painters, everywhere prove the value and economy of

### PATTON'S **SUN-PROOF PAINTS**

They are scientifically combined, exactly proportioned and accurately methinery. They outlast any pure white lead paint and are positively sun Never blister, chalk nor peel. Their lustre lasts. They have no equal for p

teed to wear five years. Write for our free book about paint. It contains valuable information.

PATTON PAINT COMPANY, 227 Lake Street, Milwaukee, Wis. PITTSBURGH PLATE GLASS Co., General Distributors.



Fire sizes, Seab-Process and Seable Seables, Sea

MONEY EASILY MADE
Selking our Transparent, Indestructible Handled Knives. Your own or
other Photo, Name and Address in
handle. Fine hand-forged, razor steel blades.
Guaranteed. You can represent us. No experience necessary. Send at once for catalog.
Canton Cutlery Co., 1244 W. 10th st., Canton, O.



Now Ready

Bound Volume

### LECTRICAL ENGINEERING TAUGHT BY MAIL.

Write for our Free Illustrated Book.

"CAN I BECOME AN
ELECTRICAL ENGINEER?"
We teach Electrical Engineering, Electric Lighting, Electric Railways, Mechanical Degineering, Steam Engineering, Mechanical Drawing, at your home by mail. Institute indorsed by Thos. A. Edison and others.
ELECTRICAL ENGINEER INSTITUTE, 240-242 W. 28d St. New York.

# PENC

won't answer all purposes. Some are soft, some hard, some medium, some thick, some thin — which shall I use?

Dixon's Pencil Guide, a 32-page book, indexed by vocations, correctly indicates the right pencil for your use. Sent free.

> Department W, JOSEPH DIXON CRUCIBLE CO. Jersey City, N. J.

RADIUM AND THE RADIO-ACTIVE MADIUM AND THE MADIU-ACILY ESUBSTANCES. NO DETER OF THE PROPERTY OF THE PROPER

### What Is Daus' Tip-Top?



TO PROVE that Daus' "Tip-Top" is the best and simplest device for making 100 copies from pen-written and 50 copies from typewritten original, we will be complete from typewritten original, we will specified uplicator, cap size, without deposit, on ten (10) days' trial.

Price 87.50 less 5 Net 13% per cent, or

The Felix F, Daus Duplicator Co., Daus Bldg, 111 John St., New York

AN ENGINEER'S LIBRARY.

An absolute Encyclopedia for Engineers or for Steam Users Electricians, Firemen and Machinists, is the HANDBOOK ON ENGINEERING.

By HENRY C. TULLEY.

Third edition, enlarged and revised, 5,000 copies, now ready. Sent an owhere on receipt of price, \$3.50 money back if dissatisfied. 900 pages. 400 fine illustrations. Thoroughly reliable and practical. Handsomely bound in leather and gilt. Pocket-book form.

H. C. TULLEY & CO., 1060 Wainwright Bldg., St. Louis, Mo., U. S. A.

# THE

is devoted to the interest of draftsmen of every class and of special value to students in engineering and drawing

A MONTHLY PAPER 10 cents a Copy

\$1.00 per Year

107 The Beckman Building CLEVELAND @ OHIO

THE INTERNAL WORK OF THE Wind. By S. P. LANGLEY. A painstaking discussion by the leading authority on Aerodynamics, of a subject of value to all interested in airships. SCIENTIFIC AMERICAN SUPPLEMENTS 946 and 947. Price 10 cents each, by mail. Munn & Company, 361 Broadway, New York City, and all newsdealers.





**LASTS 25 YEARS** COSTS 25 CENTS

Solid German Silver. Trims, Files and Cleans the nails with lither hand Don't take mitations. Sold everywhere by wall for 25c. Money back if you want it. Manieure Book, "A Handy Hand Book of the Hands"— complete instruction on the care of the hands and nails.

Klip-Klip Co., 556 Clinton Ave. S., Rochester, N. Y.

 Wire stretcher, Beckworth & Wulistein...
 752,948

 Wrench, C. W. Thomas .........
 752,811

 Yarn controller, S. W. Wardwell ......
 752,813

### DESIGNS.

### TRADE MARKS.

Antipyretic, Farbenfabriken of Elberfeld 42,140 42,135 42,14742,100 42,134 42,116  $\frac{42,136}{42,151}$  $\frac{42,155}{42,153}$ 

### LABELS.

LABELS.

"Aunt Rhody's Liniment," for liniment,
M. B. Reynolds

"Bay's Violet Enamel," for a lotion, W.
L. Shoemaker

INTERNAL WORK OF THE
By S. P. LANGLEY. A painstaking discussion
ading authority on Aerodynamics, of a subject
to all interested in airships. SCIENTIFE
By By Mail. Munn & Company, 361 Broadway,
Kity, and all newsdealers.

Telescopes

We supply equatorially mounted

#stronomical. Telescopes

#aunt Rhody's Liniment," for liniment,
M. B. Reynolds

"Bay's Violet Enamel," for a lotion, W.
L. Shoemaker

"Epji," for medicine, W. E. Martin & Son.

"Eyelene," for eye medicine, W. C. Wise.

"Holstein Brand," for butter, Illinois
Creamery Co.
"J. L. Howes' Balm," for medicine, J. L.
Howes

"J. L. Howes' Magic Relief," for medicine, J. L.
Howes

"Kremelite," for medicine, W. B. Davis.

"Kremelite," for whisky, A. A. Wolf

& Co.

"Parsital Rye," for whisky, A. A. Wolf 10,773 10,768 10,774 10,765 10,771 10,772 

### PRINTS.

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Broadway, New York.

### PERFORATED METALS FOR ALL USES. MADE AS REQUIRED. HARRINGTON & KING PERFORATING @. CHICAGO.



The Franklin Model Shop. GROUND

Experimental work for inventors: anything in metal from a single piece to a complete working model. Apparatus for colleges. Exhibition models. Introduction samples of patented articles. Special tools for making metal novelties. Inventions perfected. Drawings and designs worked out from inventors' ideas. Send for circular 9.

PARSELL & WEED, 129-131 West 31st Street, New York.

### MODELS CHICAGO MODEL WORKS ESTABLISHED 1867 B. WRITE FOR CATALOGUE OF MODEL SUPPLIES.

BUILDERS of Special Machinery. Models Experimental work. Inventions developed. The FENN-SADLER MACH. Co., Hartford, Conn

SPECIALISTS.
COUNTING, VOTING, SLOT &
SPECIAL MACHINERY.
GRANT MACHINE CO.
BRIDGEPORT, CONN.

DIES, TOOLS, MODELS and Special Machinery, Metal Specialties and Stampings manufactured, HOEFT & MOORE, 85-87 Fifth Ave., Chicago, Ill.

### STIMULATION without IRRITATION Means New Life to the Scalp.



42,132 42,128

42,131

42,127

42,137

 $\begin{array}{c} 42,105 \\ 42,121 \end{array}$ 

42,146

42,102

42,093

42,107 42,143 42,148 42,150

42,125

42,123


42,142 42,154 42,139

42,156

Means New Life to the Scalp.

The Evans Vacuum Cap gives the scalp a thorough massage and encourages a free and healthful circulation without rubbing and without the use of drugs or irritants. It will stop hair from falling out and restore a normal growth where live follicles exist. The Cap is used about ten minutes twice a day and its effects are pleasant from the very beginning. We will refund your money in full it sesults are not satisfactory after a thirty days use. Call on or address

ACT To those who and it convenient to call at our offices we will give a sufficient number of demonstrations free to satisfy them as to the merit of this appliance,



GAS ENGINE DETAILS .-- A VALUAble and fully illustrated article on this subject is contained in SUPPLEMENT No. 1292. Price 10 cents. For sale by Munn & Co. and all newsdealers.



SPECIAL LOW RATES VIA THE NICKEL PLATE ROAD
to points in the West and Southwest. One way Colonist and round trip Homeseekers' tickets on sale first and third Tuesdays of each north to April Inclusive. See local agents, or write R. E. Payne, General Agent, Buffalo, N. Y., or A. W. Ecclestone, D. P. A., 385 Broadway, New York.

### **FLOOR PROPOSITION**

We own a patented device which will revolutionize existing methods of Ventilation, Humidification and Refrigeration. Scientifically correct. No competition. We will sell a limited number of treasury shares. Small capitalization. All common stock. No Bonds. No Mortgages. Write for particulars.

REGENERATED COLD AIR CO. Milk Street Boston, Mass.

# \$200. A MONTH



### **Export Trade**

### How to Secure and How to Hold It

Valuable hints on how to secure Export Trade sent gratis on request. Address

EXPORT EXPERT Box 773. New York

DRYING MACHINES. S. E. WORRELL, Hannibal, Mo.



Telegraphy 5 styles, \$2 up. OMNIGRAPH Co., 52, 39 Cortlandt St., N. Y.

WANTED—White Metal Articles to Cast. Also all kinds of Plating and Press-work. NATIONAL SHEET METAL CO., Peru, Ill.



MACHINES:
and Bottlers Machinery. THE VILTER
MFG. CO.. 899 Clinton St., Milwaukee, Wis.

### LIGHT MACHINE CONSTRUCTION a specialty. Inventions and ideas developed. Best equipment in the West. Dies and Models. MICHIGAN NOVELTY WORKS, Kalamazoo, Mich.

National Supply Co., 835 Broadway, N.Y. PATENTED ARTICLES, ETC.

MODELS & EXPERIMENTAL WORK. Inventions developed. Special Machinery.

E. V. BAILLARD, Fox Bldg.. Franklin Square, New York. MODEL AND EXPERIMENTAL WORK.

EDWARD KLEINSCHMIDT, 82 W. Broadway, New York. AUTOMOBILE Parts. We are prepared to manusisions, carburetors, pumps, lubricators, axles. Also complete gasoline cars. Sheet metal stamping. General machine work. Good facilities. 30 years' experience.

OTTO KONIGSLOW, Cleveland, Ohio. **DRAWING.** Mechanical and Patent Office Drafting taught by mail. Write F. D. Lewis, 136 Liberty St., N. Y

GOV'T AUCTION SALE CATALOG GUNS, Pistols, Military Goods (Illustrated), 15c., malled 6c. stamps. F. Bannerman, 579 Broadway, N. Y. Costilo Machine Works, 60 Centre St., New York.

# 1903 EDITION

(NAVAL ENCYCLOPEDIA AND YEAR BOOK) By FRED T. JANE, Author of the Naval War Game (Kriegspiel).

Used as a text-book in European navies. The only absolutely correct and complete work of the kind published.

OVER 3,000 ILLUSTRATIONS OBLONG QUARTO. CLOTH. PRICE, \$5.00, POST FREE.

PART I .- THE NAVIES OF THE WORLD; the Great Powers in Order of Strength; the Coast Defence Navies in Geographical Order.

PART II.—ARTICLES ON NAVAL PROGRESS DURING THE LAST TWELVE MONTHS. With a

special article on Warship Engineering by Charles de Grave Sells, Π Inst C.E. PART III.—VIEWS AND OPINIONS ON NAVAL QUESTIONS. With a special article by Colonel V.

U. Cuniberti, Chief Constructor of the Royal Italian Navy. PART IV.—SIGNALS AND SILHOUETTES (arranged in the same order as the Navies in Part I.).

CONTAINS:—A photograph of every warship in the world; also a silhouette and a gun and armor diagram of each vessel.

CONTAINS:—The length, beam, draught, horse power, speed. coal supply, number and size of guns, thickness and disposition of armor of every warship in the world.

CONTAINS: -Tables of the size, weight, velocity, energy, penetration, etc., of every gun of every navy in the world.

CONTAINS:—A series of chapters by noted Admirals, Naval Constructors and other experts of various navies, on vital questions of the day in naval construction, tactics, and strategy.

CONTAINS:—A comparative table (by the author) of the strength of the navies of the world—the most scientific attempt yet made to classify the world's warships and navies as to actual fighting strength.

IT SHOULD BE NOTED that this work is from the pen of a naval critic and expert, whose reputation is far-reaching on both sides of the Atlantic. It will be of fascinating interest to those who follow the course of paval development, and as a book of reference should find a place in every library.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list. For terms and further particulars address Munn & Co., 361 Broadway, New York.

MUNN & CO., Publishers, 361 Broadway, New York.



THE WINTON MOTOR CARRIGE CO., Cleveland, U.S.A.

## **Buckboard**



Model of 1904. With TWO SPEED. Price \$425.

WALTHAM MFG. CO., Waltham, Mass.

### LAMBERT =

A "Wireless" Machine. "Multum in Mabel McKinley, the late President's favorite niece, says: "It is a dwarf in size but a glant in its work."

Price, complete \$25. Descriptive booklet free. LAMBERT TYPEWRITER CO. 1274 Broadway, N. Y. 86 La Salle St., Chicago Baker & Hamilton, San Francisco, Cal., Sales Agts. Pacific Coast Main Office and Factory, 79-83 Washington St., Brooklyn, N. Y.

# PARALLEL CH-BESLY&® CLAMPSALLSIDES=U-SA

Snowflake—Aromatic—Pine Scented Camphor Substitute

### Chemical Camphor

Pure, White, Recrystallized. In One Pound Packages.

An effective and economical substitute for Camphor, Carbolic Acid and Tar Paper and other protectives against Moths, Mildew and Infection.

Prevents and destroys Buffalo
Bugs and
Mice.

DIRECTIONS.—Sprinkle LIBERALLY protected, and wrap tightly in paper or put away in closet or chest. The CHEMICAL CAMPHOR will not injure the finest fabric if properly used, and the odor will quickly disappear on exposure. 2 POUNDS BY MAIL, 30 CENTS One pound replaces five pounds of camphor

### THEODORE METCALF CO. BOSTON, U. S. A.

New York, E. FOUGERA & CO.

Chicago, PETER VAN SCHAACK & SONS San Francisco, REDINGTON & COMPANY

RIGHT HERE r let us send you

Free Book
ing all about it. We will also send
Prof. Sloan's fifty original suggeslions for improving your SELF-FILLING PEN
"The Pen That Fills Itself"
Dip pen in any ink well or any ink, press lever and operation is over. As a matter of desulfiness, comfort any conscience don'y only to be and you considered the first own of the constitution of the co The Conklin Pen Co. 112 Madison Ave Represented in Great Britain by American Agencies, Ltd., 38 Shot Lane, Farringdon St., London, E. C.: in Australia by Rae, Muni & Gilbert, 47 Market St., Melbourne.

The Leading Styles Originate in Brockton, the Manufacturing Center of Men's Fine Shoes in this Country. Styles Originated by My Expert Model Maker Are Copied Everywhere.

### W. L. DOUGLAS 🖁 Union \$3.50 SHOES, Worth Made, \$5.00,

have by their excellent style, easy-fitting and superior wearing qualities, achieved the largest sale of any \$3.50 shoe in the world. They are just as good as those that cost you \$5 to \$7—the only difference is the price. If I could take you into my factory at Brockton, Mass., the largest in the world under one roof making men's fine shoes, and show you the infinite care with which every pair of Douglas shoes is made, you would realize why W. L. Douglas \$3.50 shoes are the best shoes produced anywhere. If I could show you the difference between the shoes made in my factory and those of other makes, you would understand why Douglas \$3.50 shoes cost more to make, why they hold their shape, fit better, wear longer, and are of greater intrinsic value than any other \$3.50 shoe on the market to-day.

W. L. Douglas High-Grade Boys' Shoes, \$2.00 and \$1.75. Douglas uses Corona Coltskin in his \$3.50 shoes. Corona Colt is conceded everywhere to be the finest patent leather yet produced. FAST COLOR EVELLETS USED EXCLUSIVELY.

W. L. Douglas has the largest men's \$3.50 Shoe Mail Order Business in the world. No trouble to get a fit by mail. State size and width: narrow, medium or wide toe; with or without cap on toe; kind of leather desired; congress, lace or button. 25 cents extra prepays delivery.
W. L. Douglas \$3.50 shoes are sold through his own retail stores in the principal cities, and shoe dealers everywhere. No matter where you live, Douglas shoes are within yourreach. If you desire further information before purchasing, write for illustrated Catalogue.

W. L. DOUGLAS, 157 Spark Street, Brockton, Massach usetts.







# SAFETY RAZOR

The man with a tender skin and a tough beard may now shave himself with comfort—a razor has been made for him.

Theonly safety razor that is both safe and a real razor. It is "The Real" Safety Razor. It permits the correct draw cut. Cuts clean, smooth and even, has a rigid handle that gives better control of the blade than the folding handle of the ordinary razor. It is quicker and easier than any other razor. The safety device is adjustable to either hand.

Very finest steel, full concave.

Price \$2 at dealers, or from us if dealer hasn't it. \$2 returned if it doesn't work to suit you the first time you use it.

GEO. W. KORN RAZOR MFG. CO., DEPT. F LITTLE VALLEY, N.Y. Agents Wanted Everywhere

### CHARTER GAS and GASOLINE For All Work. Stationaries, Portables, Hoisters, Pumpers, Sawing & Boat Outfits.

Send for Catalogue and Testimonials.

State Your Power Needs.
CHARTER GAS ENGINE CO., Box 148, STERLING, ILL.

## JESSOP'S STEELTHE VERY FOR TOOLS, SAWS ETC. WM JESSOP & SONS 12 91 JOHN ST. NEW YORK

BRIDGE

The Boston Bridge Whist Score Block Whist Score Block The Interest and best Counter Each block of the Bridge The Bridge Tules. Also Score R. W. EMERSON

Write

to-day

for free

catalogue

EASIER TO ROW

Squabs Pay Beat Hens Easier, need attention only part of time, bring big prices. Raised in one month. Attractive for poultrymen, farmers, wouen. Send for FREE BOOK LET and learn this immensely





Scientific Disinfecting Carbo Negus Cleans



15-ft. boat crated



ABSOLUTELY SAFE Price

Steel Pleasure Boats w. H. MULLINS, 384 Depot St., SALEM, OHIO

\$29.00 Mullins Galvanized

Made of steel. Practically indestructible. Air chamber each end. Cannot sink. Cannot leak Require no caulifing. Ideal boat for family use, summer resorts, for family boating. awarks. Guaranted. Especially valuable at summer resorts, for family boating.

### **SAVE ONE THIRD**

By Buying of the Makers


We are actual manufacturers—not a commission house. We can and do save our customers one third on retail prices by selling direct to user and cutting out all dealers' profits. All our goods carry our guarantee. Our free illustrated catalogue shows a greater assortment of carriages and harness than our dealer our show you. Sond for its than any dealer can show you.

THE COLUMBUS CARRIAGE AND HARNESS COMPANY, COLUMBUS, OHIO




MORROW **Protect Your Life** 

and the Lives of Others



ECLIPSE MACHINE CO., Elmira, N. Y.

### GALVANIZING. PROCESS. NO ROYALTIES. COLD INFORMATION ON APPLICATION.



NICKEL

**Electro-Plating** Apparatus and Material Hanson & Van Winkle Co., Newark. N. J. 92 William St., N. Y. 30 & 32 S. Canal St. Chicago.





The renaissance of bicycling brings with it one of the finest mechanical devices invented since the beginning

### THE TWO-SPEED GEAR CHAINLESS BICYCLE

Enables the rider, by a slight pressure of foot on pedal, to change from high to low gear for hill climbing and difficult roads.

Eastern Department, Hartford, Conn.
"Columbia" "Cleveland" "Tribune" "Crawford" Western Department, Chicago, Ill.
"Crescent" "Rambler" "Monarch" "Imperial"

Catalogues free at our 10,000 dealers' stores, or any one Catalogue mailed on receipt of a two-cent stamp.

All varieties at lowest prices. Best Kaliroad Track and Wagon or Stock Scales made. Also 1000 useful articles, including Sates, Sewing Machines, Bicycles, Tools, etc. Save Lists Free. CHICAGO SCALE CO., Chicago, Ill

Our Microscopes, Microtomes Laboratory Glassware, Chemical Apparatus, Chemicals, Photo Lenses and Shutters, Field Glasses, Projection Apparatus, Photo-Micro Cameras are used by the leading Laboratories and Government Departments Round the World. Catalogs

Bausch & Lomb Opt. Co.

ROCHESTER, N. Y.
New York Chicago Boston Frankfurt, G'y

# U. S. A. Guaranteed. Will stop the most vicious dog (or man) without permanent injury. Firsand recharges by pulling trigger. Loads from any fiquid. No cartridges require. Over 10 shot in one loading. Valuable to bicyclists, unescorted ladies, cashiers, homes, etc. Retails for 50e. Good margin to the trade.

PARKER, STEARNS & SUTTON, 226 South St., NewYork

### **NEW ENGLAND WATCHES** The JOCKEY



Eight Size Watch, Nickel Silver, Non-magnetic, suitable for every clime. Picture Dials, assorted or regular Arabic and Roman. All sizes and styles of watches for

The New England Watch Co. NEW YORK OFFICE: LONDON OFFICE: 37 & 39 Maiden Lane 7 Snow Hill

PRESIDENT SUSPEND

Comfort and service. Guaranteed—"All breaks made good." 50c and \$1.00.
Any shop or by mail. C. A. EDGARTON MFG. CO., Box 222, Shirley, Mass.