

# HOW TO BREW GOOD BEER.

A COMPLETE GUIDE  
TO THE ART OF BREWING ALE, BITTER ALE, TABLE ALE,  
BROWN STOUT, PORTER, AND TABLE BEER.

*To which are added*


PRACTICAL INSTRUCTIONS FOR MAKING MALT.

BY JOHN PITT  
BUTLER TO SIR WILLIAM R. P. GEARY, BART.

LONDON  
LONGMAN, GREEN, LONGMAN, AND ROBERTS.

1859

*John R. Pitt*



## PREFACE.

---

THE object of this book is to enable any one who may read it to brew good beer. It is well known that there are comparatively few families in the habit of brewing their own beer, who have not often experienced (and especially in summer) the disappointment and pecuniary loss, consequent on their beer becoming cloudy, hard, or sour.

The author has had upwards of twenty years' experience in brewing, and he has made and preserved an accurate statement of the particulars of each brewing during the whole of that period. For the last thirteen years he has had the entire management of a two-quarter brewing plant, and cellars, such as he has fully described in this work.

During the first four years (as well as in his previous practice), he was unable to prevent frequent failures, but by perseverance in varying his method of brewing, and carefully examining the particulars of the processes in which the successful brewings differed from the unsuccessful, he was at length enabled, about nine years ago, to fix upon a method of brewing which *has never failed* during that period (though tested in about ninety brewings) to produce a pure, excellent, and sound-keeping beverage. That method is described in this work with such minuteness and accuracy, that all who exactly follow it must meet with the same successful result, however inexperienced they may be in the art of brewing.

The author has carefully read almost every work which has been written on the subject of brewing during the present century. He is therefore well aware of the great contrariety of opinion among the various authors, and has detected many of their practical errors.

The leading features of the method of brewing recommended in this work are, care in the selection of the malt and yeast used, the purity of the wort drawn from the malt, and the energetic method of the fermenting and cleansing processes,—all of which tend to prevent the evil which the eminent German chemist, Professor Liebig, has pointed out, namely: that “the excess of gluten left in beer is one great cause of its decay.”

The work is classified under forty-three heads. The brewhouse, cellars, and brewing apparatus are described with a fulness of detail never before attempted. They are illustrated by four diagrams carefully drawn to a scale of  $\frac{1}{10}$  of an inch to a foot.

Full instructions for selecting malt, hops, water, and yeast are given.

The thermometer is alluded to, and a description and diagram of the saccharometer is introduced. The use of the saccharometer is fully

explained. This instrument has been justly termed “The brewer’s compass.”

The quantity of malt and hops required, and the cost of brewing, is stated.

Next follow minute practical instructions for conducting the six processes of which brewing consists, namely :—mashing, boiling, cooling, fermenting, cleansing, and cellaring. The quantity of water used is accounted for, and the method of ascertaining the produce per quarter of the malt is given.

How to make and use finings is next explained.


The author’s opinion concerning what is called “the boiling fermentation” is recorded, and also his reasons for concluding that it does *not proceed from electricity*.

Besides ale, table-ale, and table-beer, the author’s experience has enabled him to explain how to brew superior bitter ale, and brown stout, and porter. Practical information respecting brewing from sugar with malt, and also about the bottling

of malt liquors is given. Allusion is likewise made to the undesirableness of using unmalted barley with malt, and to the pernicious practice of putting poisonous drugs in beer.

The method of brewing from 8 bushels of malt, and also from  $2\frac{1}{2}$  bushels of malt, is described.

The work concludes with extracts from a very elaborate article in the supplement to the “*Encyclopædia Britannica*,” on the art of making malt, written by Dr. Thomson, F.R.S., in 1817; together with a few extracts (marked in parentheses) from a report on malting, &c., drawn up by Dr. Thomson, in conjunction with Drs. Hope and Coventry, ordered by the House of Commons to be printed. These combined extracts contain a very practical, clear, and complete description of the four processes of which malting consists, namely:—steeping, couching, flooring, and kiln-drying.



## CONTENTS.

---

	Page
Description of the Brewhouse - - - -	3
Explanation of the Ground Plan on Diagram 1 - - - -	4
The Brewing Plant—Size of the Utensils - - - -	5
Elevations on Diagram 2 - - - -	7
Elevations on Diagram 3 - - - -	8
Ground Plan of the Cellars on Diagram 4 - - - -	10
The Adaptation of the Brewhouse and Cellars, not only for Private Families, but for the Requirements of the Public Brewer on a minor scale, or for the Licensed Victualler who desires to brew his own Beer - - - -	11
Full details respecting the Materials, the Construction, and the Fixing of the various Utensils - - - -	28
Sundry Requisites for the Brewhouse - - - -	31
Description of the Casks - - - -	33
Sundry Requisites for use in the Cellars - - - -	35
Malt - - - -	38
Hops - - - -	39
Water - - - -	40
Yeast - - - -	41
The Thermometer - - - -	41
The Saccharometer - - - -	47
Quantity of Malt and Hops required - - - -	47

		Page
Remarks	-	- 49
Cost of Brewing	-	- 51
Mashing	-	- 53
Boiling	-	- 63
Cooling	-	- 68
Fermentation	-	- 73
Fermentation of the Ale while in the Tun	-	- 76
Cleansing of the Ale	-	- 81
Cellaring	-	- 91
Fermentation of the Table Beer	-	- 103
Quantity of Water used and accounted for	-	- 109
Method of ascertaining the Produce of the Malt	-	- 110
Finings	-	- 113
Table Ale	-	- 116
The Boiling Fermentation	-	- 119
Superior Bitter Ale	-	- 121
Brown Stout	-	- 123
Porter	-	- 125
Brewing from Malt and Sugar	-	- 126
Bottling	-	- 127
Unmaltered Barley with Malt	-	- 129
Drugs in Beer	-	- 130
Brewing from Eight Bushels of Malt	-	- 130
Brewing from Two and a Half Bushels of Malt	-	- 131
Making of Malt	-	- 135

# HOW TO BREW GOOD BEER.

---

---


## DESCRIPTION OF THE BREWHOUSE.

THE following wood engravings represent a brew-house, fitted up with a two-quarter brewing plant, with cellarage underneath, of the same dimensions on the ground plan as the brewhouse.

BREWHOUSE. — Inside measurement: length, 26 feet; width, 22 feet: height of walls, 12 feet. In the centre there will be a rise to the single span roof of 7 feet. There should be no ceiling or inner roof: two openings are required in the roof, these apertures may be about 2 feet square in the clear, and their roofs raised 2 feet, with fixed open loufer boarding on all sides: they should be placed 6 feet from the end walls, and in the centre of the roof, that nearest the coppers will give light at the top of the large copper;

they are intended to facilitate the escape of steam, and can be closed when requisite by a sliding horizontal door to each, with lines and pulleys. The three windows on the side where the coolers are fixed should be of loufer boarding, made to open and shut like venetian blinds. The two glazed windows on the other side of the brew-house should open outwards; the floor must be well paved, with a good fall to the drain under the lower platform. See No. 7 on Diagram 1.

**DIAGRAM 1.**  
Ground-plan of the Brewhouse.



The brewhouse and plant (or utensils) are adapted for producing seven or eight barrels \* of beer from any quantity of malt, varying from ten to twenty bushels.

#### EXPLANATION OF THE GROUND-PLAN ON DIAGRAM 1.

1, Liquor pump. 2, Liquorback, or cistern for water. 3, Underback. 4, Mashtun. 5, Lower platform. 6, Steps to ascend ditto. 7, Mouth of drain under lower platform. 8, Raised sink and liquor tap on lower platform. 9, Raised pavement, level with lower platform. 10, Bottom of large copper. 11, Bottom of flue round ditto. 12, Furnace door of large copper. 13, Tap and tube of large copper. 14, Entrance to recess for coals. 15, Steps to upper platform. 16, Upper platform. 17, Wort pump on upper platform. 18, Pipes from liquorback and underback to copper. 19, Bottom of small copper. 20, Bottom of flue round small copper. 21, Furnace door of small copper. 22, Tap and tube of ditto. 23, Upper cooler. 24, Lower cooler. 25, Fermenting tuns. 26, Large fermenting tun. 27, A junction of branch pipes with main pipe (see page 26). 28, Grating of drain outside of brewhouse.

The walls of the brewhouse are given in the diagram as 18 inches thick ; if 14 inches thick is thought sufficient it will of course cost less, and there will be a trifling increase of vacant space.

\* A barrel is thirty-six gallons. A hogshead is one and a half barrel ; and a butt is two hogsheads.

## THE BREWING PLANT.

## SIZE OF THE UTENSILS.

<i>(Inside Measurement.)</i>				Contain barrels.
<b>LARGE COPPER</b>	{ Depth at sides - 32 in. * Depth in centre - 28 in. Diameter at bottom 4 ft. Diameter at top - 5 ft.	- - -	7	
<b>SMALL COPPER</b>	{ Depth at sides - 24 in. Depth in centre - 21 in. Diameter at bottom 24 in. Diameter at top - 33 in.	- - -	1½	
<b>MASH-TUN,</b> depth inside	Average diameter	2 ft. 8 in. - inside, taken half-way down	† 5 ft. 9½ in.—12½	
<b>FERMENTING-</b> <b>TUNS,</b> each depth inside	Average diameter	2 ft. 5 in. - inside, taken half-way down	4 ft. 6 in. — 6½	
<b>LARGE FER-</b> <b>MENTING-TUN</b> depth inside	Average diameter	2 ft. 6 in. - inside, taken half-way down	5 ft. 0 in. — 8½	

\* The bottom of the copper should be raised inside like the bottom of a wine bottle, and rounded at the edge of the bottom. This conical form of the bottom increases its strength and durability, and allows the wort to drain more completely from the hops.

† The inch fall towards the tap, in fixing the mash-tun and its false bottom and side shoot, will reduce its capacity to about 11½ barrels.


CASKS in Cellar, depth inside	3 ft. 7 in. - inside, taken half- way down	Average diameter	Contain barrels.
			2 ft. 6 $\frac{1}{2}$ in. — 3 $\frac{1}{4}$

## (Inside Dimensions.)

	Length.	Width.	Depth.	
COOLERS, each	11 ft. 2 in.	5 ft. 8 in.	0 ft. 6 in.	4 $\frac{1}{2}$
LIQUORBACK	11 ft. 0 in.	2 ft. 0 in.	2 ft. 0 in.	7 $\frac{1}{3}$
UNDERBACK	8 ft. 6 in.	3 ft. 0 in.	1 ft. 6 in.	7

## DIAGRAM 2.

Section on the line A B. — See Diagram 1.




## ELEVATIONS ON DIAGRAM 2.

	ft.	in.
Brick bearers on cellar floor	0	7
Oak frames on them	0	5

		ft.	in
Outside depth of casks called Butts, but holding 3½ barrels	- - - - -	4	0
Height of moveable yeast receiver on Diagram 3	-	2	9
Distance from floor of tap in the pipe from the fer- menting tuns, where the hose screws on	- - - - -	6	0
Spring of the arch commences distant from cellar floor	-	5	0
Crown of arch from floor	- - - - -	8	0
Brickwork of arch	- - - - -	0	9
Earth above, including space for fall in the paving	-	1	6
Pavement of brewhouse	- - - - -	0	3
Oak bearers on floor, supporting underback	- - - - -	0	6
Outside depth of underback	- - - - -	1	9
Space between mash-tun bearer and the underback for its lid	- - - - -	0	3
Thickness of oak frame for supporting mash-tun	-	0	6
Outside depth of mash-tun	- - - - -	3	0
Fall from copper tap to mash-tun	- - - - -	0	6
Lowest part of copper tap, from the floor	- - - - -	6	6
Fall in tap tube	- - - - -	0	3
Top of large copper from floor	- - - - -	9	6
Brickwork above copper (not shown on the Diagram)	-	0	6
Bottom of liquorback, inside from floor	- - - - -	10	0
Fall in pipe leading from liquorback to copper	- - - - -	0	6
Top of liquorback from floor	- - - - -	12	0
Lower platform from floor	- - - - -	3	6
Sink above lower platform	- - - - -	1	6
Liquor tap above sink	- - - - -	1	6
Raised pavement from floor	- - - - -	3	6
Upper platform, above raised pavement	- - - - -	3	6
Top of small copper from floor	- - - - -	4	0
Tap of ditto from floor	- - - - -	2	0
Top of windows and doors from floor	- - - - -	8	0
Height of tap in pipe from pump	- - - - -	2	6
Height from floor of rail, on three posts, between copper tap and steps, to lower platform	- - - - -	6	0

## DIAGRAM 3.


'Section on the line C D.—See Diagram 1.



## ELEVATIONS ON DIAGRAM 3.

		ft.	in.
Bottom of cellar windows from floor	- - - -	6	6
Oak bearers of three fermenting tuns from brewhouse floor	- - - -	0	4
Outside depth of three fermenting tuns	- - - -	2	8
Top of lower cooler from floor	- - - -	5	4
Oak frame, supporting large fermenting tun	- - - -	0	8
Outside depth of large fermenting tun	- - - -	2	9
Top of upper cooler from floor	- - - -	6	0
Top of cellar windows and doors from floor	- - - -	8	0
Floor of brewhouse raised above the ground outside	-	0	6

DIAGRAM 4.  
Ground-plan of the Cellars.



These are two separate vaults, occupying the same space of ground as the brewhouse. They will contain thirty-two butts, or about one hundred barrels of beer, which quantity of beer may, with the brewing-plant already described, be conveniently brewed in four or five weeks. The windows of the cellars (9 inches high, and 18

inches wide) should be glazed, and open and shut on a swivel, by means of a double line. For security, an iron bar may be fixed horizontally in each window.

There will be 18 inches between the door frame and the top of the cellar, in which a window, similar to the others, may be placed over each door, to supply ventilation when desired. The walls of the cellars should be 18 inches thick, and the middle wall 2 feet thick.

The cellars must be well paved, and raised 4 inches in the centre, to give an incline to the gutters on each side. These gutters are open, and are  $1\frac{1}{2}$  inch deep and 3 inches wide. They should be 3 feet 6 inches from each other. They should have a good fall towards, and run under, the door-sill to a drain outside of the cellar. Water may be laid on to the cellars from the liquorback in the brewhouse. The tap should be at the end farthest from the doors. The paving under the casks should be laid with an incline to the gutters; but the fall should not exceed an inch (see page 32). The frames of 5-inch square oak, resting on the brick bearers, extend the whole length of the cellars. The lengths are placed 14 inches apart, and kept so by cross pieces between. The back

length is 6 inches from the wall, and the front one 6 inches from the gutter; the cellars are each 10 feet wide, and 26 feet in length.

The casks must be taken up to the brewhouse to be cleaned. In cases where there is a difficulty of communication between the cellars and the brewhouse, the casks might be raised by a crane into the brewhouse, through a trap-door in the floor, under the liquorback, or at the upper end of the upper cooler. The cellars may be united by an inner door in that case, and one of the outer doors dispensed with. These alterations would remove three casks from the cellars.

THE ADAPTATION OF THE BREWHOUSE AND CELLARS,  
NOT ONLY FOR PRIVATE FAMILIES, BUT FOR THE  
REQUIREMENTS OF THE PUBLIC BREWER ON A  
MINOR SCALE; OR, FOR THE LICENSED VIC-  
TUALLER, WHO DESIRES TO BREW HIS OWN  
BEER.

Although the brewhouse and cellars are more especially suited for the use of private families, yet the public brewer, on a minor scale, whose trade ranges between five hundred and a thousand barrels per annum, might brew that quantity of

beer with the two-quarter brewing plant described in this work. The cellars and casks can be used for storage, prior to racking the beer from the butts, for the purpose of sending it to the publican or private consumer.

If the cellar floor was lowered, the butts could stand higher for the purpose of racking the beer more conveniently from them into smaller casks. If the brewhouse and cellars were attached to a public-house, the pipes from the engine at the bar might be fixed to any of the casks in the cellars, and the beer drank without any other racking, which would be a great advantage to the beer, with respect to briskness and flavour (see page 100), and also aid in keeping it perfectly mild and sound.

#### DETAILS RESPECTING THE MATERIALS, THE CONSTRUCTION, AND THE FIXING OF THE VARIOUS UTENSILS.

The details are given in the order in which they are numbered on Diagram 1.

1. *Liquor-pump*.—The pipe from the pump to the liquorback may be 2 inches diameter inside. If a well is sunk for the purpose of supplying the brewhouse with water, it should not be

less than 6 feet from the wall of the brewhouse, and it should be sunk outside of that building.

2. *Liquorback*.—Made of well-seasoned deal  $1\frac{1}{2}$  inch thick, and strengthened by outside pieces of the same 3 or 4 inches wide, lined throughout with lead; a warning overflow pipe by the pump, and also a waste plug and pipe at the lowest end are requisite, the latter is for the purpose of cleaning out the cistern and draining it dry when out of use. The liquorback has a slight fall to the end nearest the wall, and is supported by iron brackets projecting from the end wall. It should have a lid, made of inch deal, and in two detached parts. A leaden pipe,  $1\frac{1}{2}$  inch diameter inside, runs from the liquorback to the large copper. A branch pipe, 3 feet 6 inches long, supplies water to the lower platform; and another branch pipe, of 1 inch diameter inside, passes from the liquor pipe by the wort pump, and above the large copper, to a tap, fixed 6 inches above the small copper, in order to supply the latter with water.

3. *Underback*.—Made of well-seasoned deal,  $1\frac{1}{2}$  inch thick. The joints must be extremely well tongued, strengthened with outside pieces, 3 inches wide, and placed 1 foot apart. Six inches

from the end, nearest the copper, and, close to the side next the wall, cut a hollow in the bottom, 6 inches in diameter, and  $\frac{3}{4}$  inch deep, for the wort-pipe to dip into. At the same end, on the other side, an inch diameter waste vent, with a plug cut an inch shorter than the depth of the vessel, is needed. A lid, made of inch deal, to slide on and off, in two parts, with handles on the top: one part 6 feet long, and the other 2 feet 9 inches long. This vessel must have a fall of 1 inch towards the end nearest the copper. It projects 18 inches in front of the mash-tun.

*Frame for supporting Mash-tun.*—This is made of oak, 6 inches square. It is 3 feet high. There are four legs, placed 3 feet 6 inches apart every way, and morticed into two pieces, each 9 feet long. Between these long pieces there are fixed two cross pieces, each 3 feet 6 inches long, placed 5 feet apart, or 18 inches from the ends of the long pieces; as the latter extend 18 inches or more on two sides of the mash-tun, they support part of the lower platform.

4. *Mash-tun.*—Made of the best well-seasoned English or Hamburgh oak, 2 inches thick, with 5 iron hoops,  $2\frac{1}{2}$  inches wide, and  $\frac{1}{8}$ th of an inch thick. The bottom made of well-seasoned Chris-

tiana or Dantzic deal, and in pieces not more than 7 inches wide, for fear of warping. The two narrow end pieces may be of oak, to sustain the pressure used in driving it together. The mash-tun must be made 3 inches wider at bottom than at top, to prevent the hoops from dropping off when it is out of use in summer. The lid may be of well-seasoned inch deal, in pieces 7 inches wide, and strengthened with wide cross pieces, to prevent warping. It should be in two parts, with handles on the top.

The mash-tun is placed 18 inches from the side wall, and the taphole end projects about a foot, beyond one of the 9 feet long pieces, which support the mash-tun. The taphole is bored close to the bottom, in the middle of the end farthest from the copper. The mash-tun must have an inch fall towards that end. The mash-tun tap may be 10 inches long, and should be  $1\frac{1}{4}$  inch diameter inside, without any strainer at its end; and the part which turns should lift out when required: it should not enter the inside of the mash-tun more than an inch.

*False bottom to the Mash-tun.*—Made of the best well-seasoned deal an inch thick and to fit neatly and tightly under a fixed lining carried

round the mash-tun, 2 inches from the bottom. The fixed lining, which keeps down the false bottom, is a wooden hoop 3 inches wide, an inch thick at the bottom, and tapering to a  $\frac{1}{4}$  inch at the upper part, which is rounded that the mashing rule may glide off it. The false bottom is supported by three cross pieces and one circular piece a few inches from its edge; these pieces may be 2 inches wide and must be precisely 1 inch thick, they are nailed to the false bottom, and must be hollowed about 2 inches wide and  $\frac{3}{4}$  inch deep twice in every foot, to allow the liquor and wort to run freely in every direction.

The false bottom must be perforated with holes an inch apart bored with a tapering bit, and afterwards burnt with a tapering iron to prevent the roughness, which would hinder the escape of the wort through them; the holes should be  $\frac{3}{16}$ ths of an inch in diameter at the top, and  $\frac{5}{16}$ ths of an inch underneath. The false bottom may be in five divisions, the middle one being  $6\frac{1}{2}$  inches wide, and the other four 16 inches wide each.

*Upright shoot in Mash-tun.*—This is a trough 5 inches square inside, with four sides made of

$\frac{3}{4}$  inch deal; it stands inside of the mash-tun, at the point nearest the tap of the large copper, and is kept there by a band of iron  $1\frac{1}{2}$  inch wide, fixed on three sides of it and projecting 4 inches at each end, in order to fit on to staples driven into the mash-tun 4 inches from the top; pins being put into the staples to keep the shoot in its proper place. The piece next the side of the mash-tun rests upon the bottom of that vessel, but the other three sides are cut 1 inch shorter to prevent their being lower than the false bottom. The piece which fits close to the mash-tun is cut level with the top of that vessel, but the other three sides are 6 inches higher. Care must be taken that there is no aperture at the bottom that would permit the malt to get under the false bottom. The middle piece of the false bottom is the same width as the upright shoot, and it is  $6\frac{1}{2}$  inches shorter than the diameter of the mash-tun bottom, in order to admit that shoot. It cannot be removed until the shoot is taken out; the latter has a rim an inch thick fixed outside on three sides of it, placed an inch from its lower end; this rim rests upon the false bottom.

5. *Lower Platform.*—A flooring of  $1\frac{1}{2}$  inch

deal covering all the space between the raised pavement and the mash-tun, and extending three-fourths of the way along that vessel. This flooring is 4 inches above the bottom of the mash-tun and fits neatly and closely up to it. It is clear underneath, being supported by cross pieces from the raised pavement to the bearer of the mash-tun.

6. *Steps to ascend Lower Platform.*—Made of  $1\frac{1}{2}$  inch deal, 2 feet wide, 9 inches tread, and 9 inches each step in height.

7. *Mouth of Drain under Lower Platform.*—This drain runs under the nearest side wall to the outside of the brewhouse. See No. 28 on Diagram 1. It should be sufficiently large to allow the ready escape of a considerable quantity of water, and it must be well trapped to prevent any stench arising.

8. *Raised Sink and Liquor Tap on Lower Platform.*—See Diagram 2, page 5, and elevations, page 6. Made 18 inches square, and 2 inches deep. Lined with lead and a waste pipe in it. A tap,  $\frac{3}{4}$  inch bore, fixed above.

9. *Raised Pavement level with Lower Platform.*—In front of the furnace of the large copper, and level with the bottom of the front of the

ash-pit, a brick pavement is laid, raised 3 feet 6 inches from the floor. This is carried out 3 feet in front of the copper, and 18 inches beyond the furnace, or 8 feet from the side wall; but only 6 feet at the end next the mash-tun. It extends to the end wall, covering all the space between the large copper and the side wall. An arch may be made to raise and support this pavement and the copper, but there should be no recess open underneath the pavement. The perpendicular brickwork on the floor of the brewhouse extends from the side wall, until it finds a junction with the brickwork of the large copper just beyond the tap of the latter.

10, 11, 12. *Large Copper with its Furnace and Flue.*—For the size and form of the copper, see page 4. The ash-pit under the furnace should be 16 inches wide and 2 feet high in front; but the back part may be 2 feet 6 inches high, being sunk 6 inches lower than the raised pavement, No. 9. No door is required to the ash-pit. The bottom of the furnace consists of iron bars 3 feet long, 2 inches thick, and 1 or  $1\frac{1}{2}$  inch wide, fixed  $\frac{1}{2}$  an inch apart, supported by and let into a stout iron bar across the centre and at each end. The furnace door with its

frame may be about 18 inches square, and be let into the 9-inch front brickwork 4 inches. The centre of the furnace door should be 5 feet from the side wall.

There must be 3 feet clear between the widest part of the copper brickwork and the side wall of the brewhouse.

It is the bottom of the flue that is shown on Diagram 1, page 2. The copper rests upon two fire-brick side benches 9 inches wide, (Diagram 1, page 2,) built up even with the top of the furnace door, leaving 2 feet 6 inches of the width of the centre of the bottom of the copper exposed to the fire. One of these side benches extends to the back of the copper, and the other two-thirds or three-fourths of that distance; the remaining one-third or one-fourth, together with the space at the back of the copper, forms the entrance of the flue; from thence the smoke, heat, and flame proceed completely round the copper from the bottom to near the top before it can reach the flue and chimney in the end wall of the brew-house.

The heat and smoke are led round the copper in consequence of a perpendicular pillar of brick-work, 9 inches thick, being carried from the

bottom to the top of the copper. Its position at the back of the copper is seen on Diagram 1, page 2.

The brickwork from the furnace bars to the entrance of the flue should be laid sloping. The upright brickwork round the copper is  $4\frac{1}{2}$  inches thick, and strengthened by three iron hoops, placed 9 inches apart, laid flat, and built in the brickwork. From the shape of the copper the flue will be 6 inches wider at the bottom than at the top, about 5 inches wide at the latter, and 11 inches wide at the former. The top edge of the copper is  $3\frac{1}{2}$  inches wide, and it rests upon and is kept firm by a course of bricks forming the top of the flue. Two soot doors are required, one on the left hand side of the tap, and the other on the right hand side of the furnace door. A covering over the front part of the furnace, and over the tap tube, fills the space between the bottom of the copper and the brickwork forming the bottom of the flue at that part; a damper should be placed in the flue, 6 inches higher than the top of the copper brickwork.

The copper lid, made of inch deal, should be 6 feet in diameter, and in three parts, with handles to each part; when in use, it rests upon

a course of bricks, 6 inches higher than the top of the copper, but sloped to 5 inches at the end next the copper. These bricks should be 7 inches long, and  $1\frac{1}{2}$  inch of one end of them should rest on the outer edge of the copper; they may be 3 inches wide at one end, and  $2\frac{1}{2}$  inches at the other, in order to fit into the circle; they must be set in cement, or else covered with lead: this additional depth of 6 inches will aid in preventing an overflow of the wort while boiling.

13. *Tap of large Copper.*—It must be  $2\frac{1}{4}$  inches diameter inside, at the mouth, and the tube connected with it 6 inches in diameter, at the end fixed to the copper; the total length of the tap and tube is about 26 inches: the mouth of the tap should partially curve downwards, project not less than 10 inches from the brickwork, and be fixed 8 feet distant from the side wall. The tap is turned by a rod 2 feet long.

14. *Entrance to Recess for Coals.*—This is an opening 2 feet wide, and about 3 feet high. The recess will hold a ton of coals, and part of the raised pavement forms its floor: it is underneath the upper platform.

15. *Steps to Upper Platform.*—These are similar to the steps of the lower platform, except

that they should be made 3 inches narrower, to give more width to the coal entrance.

16. *Upper Platform*.—Made of  $1\frac{1}{2}$  inch deal; it is 3 feet lower than the brickwork at the top of the copper. It covers the whole space between the copper and the side wall to the length of 5 feet 6 inches from the end wall. This platform gives access to the wort pump, and to the large copper.

17. *Wort Pump*.—This is fixed on the upper platform, close to the side wall, and near the end wall, with its handle towards the mash-tun.

18. *Pipes from Liquorback and Underback, to large Copper*.—See Liquorback, p. 12.—From the upper platform, the water is turned on to the large copper by means of a stop-tap in the pipe, placed 2 feet from the copper. The pipe of the wort pump should be 2 inches in diameter inside; one end of it rests on the lower end of the underback, and passing down that vessel, dips into the hollow in the bottom already described, p. 13. The wort runs into this cavity, and is drawn from thence into the pipe. The other end of the wort pipe, and also the pipe from the liquorback, are let into the top of the copper brickwork. The ends of each pipe should project 3 inches over the side of the copper.

19, 20, 21. *Small Copper, with its Flue and Furnace.*—For size and shape of copper, see page 4. Diameter of brickwork, 4 feet; the flue constructed on the same principle as that of the large copper, and about 6 inches wide at bottom, and 3 inches at top. The furnace door, with its frame, may be 14 inches square; the ash-pit, 10 inches high, and 1 foot wide; a lid to the copper made of inch deal. This copper is used chiefly to heat water for washing the casks.

22. *Tap and Tube to small Copper.*—The tap should project 6 inches from the brickwork. For its situation, see Diagrams 1 and 2, pages 2 and 5.

23, 24. *Coolers.*—For their dimensions, see page 5. They should not be more than 6 inches deep inside; the bottoms made of  $1\frac{1}{2}$  inch deal, well seasoned, and the joints well tongued; the sides of deal, 2 inches thick. When from long use they become very leaky, they may be lined throughout with lead, weighing 6 pounds per square foot. The lead should pass over the top of the sides, and be nailed on the outside. The leaden linings will always prevent foulness, leakage, and decay; they will last a very long time, and then be worth half the price of new linings. The upper cooler is fixed with its top edge 6 feet

from the floor, or 6 inches lower than the tap of the large copper; and it must have a fall of 1 or 2 inches to the end next the other cooler.

The lower cooler is so fixed that one end of it passes 18 inches along under the upper one, and close up to it, and has a fall of 1 or 2 inches towards its other end. At the lowest end of each cooler a moveable plug,  $1\frac{1}{2}$  inch in diameter, should be fixed. They may be placed 2 feet from the front of the lowest ends, that in the upper cooler being 9 inches from the end; but in the lower cooler the socket should be 18 inches from the end. These wooden plugs (see Diagram 3, page 7,) are 18 inches long, and when driven in by a mallet, fit neatly and close.

The coolers are supported by a framework made of deal 4 inches wide and 3 inches thick, carried along the side wall, and also at the lowest end of the lower cooler. Strong supports of 4-inch-square oak are placed under the coolers between each of the fermenting tuns, and at the upper end of the upper cooler, leaving room for access to the back of the fermenting tuns. The bottoms of the coolers are strengthened by pieces of 3-inch-square deal placed 18 inches apart, one end of each piece resting on the frame next the

side wall; and the other end, supported by an iron bolt 10 inches long, and  $\frac{1}{2}$  an inch in diameter, with a screw at one end passing through the side of the cooler. The heads of the bolts and the nuts at the bottom must both be completely sunk into the wood, or a band of wide iron hooping may clasp the end of each piece instead of having the bolts.

25, 26. *Four Fermenting Tuns.*—Made 3 inches wider at bottom than at top. For the size of them, see page 4. Made of the best well-seasoned oak,  $1\frac{1}{2}$  inch thick, with four hoops to each like those on the mash-tun. A lid to each tun, made of inch deal, and with handles. Each lid may be in two parts.

The largest of the fermenting tuns (see Diagram 3, page 7,) is placed on a square frame made of oak 4 inches square, standing on blocks 4 inches high. Each of the other fermenting tuns may stand on three pieces of 4-inches-square oak, laid on the floor without any cross pieces, which might exclude air, and also prevent examination as to leakage.

For elevations of the fermenting tuns, see page 7. The front of the large fermenting tun projects at bottom 9 inches, in front of the cooler

and the others, 6 inches. See Diagram 1, page 2.

There will be 16 inches clear between the fermenting tuns and the frame supporting the lower cooler, and 20 inches between the large tun and that of the upper cooler. Each fermenting tun must have a fall of not more than  $\frac{1}{2}$  an inch towards a waste vent  $1\frac{1}{2}$  inch in diameter, bored close to the bottom in the centre of the front part. These vents are stopped with bungs and pieces of wrapper. The slope of the pavement will perhaps give the desired fall.

27. *Cleansing Pipes.*—A leaden pipe  $1\frac{1}{2}$  inch diameter inside must be fixed firmly into the bottom of each of the fermenting tuns 4 inches from one side of them, and raised a  $\frac{1}{4}$  of an inch above the bottom, see page 84. Into each pipe a wooden plug must fit well and firmly. These plugs, when fixed, should be 2 inches below the top of the tuns, for fear of being disturbed by the lids. One pipe will do for two tuns. The two pipes from the fermenting tuns may lie on the pavement. They run into a main pipe, see No. 27 on diagram 1st, which enters the floor of the brewhouse at a distance of 6 feet 6 inches from the wall, and then descends to the cellars.

This pipe and one of its taps and also the yeast receiver are shown on Diagram 3, page 7. The *exact position* of the pipe and tap would however be on Diagram 2, page 5. This main pipe is continued through the parting wall into the other cellar. Avoid sudden turnings or contracting the bore of the pipe in any way. The object is to be able to convey the beer from all the fermenting tuns into either of the cellars. At the end of the pipe in each cellar is soldered a tap of  $1\frac{1}{4}$  inch diameter inside, and under it half a union screw. This union screw must not be less than 1 foot above the tops of the casks. The other half of the union screw is fixed in a patent webbing hose, without seam,  $1\frac{1}{2}$  inch diameter inside. Two 10-feet lengths will be required. They must occasionally form into one pipe, by means of the union screw fixed in them, in order to reach and descend into the casks farthest from the tap. Sometimes the hose is made of gutta percha or of leather.

To return to the brewhouse. Between the steps of the lower platform and the large copper three posts are fixed (see Diagrams 1 and 2, pages 2 and 5). On these a rail is fixed, 6 feet from the floor of the brewhouse. This rail is level with the top of the

mash-tun, and the top of the upper cooler, and is required to support the shoot leading from the large copper to the mash-tun, as shown on Diagram 2, page 2, or that from the copper to the upper cooler.

#### SUNDRY REQUISITES FOR THE BREWHOUSE.

Four moveable shoots are necessary, all made of  $\frac{3}{4}$  inch deal, and well tongued at the joints, to prevent leakage. One of these is 3 feet long, with four sides, made 6 inches square inside, at the upper end, and 3 inches at the lower. By means of a strap at the largest end it can be hung on to the copper tap to guide the water downwards into any vessel on the floor, and to prevent its splashing over when running into the shoot leading to the mash-tun. The other three are open shoots, each of them made 6 inches wide inside at the upper end, and tapering to 4 inches at the lower. They should be 4 inches deep inside throughout. One, 7 feet 6 inches long, to reach from the copper to the mash-tun; another, 9 feet long, to convey the wort from the copper to the upper cooler, passing a foot over that vessel, in order to enter the horsehair hop-bag. By means of iron brackets, open in front, fixed underneath the coolers, these

shoots are suspended, when requisite, under the coolers, (as seen on Diagram 3, page 7,) to convey the wort from the lower cooler to the fermenting tuns. One of the tuns being under the plug requires none; but the next, and the large tun, will require one or both of the shoots. The other tun will require a second shoot, about 5 feet long. These shoots will be useful in the cellars to support the cleansing hose while running the beer into the casks.

A leaden strainer in large copper is an indispensable utensil. Its use is to prevent the hops from leaving the copper, while the wort is running from that vessel. It is a round piece of stout lead, 18 inches in diameter, perforated every 2 inches each way, with a hole  $\frac{3}{8}$ ths of an inch in diameter. Two-thirds of it is made to bulge out gradually, so that 6 inches diameter of the middle part stands out 4 inches from the mouth of the tap tube; and another, 6 inches, projects less. The remainder forms a rim, 3 inches wide, which fits flat and close to the copper. When in use its own weight keeps it in its proper place.

A horse-hair bag is another requisite, for receiving any hops that may escape through the leaden strainer, 2 feet wide and 3 feet deep, with

rings sewed on the mouth to receive a cord: a pulley is placed over the upper cooler and opposite the copper tap. By means of a line the bag is raised or lowered when required.

Next come two mashing rules, for stirring the malt when in the mash-tun. They must be made of ash, in the following form:—The centre rod is 6 feet 6 inches long,  $1\frac{1}{2}$  inch thick throughout, and  $2\frac{1}{2}$  inches wide at the lower end; where five round wooden bars,  $\frac{3}{4}$  inch in diameter, and 3 inches apart, run through it, into, and through a piece 22 inches long, an inch thick, and  $2\frac{1}{2}$  inches wide, placed on each side. The side pieces are 10 inches apart at the upper end, and 6 inches at the lower. The upper end of the rod is reduced to  $1\frac{1}{2}$  inch square, and the edges rounded for the purpose of handling. The three pieces at the lower end are rounded, in order to glide along easily, when at the bottom of the mash-tun.

Two ladders, made light, one 13 feet long, to give access to the liquorback, will be wanted occasionally. The other, 6 feet 6 inches long, is necessary whenever the plugs in the coolers require moving.

A weighing machine and weights, up to two hundred weight.

An iron rod, half an inch in diameter, and 6 feet long, will be a convenient poker for the furnace.

Another iron rod, 7 feet long, with one end shaped like a garden hoe, 4 inches wide and 3 inches deep, is also needed for the furnace, and also a common coal shovel.

Three 4-gallon pails, made of  $\frac{1}{2}$  inch oak, with iron hoops.

Three 3-gallon ditto, ditto.

A 4-gallon garden watering-pot, with rose.

Three or four stone bottles, holding 2 or 3 gallons each, may sometimes be wanted.

Several birch brooms, and two good scrubbing brushes, also a good mop.

A 4-inch square block, 1 foot long, is placed on the railing under the copper tap, when the shoot leading to the mash-tun is in use, to give it the requisite fall.

Stirring-rod, for copper, 6 feet long,  $2\frac{1}{2}$  inches diameter. If there is no tap to the small copper, a small pail with a long handle fixed to its side, called a *jut*, will be required.

#### DESCRIPTION OF THE CASKS.

These are what are called “bell-shaped.” The inside measurement is given at page 5. The out-

side dimensions are 4 feet high, 3 feet wide at the top, and 2 feet 6 inches at the bottom. They will hold about 120 gallons each. Made of the very best well-seasoned English or Hamburgh oak,  $1\frac{1}{4}$  inch thick, with seven iron hoops,  $1\frac{1}{2}$  inch wide, and  $\frac{1}{10}$ th of an inch thick. The heads  $1\frac{1}{4}$  inch thick, and made to fit with great accuracy, a groove cut  $\frac{3}{8}$ ths of an inch wide, and  $\frac{1}{4}$  of an inch deep. In the head, 9 inches from the front, is the bung-hole,  $2\frac{1}{2}$  inches in diameter outside, and  $2\frac{1}{4}$  inches inside; and to the right of it, is an air vent,  $\frac{3}{8}$ ths of an inch in diameter outside, and  $\frac{1}{4}$  of an inch inside. A similar peg-hole is bored in the middle of a stave, on the right hand side of the front of the cask, just below the second hoop from the top. A vent  $1\frac{1}{2}$  inch diameter outside, but tapering to  $1\frac{1}{4}$  inch inside, must be bored in front of the cask, close under the head. This is intended for the escape of the yeast, and as the cask is never filled above this opening, the contents of it will never be more than about 117 gallons. The slope of the pavement will give the casks a very slight incline forward, which is desirable, provided it does not exceed an inch (see page 9). Two tap-holes, 1 inch diameter, tapering to  $\frac{3}{4}$  inch inside, one just below the fourth hoop from the top, and the

other 3 inches above the inside of the bottom, or about 5 inches from the bottom, outside. The casks should be perfectly smooth in every part of inside. Very porous oak is wholly unfit for casks. Instructions for keeping casks sweet, and detecting those that are not so, are given at page 83.

#### SUNDRY REQUISITES FOR USE IN THE CELLAR.

Three or four yeast receivers. One of these is seen on Diagram 3, p. 7, made of well-seasoned inch deal ; the joints extremely well tongued. It stands on four legs of deal 2 inches square, and is strengthened by cross pieces. The inside measurement is 5 feet 6 inches long, 9 inches deep, and 18 inches wide ; it will hold about a barrel ; the top is 2 feet 9 inches from the ground. A  $\frac{3}{4}$  inch tap-hole bored in the centre of one end  $\frac{1}{2}$  inch from the bottom.

Two 3-quart bowls, made of oak.

Four round open tubs holding 9 or 10 gallons each, made of oak  $\frac{3}{4}$  inch thick with iron hoops ; inside measurement,  $9\frac{1}{2}$  inches deep, and  $17\frac{1}{2}$  inches in diameter.

Eight yeast conductors made and used as follows :—A tin tube 4 inches long,  $1\frac{1}{4}$  inch diameter at one end, and  $1\frac{3}{4}$  inch at the other, is placed

tightly in the yeast vent in front of the cask, so as not to enter the cask much beyond the wood; at the other, or largest end of this tube, a piece of tin is soldered to conduct the yeast downwards, this is in the form of a scoop 2 inches deep, 3 inches wide, and 9 inches long, the upper end fixed an inch above the tube, and is rounded at both ends.

A funnel, holding about 3 gallons, made of  $\frac{1}{2}$  inch oak about 16 inches in diameter inside at bottom, and 14 inches at top, 5 inches deep; but a hollow cut in the top to rest a pail upon reduces the depth at that part to 4 inches; an iron pipe, 4 inches long and 1 inch diameter inside, is fixed in a hollow in the centre of the bottom.

Four filters made of ash,  $1\frac{1}{2}$  inches thick, 3 feet 6 inches long, and the lower half 4 inches wide. Commencing 6 inches from the lower end, cut four notches in a foot 2 inches deep; the part of the notch against which the cask presses must be quite flat. The upper end reduced to 2 inches wide for convenience of handling.

Two stools made of oak, 2 feet long, 9 inches wide, and 2 feet high, with four legs.

Two pair of pinchers made thus:—A foot long

with the ring 2 inches in diameter inside, and a stem 2 inches in length fixed on the under part of the ring. When the pinchers clasp the peg and the handle is pressed downwards, the stem presses on the cask and the peg is drawn easily.

Avoid porous bungs and old pegs. Use the best bungs cut an inch thick. Vent pegs of red willow cut smooth and even. Beer taps of  $\frac{1}{2}$  inch diameter inside at the mouth ; select those which by unscrewing underneath will allow the upright part to be taken out and oiled when necessary.

Two middle sized wooden mallets.

Two  $\frac{1}{4}$  inch gimblets.

---

Before proceeding to give a precise account of his method of brewing, the author considers it requisite to refer to the ingredients employed, viz.:—Malt, Hops, Water, and Yeast. Also, to the instruments used: a Saccharometer and a Thermometer, which are necessary to the conducting of the process with precision, and certainty of success.

#### MALT.

There are three kinds of malt made, viz.: “pale,” “amber,” and “brown” malt. The

saccharometer is a correct guide concerning the goodness of the malt, provided the mashing has been well conducted.

Purchase the best malt. A bushel of good malt will weigh from 41 to 43 lbs. Weight, however, is not always a criterion of value, for if a portion of the grain remains unmalted the weight will be increased, because a bushel of good malt when newly dried weighs about three-fourths of a bushel of the raw grain.—See *Making of Malt*, page 147.

Good malt is made only from the beginning of October to the beginning of May. Avoid that which is made in summer, and never use any which has not been kept perfectly dry, for dampness will injure its quality. Malt very recently made is not desirable for use; it requires an interval of a few weeks after leaving the kiln to cool and mellow it.

Obtain a sample of the malt before it is crushed. The grains should be pale and bright in colour, uniform in size, round, thin-skinned, break easily, and be full of a soft white flour, having a sweet, mellow, and very agreeable flavour. The grains should be as tender, and crumble as easily, at the ends as in the middle; and when

broken and drawn on a board leave a trace similar to that made by a piece of chalk.

The sample should always be tested by throwing about a hundred grains into a tumbler of cold water: the well-malted grains will float on their sides on the surface of the water; the half-malted will float endways, and the unmalted will sink to the bottom of the glass.—See *Making of Malt*, page 148.

The author has seldom used malt in which about one-fifth of the whole did not either sink or float endways, it may be otherwise with the very finest samples: this test will not apply to the “blown” malt (a kind of brown malt) sometimes used for brewing stout and porter, for that will always swim on the water, in consequence of the greater abundance of air inside the husk, caused by the great and sudden application of heat when on the kiln.

The malt should be *crushed* by the mill: crushing is preferable to grinding; examine closely samples taken from each sack, to see that none of the grains remain unbroken, those which are so being valueless. If the grains are of unequal size the lesser ones will pass the roller without being broken, or else the larger corns will be

crushed to powder ; there will, however, be some flour, but the less the better, provided every grain is cracked.

The malt should not be crushed longer than a day or two before it is used. For the method of making malt, see pages 135—148.

### Hops.

The fine, warm, aromatic, bitter flavour peculiar to the best hops is mild and grateful to the palate, and perfectly free from the rank and nauseous bitter flavour produced in malt liquor by the use of inferior hops : the sort called “ Golding’s ” are decidedly the best flavoured ; they are grown at Farnham in Surrey, and in East Kent and Mid Kent : they have the smallest flower of any kind of hops, and give a rich and delicate flavour to the ale. The author has found the kind called “ Jones’s,” being a mild hop, answer very well when picked in excellent condition.

Much care must be taken to procure hops which were picked in good condition : those picked too soon, or unripe, look green in the sample, and the brown-coloured or over-ripe were picked too late in the season ; both of these

will be very defective in quality, a uniform bright pale yellow is the proper colour; when rubbed on the hand they should leave it clammy, with an extremely fragrant odour, and perfectly free from rankness; there should be no leaves or pieces of branches mixed with the hops. The finer sorts of hops are packed in large sacks called "pockets," holding about  $1\frac{1}{2}$  cwt. each, the other kinds are pressed into what are called "bags," made of a coarser material and holding about 3 cwt. each.

Sometimes, what is called the "mould" infects the flower of the plant before it is picked; such hops must be carefully avoided, for they will be nearly destitute of the valuable yellow powder called "condition."

Hops are generally picked in September; they may be used immediately after they are picked and dried, with or without an admixture of older hops. Hops should not be kept longer than one or two years; age decreases their value because of the evaporation of the aroma.

#### WATER.

The author has almost always brewed with "hard," that is, well or spring water, and generally with that which contained carbonate of

lime (chalk). Boiling softens such water: after boiling some time, if it was allowed to stand till cool, a chalky sediment would be seen at the bottom of the copper, and the water would be more transparent than it was before: it is his practice always to boil the water 10 or 15 minutes before using it for the first mashing. Rain water being softer than any other, is considered best by some, but the supply is generally precarious, and when obtained from the roofs of houses, a quantity of dust and blacks from chimneys accompanies it into the cistern. These impurities will subside to the bottom if left a sufficient time undisturbed, but they may injure the flavour of the water. It is highly requisite that the water used in brewing should be almost, if not perfectly, clear, and utterly free from the least unpleasantness in taste or smell.

#### YEAST.

It is of much importance that the yeast used in brewing should be extremely fresh and good. The colour should not be at all dark, but of a light brownish grey. If there is the slightest acidity in the flavour, reject it. It should be so thick as barely to retain the liquid state; and it

must always be used by weight, not by measure. Keep it in a cool place.

The method of fermentation recommended in this work is such as will always ensure an abundant supply of the very best yeast after the first or second brewing in the season.


#### THE THERMOMETER.

This instrument is so generally known, that a description of it is unnecessary. The most convenient size for brewing purposes is about 14 inches long, with each line on the plate indicating two degrees of heat. The case is of japanned tin, and the part of it which protects the bottom or bulb of the glass should not leak. Two thermometers will be required. They cost 4s. or 5s. each.

#### THE SACCHAROMETER.

This instrument is made of glass. The price varies from 5s. to 7s. 6d. The diagram on the next page represents the saccharometer at about half its actual size. At the bottom is some quicksilver enclosed in a round bulb about  $\frac{3}{4}$  inch in diameter, and a little above it is another bulb slightly elongated, about as large again in dia-

ter. The remainder or upper part of the instrument consists of a hollow stem  $\frac{1}{4}$  inch in diameter, and about 6 inches in length. Inside of this stem there is fixed a white plate, on which is marked figures or lines successively from one to fifty. The latter number is nearest the large bulb, and the former near the top of the stem next to the letter W. which indicates the gravity of water. The saccharometer is sold in a tin tube which holds nearly a pint, and which must be soldered if it leaks. It can be purchased in London of Messrs. Dring and Fage, 19, Tooley Street, near London Bridge; or of Mr. Long, 20, Little Tower Street; or of Mr. Cox, 100, Newgate Street.



There are metal saccharometers of several kinds. They cost four and a-half, or five guineas each. The author has still in his possession a glass one which he purchased above twenty years ago. He has always found the glass ones answer his

purpose.

The use of the saccharometer is to show the difference between water and malt liquor, when the extract from the necessary ingredients is combined with the water. The word "saccharometer" signifies "a measure of sweetness."

When the glass instrument is put into the water at a temperature of  $55^{\circ}$  by the thermometer it sinks down till the surface of the water cuts the stem at the point marked 0 (nought) or W (water). Wort, which is the liquid extract drawn from malt after its infusion in hot water, may be considered a mixture of sugar and water. The saccharometer shows how much of this sugar the wort contains. The more there is of this sugar in the wort, the stronger and better will be the beer, provided it is well managed in every part of the brewing process. When the saccharometer is placed in wort, it will only partly sink; and should the top of the fluid cut the stem at the figures 10 or 20, it would be called respectively a 10 lb. or a 20 lb. wort, the latter being just double the gravity of the former.

A barrel of water weighs 360 lbs. and a barrel of wort, which shows a gravity of 20 lbs. by the saccharometer, weighs 380 lbs., that is 20 lbs. per barrel more than water. Both wort and

water will weigh lighter if warmer than 55, because of the expansion or increase in bulk which heat occasions. They also weigh heavier when colder than the temperature 55, to which the instrument is adjusted.

It will often be convenient to use the saccharometer without waiting for the wort to cool to 55, therefore the following scale is needful, in order to show how much to allow when the temperature exceeds 55:—

Temperature	55	65	75	85	95	105
Allow lbs. per barrel - }	0	$\frac{1}{4}$	$\frac{3}{4}$	$1\frac{1}{4}$	$1\frac{3}{4}$	$2\frac{1}{2}$

Thus if the instrument swims in a wort at 85 degrees of heat, and it cuts the stem at 16 lbs., the actual gravity of that wort is  $17\frac{1}{4}$  lbs., as would be seen on cooling it to 55, and immersing the saccharometer in it again.

The above scale is intended for worts up to 25 lbs. per barrel, but when the wort under examination weighs more than 25 lbs. a quarter of a pound is to be allowed in addition to what is shown in the scale. Thus, a wort of 30 lbs. at 85 temperature would be  $31\frac{1}{2}$  lbs. not  $31\frac{1}{4}$ .

Care must be taken to wipe the instrument very clean after using it, for if any of the wort dries on and adheres to it the glass will be heavier and larger in bulk than it ought to be, and therefore inaccurate. This is especially necessary when ascertaining whether the adjustment of the instrument agrees with the water used in brewing. If after repeated trials at a temperature of 55 it is found that the saccharometer is adjusted to show a  $\frac{1}{2}$  lb. more or a  $\frac{1}{2}$  lb. less than the water used, a proportionate addition or deduction of gravity can be easily made. Thus a wort showing 30 lbs. would be called either  $29\frac{1}{2}$  or  $30\frac{1}{2}$  lbs. See page 59.

The saccharometer enables the brewer to judge of the value of the malt used by ascertaining its produce per quarter. The method of making the calculation is very easy, but will be better understood after the brewing process has been fully explained. See page 110.

The word "density," means compactness or closeness. The richer the wort is before fermentation the more dense or close it will be. Weak wort is thinner or less dense. The word "gravity" means weight. The greater the density of the wort the greater will be its weight;

and the saccharometer shows the additional weight per barrel more than water.

An important use of the saccharometer consists in its being such an unerring guide concerning the progress of the fermentation of the wort. By means of fermentation a great part of the malt sugar in the wort is gradually changed into spirit (alcohol), and then the liquid is called ale or beer. As the spirit forms the wort is *attenuated*, that is becomes lighter, which is seen on trying it by the saccharometer at different periods of the fermentation. The great utility of the indications of this instrument will fully appear when fermentation is treated of.

There should always be a second saccharometer provided in case of an accident happening to the one in use.

The brewer who is willing to follow the plain directions given in the following pages will find no difficulty in using this instrument, and he will have the guidance of one who has practised many years and experienced much anxiety, — and many failures before he succeeded in acquiring the practical knowledge he is now desirous of imparting without any reservation.

All that the brewer has to do is to fill the

tin tube, which contained the instrument when purchased, with wort a few times during the process of brewing, and dip the saccharometer into the liquid, observing at which figure or line the surface of the wort cuts the stem.

It would be impossible to give clear and precise rules for brewing without the aid of a thermometer and saccharometer. Probably nearly every public brewer uses them, and every private brewer ought to do so, for they are as useful to one as the other; enabling the brewer, if he has attained the mastery of the art, to conduct his process with such never varying precision as to ensure the same result in every instance--the production of a pure, bright, agreeable, wholesome, sound-keeping beverage.

#### QUANTITY OF MALT AND HOPS REQUIRED.

Every family that wishes to have excellent ale and good table beer, should use two quarters of malt for the production of  $3\frac{1}{2}$  barrels of ale, and the same quantity of table beer.

The proportion of hops may be thus regulated:—

Ale to be kept Months.								Hops to each Bushel of Malt.
1	-	-	-	-	-	-	-	$\frac{1}{2}$ lb.
4	-	-	-	-	-	-	-	1 lb.
8	-	-	-	-	-	-	-	$1\frac{1}{2}$ lbs.
12	-	-	-	-	-	-	-	2 lbs.

Brown stout (see page 123) must have the same proportion of hops.

For bitter ale (see pages 118 and 121) allow from  $\frac{1}{2}$  to 1 lb. more hops to each bushel of malt than is recommended above. Hops certainly tend to keep the beer mild, but if the quantities mentioned above makes it more bitter than is approved of, less may be used without material injury to the keeping properties of the beer.

The author has now (June 1859) excellent ale and table beer in cask, which were brewed by him sixteen months ago, and had only  $1\frac{1}{2}$  lb. of hops to each bushel of malt.

As the table beer will keep mild and sound like the ale, it proves that alcohol or strength is not essential to the production of beer that will keep good a long time; but, doubtless, the larger proportion of spirit aids in preserving it mild, as well as improving its flavour.

The author has now table beer quite sound which was bottled eight years ago at fourteen months old. He brewed it after bitter ale (see

page 122). Its original gravity was only 10 lbs. It was bottled at 1 lb. gravity, and is of the same gravity now.

#### REMARKS.

The ale will be bright and fit for consumption in a fortnight if racked and fined with isinglass (see page 114). But it will be far better when it is three or four months old; it will then be clear and excellent, and never require the addition of finings.

Ale brewed in the spring will (from the warmth of summer) ripen rather faster than that which is brewed in the autumn.

It will be in its greatest perfection from six months to a year old, see page 91. By perfection is meant not only transparency and the effervescent quality called briskness or sparkling, but that peculiarly rich, soft, vinous, mellow flavour, and exhilarating property, which age, in conjunction with a sufficiency of the best malt and hops, and skill in the brewing process, produces.

Those who do not object to dormant capital, may keep it another year in the cask, and find it then free from hardness. Its exhilarating property will be increased thereby, and those who prefer old ale may consider the flavour improved.

If bottled at six months old, it will keep mild and excellent for many years. See page 128.

A great quantity of beer, whether brewed by private families or by public brewers, becomes what is called "hard" before it has been kept six months. Hard beer is both unpleasant and unwholesome, although it may be bright and free from that extreme hardness termed sourness. If hard beer is mixed with new beer only in the proportion of one-fifth of the hard, the unpleasant flavour of the latter will be readily detected. Sour beer should be thrown away forthwith.

With the two-quarter brewing plant which has been described, any butler of active habits, who is able and willing to devote a very considerable part of his time to the superintendence of the brewings, may brew four times in a week. If the first brewing is commenced on Monday morning, and the fourth on Thursday morning, the whole of the twenty-eight barrels of malt liquor will be in the casks in the cellars on the Saturday evening of the same week, and there will be nothing to do on the Sunday except a little filling up of the casks in the cellars.

The best time for brewing, taking a range of

six weeks in the spring, and six weeks in the autumn, is to commence the beginning of March and the beginning of October. Clear, dry, windy weather is favourable for the cooling part of the process. The best temperature of the atmosphere is a mean of  $46^{\circ}$ , but it may range from  $30^{\circ}$  to  $65^{\circ}$ , without the least evil resulting. In general, "stock," or keeping beers, should not be brewed in the months of June, July, or August. The author has sometimes brewed excellent stock beer when the temperature of the atmosphere was  $70^{\circ}$  in the brewhouse, and  $65^{\circ}$  in the shade outside of the building. The high temperature ( $95^{\circ}$ ) at which the worts are pitched prevents any difficulty in getting them quickly cooled.

## COST OF BREWING.

	<i>£. s. d.</i>			
16 bushels of malt at 8s. per bushel, or 64s.				
per quarter - - - - -	6	8	0	
25 lbs. of hops, at 1s. 2d. per lb.	- - -	1	9	2
Two labourers a day and a half each - - -	0	8	0	
Cooper, for unheading, cleaning, and re-				
heading two butts - - - - -	0	3	0	
Coals - - - - -	0	4	10	
	<hr/>	<hr/>	<hr/>	
	8	13	0	
Deduct average value of grains, 4d. per				
bushel - - - - -	0	5	0	
	<hr/>	<hr/>	<hr/>	
	£8	8	0	
	<hr/>	<hr/>	<hr/>	

## PRODUCE OF THE ABOVE.

	£. s. d.
126 gallons of ale at 11d. per gallon, the original gravity being 28 lbs. per barrel	5 15 6
126 gallons of table-beer, at 5d. per gallon, the original gravity being 12½ lbs. per barrel	- - - - - 2 12 6
	£8 8 0

## PRACTICAL INSTRUCTIONS.

Example { 16 bushels of pale malt } 3½ brls. of ale.  
 { 25 lbs. of the best hops } 3½ brls. of table-beer.

Brewing consists of six processes, which succeed each other in the following order:—

- Mashing,
- Boiling,
- Cooling,
- Fermenting,
- Cleansing,
- Cellaring.

Much care is requisite in order to have every vessel in the brewhouse perfectly clean, especially when they have not been used for some time. They should be cleaned with warm water, and afterwards rinsed with hot water. Avoid running

water quite boiling into the coolers if they are lined with lead (page 23). Pump clean water from the underback to cleanse the pipe of the wort pump. The copper should be cleaned to brightness, and this cleaning should be repeated every second brewing. Any mould or dirt adhering to any of the vessels would be likely to taint the wort, and spoil the flavour of the beer.

The malt can be weighed by the machine. Deducting the weight of the sacks, and dividing by 16, the weight per bushel is ascertained.

Eighteen lbs. of the best fresh yeast will be required.

Weigh 22 lbs. of hops, leaving the three remaining pounds to be added to the casks hereafter (see pages 87 and 107). Loosen the flakes of the hops before adding them to the wort in the copper.

### MASHING.

Fill the seven-barrel copper with water or “*liquor*” (as it is technically called in the brew-house), and let it boil a quarter of an hour. Then let  $\frac{3}{4}$  of a barrel of it into the mash-tun. Fill up the copper, and as soon as the liquor is within  $10^{\circ}$  of the boiling heat (212) by the thermometer,

run the whole into the mash-tun, making  $7\frac{3}{4}$  barrels of liquor in that vessel. As a future guide, mark the mash-tun at the surface of the liquor, just before the malt is put in. As soon as the liquor has cooled to a temperature of  $178^{\circ}$ , add the malt to it. While the malt is running from the sacks (which should not occupy more than ten minutes) let it be thoroughly stirred about with one or both of the mashing rules (see page 30), to prevent its forming into balls, and that every grain may be wet.

The stirring must be continued for twenty minutes longer, making half an hour altogether, when the mash-tun lid is to be put on, and its contents, which are now called "the *goods*," are to be left in a state of repose for three hours. At the close of the stirring, endeavour to leave the malt (which will be inclined to sink) nearly level in the mash-tun.

In every case before the copper is emptied cover the fire completely with cinders and ashes, so that no red part of the fire, or any flame, be seen. Also, partly close the damper in the flue.

Four and three quarters of a barrel of liquor, at a temperature of  $186$ , will be required for the second mashing. It need not be made to boil.

Let the liquor commence running from the liquorback to the copper directly it is emptied for the first mashing.

A slight variation may be made in the temperature of the liquor for the first mashing according to the coldness or warmth of the weather; but it must never be used colder than 176, or warmer than 180. The malt will probably vary in temperature from 50 to 65, and the atmosphere out of doors from 30 to 65. In the warmest weather mash at 176, and in the coldest at 180. In general the brewhouse will be from 5 to 10 degrees warmer than the outer air.

Neither stout nor bitter ale will require any variation in the first mashing heat from the rule just laid down. See pages 122 and 124.

As soon as the 16 bushels of malt are added to the  $7\frac{3}{4}$  barrels of liquor, the temperature of the whole will be about 160 or 162, and when the stirring is finished, it will be about 154 or 158.

At the end of three hours from the time of covering up, the wort must commence running from the mash-tun. This is called "setting the tap." Turn the tap of the mash-tun a little way, and draw out into a bowl 2 or 3 quarts of the wort, by which time it will run tolerably clear.

Empty the bowl slowly into the mash-tun, and let the wort continue running into the underback. In ten minutes the tap will bear a little more turning, as far perhaps as one quarter of its bore, if it is of the size which has been recommended at page 21. In half an hour the tap may be turned half way, and in an hour three quarters of the way. The wort will run tolerably clear the whole time, but it will not be perfectly transparent. There will not be the slightest taste of sourness in it, and it will have a fine white frothy head on its surface when in the underback.

The wort should be about an hour and three quarters running from the mash-tun. If it much exceeded that time, acidity might ensue in the goods, and spoil the second wort or table beer.

When the tap has been running (called “spending”) about an hour, the wort will probably be escaping at a temperature of 152. It should never exceed that heat by more than 2 or 3 degrees; nor at any time be lower than 144, except at the beginning or end of running, when it will be a few degrees colder.

The reasons for slow drawing out from the mash-tun, as well as for using so much liquor,

and allowing it to stand so long on the malt, are now given.

When the goods are left in repose, the malt subsides towards the bottom of the mash-tun, leaving a considerable quantity of liquid above it, — probably three barrels. This liquid gains no increase of gravity during the three hours. If examined at the time of covering up, and again at setting the tap, it will generally be found to be one-fourth less gravity than the wort is when it is all in the copper; if the latter is 25 lbs. the former will not be more than 18 lbs. Moreover, at the setting of the tap, this top liquid will have lost from 15 to 20 degrees of heat, while that which flows from the tap does not lose more than from 5 to 10 degrees during its stay in the mash-tun. By allowing the tap to spend slowly, this volume of colder and weaker wort above gradually sinks into the malt, driving the richer wort downwards, and occupying its place in the goods. When the tap is spent, the goods will perhaps be at a mean temperature of 125, and their depth about 1 foot.

The wort, when all in the underback, will probably be at about 135. The quantity of wort will be about  $5\frac{1}{4}$  barrels. The body of wort

above the malt prevents contact with the atmosphere and causes a retention of heat, so that it not only expels the richer fluid, but causes the latter to become such by allowing it to remain longer in contact with the malt, without running into acidity through a too great loss of heat.

The long time of standing on the goods, and the slow drawing therefrom, promotes the clearness of the wort.

The use of so large a quantity of liquor enables the brewer to restrict his ale to the first wort only.

Dr. Thomson, F.R.S. (in the supplement to the *Encyclopædia Britannica*, page 474, article *Brewing*) says, “The flavour and beauty of the ale is increased if we take only the wort that runs first off, and throw away the last drawn worts, or employ them only in the manufacture of small beer.”

If the wort was allowed to run off rapidly, some of the upper portion would probably find its way to the tap without sufficiently rinsing the malt in its progress, or displacing that which, as already stated, is one-fourth stronger, thereby weakening the ale wort.

The 16 bushels of malt will absorb and retain

$2\frac{1}{2}$  barrels of liquor in the first mashing, or about  $5\frac{1}{2}$  gallons each bushel.

There must be no delay between the close of the mash-tun tap spending and the second mashing. Run the  $4\frac{3}{4}$  barrels of liquor at 186 through the upright shoot in the mash-tun, that the liquor may rise up into the goods through the holes in the false bottom. It may run out in ten minutes; that the loss of heat in going along the cross shoot from the copper may not be more than a degree or two. The goods must be well stirred as before for half an hour, and then covered up and left to repose for one hour.

Directly the copper is empty, pump the wort from the liquorback into it, observing whether the leaden strainer in the copper covers the mouth of the tap-tube. Renew the fire, and open the damper. Take about 3 half-pints of wort from the copper, and put it into a bowl to cool. When it has cooled to 55, fill the tin case of the saccharometer with the wort, and stand it in a flat bottomed pint jug so that the case may remain quite upright. Put the saccharometer into the wort, and if the malt was very good, the gravity will be 25 lbs. The stem of the instrument

should always be made to sink, then take its indication after it rises out of the liquid. Be careful to prevent anything from getting into the sample of wort before it is weighed by the saccharometer, and allow the steam to escape freely from it.

Malt badly made, or malt weighing perhaps not more than 38 lbs. per bushel, made from light and inferior barley, will reduce the gravity of the ale wort at least 2 lbs. per barrel.

After the goods have remained quiet one hour, run off the second wort, which should occupy about an hour and a half, the same care being requisite as before to get it off fine. The temperature of the goods at covering up, and that of the wort when flowing from the tap, will be about the same as with the first mash. The same process of expulsion by colder wort above takes place during the running of the second wort; but there will be no difference of gravity between the wort above the malt and that which flows from the tap.

The mash-tun tap should be spent about the time that the copper is empty, and ready to receive the wort in consequence of the ale wort being in the coolers. A sample of the second

wort taken from the underback and cooled to 55, will show 8 lbs. gravity if the first wort was 25 lbs.

When the second wort ceases running, draw the mashing rule lightly over the surface of the goods, in order to disturb the pasty sediment which may cover them in places. This arises from the flour of the malt which mingles with and then subsides from the wort above the goods. If there is too much flour from the crushing of the malt, the abundance of this paste would prevent the upper portion of both worts from sinking equally all over, and thoroughly searching the goods.

Having stopped the mash-tun tap, pour half a barrel of cold liquor equally all over the goods, from the rose of a watering-pot; this is called "sparging."

In half an hour set the mash-tun tap, run it off fine into the underback, and add it immediately to the second wort in the copper. Taste each of the worts, to ascertain that they are perfectly free from the least sourness in their flavour.

There will be no loss of liquor in the second mashing, nor yet from the sparging, so that the second and third worts will be equal in quantity

to the first wort, that is  $5\frac{1}{4}$  barrels; the third wort will be of a 7 lbs. gravity.

The residue of the malt is now called "grains." They should be removed from the mash-tun within a few hours, lest they become sour, and taint that vessel. They are valuable as food for cows and pigs. If the mashing has been efficiently conducted, the grains will have no sweetness whatever in their flavour.

#### SUMMARY OF THE MASHING.

The following is a summary of the process of mashing, and drawing off the worts. It occupies about nine hours and a half.

- 6.0 a.m. { First mash :— 16 bushels of malt to  $7\frac{3}{4}$  barrels of liquor, at 178 temperature.
- 6.30 a.m.— Mash-tun covered.
- 9.30 a.m.— Set tap.
- 11.15 a.m.— Tap spent.
- 11.30 a.m. { Second mashing :—  $4\frac{3}{4}$  barrels of liquor, at a temperature of 186.
- 12.0 noon.— Mash-tun covered.
- 1.0 p.m.— Set tap.
- 2.30 p.m. { Tap spent.  
Sparge with  $\frac{1}{2}$  barrel of cold liquor.
- 2.45 p.m.— Finished sparging.
- 3.15 p.m.— Set tap.
- 3.30 p.m.— Tap spent.

For the boiling process in accordance with the above, see page 68.

### BOILING.

The first wort will take about a quarter of an hour in being pumped into the copper. See that no sour wort from a former brewing is in the pipe of the wort pump. Measure the distance between the surface of the wort and the top of the copper, in order to be able to regulate the evaporation. 22 lbs. of the 25 lbs. of hops are to be added without delay. If the furnace draws properly, and the fire is well managed, the wort will be boiling in an hour. The hops will float on the top of the wort, until the boiling commences, and then they may be stirred in. When they have sank further stirring is useless; avoid displacing the leaden strainer while using the stirring-rod.

The lid of the copper must be kept off all the time the worts are boiling. Have a good body of fire under the copper, at the commencement of the boiling, that the evaporation may proceed evenly, and with sufficient rapidity, without much stirring of the fire, or frequent addition of coals. The boiling is to be continued for one hour, and

during that time there must be half a barrel of wort boiled away, through the escape of steam.

The boiling increases the strength or gravity of the wort, because it is the water, and not the sugar, that evaporates. The time of boiling and the quantity evaporated decide the rapidity; it will boil at a brisk pace.

Guard against an overflow of the wort. This is likeliest to happen just before the boiling commences. The rising foam will subside when disturbed by the stirring-rod. The boiling can be slackened by opening the furnace-door, which permits a current of air to pass over the fire; partly closing the damper also retards the boiling.

When the 22lbs. of hops have sunk into the  $5\frac{1}{4}$  barrels of wort, the copper (if of the dimensions recommended at page 4) will want about 6 inches of being full; the hops having added nearly  $\frac{3}{4}$  of an inch to the wort. The evaporation of half a barrel by boiling will (tried when the boiling has ceased) increase the vacant space above to 8 inches, which is about 5 inches lower than the top of the flue. It would burn the copper to attempt to boil much less wort in it than this, which fills it to about three-fourths of

its depth, at the end of the boiling. Less fire is desirable towards the close.

On causing the boiling to cease, let the wort remain a quarter of an hour longer in the copper, before running it along the cross shoot into the upper cooler.

The horse-hair bag which is suspended over the upper cooler (see page 29) must be lowered, and cover one end of the cross shoot, in order to receive the few hops which may escape from the copper.

See that the plugs are fixed in the coolers; open all the windows and the doors; then run the wort slowly from the copper to the upper cooler. It may take three-quarters of an hour to run out.

The size of the tap is given at page 21. The wort should run nearly transparent the whole time. Put a little of it to cool, and at  $55^{\circ}$  the gravity will be about 28 lbs., having gained 3 lbs. Quite a quarter of a pound of gravity will be derived from the 22 lbs. of hops, and two and three quarter pounds from the evaporation of half a barrel of wort.

During the boiling the wort "breaks," as it is called, that is, a portion of the mealy or floury

parts of the malt, which was extracted along with the sugar, and intimately blended with the wort, now separates in fleecy particles, and floats about therein. When the boiling ceases, these coagulated particles sink to the bottom of the copper, together with a certain quantity of what is called "hop-dreg," or very minute particles of hop. By running out the wort somewhat slowly, the greater part of these impurities remains in the copper with the hops; if not left there they would form a grey, slimy sediment at the bottom of the coolers, and afterwards, in running the wort into the fermenting tun, it would be very difficult to leave this sediment behind, because of the extreme facility with which it mixes with the wort.

In public breweries it is separated from the wort in a vessel called the "hopback,"\* which is a needless and inconvenient appendage to the small brewing plants of private families, and entails the labour of carrying the hops back to the copper.

The second wort will cease running from the mash-tun at the same time that the copper is

\* It is a kind of cooler with a double bottom, the upper one being full of holes, through which the wort drains from the hops.

cleared of the first wort, and therefore ready to receive it. If the second wort was to remain longer in the underback, it might become sour, from loss of heat, and contact with the atmosphere. Take a sample of it from the underback; when cooled to 55° it will show 8 lbs. gravity.

The speedy addition of the wort will prevent the hops from burning at the bottom of the copper. There being no loss in the second mashing, or in the sparging, the second and third worts will be  $5\frac{1}{4}$  barrels, but after they are pumped up there will be about  $5\frac{3}{4}$  barrels of wort, because the 22 lbs. of hops will have retained nearly half a barrel of the first wort, after the copper tap is spent. This addition of strong wort will increase the gravity of the whole to  $9\frac{1}{2}$  lbs.

The boiling must continue for *two* hours, and the evaporation proceed at the same rate as before, because a barrel must be boiled away in the two hours. This will increase the gravity to  $12\frac{1}{2}$  lbs., which is a very good strength for table beer: run it into the upper cooler with the same care that was used with the ale wort.

Clear the furnace entirely, and beware lest the body of cinders and ashes in the ash-pit should continue burning; drench them with water, and

examine them afterwards. Let some cold liquor on to the hops in the copper to cool it.

The boiling process is thus arranged, supposing that the mashing proceeded as arranged at page 62.

#### SUMMARY OF THE BOILING.

- 11.30 a.m.—First wort in copper.
- 12.30 p.m.—Began boiling.
- 1.30 p.m.—Finished boiling.
- 1.45 p.m.—Set copper tap.
- 2.30 p.m.—Copper tap spent.
- 2.45 p.m.—Second wort in copper.
- 3.30 p.m.—Third wort added.
- 3.45 p.m.—Began boiling.
- 5.45 p.m.—Finished boiling.
- 6.0 p.m.—Set copper tap.
- 6.45 p.m.—Copper tap spent.

The mashing and boiling occupies nearly 13 hours.

#### COOLING.

Under this head will also be included the “pitching” of the worts: that is, adding yeast to them in order to cause fermentation. The two coolers are supposed to be of the dimensions given at page 5. If the weather is cool and some wind stirring, the first or ale wort will all

be cool, and in the fermenting tun, within two or three hours of the time it first began to run from the copper. The same will be the case with the table beer wort. It is desirable that in no case should more than four hours elapse between the time of the wort leaving the copper and of its entering the fermenting tun.

The sooner the wort is spread thinly, and the quicker it is cooled, the better it will be for the beer. The wort should not be deeper than 3 inches in the coolers. Let some of the hot wort run into the fermenting tun to warm it, and to assist in cooling the wort.

When the copper tap is spent, suspend the horsehair bag again. There will be  $4\frac{1}{4}$  barrels of each wort enter the coolers; but during the cooling, each wort will lose by evaporation about half a barrel or one-eighth, so that there will be only  $3\frac{3}{4}$  barrels enter each fermenting tun. If there is less than that quantity in the fermenting tun, there will not be enough to fill up the cask during the throwing off the yeast, which would be a serious evil. The cask, when filled to the yeast vent, see page 32, is supposed to hold  $3\frac{1}{4}$  barrels.

The means of conveying the wort into the

fermenting tuns is seen on Diagram 3, p. 7, and referred to at pp. 27, 28.

Yeast has been already adverted to at pages 40 and 53. If the yeast used is the production of your own brewing, and obtained in accordance with the directions at page 89, 10 lbs. will be sufficient for the strong wort, and 8 lbs. for the table beer. But allow 2 lbs. more to each wort if compelled to use inferior yeast. The preference is always to be given to yeast produced from ale. If that from table beer is used of necessity, it should be employed only for the weaker wort. The light impurities such yeast contains is very likely to prevent the beer from becoming spontaneously bright.

Put a gallon of wort, at the temperature of 100°, into the pail containing the yeast and stir it. The outside of the pail being perfectly clean, it may stand inside the fermenting tun. In a very short time the yeast will begin to rise up and flow over the pail. It is then ready to be added to the portion of wort, (perhaps a barrel,) which has by that time been cooled, and let into the tun. The rest of the wort is to be added by degrees from the lower cooler as it cools.

The worts are to be at a temperature of 95°

when all together in their respective tuns. As they will lose a little heat in running from the coolers, watchfulness is required not to let the  $3\frac{3}{4}$  barrels, with the yeast added thereto, be colder than  $95^{\circ}$ . This temperature of the wort is adapted to any temperature of the atmosphere, which may vary from  $30^{\circ}$  to  $65^{\circ}$ , without affecting the process of fermentation.

It was only after long and close observation that the author became convinced of the necessity and advantage of employing the heat, and conducting the fermentation in the way he recommends. He has no hesitation in affirming positively, that if *this* part of the practical instructions is disregarded, he has little hope of much benefit being derived from all that has preceded it. That is, if the object is to produce sound-keeping "stock" beers. On the other hand, he is doubtful whether his method of fermentation would answer if the preceding instructions on mashing, boiling, and cooling were not attended to.

He does not presume to say that excellent beer may not be brewed by other methods, although he has not succeeded in discovering them. Those who can produce a beverage giving perfect satisfaction to their employers, will do well

to proceed on their successful course. There are many persons who do not so succeed. On such of these as may read this work, and are willing to give the method of brewing which it recommends a fair trial, the author would urge the necessity, (as far as their means and appliances will admit) of adopting his method, *in all its parts*, for they are connected like the links of a chain, and therefore would be injured by separation. Much might be written in proof of this if brevity was less his aim, and the main object of this work had not been *practical instruction*, rather than a full exposition of the *theory* on which, nevertheless, the *practice* recommended *can be* justified and defended in all points.

*Success*, from attending to the rules he has given, will be the most powerful argument in their favour. By *that test* the author's method of brewing must stand or fall.

But to proceed. Refrigerators or pipes laid in the coolers, having cold water running through them to hasten the cooling of the wort, will not be needed if the extent of cooler surface recommended at page 5 is provided. The four fermenting tuns are shown on Diagram 3, page 7, and their dimensions are given at page 4.

One of the fermenting tuns is larger than the others, in order to enable the brewer to ferment both worts together in one tun, so as to produce a beer of intermediate strength called table ale. For the process in that case, see pages 116—118.

This medium strength is, of course, easily produced by mixing ale and table beer as they are drawn from the casks: this tun, however, is not so large but that it may be used when required, with the same quantity of wort as the other tuns. *Two* instead of three tuns may be sufficient (in addition to the larger one) for the purpose of brewing four times in a week if the fermentation proceeds with sufficient rapidity, as will generally be the case, but a third tun may sometimes be requisite.

#### FERMENTATION.

When the  $3\frac{3}{4}$  barrels of wort is in either of the three smaller fermenting tuns, it will be at a depth of about 16 inches, and there will be nearly 1 foot clear above, between the wort and the lid. Keep the lids of the tuns on all the time the worts are in them: if the lid is in two parts it will be less cumbersome, and will open readily,

to allow the wort to be examined by the saccharometer.

Stir the wort well at adding the yeast, and also when the whole is together; but afterwards the wort in the fermenting tuns will not require any stirring.

If through inadvertence the wort has been allowed to cool much below 95°; fill two or three stone bottles (holding two or three gallons each) with boiling water, and stand them in the tun for 20 minutes, which will raise the temperature 3° or 4°. Repeat the filling and immersion of the bottles if requisite.

Before fermentation, the saccharometer (see page 43) tells the strength or value of the wort, but as a 30 lb. and a 20 lb. wort may both be fermented down to 10 lbs. or less, it will be seen that the instrument is not intended to give the strength or value of wort after it is fermented and become ale or beer. But it will be of great use as a means of ascertaining with accuracy the progress of the fermentation and the period at which the beer is ready to go into the cellar.

At page 43 it was said that the wort consists of sugar and water; it also contains a considerable quantity of an ingredient called gluten, which

is derived from the malt, along with the sugar. When the yeast is mixed with the wort in the fermenting tun at the temperature already mentioned, it puts the wort, which was before tranquil, into a state of motion or disturbance, in consequence of which, what is called the “vinous fermentation” takes place in the liquid; that is, a quantity of spirit (alcohol) and of carbonic acid is formed by the decomposition of the sugar. Part of the carbonic acid remains in the wort, but a good deal of it flies away in the form of gas, causing the suffocating smell, to be mentioned presently. A portion of the sugar changes into spirit and carbonic acid, and a portion of the gluten changes into yeast.

Alcohol is the intoxicating principle of beer, wine, and the different sorts of spirits. Spirit of wine is alcohol and water.

Carbonic acid does not add to the strength of malt liquor, but is the cause of the lively pungent taste which is so much admired in them, and without which they are flat and unwholesome: it was called “briskness” at page 49.

Another effect of the fermentation of the wort is the formation of fresh yeast from the gluten mentioned above. The very eminent German

chemist, Baron Liebig, says, "Wort is proportionally richer in gluten than in sugar, so that during its fermentation in the common way, a great quantity of yeast is formed as a thick scum. The carbonic acid evolved during the process attaches itself to the particles of the yeast, by which they become specifically lighter than the liquid in which they are formed, and rise to its surface. Gluten in the act of oxidation comes in contact with the particles of the decomposing sugar in the interior of the liquid. The carbonic acid from the sugar, and insoluble ferment from the gluten, are disengaged simultaneously and cohere together."—*Organic Chemistry*, p. 295.—See on page 97.

#### FERMENTATION OF THE ALE WHILE IN THE TUN.

This process will generally occupy about 18 hours; and (provided the fermentation is vigorous) a few hours longer or shorter time is not of much importance. It has been mentioned (page 74) that fermentation decreases the gravity of the wort. To ascertain the progress of the fermentation take out a sample of the wort, and having first warmed the case of the saccharometer with

some of the wort; fill it, and continue to add to it until clear wort is seen on the surface, and the yeast or froth is gone off: then immerse the saccharometer, and whatever gravity is shown on the stem of the instrument, add  $1\frac{3}{4}$  lb. thereto, that is, supposing the wort to be at a temperature of  $95^{\circ}$ , see the scale given at page 44. At page 71 the  $3\frac{3}{4}$  barrels of ale wort was directed to be placed in the fermenting tun at a temperature of  $95^{\circ}$ , the gravity being 28 lbs. In general, if the yeast acts readily and efficiently, the temperature will remain at  $95^{\circ}$  throughout the 18 hours. Sometimes it may rise or fall  $2^{\circ}$  or  $3^{\circ}$ , but it is desirable that it should never rise above  $100^{\circ}$  or fall below  $90^{\circ}$  during the time it remains in the tun.

Whether the temperature of the brewhouse is  $35^{\circ}$  or  $65^{\circ}$  is not of any consequence to the brewer, who employs the high temperature and the rapid fermentation which the author recommends. Such an one escapes happily from the train of evils that result from the *slow* process of fermentation when adopted with the small quantity of wort a two-quarter brewing plant supplies.

While the wort is in the tun, the following

appearances will indicate that the fermentation is healthy and vigorous. Within the first 2 hours after pitching, there will be a fine creamy head on the surface of the wort of a brownish white colour, and resembling a cauliflower. At the end of the first 6 hours the head of yeast on the wort will perhaps be 6 inches high, and be uneven and rocky in appearance, with clusters of transparent bladders filled with carbonic-acid gas, rising in different parts of the head. The smell from the wort should now partake of that sound, pungent, fragrant aroma, well known to brewers. At the end of a second 6 hours the light yeasty head will have fallen 2 or 3 inches, and there will be large and small clear bladders all over the surface of the wort, and bursting incessantly. The escaping carbonic-acid gas will be found very suffocating if closely inhaled.

If the surface of the wort under the light yeasty head is closely examined, myriads of exceedingly small bladdery particles or yeast cells, the size and shape of small pin's heads, will be seen rising rapidly to the surface, and instantly expanding, forming a white froth floating on the wort. A continuous hissing noise accompanies the fermentation when in full force, arising from

the effervescence caused by the escape of carbonic-acid gas from the wort. This noise will be heard less distinctly when there is a large quantity of yeast on the surface of the wort. At the expiration of 18 hours from the time of pitching, it is probable that the attenuation of the wort (see page 46) will have proceeded from the original gravity, 28 lbs., down to from 18 to 14 lbs. The appearance of the wort will perhaps remain as before, if the fermentation is still active; but if it has become weak, the light yeasty and bladdery head, of 3 inches high, will have dropped entirely, leaving minute particles of yeast or sediment which, with blistery bubbles, are seen floating on the surface of the wort. The gas will now be seen rising with much less force, the sweet taste of the wort will be considerably lessened, and the liquid will have a vinous and spirituous taste and smell.

About this time (18 hours) the energy of the fermentation will probably greatly slacken, so that there will be scarcely any gas escaping; and the saccharometer will show that the attenuation is proceeding very slowly, perhaps only at the rate of  $\frac{1}{2}$  lb. in two or three hours. The temperature of the ale will also begin to lower in consequence

of the languor of the fermentation. Maintaining the temperature by means of the bottles filled with hot water, see page 74, would not prevent this languid or naturally spent state of the fermentation.

Whenever the ale has reached this comparatively inert state of fermentation, which (as already stated) it may be expected to do in about 18 hours after pitching, it must, without much delay, be run into the cask in the cellar by means of the pipe and hose, mentioned at pages 26 and 27, and seen on Diagram 3, page 7. This, in the language of the brewhouse, is called "cleansing."

If the above-mentioned languid state of fermentation should occur before the 18 hours have expired, the ale must nevertheless be cleansed forthwith. But if at that period the attenuation has not reached 18 or 14 lbs., and is proceeding at the rate of  $\frac{1}{2}$  lb. per hour, a few more hours may be allowed before it is cleansed.

If it is kept in the tun after the *active* fermentation has ceased, the head of yeast on the surface might sink into the ale and injure it. Skimming it off while the fermentation is weak, exposes the ale to contact with the air of the

brewhouse, which is not desirable. By delaying the cleansing, a loss of heat would also ensue, and the action of the gas in the ale become so feeble, that it would not throw off the yeast after it is in the cask with the vigour and to the extent the author deems indispensable.

It will be observed that 18 lbs. is almost two-thirds, and 14 lbs. one-half of the original gravity. As a general rule, the cleansing gravity for ale should not be heavier than two-thirds, or lighter than one-half of the original gravity. It may be mentioned here by anticipation, that the fermentation will proceed after the ale is in the cask, so that in a few days it will perhaps be attenuated down to 12 lbs., or even to 7 lbs., the latter being one-fourth of the original gravity. It is immaterial which of the two gravities the ale is bunged down at. The attenuation at the bunging down of the ale in the cask will be in relative proportion to its gravity at cleansing. See page 87.

#### CLEANSING OF THE ALE.

It is a matter of great importance that the yeast which is formed from the gluten (see page 76), and suspended in the ale at the time it enters the cask, as well as that which is formed

subsequently, should be extracted therefrom. The term *cleansing* indicates this process.

The cask must be perfectly sweet and sound. If a cork or chip is left in the cask it will obstruct the yeast vent.

The cask has been minutely described at pages 31 and 32. The head will require to be taken out for the purpose of cleaning, and generally the cask should be dry when the head is replaced, lest the vessel should become mouldy before it is used, an evil that might occur in a few days. Every part of the inside of the cask must be thoroughly scrubbed, and afterwards rinsed with clean hot water.

To ascertain the sweetness of the cask, blow into it through the vent, place a finger for a minute on it, then remove the hand and smell the air as it rushes out of the vessel. If it smells musty or unpleasant, reject it, or use it only for table-beer. If the sweetness of a cask is suspected, chip a piece off the inside of the bottom, and if the cask is tainted the piece will smell so; it is seldom that any amount of cleaning will remedy the evil. To have beer tasting of the cask is an evil every brewer should most strenuously endeavour to avoid.

Those who have the casks under their own control can always keep them perfectly sweet, even if out of use six months or longer, by leaving a gallon or two of beer along with the hops and sediment, called "grounds," remaining at the bottom of the cask, and keeping it well closed, so as to prevent any admission of air.

The pure and delicate nature of malt liquor renders it very susceptible of becoming ill-flavoured from any of the following five causes: the use of bad malt, or rank and ill-conditioned hops; or employing stale, bad-flavoured yeast; or from the want of cleanliness in the brewing utensils; or storing it in a cask not perfectly sweet.

The casks should stand clear of each other, and not touch the wall of the cellar. Screw on the portable hose to the tap of the cleansing-pipe in the cellar (see Diagram 3, page 7), and let the other end of the hose enter two-thirds down the cask, in order to lessen the froth. Fix the tin tube, or yeast conductor (described at page 33) tightly into the yeast vent in front of the cask (see page 32), and place the yeast receiver under it; the latter vessel is described at page 33, and seen on Diagram 3, page 7. See that the plugs are in their sockets in the fermenting tuns; open half way

the tap in the cleansing-pipe in the cellar, to prevent the air in the pipe forcing itself into the tun, and disturbing the ale; then draw the plug of the tun to be emptied.

The ale may be twenty or thirty minutes running into the butt, and will lose one or two degrees of heat by the removal. The socket which holds the plug at the end of the cleansing-pipe in the bottom of the fermenting tun, should be a quarter-of-an-inch higher than the part surrounding it, so that the sediment in the tun may not draw into the pipe.

Put a pound of wheat flour, and half-a-pound of salt into a pail, and well mix them with a quart or two of the ale, by means of a small birch whisk, to break the lumps; then add two gallons of the ale, and repeat the stirring. When the cask is about three-fourths full, pour the mixture into it by means of the funnel (page 34); it will increase the energy of the fermentation, and thereby cause more yeast to flow from the ale.

The advantages of the cleansing-pipes are four-fold: they save labour, they prevent the loss of much heat during removal, they preserve the ale from contact with the atmosphere between the tun and the cask, and they enable it to be re-

moved without disturbing either the sediment of yeast at the bottom of the tun, or the head of yeast that floats on the surface of the ale.

When the cask is so full that ale (not merely froth) runs out at the yeast-vent, put in the bung and vent-peg in the head of the cask. They must be kept closed, or the yeast will not flow out at the yeast-vent.

The remainder of the ale in the tun (nearly half a barrel) should be run into two of the nine-gallon open tubs mentioned at page 33. Hang up the cleansing-hose, that it may drain dry. There will be a gallon or two of thick ale and yeast in the tun, which must be thrown away.

Wash out the tun with cold liquor, run out at the front waste-vent (see page 26), having first fixed the plug to prevent its entering the cleansing-pipe. If a piece of birch was to enter the cleansing-pipe, it might give much trouble.

The yeast will begin to flow out directly, or sometimes it may not do so for several hours. The cask must be filled up every three or four hours from the ale in the open tubs. Be careful to skim off the yeast from the surface of the ale

before dipping the bowl into it for the purpose of filling up the cask, and do not put in the sediment at bottom, if there is any.

A caution must here be given, inattention to which would ruin the ale. Never, on any account, use the least portion of the beer that works out into the yeast-receiver, for the purpose of filling up the cask. If, through inadvertence, there is not enough left for the purpose, the cask must be filled up with some bright and mild ale from one of the casks in the store. This should not be done except of necessity, because it may check the fermentation, and thereby hinder the flowing out of the yeast, through suddenly lessening the gravity, and lowering the temperature of the ale.

During the first 12 hours, about 18 gallons of light yeast and ale will work out of the cask; and perhaps 10 gallons of ale will have been required to fill it up. During the next 12 hours, about 6 gallons of more solid yeast and thick ale will flow out; and the remaining few gallons of ale will have been used to fill up the cask.

The cask must be filled up to the yeast-vent. If more than the half-barrel, reserved, is wanted, use bright and sound ale, or table-beer for the

purpose. By this time (24 hours) the active working out of yeast will have nearly ceased, but the ale will continue to throw off yeast slowly and sparingly for perhaps 48 hours longer, and should be filled up every 6 or 8 hours. When the escape of yeast has ceased entirely for about 12 hours, the cask may be bunged down.

By this time (84 hours) the temperature of the ale will probably be reduced to 65°, and its gravity to nearly one-third, or sometimes one-fourth of the original gravity. In general, the decrease of gravity by attenuation, during the first few days that the ale is in the cask, will be about 6 lbs. Thus ale cleansed at 16 lbs. will generally be bunged down in the cask at about 10 lbs. gravity.

The temperature of the cellar will probably range between 50° and 60°, and it is not material which of those two temperatures prevails. The ale will soon cool to the temperature of the cellar after the cask is bunged down.

Take out the tin yeast-conductor, and drive in a good sound bung in its place. Wipe the head of the butt clean and dry. Put the 2 lbs. of unboiled hops, reserved (see page 53), into a clean pail, and by means of the pinchers (page 34) draw the peg at the side of the cask (page 32), and

run sufficient of the ale on to the hops to saturate them well. Having stirred them till all are wetted, put them into the cask. Part of them will remain on the surface of the ale for some time, and, together with the thin head of yeast also thereon, will form a barrier to contact with the air. The vacant space, perhaps an inch, between the ale and the head of the cask, will always be filled with carbonic acid gas, which also prevents contact with the air of the cellar.

After the hops are put in, drive in the bung into the head of the cask; it should fit extremely tight, and not be less than an inch thick. Avoid hard, coarse, porous bungs.

Put in *loosely* the vent-peg in the head of the cask, but tighten it in two days: after it has been tightened 24 hours, loosen it for a moment to let out any undue accumulation of gas, and tighten it again directly. If there is too much of the gas, it may hinder the ale from getting clear, by preventing the remaining yeast suspended in the liquid from sinking to the bottom of the cask. Repeat this loosening of the vent-peg every few days for a fortnight, after which, it may be done once a month, or less frequently, always closing it again directly. It is seldom that there

will be any rushing out of gas when the peg is loosened.

At page 86 it was said that in the first 24 hours after the ale enters the butt in the cellar, about 24 gallons of froth, yeast, and ale will flow therefrom into the yeast receiver. In another 24 hours skim off the yeast carefully from the ale in the yeast receiver. This yeast, *taken from the surface*, must be kept in a cool place, to be used for pitching the next *gyle* (as the contents of a fermenting tun is called). It should be kept covered up, and not be stirred. In general, it should be used without being kept longer than two or three days. There will perhaps be from 16 lbs. to 20 lbs. of it, varying in bulk from 4 gallons to 8 gallons.

After the yeast is removed from the surface, draw off the ale from the yeast receiver as clear as possible, by means of the tap at the end, and put it into a cask kept expressly for the purpose of receiving the remnants of each brewing. There will be about 9 gallons of this ale. Its flavour will be less pure than that which remains in the butt, and in general it will require the aid of finings and racking before it is drank. It should not be kept more than a few months, lest

it should get hard, which is the more likely to happen if the cask is not filled. It will have a somewhat rankish bitter taste.

There will be a thick glutinous sediment at the bottom of the yeast receiver, chiefly gluten, extracted from the ale; it will be of the consistence of thin treacle, and must be thrown away. The yeast taken from the surface of the ale that has worked out has a portion of carbonic acid gas in it, which makes it lighter and more lively and effective. If the sediment just mentioned is mixed up with the yeast it will impair its efficiency, and moreover, introduce impurities into the ale fermented with it, which may prevent its becoming transparent.

The yeast is supposed to be skimmed off the ale in the yeast receiver, about 48 hours after the cask began to throw out the yeast. This frothy yeast, however, may be used a few hours after its ejection, and will be very effective. It will then probably take six gallons to weigh 10 lbs. Stirring will probably be required (after taking it from the yeast receiver) to reduce its bulk to six gallons.

## CELLARING.

The butt of ale, if racked into another, and fined with isinglass (see page 115), may be drank at three or four weeks old, or sooner, provided the proportion of hops mentioned at page 48 has not been exceeded; otherwise, it might be unpleasantly bitter: or the finings (though in that case less effective because of the disturbance of the sediment) may be added without racking into another cask, and thus prevent flatness. See page 95. If the ale is allowed to remain three or four months in the butt, it will not require fining, but will get clear, and become mellow, and improved in flavour.

At six or eight months old, the ale in the butt will probably arrive at its greatest perfection, being mild, bright, rich-flavoured, brisk, and exhilarating. By that time the attenuation will have proceeded down to 5 lbs. or 6 lbs., or about one-fifth of its original gravity.

The author has kept ale of this strength (28 lbs. original gravity) two years in the cask, and then found it "sound old," not having degenerated into hardness or acidity; in general, however, it is not desirable to keep it longer than six months,

or a year, unless perhaps when stored in larger casks than butts. See page 49.

A loss of 3 or 4 gallons in a butt may be expected in a year; this arises from evaporation during storage.

The "condition" of the ale is easily ascertained by drawing a wine-glassful from the peg hole in front of the cask. Clearness is a good guarantee for the ale remaining sound, although the temperature of the cellar should be as high as 65°, or warmer. Stock ales which have been brewed and managed in accordance with the preceding directions, are deprived in a great degree of the gluten and yeast which causes the early decay of a vast quantity of beer, where an incorrect principle of mashing, and a less vigorous and inefficient method of fermentation is adopted. See pages 97 and 98.

Beer which tastes of the cask will readily impart its ill-flavour to any new beer, if mixed therewith.

Ale which has been attenuated to only half of its original gravity at the time of being bunged down in the cask, will generally be found in six months to have become attenuated to one-fifth of its original gravity, similarly to that which was bunged down at one-third or one-fourth.

The additional gravity, or sweetness, is not needed (as some suppose it to be) in order to “feed” the ale while in store. If so much as one half of the original gravity remains unattenuated at the time of closing the cask, the ale will not generally prove so good, or keep so well, as that which is more attenuated.

The vacant space (about an inch or two) above the ale in a butt, will allow about 2 quarts to run out without giving vent; if more than that quantity will run out while the vent-peg is tight, it is a proof that the head of the cask is not sound: probably the cooper might have prevented the evil if he had put a piece of rush in the groove at the defective part. Dry sand spread an inch thick over the head of the bell-shaped butts, will aid in the exclusion of air, if the cask is old; wet sand will decay the wood.

As the beer is drawn out, and more vacant space is obtained in the cask, of course more ale will run out, without letting air in, and the less the vent-peg is opened the better it will be for the ale.

Exposure to air in an open vessel placed in a very warm temperature, changes beer into a kind of vinegar. The alcohol changes into acetic acid;

the latter being of a greater gravity, the liquid will show considerably more gravity by the saccharometer after this change has taken place.

The following particulars are derived from entries in the author's brewing memorandums :—

In August, 1851, the author placed an uncorked bottle, filled about two-thirds with ale, on a kitchen shelf, where the temperature was frequently as high as 80°; the ale was brewed in the preceding March, it was bright and mild, and of 6 lbs. gravity; the original gravity was 29 lbs. In 10 weeks this part of a bottle of ale had increased in gravity from 6 lbs. to 13 lbs.; it was clear, and seemed excellent vinegar; it had become much darker in colour.

A bottle of the same ale, well corked, was filled at the same time, and placed in the same warm situation as the other; it remained there about 9 months, and was subsequently kept in a cellar for above a year. In June, 1853, it was opened; it was then brilliant, *mild*, fine flavoured, pale in colour, and had a fragrant odour; it effervesced well when poured out, and was of  $5\frac{1}{2}$  lbs. gravity; there was a considerable deposition in the bottle; it had been kept lying down during the 22 months. See page 128.

The author recently placed a pint of ale, an inch deep, in an uncovered jug, and kept it where the temperature was frequently 75°; the ale was 16 months old, clear, mild, and pale, and of 5 lbs. gravity; in about a week the absorption of oxygen from the air had caused it to become very sour, very cloudy, and of a dark colour; there was some sediment; the gravity had increased to 16 lbs.; the original gravity was 28 lbs.

It is of great importance to avoid all *needless* exposure of the beer (especially in warm weather) to the baneful influence of atmospheric air, lest the decay above mentioned should take place in an incipient form.

If the new ale is racked into a butt, for the purpose of fining it for immediate consumption, place a short length of the portable hose, or else a leaden pipe, into the bung-hole, letting it reach three-fourths down the vessel; they may be supported by a rim attached to them, resting on the head of the cask; place the funnel-tube (see page 34) into the pipe, and pour the ale into the funnel; this method will prevent much froth from forming, and thereby hinder considerably the disengagement and loss of carbonic acid gas.

In drawing ale into a jug avoid much frothing,

but when a glass is filled for drinking, some frothing is desirable, to disengage a portion of the gas, which will be seen rising up through the ale in great abundance, giving liveliness or briskness of flavour. Flat beer is insipid, and often unwholesome.

Tap the butt at first half-way down. Be careful not to draw out the ale close enough to break the head upon it, which might cause foulness in the liquid. The part of the ale near the surface in a cask is generally rather clearer, and tastes older than that in the lower part. The quantity of carbonic acid gas is greater when the pressure arising from the height of the liquid is two feet than when it is only a few inches; hence the ale becomes less brisk as its depth in the cask above the tap decreases.

The necessary admission of air into the cask before the ale will escape at the tap, and the increased empty space in the vessel tends to lessen the briskness of ale long in draught; but at the same time the transparency increases, and the ale will continue mild, lively, and sparkling even if the butt should be some months in draught. The hops put in at bunging down the cask will aid in the preservation of the ale while a remnant.

The flavour of pure malt liquor is clean and delicate on the palate. If the malt is pale, and the hops not brown, the ale will be the colour of *pale* sherry. If it is racked into another cask the exposure to the air will darken its colour a little.

It will have been observed (page 86), that within twenty-four hours after the ale is in the cask (which holds  $3\frac{1}{4}$  barrels) about 24 gallons of yeast and ale are expelled at the yeast vent. This vigorous fermentation and great expulsion of the yeast, or oxidized gluten (see pages 76 and 90), are absolutely necessary, in order to lessen the quantity of *soluble* gluten, which afterwards remains dissolved in the ale ; and also because there would otherwise be a great quantity of yeast (or gluten in an *insoluble* state) settle at the bottom of the cask. In a few months this sediment would probably rise up and mingle with the ale, causing foulness.

Immediately following the quotation already given at page 76, Professor Liebig says: "A great quantity of gluten remains dissolved in the fermented liquid, even after the transformation of the sugar is completed, and this gluten causes the conversion of the alcohol into acetic acid, on account of its strong disposition to attract oxygen,

and to undergo decay." — *Organic Chemistry*, p. 295.

When yeasty or oxidized glutinous particles float in beer they render it turbid, and give it a mawkish, unpleasant taste, proportioned to the extent of their prevalence.

The shaking of the cask from a shock of thunder, or any other cause, and also any considerable increase of temperature, is likely to cause the sediment alluded to, to rise up and produce foulness in the liquid. If not prevented from undue accumulation, this sediment will rise up even when the temperature of the cellar has not exceeded 50°, and without any shaking of the cask from thunder or any other cause.

At pages 66 and 85 instructions were given as to preventing the mucilaginous impurities from the copper (consisting of hop-dregs and malt-dregs) or the sediment of spent yeast at the bottom of the fermenting tun, from being mixed up with the ale. Inattention to this will be likely to add to the sediment in the cask, and thereby increase the liability to the evil alluded to. The use of yeast containing impurities (see pages 90 and 106) will also tend to add to the objectionable sediment.

After the cask is bunged down a gradual depuration or clearing of the ale goes on, and the yeast left suspended in the liquid or subsequently forming therein, subsides to the bottom of the cask, forming what are called the "dregs" of the beer. Table beer will not become spontaneously clear so readily as ale.

If ale or table beer is stored in smaller casks than butts they will sometimes get clear sooner, and tha in proportion to the shallowness of the malt liquor in the cask, the greater depth sometimes requiring longer time for depuration. But it must be remembered that the greatest depth gives most briskness (page 96), and that for storage for six months, or longer, a butt is as small a cask as is generally desirable. Some use barrel-shaped butts, and lay them on their sides, but that requires more cellar room, and while the beer is in draught a large surface of it is exposed to the deleterious effects of atmospheric air, producing flatness, especially if the beer is a long time in draught.

These barrel-shaped butts answer very well if stood on one end, although, being largest in the middle, they necessitate some expansion of the head on the surface of the beer while it is in draught, which is not desirable.

Racking the ale into another cask (without disturbing the bottom) a week or two after it is brewed, would free the ale from much of the objectionable sediment repeatedly mentioned; but that course entails labour, and exposes the ale to air, which is always best avoided. Malt liquor is always more perfect when it can be drawn for consumption from the cask into which it was put when removed from the fermenting tun. The "dregs" which subside to the bottom of the cask ought not to be sufficiently abundant to cause the sudden cloudiness or turbidity mentioned at page 97.

Sometimes a *very slight* cloudiness will occur in ale (which had become clear) from a cause apparently independent of any sediment in the cask. It seems to be the effect of an oxidation of part of the soluble or dissolved gluten (page 97) which remains in the beer. The author thinks that this evil, however, will not occur if the cask is sound, and due attention is paid to the instructions which have been given for conducting the various processes brewing consists of. A gradual oxidation and deposition of gluten seems to be constantly proceeding in all beers, perhaps for a year (if not a much longer

period) after it is in the cask, but the process should not materially injure the clearness of the beer, and it ultimately considerably promotes its brilliancy. It is probable that racking beer, whether into casks or bottles, causes an absorption of oxygen from the air, and hence results a more rapid if not a greater amount of oxidation of part of the remaining gluten than would otherwise take place.

It will often give much satisfaction to draw ale a year old, and mix with it an equal portion of that which has been brewed but a few months.

Experience has convinced the author that any kind of malt liquor brewed in accordance with the directions given in this work, will continue mild and excellent after being racked into smaller casks and sent a distance of many miles in the midst of summer. This racking for sending the beer elsewhere may take place at any time from a week to six or nine months after the ale has been bunged down in the butt. Though less desirable, it may be racked when much older if required, or be mixed with new beer to improve the latter.

Put a  $\frac{1}{4}$  lb. of unboiled hops into each half barrel. The author has found it answer very well

(when requisite) to run the beer from the fermenting tuns into half-barrel casks, and as soon as the throwing off the yeast has completely ceased (see page 134), to bung down the casks and remove them at once to their destination. After removal they will require vent at the peg-hole for a few hours, or longer if any yeast appears. The beer will be much improved by remaining some months before it is tapped.

The author has tried running some of the ale from the fermenting tun at cleansing into a butt half filled with bright and sound old ale, but it did not answer satisfactorily: see page 86. When the ale is comparatively new it will recover more quickly from the flatness racking produces.

The beer may, if desired, be racked at a fortnight old, and stored in half barrels or lesser casks for several months previous to their being removed to their destination. The deposit from the depuration which will have gone on in that period being disturbed by the removal, will make the ale cloudy, but transparency will again ensue in a short time.

It is, however, best to give all malt liquors three months storage in the butts prior to racking them for sending elsewhere, in order to increase

their purity, and lessen the subsequent depuration in the smaller casks. Fining (page 114) will not be necessary, and is always best avoided in beers intended for keeping six months or a longer period. Be careful never to rack close enough to disturb the sediment at the bottom of the butt, or the head on the surface of the liquid. With new beer in warm weather allow about half a pint to each half barrel for vacancy needed for gas pressure and expansion of the beer from an increase of temperature.

The author has repeatedly found that malt liquor removed from the fermenting tun into casks, and then emptied into a butt at a distance from the brewhouse, occupying an hour in the removal, has proved very excellent "stock" ale. The loss of temperature, however, during removal, ought not to exceed  $10^{\circ}$ , so that it may be at a temperature not lower than  $85^{\circ}$  in the butt. Nevertheless, the removal of ale by cleansing pipes (see page 84) without exposure to air or loss of heat, is to be preferred.

#### FERMENTATION OF THE TABLE-BEER.

At page 67 it was said that there was  $4\frac{3}{4}$  barrels of the second wort, of 8 lbs. gravity; and  $\frac{1}{2}$  a

barrel of the third wort, of 7 lbs. gravity; which, added to  $\frac{1}{2}$  a barrel of wort of 28 lbs. gravity retained by the hops, made  $5\frac{3}{4}$  barrels at  $9\frac{1}{2}$  lbs. gravity. Having boiled away one barrel in two hours,— lost in cooling  $\frac{1}{2}$  a barrel,— and the hops retaining  $\frac{1}{2}$  a barrel, leaves  $3\frac{3}{4}$  barrels of table-beer wort to enter the fermenting-tun.

At page 70, 8 lbs. of yeast was mentioned as the requisite quantity for the table-beer; and in that and the following page, the method of pitching the ale wort was given. The same course must be taken with the table-beer; and it must be pitched at the same temperature as the ale. There will be in the fermenting-tun  $3\frac{3}{4}$  barrels of table-beer wort, at  $12\frac{1}{2}$  lbs. gravity, at a temperature of  $95^{\circ}$ , having 8 lbs. of good yeast well-stirred into it.

In a short time a thin white, creamy froth will cover the surface of the wort, indicating that fermentation has commenced. As soon as the attenuation has proceeded down to 8 lbs., or about two-thirds of the original gravity only remains, it must be run into the butt in the cellar. In general it will be ready to go into the cellar in about nine hours after pitching. During this period the temperature will remain at  $95^{\circ}$ , or perhaps fall

2° or 3°. The light yeasty head on the surface will rise 2 or 3 inches, but will probably fall again to half an inch.

There will be the same kind of aromatic odour, with escape of carbonic acid gas, causing a suffocating smell, which was observed in the ale wort, but in a much less degree. Transparent bladders, filled with carbonic acid gas, will be seen rising up and bursting all round the edge of the tun, and some in other parts of the surface of the wort. A gentle, continuous, hissing sound will be heard.

The depth of liquid in the tun is supposed to be 16 inches, as the ale was. If the depth is much more than 16 inches, the table-beer wort will probably have a *boiling* appearance partly round the edge of the tun. This boiling appearance is, however, no detriment whatever to the beer. For further reference to this "boiling fermentation," see page 119. Put into the butt  $\frac{1}{2}$  lb. of flour, and  $\frac{1}{4}$  lb. of salt; or half as much as directed for the ale. The gravity being lowered from  $12\frac{1}{2}$  lbs. to 8 lbs., run the table-beer through the cleansing-pipe into the cask in the cellar, and proceed with it precisely as directed for the ale. See pages 85 to 90.

Yeast will begin in a short time to flow out, and the butt will at first require filling up every four hours from the half-barrel reserved for the purpose from the tun. Twelve gallons of yeast and thick beer will probably work out of the butt, which is about half the quantity thrown off from the butt of ale; page 86. There will be a loss of a gallon or two in the fermenting-tun, and nearly 16 gallons will be required to fill up the cask, which is supposed to hold  $3\frac{1}{4}$  barrels.

The table-beer will cease to throw off yeast in about twenty-four hours, and by that time the gravity will be reduced to 4 lbs. or 3 lbs., or about one-third or one-fourth of the original gravity.

The caution given (page 86) must be repeated here—never to use any portion of the beer which works out to fill up the cask. The light feculencies floating in this ejected table-beer will render any beer turbid that it is mixed with. It must be drawn off as clear as it can be from the yeast, and put into a cask kept to receive the table-beer remnants. There will be about 9 gallons of it. Its flavour will be less pure than the table-beer in the cask from which it was ejected, and it will not keep sound many months. This remnant will

probably require to be submitted to the action of finings to render it clear.

The yeast *skimmed off* from this ejected table-beer may be used for pitching table-beer if no ale yeast is to be had; but the thick yeast or rather mucilaginous deposit settled at the bottom of the yeast receiver must never be used. This deposit is more impure and pernicious than the glutinous deposit directed to be thrown away from the yeast receiver containing ale. If either of these sediments is mixed up and used with the yeast to pitch a gyle of beer with, much of it will be found deposited at the bottom of the fermenting-tun, probably not having aided the fermentation, but causing light impurities which separate from it to be suspended in the beer, and which may cause durable cloudiness.

On no account mix the table-beer separated from the yeast with any fresh gyle of beer, lest it should cause durable foulness to the whole.

When the table-beer has ceased to throw off the yeast for twenty-four hours put in a pound of unboiled hops (reserved, see page 53) wetted with some of the beer, and drive in the bung, leaving the vent-peg loose till the following day, when it should be tightened. It may again be loosened

occasionally as directed for the ale, page 88, but there will seldom be any undue accumulation of carbonic acid gas.

In general the table-beer may be bunged down in about sixty hours after it enters the cask. After six months' storage it will probably be about  $2\frac{1}{2}$  lbs. gravity, or that much per barrel heavier than water. It will be excellent in about four or six months, and will keep sound for a year or two years if a good proportion of hops was used. If required for consumption at a month or two months old it should be fined, (see page 115,) to make it clear (whether with or without previous racking is optional). To prevent too much bitterness at this early age, remove part of the hops from the copper before the second wort is pumped into it, unless the ale wort had a small quantity of hops only.

Any remnants of ale or table-beer which have *not* been ejected with the yeast, may, if thought more convenient than being stored in a separate cask, be mixed with the next gyle. Such mixture should not be in a larger proportion than  $\frac{1}{6}$ th of fermented beer to  $\frac{5}{6}$ ths of unfermented wort, lest the action of fermentation should be retarded or prevented.

The beer thus added should be removed clear from any sediment, and put first into the fermenting tun, and sufficient wort at a temperature of about  $140^{\circ}$  be mixed with it, so as to have the temperature at  $95^{\circ}$  on adding the yeast or "pitching" as it is called.

Of course the addition of a lighter fluid will tend to make the fermentation less vigorous; the result of a proportionable diminution of sugar in the wort indicated by the decrease of gravity as shown by the saccharometer. It is scarcely necessary to say that if the original gravity of the beer (whether old or new) thus added to the gyle is equal to that of the wort it is mixed with, the beer will not be reduced in strength.

#### QUANTITY OF WATER USED AND ACCOUNTED FOR.

In the preceding example 2 quarters, or 16 bushels, of malt and 22 lbs. of hops were used to brew 7 barrels of beer. To produce that quantity, 13 barrels of liquor (water) was required, used thus:—

					Barrels.	Gallons.
First mashing	-	-	-	-	$7\frac{3}{4}$	or 279
Second ditto	-	-	-	-	$4\frac{3}{4}$	- 171
Cold sparge	-	-	-	-	$0\frac{1}{2}$	- 18
					<hr/>	
					13	- 468
					<hr/>	<hr/>

Accounted for as follows:—

	Barrels.	Gallons.
Ale in cask - - - -	3 $\frac{1}{4}$	or 117
Table-beer in ditto - - - -	3 $\frac{1}{4}$	- 117
Liquor absorbed and retained by the malt (including loss by eva- poration in mash-tun and under- back), about 5 $\frac{1}{2}$ gals. per bushel	2 $\frac{1}{2}$	- 90
Decrease during the boiling of the ale wort - - - -	0 $\frac{1}{2}$	- 18
Decrease during the boiling of the table-beer wort - - -	1	- 36
Decrease by evaporation during cooling of the worts - -	1	- 36
Transferred to remnant ale cask -	0 $\frac{1}{4}$	- 9
Ditto to table-beer cask - -	0 $\frac{1}{4}$	- 9
*Retained in the copper by the hops	0 $\frac{1}{2}$	- 18
Loss accounted for by the yeast produced, and the waste from very thick beer - - -	$\frac{1}{2}$	- 18
	<u>13</u>	<u>468</u>

METHOD OF ASCERTAINING THE PRODUCE OF THE  
MALT.

The following is the method of ascertaining by calculation the quality and goodness of the malt used. The quantities of wort should be reckoned when they are altogether in the fermenting tuns. If they are taken according as the

\* Probably the retention by 22 lbs. of hops is a few gallons less.

quantities appear in the underback or copper, the result will not be accurate, because the decrease in quantity, while the worts are cooling, will not be allowed for:—

Barrels of wort in fermenting tun.	Gravity.
$3\frac{3}{4}$	at 28 lbs. is 105 lbs.
$3\frac{3}{4}$	- $12\frac{1}{2}$ lbs. - <u>47 lbs. discarding fractions.</u>
Divide by the number of quarters of malt used -	$\left\{ 2 \right\} \underline{152}$
Produce - - -	76 each quarter.

If the malt is very superior, the ale wort may be 1 lb. more in gravity, and the table-beer half as much, which would make the produce  $78\frac{3}{4}$  lbs. per quarter. Where a larger quantity of malt is used, a greater produce per quarter is sometimes obtained by sparging the goods (after the second wort is drawn off) to a greater extent than is here recommended. By that means a wort of 3 or 4 lbs. gravity, called a "return," is obtained, and used at the next brewing instead of liquor at mashing; but it is of a very inferior quality, and liable to get acid if not used soon. It should be used for a second mashing rather than for ale.

In mashing larger quantities of malt than 2 quarters, the loss in mashing is somewhat less than  $5\frac{1}{2}$  gallons per bushel from the depth of

the malt being greater, and consequently a greater pressure above as the wort drains out. This decrease of loss in mashing would of course increase the produce per quarter.

“Pale” malt, provided it is well “cured,” that is, sufficiently dried on the kiln, is preferable to malt which is very highly dried (*i.e.* more brown), not only on account of the superior flavour pale malt imparts, but also because more wort of a given strength can be extracted from it in the mashing process than can be obtained from the same quantity of brown or “blown” malt; because a part of the sugar in the latter kind is destroyed by the heat applied to the malt while on the kiln. See page 148.

The produce of good “amber”-coloured malt will be nearly, if not quite, equal to “pale,” but the colour and flavour are not so well suited for ales. “Amber” is the medium between “pale” and “brown.” See pages 37, 123, and 148, for brown and blown malt.

It will have been observed that in producing  $3\frac{1}{2}$  barrels of ale, each bushel of malt yielded  $1\frac{3}{4}$  lb. to the gravity, and the table-beer average gravity was about  $\frac{3}{4}$  lb. per bushel. Thus each bushel of malt gave on the whole  $2\frac{1}{2}$  lbs. per

bushel, exclusive of the loss of beer by fermentation and cleansing.

### FININGS.

It will have been observed that transparency has been sought after in the various processes already mentioned.

1st. In running the wort tolerably clear from the mash-tun. It will appear more clear by daylight than it does if looked at with a lighted candle held on the opposite side of the glass containing the sample.

2nd. In getting it bright from the hops in the copper.

3rd. In using yeast free from mucilaginous impurities likely to remain permanently suspended in the malt liquor. These are most abundant in yeast which is obtained from beer the produce of a second mashing. See page 107.

4th. In running it clear from the separated yeast in the fermenting-tun.

5th. But the great auxiliary to transparency is throwing out the yeast vigorously and abundantly from the cask, and not using the beer which flows out with the yeast to fill up the cask.

*To make a gallon of pure and effective finings.*

—Take 1 ounce of the best isinglass, add to it a pint of the best vinegar, which will dissolve the isinglass almost directly, and the whole will become like stiff glue; in an hour add a quart of clear *old* table-beer, not hard or sour, and stir it; in a few hours the mixture will become very thick again, and then another quart of the table-beer should be added, and the stirring repeated, nearly 2 quarts more of the table-beer is to be added as the whole thickens.

When the above mixture has stood twenty-four hours, and been stirred at intervals, it will be of the consistence of thin treacle, and will be nearly transparent; rub and strain any part not dissolved through a fine wire sieve; it is then ready for use, and this quantity, about a gallon, will be required for fining a butt of ale or table-beer.

Finings should, of course, only be used when necessary.

When the ale or table-beer is to be fined, it may be drawn off into a clean dry butt, being careful not to disturb the sediment at the bottom of the cask or the head on the beer. It is, however, not *necessary* to draw the beer off into another cask, for although it will be clearer, yet it loses much of its gas or briskness by racking,

and the trouble of the process is best avoided generally.

The addition of finings is thus managed:—Put about 6 quarts of the beer to be fined into a pail with the gallon of finings, and stir it into a froth with a small whisk made of birch; put a stout stick into the bung-hole of the butt (letting it enter two-thirds down the cask), and stir the beer two or three minutes; then pour the finings into the cask, and repeat the stirring for several minutes; drive in the bung, and tighten the vent-peg immediately. In twenty-four hours the beer will be fine, and will increase in brightness during several days.

If the beer has been racked, a week or two should be allowed for it to recover from the flatness caused thereby, or a longer time will be required if the beer is more than a month old.

The minute particles of the dissolved isinglass unite with the fine feculencies floating in the ale; the union makes them heavier than the liquid, and they fall to the bottom of the cask, leaving the beer transparent. Sometimes, some of the united particles rise to the surface of the liquid, but the beer is equally clarified. The more completely the isinglass is dissolved, and the less tur-

bidity or cloudiness there is in the beer, the more effective the finings will prove. Any part of the isinglass that is not dissolved will not answer the purpose, viz., attracting and uniting with the particles which caused the turbidity.

If due attention is paid to the method of brewing recommended in this work, the beer will never be what is called "stubborn;" that is, refuse to yield to the action of finings prepared and applied as above directed. In stubborn beer, the finings appear to remain floating in and mingled with the liquid.

## TABLE ALE.

Sixteen bushels of malt, and 25 lbs. of hops, will produce 7 barrels of beer. This is merely a mixture of the ale and table-beer worts together in the larger fermenting tun. See page 73.

Having proceeded with the mashing and boiling as directed, pages 53—68, the cooling may be accelerated by allowing two-thirds of the strong wort to remain in the coolers until the weaker wort has ceased boiling. When about a barrel of the wort is in the fermenting tun, at a temperature of 95°, stir in 16 lbs. of yeast. When the coolers are wanted for the contents of the second copper,

run the rest of the ale wort (perhaps then cooled to 75°) into the fermenting tun. Then add a sufficient quantity of the weaker wort when cooled to 120°, to raise the temperature to 95°; and add the rest when cooled to that temperature.

There will be  $7\frac{1}{2}$  barrels of wort in the fermenting tun, at a temperature of 95°, and the gravity will be about  $20\frac{1}{4}$  lbs. The worts need not be stirred together, as it would disturb, unnecessarily, the head of yeast already formed on the ale wort. The strong wort being heavier, will be likely partly to remain at the bottom of the fermenting tun. In taking out samples for testing the average gravity, this imperfect mixing of the worts prevents, at first, accuracy in the apparent results, as given by the saccharometer with respect to it.

The fermentation having commenced in the stronger wort, will also prevent the average gravity from being correctly ascertained. The tun will be filled all but 3 or 4 inches, and the depth of wort about 26 inches, or 10 inches deeper than the ale was; see page 73. In about six hours, there will be a yeasty and bladdery head, of 2 or 3 inches high, on the wort; and the attenuation will probably have lowered the gravity from  $20\frac{1}{4}$

to 16 lbs. There will be the hissing noise and pungent smell mentioned at page 78. In this gyle of table-ale, there will sometimes be seen a boiling appearance, partly or all round the edge of the tun. This peculiar action of the wort will be adverted to under the next head.

The lid of the tun may be left off, as it might obstruct the rising of the yeast on the wort. The wort will probably keep at the temperature of 95°. In twelve hours after it is all in the tun, it may be run into the two butts in the cellar.

The gravity at cleansing will be about 12 lbs., the attenuation having averaged  $\frac{3}{4}$  of a lb. per hour, while the wort was in the tun. Cleansing, at a pound heavier or lighter, is not of any importance.

There will be an abundance of good yeast (though inferior to ale yeast) ejected from the casks. The gravity of the table-ale at being bunged down will be about 4 or 5 lbs.; that is, one-fourth or one-fifth of its original gravity. If fined and drank at a month old, it will be a good sample of bitter ale.

By using 2 or 4 bushels more of malt, and 9 or 18 gallons more of liquor, a table-ale of  $22\frac{1}{2}$  or 25 lbs. original gravity would be produced; and if

to the latter gravity 2 lbs. of hops instead of  $1\frac{1}{2}$  lb. per bushel is used, and the beer is kept five or six months, it will be a very good bitter ale.

### THE BOILING FERMENTATION.

The appearances of wort during fermentation vary with the gravity of the wort subjected to the process, as will have been seen by comparing the ale and table-beer fermentations already described. But the quantity, and more especially the *depth* of the wort, greatly influence the appearance on its surface.

At page 118 it was stated that in the gyle ( $7\frac{1}{2}$  barrels) of table-ale there would be seen a boiling appearance, partly or all round the edge of the tun, and extending about 3 inches from the sides of the vessel. The wort in these instances was about 26 inches deep, while the ale and table-beer was 16 inches, being 10 inches less, and the boiling appearance has never been seen in either of the latter, where  $3\frac{3}{4}$  barrels only was fermented.

The author cannot concur in the opinion which has been advanced, that the boiling appearance is occasioned by *electricity*. The carbonic acid gas and yeast rise with increased rapidity through

the larger quantity, and *greater depth*, accelerated also by the comparative lightness of the wort, which is of so much less gravity than ale wort. The greater heat of the wort may also tend to produce the appearance, but he has seen it in wort at a temperature of 68°. See next page.

The author has discovered that the boiling motion will cease if about one-third of the wort is drawn from the tun, thereby reducing the depth from 26 to 16 inches. The boiling appearance is probably the result of the *accumulation* of gas round the sides of the vessel while the wort is in active fermentation. The gas perhaps presses in an horizontal as well as in an upward direction, and meeting with resistance at the sides, rises with greater force at that part to the surface. Also, the tun being 3 inches narrower at top than at bottom, the contraction probably condenses the rising gas by forcing it out of a perpendicular ascent to the surface at the part next the sides of the vessel.

The following particulars are derived from an entry in the author's brewing memorandums: —

On October 9th, 1852, he cleansed some table-beer at a temperature of 78° and at 8 lbs. gravity. The temperature of the atmosphere out of doors

was 48°. The depth of the wort in the tun was 14 inches, and no boiling appearance was seen during the fermentation. Having nearly a barrel more than the butt would hold, he ran it into an open tub holding 30 gallons, shaped like a barrel cask, being 4 inches narrower in diameter at the top than in the middle: the wort was 20 inches deep in it when full. In about eight hours he observed a gentle but decided boiling appearance; on reducing the depth to 14 inches, the boiling ceased: in half an hour the wort taken out was added again, and in a quarter of an hour the boiling appearance again commenced. The temperature of the wort was then 68°. The cellar in which it was placed was at a temperature of 54°.

Experience has convinced the author that not the slightest harm results in any way to beer (brewed in accordance with his method) from this “boiling fermentation,” and that neither it nor the weak head of yeast on weak wort proceeds from any “unsoundness” in the worts.

#### SUPERIOR BITTER ALE.

Two kinds of bitter ale have been mentioned.  
See pages 118 and 119.

					Barrels.
14 bushels of pale malt -	-	-	-	}	$3\frac{1}{2}$ bitter ale.
32 lbs. of best hops -	-	-	-	}	$3\frac{1}{2}$ table-beer.

The only variations requisite from the practical instructions already given respecting ale and table-beer are these:—Use  $7\frac{1}{2}$  barrels of liquor in the first mashing instead of  $7\frac{3}{4}$  barrels, in consequence of 2 bushels less of malt being used. The increased quantity of hops will not affect the fermentation.

Pitch the  $3\frac{3}{4}$  barrels of wort in the fermenting tun with 9 lbs. of yeast instead of 10 lbs. The gravity of this bitter ale will be  $24\frac{1}{2}$  lbs. after boiling, and that of the table-beer, 11 lbs. Cleanse in about eighteen hours, when the gravity will be from 12 lbs. to 16 lbs. See pages 80 and 81.

The quality of the ale will be superior in consequence of being restricted to the first wort drawn from the mash-tun, see page 58. The flavour derived from the hops will be much better because they are boiled but one hour. The second boiling extracts an inferior bitter flavour.

This bitter ale may be drank in four or six months notwithstanding the quantity of hops used. At about nine months or a year old, the rich, warm, aromatic bitter imparted by the hops will con-

siderably diminish, leaving a bitter flavour of a more simple and less agreeable kind, which, however, will still aid in keeping the ale mild.

## BROWN STOUT.

			Barrels.
10 bushels of pale malt	-	-	
5 ditto of brown malt	-	-	
$\frac{1}{2}$ bushel of patent or black malt	-	-	
28 lbs. of the best hops	-	-	
			$3\frac{1}{2}$ of stout.
			$3\frac{1}{2}$ of table-beer.

The "brown" malt imparts a flavour which cannot be dispensed with in this kind of malt liquor. The partial destruction of the malt sugar by the great heat this malt is subjected to on the kiln, lessens its comparative produce per quarter: see page 112. It is often made from inferior barley, and will be usually several pounds per bushel lighter than pale malt.

A good sample of patent or black malt should be selected. When it is improperly reduced by the roasting to a condition which may be called "cindery," it will impart an ill flavour to the beverage. It should be of a dark chocolate colour, and must be crushed finer than the other malts, and kept separate from them. It is used chiefly to give stout or porter a dark

colour, but a larger proportion than here recommended injures the flavour.

When fit for consumption, or six months old, the stout should be of the colour of port wine, and nearly or quite as clear. The brown, as well as the black malt, can generally be procured at any brewery in the country districts.

Forty-two years ago (1817), Dr. Thomson, F.R.S., remarked, "One of the best brewers in London uses two parts of pale malt to one of brown."\*

Proceed with the mashing as directed for ale, page 54, with  $7\frac{3}{4}$  barrels of liquor at  $178^{\circ}$ . As soon as the pale and brown malts are added to the liquor in the mash-tun, sprinkle in the black malt while the stirring is going on. As part of it will be reduced to powder by the crushing, it is liable to form into balls if not *sprinkled* on.

No other variation is required from the minute directions already given concerning ale and table-beer. The original gravity of this stout will be about  $25\frac{1}{2}$  lbs. and that of the table-beer,  $11\frac{1}{2}$  lbs. Another bushel of pale malt might be added with advantage, which would increase the gravity

\* Supplement to the Encyclopedia Britannica, article "Brewing."

of the stout to about  $27\frac{1}{4}$  lbs., and the table-beer, to  $12\frac{1}{4}$  lbs.

Pitch the  $3\frac{3}{4}$  barrels of stout at a temperature of  $95^{\circ}$  with 10 lbs. of excellent yeast. Cleanse in about eighteen hours, at a gravity between 13 lbs. and 17 lbs. The discharge of yeast from the butt must be vigorous and abundant. See page 86.

This stout will be fit for consumption in five or six months, although the quantity of hops used is more than is recommended for ale to be drank at that age (page 48). Stout intended for exportation to the colonies should not have less than 2 lbs. of hops to each bushel of malt.

## PORTER.

12 bushels of pale malt -	-	-	-	7 barrels of porter.
6 ditto of brown malt -	-	-	-	
1 ditto of black malt -	-	-	-	
32 lbs. of hops -	-	-	-	

Use 8 barrels of liquor at  $178^{\circ}$  temperature in the first mashing, and sprinkle in the black malt as directed at page 124. Ferment both worts together, as directed for table-ale, page 117, pitching the  $7\frac{1}{2}$  barrels of wort, at a temperature of  $95^{\circ}$ , with 16 lbs. of yeast. The average gravity will be about 22 lbs.

The boiling appearance already adverted to, page 119, will be seen here also, and will be equally harmless as in the table-ale. Cleanse in about twelve hours after it is all in the tun; the gravity will then probably be about 13 lbs. and the temperature still 95°. See page 118.

It will be ready for consumption in four or five months, and its gravity will then be about  $4\frac{1}{2}$  lbs. Its flavour will be inferior to the brown stout, because of the addition of the second and third worts, and the bitter of the hops of the second boiling, and also from its lesser original gravity.

#### BREWING FROM MALT AND SUGAR.

There is no economy in using sugar with malt unless the malt is of the high price of 11s. per bushel, and the sugar not more than 44s. per cwt. The author made two brewings in 1847, using the following proportions of malt, sugar, and hops each time:—12 bushels of pale malt at 11s. per bushel; 96 lbs. of moist sugar, at  $4\frac{3}{4}d.$  per lb.; and 32 lbs. of hops. The sugar was well mixed with 4 gallons of wort, and added to the first wort in the copper half an hour before the boiling

ended, stirring it well to prevent the sugar from subsiding and burning the copper.

The 96 lbs. of sugar was equivalent to 5 bushels of malt in the ale wort, and the cost of it was 6s. less than four bushels of malt. But the table-beer was of course one-fourth weaker from the deduction of 4 bushels of malt. The keeping properties of this ale proved equal to that brewed from malt only, but the sugar gave it a peculiar flavour, and partially deprived it of the pure and delicate flavour it would have had if it had been brewed from malt only. The sugar gave a deep amber colour to the ale. Perhaps a higher priced sugar might not give the objectionable flavour.

Some of this ale bottled at a year old, and kept in bottle eleven years, is still perfectly sound, but has not wholly lost the peculiar flavour imparted by the sugar. The original gravity was 30 lbs. It was bottled at  $2\frac{1}{2}$  lbs. gravity, and is of the same gravity now.

#### BOTTLING.

Great care should be taken to have the bottles perfectly clean. Use shot in cleaning them, and rinse them repeatedly afterwards with clean water. Let them drain dry. Use the best corks, and

drive them in as soon as the bottles are filled. Quite three-fourths or more of the length of the cork should enter the neck of the bottle; they will enter more easily if they are dipped into some of the ale; press the corks in a cork squeezer before using them; leave half an inch clear space between the cork and the ale; use a funnel with a bent tube, which will prevent frothing, by leading the ale to the side of the bottle. Frothing the ale should be avoided, as it causes a loss of carbonic acid gas. Ale is best bottled between five and nine months old. The author has kept ale bottled at six months old for ten years, and then found it mild and in great perfection, and weighing 5 lbs., or one-sixth of its original gravity. The bottles were kept in an upright position the greater part of the time. It was bottled at 6 lbs. gravity; the hops used were 2 lbs. to each bushel of malt. In general, ale should become attenuated to one-fifth of its original gravity before bottling; it is seldom, then, that any reduction of gravity will occur after the ale is bottled. Those who prefer ale of a sweet flavour can bottle it sooner, and at a heavier gravity. The bottles should be kept standing upright in the cellar. When opened, be careful not to disturb the sedi-

ment at the bottom of the bottle; it may be racked clear into a jug a short time before it is drank, leaving a wine-glassful in the bottle.

It should be bottled at least 3 months before it is drank; when opened it should be highly charged with gas, but not violently so, lest it cause a disturbance of the sediment at the bottom of the bottle. The remnant of ale in a cask is not so well adapted for bottling if it has become at all flat.

#### UNMALTHED BARLEY WITH MALT.

The author has never tried a mixture of malted and unmalted barley in brewing; as the latter requires to be ground finer than malt, there would be more flour, which settling on the sunken goods would prevent the upper portion of the wort from running into them, and displacing the stronger wort. See page 58. If by any contrivance the wort was drawn from the top such wort would be less pure than that which is filtered through the goods. The raw grain will yield sugar, and consequently spirit or strength, but the flavour of such beer must be inferior to that brewed from malt only.

## DRUGS IN BEER.

Various drugs and other ingredients have been recommended for improving the flavour or increasing the intoxicating quality of beer. Some of these may be harmless, but are all quite unnecessary. Others are highly poisonous, especially those intended to add to the strength of the beer. Nor will any of the malt liquor require the poisonous auxiliary sometimes used to give it a frothy top in the jug or glass.

## BREWING FROM A QUARTER (8 BUSHELS) OF MALT.

A smaller brewhouse fitted up with vessels half the size of those belonging to the two-quarter brewing plant, which has been described in this work, would be adapted for producing  $3\frac{1}{2}$  or 4 barrels of beer from any quantity of malt, varying from five to ten bushels.

The casks should be hogsheads, of a bell shape, and holding about 60 gallons each, having a yeast-vent in front, and two tap-holes, similar to the butt mentioned at page 32.

To brew 67 gallons of strong wort, and the

same quantity of weaker wort, to enter the fermenting tuns:—

The processes of mashing, boiling, and cooling have been fully described at pages 53 to 69. Add the 8 bushels of malt to 140 gallons of liquor, at a temperature of 180°; stir it well for 20 minutes, and then cover the mash-tun closely. Let it remain 2 hours, and then draw out the wort carefully. Its temperature should be about 150°.

For the second mashing, use  $2\frac{1}{2}$  barrels of liquor, at a temperature of 186°; see page 59. Let the goods remain 1 hour, and then set the tap. Sparging with cold liquor may be dispensed with. Boil the first wort 1 hour, and the second wort 2 hours. Pitch both worts at a temperature of 95°, using 6 lbs. of yeast for the stronger, and 4 lbs. for the weaker wort. Keep the fermenting tuns well closed. Ample instructions for the management of the fermenting, cleansing, and cellaring processes have been given. See pages 73 to 108.

#### BREWING FROM $2\frac{1}{2}$ BUSHELS OF MALT.

The copper should not hold more than 36 gallons. The additional 5 gallons of liquor re-

quired for the first mashing can be heated elsewhere. See page 64.

The diameter of the bottom of the mash-tun should not be more than 2 feet. One of the bell-shaped hogsheads, mentioned at page 130, will answer the purpose.

Have a false bottom fitted and placed 1 inch above the real one. Have a large-sized beer-tap (with the end-piece of the strainer removed) driven in at the front, just under the false bottom. The vessel should be raised an inch behind. The vessels used for cooling need not be more than 6 inches in depth. There should be a large-sized beer-tap in each, that the wort may be drawn off tolerably clear from the sediment which will be in them if the copper has no tap, nor leaden strainer. See p. 29. If there is no tap to the copper, the worts must be run through a sieve, or horse-hair bag, or wicker basket, to separate them from the hops.

To produce 20 gallons of strong, and the same quantity of weaker wort, to enter the fermenting tuns. For the proportion of hops, see page 48. Put 41 gallons of boiling liquor into the mash-tun, and as soon as the temperature is reduced to 180°, which will probably be immediately, add the  $2\frac{1}{2}$  bushels of malt. Stir it well for a quarter

of an hour. Cover it closely, and let it remain an hour and a half; then run it off carefully. The wort should run off in 1 hour. There will be a loss of about 14 gallons in the first mashing, leaving 27 gallons of strong wort, to be boiled with the hops 1 hour, losing by evaporation about  $2\frac{1}{2}$  gallons in that period. There will be a further reduction of  $2\frac{1}{2}$  gallons during the cooling, and the hops will retain 2 gallons, leaving 20 gallons to enter the fermenting tun.

Use  $27\frac{1}{2}$  gallons of liquor, at  $190^{\circ}$ , for the second mashing, and stir it well for 10 minutes. In 1 hour set the mash-tun tap. There will be  $27\frac{1}{2}$  gallons of the weaker wort. Boil it 2 hours with the hops, and reduce it by evaporation to  $22\frac{1}{2}$  gallons. Cooling will diminish the quantity  $2\frac{1}{2}$  gallons, so that only 20 gallons will remain. The worts should not be deeper than 4 inches while cooling.

Pitch both worts at a temperature of  $95^{\circ}$ , using 2 lbs. of the best fresh yeast (see page 40) for the stronger wort, and  $1\frac{1}{2}$  lb. for the weaker. The fermenting tuns should be about 2 feet in depth. There should be a large-sized beer-tap in each, that the ale and table-beer may be drawn off clear (but not too slowly) from the sediment at bottom and the head of yeast on the surface of the beer.

The small quantity of the worts will prevent their retaining the temperature of 95°, although covered up, but they must not be allowed to get colder than 85° while in the tuns. To prevent this, fill a gallon stone bottle with boiling water, and immerse it in the ale wort (see page 74) and do the same to the table-beer wort: the ale must not remain longer than 18 hours in the fermenting tun: it will then probably have become attenuated to two-thirds or one-half of its original gravity; that is, from 28 lbs. to 18 lbs. or 14 lbs. See p. 80.

The table-beer may be cleansed in about eight or nine hours; it will then probably have attenuated from  $12\frac{1}{2}$  lbs. to 8 lbs. See page 105. Put each wort into an 18 gallon cask; turn the casks a little on one side that the yeast may flow out on one side of the bunghole, putting them level again when the yeast ceases to flow out. It is very desirable that the beer should enter the casks at a temperature not under 85°. A  $\frac{1}{4}$  lb. of flour and 2 oz. of salt to the strong wort, and half as much to the weaker wort, may be used at cleansing. See page 84. There will be 2 gallons of each wort left to fill up the casks with: carefully avoid filling them up with any portion of

that which works out with the yeast. See pages 86 and 106. If both worts are fermented together, use 3 lbs. of yeast. The mash-tun with the false bottom taken out, would answer for fermenting them in. For cleansing, follow the directions given concerning table-ale. See page 118.

#### MAKING OF MALT.

The author is unable, from his own experience, to say anything concerning the art of making malt, but he trusts the following description of the process will be interesting and useful. It consists of extracts from an elaborate article on Brewing and Malting, in the Supplement to the Encyclopædia Britannica, written by Dr. Thomson, F.R.S., published in 1817: together with a few extracts (marked in parentheses) from a Report on Malting, &c., drawn up by Dr. Thomson, in conjunction with Drs. Hope and Coventry, ordered by the House of Commons to be printed. Dr. Thomson says:—

“ We shall now describe the process of malting as it is practised by the best informed malt-makers in Great Britain.

“ Malting consists of four processes, which

follow each other in regular order; namely, steeping, couching, flooring, and kiln-drying.

“ 1st. The steep is a square cistern, sunk at one end of the malt-barn, lined with stone, and of a sufficient size to hold the whole barley that is to be malted at a time: the barley is put into this cistern with the requisite quantity of pure water to cover it: it is laid as evenly as possible upon the floor of the cistern; here it must remain at least forty hours, but in Scotland, especially when the weather is cold, it is customary to allow it to remain much longer. We have seen barley steeped in Edinburgh for a hundred and twelve hours by one maltster, and by another, usually ninety-eight or ninety-two hours: it is the common practice to introduce the water into the cistern before the barley, and it is usually once drawn off, and new water added during the steeping.

“ The quantity of moisture imbibed by the barley varies according to the goodness of the barley, and the length of time during which it is allowed to remain in the steep. The swell of the grain, in the steep obviously depends upon the quantity of water absorbed; but it is not so great as that absorption, scarcely ever exceeding one-fifth of the original bulk of the barley, while the increase of

weight amounts to nearly one half of that of the original weight of the grain.

“2. *The Couch.*—When the barley is judged by the maltster to have remained long enough in the steep, which is the case when its two ends can be easily squeezed together between the finger and the thumb, the water is let off and the grain allowed to drain. It is then thrown out of the cistern upon the maltfloor, where it is formed into as regular a rectangular heap\* as possible, which is called the couch.

“While in this position it is gauged by the exciseman, and if it measure more than it did in the steep, he is at liberty to charge the duty upon the quantity to which the grain now amounts. The grain is allowed to remain in the couch without any alteration for about twenty-six hours.

“3. *Flooring.*—If we plunge a thermometer into the grain and observe it from time to time, we shall find that the barley continues for some hours without acquiring any perceptible increase of heat. During this period the moisture on the surface of the corns gradually exhales, or is absorbed, so that they do not perceptibly moisten the hands. But at last the thermometer begins

\* The form of the couch-frame is now prescribed by law.

to rise, and continues to do so gradually till the temperature of the grain is about 10 degrees higher than that of the surrounding atmosphere.

“This happens usually in about ninety-six hours after it has been thrown out of the steep. It now exhales an agreeable odour which has some resemblance to that of apples. If we thrust our hand into the heap, we shall find it to feel warm, while at the same time it has become so moist as to wet the hand. The appearance of this moisture is called *sweating*, by the maltster, and it constitutes a remarkable period in the process of malting;—we have reason to believe that a little alcohol is at this period exhaled by the grain.

“(When the roots have acquired some length (which usually happens in one, two, or three days after their appearance, according to circumstances), the apple-like smell goes off, and is succeeded by another not unlike that of the common rush when newly pulled. This smell continues during the whole time that the malt is on the floor, unless it be overpowered by a peculiar mouldy smell, which happens only when the grain is bad, and contains seeds incapable of germinating; or when a part of the malt has been bruised during the turning from the carelessness of the workmen.)

“ If we examine the grains in the inside of the heap at the time of sweating, we shall perceive the roots beginning to make their appearance at the bottom of each seed; at first they have the appearance of a white prominence which soon divides itself into three rootlets. In big, the number of rootlets seldom exceed three, but in barley they frequently amount to five or six. These rootlets increase in length with great rapidity unless their growth be checked by artificial means, and the principal art of the maltster is directed to keep them short till the grain is sufficiently malted.

“(Some maltsters allow the roots to get to seven-eighths of an inch long, others never wish to see them above half that length. As the roots are afterwards separated from the malt and thrown away, and as their length does not contribute to the progress of malting, the latter method seems preferable.)

“ The writer of this article has seen them increase in length nearly to two inches in the course of a single night; and when he purposely favoured the growth, in order to ascertain the effect upon the malt, he has seen them get to the length of three inches, or more. In such cases, the heat

of the grain rose very rapidly, and on one occasion was little inferior to  $80^{\circ}$ . Indeed it is probable that, if not checked, the temperature would rise sufficiently high to char the grain, if not to set it on fire.

“The too great growth of the roots, and the too high elevation of temperature, is prevented by spreading the grain thinner upon the floor, and carefully turning it over several times a day. At first the depth is about 16 inches; but this depth is diminished a little at every turning, till at last it is reduced to 3 or 4 inches. The number of turnings is regulated by the temperature of the malt; but they are seldom fewer than two each day. In Scotland, the temperature of the grain is kept as nearly as possible at  $55^{\circ}$ ; but in England, we have generally found the temperature of the grain on the malt-floor about  $62^{\circ}$ . It has been generally supposed that the Hertfordshire method of making malt is the best; but after a very careful comparison of the two methods, we were unable to perceive any superiority whatever in the English mode.

“*Acrospire*.—About a day after the sprouting of the roots, the rudiments of the future stem begins to make its appearance. This substance is

called by maltsters the *acrospire*. It rises from the same extremity of the seed with the root, and advancing within the husk, or skin, would at last (if the process were continued long enough) issue from the other extremity in the form of a green leaf; but the process of malting is stopped before the acrospire has made such progress.

“(The progress of the acrospire is at first very rapid, like that of the roots; by the eighth day after “casting,” it will have usually reached rather more than one-half the length of the grain, but after this time its progress becomes much more slow, so that frequently another week elapses, or even more, before it has made its way to near the end of the seed, when it is understood to be proper to finish the malting.)

“While the grain is on the malt-floor, it has been ascertained that it absorbs oxygen gas, and emits carbonic acid gas, but to what amount the absorptions and emissions take place, has not been ascertained; they are certainly small, for the average loss which the grain sustains when on the malt-floor, is only 3 per cent., a considerable portion of which must be ascribed to roots broken off, and grains of barley bruised, during the turning. As the acrospire shoots along the grain, the

appearance of the kernel, or mealy part of the corn, undergoes a considerable change. The glutinous and mucilaginous matter in a great measure disappears, the colour becomes whiter, and the texture so loose that it crumbles to powder between the fingers. The object of malting is to produce this change; when it is accomplished, which takes place when the acrospire has come nearly to the end of the seed, the process is stopped altogether.

“ (It is the common opinion of maltsters that this change of the grain always keeps pace with the acrospire, each seed being altered as far as the point of the acrospire extends, and *no farther*; and this opinion has been rather confirmed by our observation. . . The loss of weight, as well as the progress of the malting, depends much upon the temperature, two things respecting which require attention. First, to keep it as equal as possible; and, second, to keep it at the proper pitch, neither too high nor too low. Unless the first precaution be attended to, the progress of the malt is very unequal, some parts being fully ready before others have advanced half-way; this inequality is attended with a great loss of weight, because many of the farthest advanced corns must

be sacrificed to the progress of the rest; it is chiefly prevented by keeping the thickness of all parts of the malt as equal as possible, and by turning it over without delay, whenever an inequality of temperature can be detected in any portion of it.

“ A high temperature is more injurious at the beginning of the ‘ flooring’ than after the malt has made some progress. Should the heat be in excess, the radicles advance too rapidly, while the kernel does not undergo the wished-for change, but becomes clammy like bird-lime, a condition which is most apt to supervene in the early stage of the process, when the grain is very moist; hence the proper temperature may be judged of pretty correctly from the rootlets; if they be pretty equal, and do not exceed half-an-inch in length, we may consider the temperature as having been proper, but when they lengthen suddenly and unequally, there must have been an excess of heat.)

“ The time during which the grain continues on the malt-floor varies according to circumstances; the higher the temperature at which the grain is kept, the more speedily is it converted into malt; in general, 14 days may be specified as the period

which intervenes in England from throwing the barley out of the steep till it is ready for the kiln; while in Scotland it is seldom shorter than 18 days, and sometimes 3 weeks. This no doubt is an advantage in favour of English malting, as every thing which shortens the progress, without injuring the malt, must turn out to the advantage of the manufacturer.

“4th. *Kiln-drying*.—The last part of the process is to dry the malt upon a kiln, which stops the germination, and enables the brewer to keep the malt for some time without injury.

“The kiln is a chamber, the floor of which usually consists of iron plates, full of holes, and in the roof there is a vent to allow the escape of the heated air and vapour. Under this room is a space in which a fire of charcoal or coke is lighted; the heated air which this fire supplies, passes up through the holes in the iron plates, and makes its way through the malt, carrying off the moisture along with it. At first the temperature of the malt is not higher than 90°, but it is elevated very slowly to 140°, or even higher; we believe that in many cases it rises at last almost as high as 212°, though we have never witnessed any such high temperature ourselves, but we have seen pale

malt dried at a temperature of  $175^{\circ}$ , without any injury whatever.

“ The great secret in drying malt properly consists in keeping the heat very low at first, and only raising it very gradually, as the moisture is dissipated. For a high temperature applied at first would infallibly blacken or even char the malt, and would certainly diminish considerably the quantity of soluble matter which it contains.

“(The malt is spread upon the kiln floor to the depth of from 3 to 6 inches, and a very moderate fire of charcoal is kindled in an apartment below it).

“ The old malt-kilns had a bottom of hair-cloth instead of the iron plates full of holes, which constitute a more recent improvement. We have seen the thermometer in such a kiln, when the bulb touched the hair-cloth, rise as high as  $186^{\circ}$ . In general the temperature of the malt-kiln is very carelessly regulated. We have seen malt for the very same purpose dried at a temperature which never rose higher than  $136^{\circ}$ , while a portion of the very same malt, put into another kiln, was heated as high as  $186^{\circ}$ . But such a careless mode of drying malt is reprehensible, and must be more or less injurious to the brewer.

“In general, the more rapidly malt is dried, the more does its bulk increase. This method accordingly is practised by those who malt for sale, as is the case with most of the English maltsters, because malt is always sold by measure and not by weight. The brewers would find it more for their interest to buy malt by weight than by measure. In that case the maltsters would dry their malt at as low a temperature as possible. But this would signify very little, or rather would be advantageous to the brewer, because dried malt soon recovers the moisture lost on the kiln kept for some time in sacks; and when malt is dried at a low temperature, we are sure that none of it is injured by the fire. It will therefore go farther in the production of beer.

“The time of kiln-drying varies considerably according to the quantity of malt exposed to the action of the heat. But when that quantity is not too great, we may estimate the time of kiln-drying in general at two days. After the fire is withdrawn, the malt is allowed to remain on the kiln till it has become nearly cold.

“(The time during which the malt is on the kiln varies with the temperature and the quantity of malt dried from forty to eighty hours, which

were the extremes in our experiment. While upon the kiln the malt is occasionally turned).

“By the kiln-drying, the roots of the barley, or, as the maltsters call them, the *comings*, are dried up and fall off. They are separated from the malt by passing it over the surface of a kind of wire screen, which allows the *comings* to drop through, while the wires are too near each other to permit the grains of malt to pass.

“(While still warm upon the kiln, it is usually trodden upon by the workmen to separate the rootlets which are at that time brittle, but soon become tough by absorbing moisture).

“If 100 lbs. of barley malted in this manner, with all the requisite care, be weighed just after being kiln-dried and cleaned, they will be found on an average to weigh 80 lbs.

“(In general a bushel of good malt, when newly dried, weighs about three-quarters of a bushel of the raw grain).

“It is probable that an additional portion of the kernel would be dissolved if the malt were ground finer than it is customary to do. The reason for grinding it only coarsely is to render it less apt to set. But this object might be accomplished equally well by bruising the malt

between rollers, which would reduce the starchy part to powder without destroying the husk. This method indeed is practised by many brewers, but it ought to be followed by all.

“ Though the specific gravity of a malt corn be greater than that of water, yet if it be thrown into that liquid, it always swims. The reason is, that between the skin and the kernel there is lodged a quantity of air, which it is not easy to drive away. Accordingly brewers are in the habit of judging of the goodness of malt by throwing a certain quantity of it into water, and reckoning the grains which fall to the bottom. These indicate the proportion of unmalted grain which the malt contains. Of course the more of them that exist in any given quantity of malt, the worse must the malt be considered.

“ When malt became high priced in consequence of the heavy taxes laid upon it, and the great increase in the price of barley, which took place during the war of the French revolution, the brewers found out that a greater quantity of wort of a given strength could be prepared from pale malt than from brown malt.”

A CATALOGUE  
OF  
NEW WORKS IN GENERAL LITERATURE  
PUBLISHED BY  
LONGMAN, BROWN, GREEN, LONGMANS, AND ROBERTS  
39 PATERNOSTER ROW, LONDON.

CLASSIFIED INDEX

**Agriculture and Rural Affairs.**

Bayldon on Valuing Rents, &c.	5
Cecil's Stud Farm	8
Hoskyns's Talpa	11
Loudon's Agriculture	14
Low's Elements of Agriculture	14
Morton on Landed Estates	17

**Arts, Manufactures, and Architecture.**

Bourne on the Screw Propeller	6
Brande's Dictionary of Science, &c.	6
" Organic Chemistry	6
Chevrel on Colour	8
Cresy's Civil Engineering	8
Fairbairn's Information for Engineers	9
Gwilt's Encyclopedia of Architecture	10
Harford's Plates from M. Angelo	10
Humphreys's <i>Parables</i> Illuminated	12
Jameson's Sacred and Legendary Art	12, 13
" Commonplace-Book	13
König's Pictorial Life of Luther	10
Loudon's Rural Architecture	14
Mac Dougall's Campaigns of Hannibal	15
" Theory of War	15
Moseley's Engineering	17
Piessé's Art of Perfumery	17
Richardson's Art of Horsemanship	19
Scoffern on Projectiles, &c.	20
Scrivener on the Iron Trade	20
Steam Engine, by the Artisan Club	6
Ure's Dictionary of Arts, &c.	23

**Biography.**

Arago's Lives of Scientific Men	5
Brialmont's Wellington	6
Bunsen's Hippolytus	7
Crosse's (Andrew) Memorials	9
Gleig's Essays	10
Green's Princesses of England	10
Harsford's Life of Michael Angelo	10
Lardner's Cabinet Cyclopaedia	13
Mauder's Biographical Treasury	15
Mountain's (Col.) Memoirs	17
Parfy's (Admiral) Memoirs	18

Russell's Memoirs of Moore	16
" (Dr.) Life of Mezzofanti	20
Schimmel Penninck's (Mrs.) Life	20
Southe's Life of Wesley	21
" Life and Correspondence	21
Stephen's Ecclesiastical Biography	22
Strickland's Queens of England	22
Sydney Smith's Memoirs	21
Symonds's (Admiral) Memoirs	22
Taylor's Loyola	22
" Wesley	22
Uwins's Memoirs and Letters	23
Waterton's Autobiography and Essays	34

**Books of General Utility.**

Acton's Bread-Book	5
" Cookery-Book	5
Black's Treatise on Brewing	6
Cabinet Gazetteer	7
" Lawyer	7
Cust's Invalid's Own Book	9
Gilbart's Logic for the Million	10
Hints on Etiquette	11
How to Nurse Sick Children	12
Hudson's Executor's Guide	12
" on Making Wills	12
Kesteven's Domestic Medicine	13
Lardner's Cabinet Cyclopaedia	13
Loudon's Lady's Country Companion	14
Mauder's Treasury of Knowledge	15
" Biographical Treasury	15
" Geographical Treasury	16
" Scientific Treasury	15
" Treasury of History	16
" Natural History	16
Piessé's Art of Perfumery	18
Pocket and the Stud	10
Pycroft's English Reading	19
Reece's Medical Guide	19
Rich's Companion to Latin Dictionary	19
Richardson's Art of Horsemanship	19
Riddle's Latin Dictionaries	19
Roget's English Thesaurus	20
Rowton's Debater	20
Short Whist	21
Thomson's Interest Tables	22
Webster's Domestic Economy	24
West on Children's Diseases	24
Willich's Popular Tables	24
Wilmot's Blackstone	24

**Botany and Gardening.**

Hassall's British Freshwater Algae	11
Hooker's British Flora	11
" Guide to Kew Gardens	11
" " Kew Museum	11
Lindley's Introduction to Botany	14
" Theory of Horticulture	14
Loudon's Hortus Britannicus	14
" Amateur Gardener	14
" Trees and Shrubs	14
" Gardening	14
" Plants	14
Pereira's Materia Medica	18
Rivers's Rose Amateur's Guide	19
Wilson's British Mosses	24

**Chronology.**

Blair's Chronological Tables	6
Brewer's Historical Atlas	6
Bunsen's Ancient Egypt	7
Calendars of English State Papers	7
Haydn's Beaton's Index	11
Jaquemet's Chronology	13
" Abridged Chronology	13

**Commerce and Mercantile Affairs.**

Gilbart's Treatise on Banking	10
Lorimer's Young Master Mariner	14
Macleod's Banking	15
McCulloch's Commerce and Navigation	15
Murray on French Finance	18
Serivenor on the Iron Trade	20
Thomson's Interest Tables	22
Tooke's History of Prices	22

**Criticism, History, and Memoirs.**

Blair's Chron. and Historical Tables	6
Brewer's Historical Atlas	6
Bunsen's Ancient Egypt	7
" Hippolytus	7
Calendars of English State Papers	7
Capgrave's Illustrious Henries	8
Chapman's Gustavus Adolphus	8
Chronicles and Memorials of England	8
Connolly's Sappers and Miners	8
Conybear and Howson's St. Paul	8
Crowe's History of France	9
Fischer's Francis Bacon	9
Gleig's Essays	10
Gurney's Historical Sketches	10
Hayward's Essays	11
Herschel's Essays and Addresses	11
Jeffrey's (Lord) Contributions	13
Kemble's Anglo-Saxons	13
Lardner's Cabinet Cyclopædia	13
Macaulay's Critical and Hist. Essays	14
" History of England	14
" Speeches	14
Mackintosh's Miscellaneous Works	15
" History of England	15
McCulloch's Geographical Dictionary	15
Mauder's Treasury of History	16
Merivale's History of Rome	16
" Roman Republic	16
Milner's Church History	16
Moore's (Thomas) Memoirs, &c.	16
Mure's Greek Literature	17
Normanby's Year of Revolution	18
Perry's Franks	18
Raikes's Journal	19
Riddle's Latin Dictionaries	19

Rogers's Essays from Edinb. Review	20
Roget's English Thesaurus	20
Schmitz's History of Greece	20
Southey's Doctor	21
Stephen's Ecclesiastical Biography	22
" Lectures on French History	22

Sydney Smith's Works	21
" Lectures	21
" Memoirs	21
Taylor's Loyola	22
" Wesley	22

Thirlwall's History of Greece	22
Thomas's Historical Notes	27
Townsend's State Trials	22
Turner's Anglo-Saxons	23
" Middle Ages	23
" Sacred History of the World	23

Uwins's Memoirs and Letters	23
Veasey's Austrian Court	23
Wade's England's Greatness	24
Young's Christ of History	24

**Geography and Atlases.**

Brewer's Historical Atlas	6
Butler's Geography and Atlases	7
Cabinet Gazetteer	7
Johnston's General Gazetteer	13
McCulloch's Geographical Dictionary	15
Mauder's Treasury of Geography	16
Murray's Encyclopædia of Geography	17
Sharp's British Gazetteer	21

**Juvenile Books.**

Amy Herbert	20
Cleve Hall	20
Earl's Daughter (The)	20
Experience of Life	20
Gertrude	20
Howitt's Boy's Country Book	12
" (Mary) Children's Year	12
Ivors	20
Katharine Ashton	20
Laneton Parsonage	20
Margaret Percival	20
Pycroft's Collegian's Guide	19

**Medicine, Surgery, &c.**

Brodie's Psychological Inquiries	7
Bull's Hints to Mothers	6
" Management of Children	6
Copland's Dictionary of Medicine	8
Cust's Invalid's Own Book	9
Holland's Mental Physiology	11
" Medical Notes and Reflections	11
How to Nurse Sick Children	12
Kesteven's Domestic Medicine	13
Pereira's Materia Medica	18
Reece's Medical Guide	19
Richardson's Cold-water Cure	19
Spencer's Principles of Psychology	21
West on Diseases of Infancy	24

**Miscellaneous Literature.**

Bacon's (Lord) Works	5
Defence of <i>Eclipse of Faith</i>	9
Eclipse of Faith	9
Greathed's Letters from Delhi	10
Greyson's Select Correspondence	10
Gurney's Evening Recreations	10
Hassall's Adulterations Detected, &c.	11
Haydn's Book of Dignities	11
Holland's Mental Physiology	11

Hooker's <i>Kew Guides</i> . . . . .	11	Conybeare and Howson's <i>St. Paul</i> . . . . .	8
Howitt's <i>Rural Life of England</i> . . . . .	12	Cotton's <i>Instructions in Christianity</i> . . . . .	8
" <i>Visits to Remarkable Places</i> . . . . .	12	Dale's <i>Domestic Liturgy</i> . . . . .	9
Jameson's <i>Commonplace-Book</i> . . . . .	13	Defence of <i>Eclipse of Faith</i> . . . . .	9
Jeffrey's (Lord) <i>Contributions</i> . . . . .	13	Earl's <i>Daughter (The)</i> . . . . .	20
Last of the Old Squires . . . . .	18	Eclipse of Faith . . . . .	9
Letters of a Betrothed . . . . .	13	Englishman's <i>Greek Concordance</i> . . . . .	9
Macaulay's <i>Critical and Hist. Essays</i> . . . . .	14	" <i>Heb. &amp; Chald. Concord.</i> . . . . .	9
" <i>Speeches</i> . . . . .	14	Experience (The) of Life . . . . .	20
Mackintosh's <i>Miscellaneous Works</i> . . . . .	15	Gertrude . . . . .	20
Martineau's <i>Miscellanies</i> . . . . .	15	Harrison's <i>Light of the Forge</i> . . . . .	10
Fycroft's <i>English Reading</i> . . . . .	19	Horne's <i>Introduction to Scriptures</i> . . . . .	11
Raikes on the Indian Revolt . . . . .	19	" <i>Abridgment of ditto</i> . . . . .	11
Rees's <i>Siege of Lucknow</i> . . . . .	19	Huc's <i>Christianity in China</i> . . . . .	12
Rich's <i>Companion to Latin Dictionary</i> . . . . .	19	Humphreys's <i>Parables Illuminated</i> . . . . .	12
Riddle's <i>Latin Dictionaries</i> . . . . .	19	Ivors, by the Author of <i>Amy Herbert</i> . . . . .	20
Rowton's <i>Debater</i> . . . . .	20	Jameson's <i>Saints and Martyrs</i> . . . . .	12
Seaward's <i>Narrative of his Shipwreck</i> . . . . .	20	" <i>Monastic Legends</i> . . . . .	13
Sir Roger De Coverley . . . . .	21	" <i>Legends of the Madonna</i> . . . . .	13
Smith's (Rev. Sydney) <i>Works</i> . . . . .	21	" <i>on Female Employment</i> . . . . .	13
Southern's <i>Doctor, &amp;c.</i> . . . . .	21	Jeremy Taylor's <i>Works</i> . . . . .	13
Spencer's <i>Essays</i> . . . . .	21	Katharine Ashton . . . . .	21
Stephen's <i>Essays</i> . . . . .	22	König's <i>Pictorial Life of Luther</i> . . . . .	10
Stow's <i>Training System</i> . . . . .	22	Landor's <i>Parsonage</i> . . . . .	20
Thomson's <i>Laws of Thought</i> . . . . .	22	Letters to my Unknown Friends . . . . .	13
Tighe and Davis's <i>Windsor</i> . . . . .	22	" <i>on Happiness</i> . . . . .	13
Townsend's <i>State Trials</i> . . . . .	22	Lyra Germanica . . . . .	7
Yonge's <i>English-Greek Lexicon</i> . . . . .	24	Maguire's <i>Rome</i> . . . . .	15
" <i>Latin Gradus</i> . . . . .	24	Margaret Percival . . . . .	20
Zumpt's <i>Latin Grammar</i> . . . . .	24	Martineau's <i>Christian Life</i> . . . . .	15

### Natural History in general.

Catlow's <i>Popular Conchology</i> . . . . .	8	" <i>Hymns</i> . . . . .	15
Ephemeris's <i>Book of the Salmon</i> . . . . .	9	" <i>Studies of Christianity</i> . . . . .	15
Garratt's <i>Marvels of Instinct</i> . . . . .	10	Merivale's <i>Christian Records</i> . . . . .	16
Gosse's <i>Natural History of Jamaica</i> . . . . .	10	Milner's <i>Church of Christ</i> . . . . .	26
Kirby and Spence's <i>Entomology</i> . . . . .	13	Moore on the Use of the Body . . . . .	26
Lee's <i>Elements of Natural History</i> . . . . .	13	" <i>" Soul and Body</i> . . . . .	26
Mauder's <i>Natural History</i> . . . . .	16	" <i>'Man and his Motives</i> . . . . .	26
Quatrefages' <i>Rambles of a Naturalist</i> . . . . .	19	Morning Clouds . . . . .	17
Turton's <i>Shells of the British Islands</i> . . . . .	23	Neale's <i>Closing Scene</i> . . . . .	18
Van der Hoeven's <i>Handbook of Zoology</i> . . . . .	23	Pattison's <i>Earth and Word</i> . . . . .	18
Waterton's <i>Essays on Natural History</i> . . . . .	24	Powell's <i>Christianity without Judaism</i> . . . . .	19
Youtatt's <i>The Dog</i> . . . . .	24	Readings for Lent . . . . .	20
" <i>The Horse</i> . . . . .	24	" <i>Confirmation</i> . . . . .	20

### One-Volume Encyclopædias and Dictionaries.

Blaine's <i>Rural Sports</i> . . . . .	6	Riddle's <i>Household Prayers</i> . . . . .	19
Brande's <i>Science, Literature, and Art</i> . . . . .	6	Robinson's <i>Lexicon to the Greek Testament</i> . . . . .	20
Copland's <i>Dictionary of Medicine</i> . . . . .	8	Saints our Example . . . . .	20
Cresy's <i>Civil Engineering</i> . . . . .	8	Sermon in the Mount . . . . .	20
Gwilt's <i>Architecture</i> . . . . .	10	Sinclair's <i>Journey of Life</i> . . . . .	21
Johnston's <i>Geographical Dictionary</i> . . . . .	13	Smith's (Sydney) <i>Moral Philosophy</i> . . . . .	21
Loudon's <i>Agriculture</i> . . . . .	14	" (G.V.) <i>Assyrian Prophecies</i> . . . . .	21
" <i>Rural Architecture</i> . . . . .	14	" (G.) <i>Wesleyan Methodism</i> . . . . .	21
" <i>Gardening</i> . . . . .	14	" (J.) <i>Shipwreck of St. Paul</i> . . . . .	21
" <i>Plants</i> . . . . .	14	Southern's <i>Life of Wesley</i> . . . . .	21
" <i>Trees and Shrubs</i> . . . . .	14	Stephen's <i>Ecclesiastical Biography</i> . . . . .	22
M'Culloch's <i>Geographical Dictionary</i> . . . . .	15	Taylor's <i>Loyola</i> . . . . .	22
" <i>Dictionary of Commerce</i> . . . . .	15	" <i>Wesley</i> . . . . .	22
Murray's <i>Encyclopædia of Geography</i> . . . . .	17	Theologia Germanica . . . . .	7
Sharp's <i>British Gazetteer</i> . . . . .	21	Thumbr Bible (The) . . . . .	22
Ure's <i>Dictionary of Arts, &amp;c.</i> . . . . .	23	Turner's <i>Sacred History</i> . . . . .	23
Webster's <i>Domestic Economy</i> . . . . .	24	Young's <i>Christ of History</i> . . . . .	24

### Religious and Moral Works.

Amy Herbert . . . . .	20	" <i>Mystery</i> . . . . .	24
Bloomfield's <i>Greek Testament</i> . . . . .	6		
Calvert's <i>Wife's Manual</i> . . . . .	8		
Cleve Hall . . . . .	20		

### Poetry and the Drama.

Aikin's (Dr.) <i>British Poets</i> . . . . .	5		
Arnold's <i>Merope</i> . . . . .	5		
" <i>Poems</i> . . . . .	5		
Baillie's (Joanna) <i>Poetical Works</i> . . . . .	5		
Calvert's <i>Wife's Manual</i> . . . . .	8		
Goldsmit's <i>Poems, illustrated</i> . . . . .	10		
Horace, edited by Yonge . . . . .	24		
L. E. L.'s <i>Poetical Works</i> . . . . .	13		
Linwood's <i>Anthologia Oxoniensis</i> . . . . .	14		

Lyra Germanica	7
Macaulay's Lays of Ancient Rome	14
MacDonald's Within and Without	15
" Poems	14
Montgomery's Poetical Works	26
Moore's Poetical Works	26
" Selections (Illustrated)	26
" Lalla Rookh	17
" Irish Melodies	17
" National Melodies	17
" Sacred Songs ( <i>with Music</i> )	17
" Songs and Ballads	16
Reade's Poetical Works	19
Shakspeare, by Bowdler	20
Southey's Poetical Works	21
Thomson's Seasons, illustrated	22

### Political Economy & Statistics.

Macleod's Political Economy	15
McCulloch's Geog. Statist. &c. Dict.	15
" Dictionary of Commerce	15
Willich's Popular Tables	24

### The Sciences in general and Mathematics.

Arago's Meteorological Essays	5
" Popular Astronomy	5
Bourne on the Screw Propeller	6
" 's Catechism of Steam-Engine	6
Boyd's Naval Cadet's Manual	6
Brande's Dictionary of Science, &c.	6
" Lectures on Organic Chemistry	6
Cresy's Civil Engineering	8
Delabèche's Geology of Cornwall, &c.	9
De la Rive's Electricity	9
Grove's Correlation of Physical Forces	10
Herschel's Outlines of Astronomy	11
Holland's Mental Physiology	11
Humboldt's Aspects of Nature	12
" Cosmos	12
Hunt on Light	12
Lardner's Cabinet Cyclopædia	13
Marct's (Mrs.) Conversations	15
Morell's Elements of Psychology	17
Moseley's Engineering and Architecture	17
Ogilvie's Master-BUILDER'S Plan	18
Owen's Lectures on Comp. Anatomy	18
Pereira on Polarised Light	18
Peschel's Elements of Physics	18
Phillips's Fossils of Cornwall	19
" Mineralogy	18
" Guide to Geology	18
Portlock's Geology of Londonderry	18
Powell's Unity of Worlds	19
" Christianity without Judaism	19
Smee's Electro-Metallurgy	21
Steam-Engine (The)	6

### Rural Sports.

Baker's Rifle and Hound in Ceylon	5
Blaine's Dictionary of Sports	6
Cecil's Stable Practice	8
" Stud Farm	8
Davy's Fishing Excursions, 2 Series	9
Ephemera on Angling	9
" Book of the Salmon	9

Hawker's Young Sportsman	11
The Hunting-Field	10
Idle's Hints on Shooting	12
Pocket and the Stud	10
Practical Horsemanship	10
Pycroft's Cricket-Field	9
Rarey's Horse-Taming	19
Richardson's Horsemanship	19
Ronalds's Fly-Fisher's Entomology	20
Stable Talk and Table Talk	10
Stonehenge on the Dog	22
" " Greyhound	22
Thacker's Courser's Guide	22
The Stud, for Practical Purposes	10

### Veterinary Medicine, &c.

Cecil's Stable Practice	8
" Stud Farm	8
Hunting-Field (The)	10
Miles's Horse-Shoeing	26
" on the Horse's Foot	26
Pocket and the Stud	10
Practical Horsemanship	10
Rarey's Horse-Taming	19
Richardson's Horsemanship	19
Stable Talk and Table Talk	10
Stonehenge on the Dog	22
Stud (The)	10
Youatt's The Dog	24
" The Horse	24

### Voyages and Travels.

Baker's Wanderings in Ceylon	5
Barth's African Travels	5
Burton's East Africa	7
" Medina and Mecca	7
Davies's Visit to Algiers	9
Domenech's Texas and Mexico	9
Forester's Sardinia and Corsica	10
Hinchliff's Travels in the Alps	11
Howitt's Art-Student in Munich	12
" (W.) Victoria	12
Huc's Chinese Empire	12
Hudson and Kennedy's Mont Blanc	12
Humboldt's Aspects of Nature	12
Hutchinson's Western Africa	12
M'Clure's North-West Passage	18
Mac Dougall's Voyage of the <i>Resolute</i>	15
Osborn's Quedah	18
Scherzer's Central America	20
Seaward's Narrative	20
Snow's Tierra del Fuego	21
Von Tempsky's Mexico and Guatemala	23
Wanderings in the Land of Ham	24
Weld's Vacations in Ireland	24
" United States and Canada	24

### Works of Fiction.

Cruikshank's Falstaff	9
Heirs of Cheveleigh	11
Howitt's Tallangetta	12
Moore's Epicurean	17
Sir Roger De Coverley	21
Sketches (The), Three Tales	21
Southey's Doctor, &c.	21
Trollope's Barchester Towers	22
" Warden	22
Ursula	20

ALPHABETICAL CATALOGUE  
of  
**NEW WORKS and NEW EDITIONS**

PUBLISHED BY

LONGMAN, BROWN, GREEN, LONGMANS, & ROBERTS,  
PATERNOSTER ROW, LONDON.

**Miss Acton's Modern Cookery**  
for Private Families, reduced to a System of Easy Practice in a Series of carefully-tested Receipts, in which the Principles of Baron Liebig and other eminent writers have been as much as possible applied and explained. Newly-revised and enlarged Edition; with 8 Plates, comprising 27 Figures, and 150 Woodcuts. Fcp. 8vo. 7s. 6d.

**Acton's English Bread-Book** for Domestic Use, adapted to Families of every grade. Fcp. 8vo. price 4s. 6d.

**Aikin's Select Works** of the British Poets from Ben Jonson to Beattie. New Edition; with Biographical and Critical Prefaces, and Selections from recent Poets. 8vo. 18s.

**Arago (F.)—Biographies of Distinguished Scientific Men.** Translated by Admiral W. H. SMYTH, D.C.L., F.R.S., &c.; the Rev. BADEN POWELL, M.A.; and ROBERT GRANT, M.A., F.R.A.S. 8vo. 18s.

**Arago's Meteorological Essays.** With an Introduction by BARON HUMBOLDT. Translated under the superintendence of Lieut.-Col. E. SABINE, R.A., Treasurer and V.P.R.S. 8vo. 18s.

**Arago's Popular Astronomy.** Translated and edited by Admiral W. H. SMYTH, D.C.L., F.R.S.; and ROBERT GRANT, M.A., F.R.A.S. In Two Volumes. VOL. I. 8vo. with Plates and Woodcuts, 21s.—VOL. II. is in the press.

**Arnold.—Merope, a Tragedy.** By MATTHEW ARNOLD. With a Preface and an Historical Introduction. Fcp. 8vo. 5s.

**Arnold.—Poems.** By MATTHEW ARNOLD. FIRST SERIES, Third Edition. Fcp. 8vo. 5s. 6d. SECOND SERIES, price 5s.

**Lord Bacon's Works. A New Edition,** collected and edited by R. L. ELLIS, M.A., Fellow of Trinity College, Cambridge; J. SPEDDING, M.A. of Trinity College, Cambridge; and D. D. HEATH, Esq., Barrister-at-Law, and late Fellow of Trinity College, Cambridge. VOLS. I. to III. 8vo. 18s. each; VOL. IV. 14s.; and VOL. V. 18s. comprising the Division of *Philosophical Works*; with a copious INDEX.

VOLS. VI. and VII. comprise BACON'S *Literary and Professional Works*. VOL. VI. price 18s. now ready.

**Joanna Baillie's Dramatic and Poetical Works:** Comprising Plays of the Passions, Miscellaneous Dramas, Metrical Legends, Fugitive Pieces, and Ahalya Baee; with the Life of Joanna Baillie, Portrait and Vignette. Square crown 8vo. 21s. cloth; or 42s. morocco.

**Baker.—The Rifle and the Hound in Ceylon.** By S. W. BAKER, Esq. New Edition, with 13 Illustrations engraved on Wood. Fcp. 8vo. 4s. 6d.

**Baker.—Eight Years' Wanderings in Ceylon.** By S. W. BAKER, Esq. With 6 coloured Plates. 8vo. 15s.

**Barth.—Travels and Discoveries in North and Central Africa:** Being the Journal of an Expedition undertaken under the auspices of Her Britannic Majesty's Government in the Years 1849—1855. By HENRY BARTH, Ph.D., D.C.L., &c. With numerous Maps and Illustrations. 5 vols. 8vo. £5. 5s. cloth.

**Bayldon's Art of Valuing Rents and Tillages, and Claims of Tenants upon Quitting Farms, at both Michaelmas and Lady-day; as revised by Mr. DONALDSON.** Seventh Edition, enlarged and adapted to the Present Time. By ROBERT BAKER, Land-Agent and Valuer. 8vo. price 10s. 6d.

**Black's Practical Treatise on Brewing, based on Chemical and Economical Principles: With Formulae for Public Brewers, and Instructions for Private Families.** Svo. 10s. 6d.

**Blaine's Encyclopaedia of Rural Sports;** or, a complete Account, Historical, Practical, and Descriptive, of Hunting, Shooting, Fishing, Racing, &c. *New Edition*, revised and corrected to the Present Time; with above 600 Woodcut Illustrations, including 20 Subjects now added from Designs by John Leech.

**Blair's Chronological and Historical Tables,** from the Creation to the Present Time: With Additions and Corrections from the most authentic Writers; including the Computation of St. Paul, as connecting the Period from the Exode to the Temple. Under the revision of Sir HENRY ELLIS, K.H. Imperial Svo. 31s. 6d. half-morocco.

**Boyd. — A Manual for Naval Cadets.** Published with the sanction and approval of the Lords Commissioners of the Admiralty. By JOHN M'NEILL BOYD, Captain, R.N. With Compass-Signals in Colours, and 236 Woodcuts. Fcp. Svo. 10s. 6d.

**Bloomfield.—The Greek Testament:** with copious English Notes, Critical, Philological, and Explanatory. Especially adapted to the use of Theological Students and Ministers. By the Rev. S. T. BLOOMFIELD, D.D., F.S.A. Ninth Edition, revised. 2 vols. Svo. with Map, £2. 8s.

**Dr. Bloomfield's College & School Edition of the Greek Testament:** With brief English Notes, chiefly Philological and Explanatory. Seventh Edition; with Map and Index. Fcp. Svo. 7s. 6d.

**Dr. Bloomfield's College & School Lexicon to the Greek Testament.** New Edition, revised. Fcp. Svo. price 10s. 6d.

**Bourne's Catechism of the Steam Engine** in its various Applications to Mines, Mills, Steam Navigation, Railways, and Agriculture: With Practical Instructions for the Manufacture and Management of Engines of every class. Fourth Edition, enlarged; with 89 Woodcuts. Fcp. Svo. 6s.

**Bourne. — A Treatise on the Steam Engine, in its Application to Mines, Mills, Steam Navigation, and Railways.** By the Artisan Club. Edited by JOHN BOURNE, C.E. New Edition; with 33 Steel Plates, and 349 Wood Engravings. 4to. 27s.

**Bourne. — A Treatise on the Screw Propeller:** With various Suggestions of Improvement. By JOHN BOURNE, C.E. New Edition, with 29 large Plates and numerous Wood Engravings. 4to. 38s.

**Brande's Dictionary of Science, Literature, and Art;** comprising the History, Description, and Scientific Principles of every Branch of Human Knowledge; with the Derivation and Definition of all the Terms in general use. Third Edition, revised and corrected; with numerous Woodcuts. Svo. 60s.

**Professor Brande's Lectures on Organic Chemistry,** as applied to Manufactures, including Dyeing, Bleaching, Calico Printing, Sugar Manufacture, the Preservation of Wood, Tanning, &c. Edited by J. SCOFFERN, M.B. Fcp. Woodcuts, 7s. 6d.

**Brewer.—An Atlas of History and Geography,** from the Commencement of the Christian Era to the Present Time: Comprising a Series of Sixteen Coloured Maps, arranged in Chronological Order, with Illustrative Memoirs. By the Rev. J. S. BREWER, M.A. *Second Edition*, revised and corrected. Royal Svo. 12s. 6d. half-bound.

**Brialmont.—The Life of the Duke of Wellington.** From the French of ALEXIS BRIALMONT, Captain on the Staff of the Belgian Army: With Emendations and Additions. By the Rev. G. R. GLEIG, M.A., Chaplain-General to the Forces and Prebendary of St. Paul's. With Maps, Plans, and Portraits. VOLS. I. and II. Svo. price 30s. VOL. III. (completion) is in preparation.

**Dr. T. Bull's Hints to Mothers on the Management of their Health during the Period of Pregnancy and in the Lying-in Room:** With an Exposure of Popular Errors in connexion with those subjects, &c.; and Hints upon Nursing. New Edition. Fcp. Svo. 5s.

**Bull. — The Maternal Management of Children in Health and Disease.** By T. BULL, M.D., formerly Physician-Accoucheur to the Finsbury Midwifery Institution. New Edition. Fcp. Svo. 5s.

**Brodie.** — *Psychological Inquiries*, in a Series of Essays intended to illustrate the Influence of the Physical Organisation on the Mental Faculties. By Sir BENJAMIN C. BRODIE, Bart. Third Edition. Fcp. 8vo. 5s.

**Bunsen.** — *Christianity and Mankind*, their Beginnings and Prospects. By Baron C. C. J. BUNSEN, D.D., D.C.L., D.Ph. Being a New Edition, corrected, re-modelled, and extended, of *Hippolytus and his Age*. 7 vols. 8vo. £5. 5s.

\*\* This Edition is composed of three distinct works, as follows:—

1. *Hippolytus and his Age*; or, the Beginnings and Prospects of Christianity. 2 vols. 8vo. £1. 10s.
2. *Outline of the Philosophy of Universal History applied to Language and Religion*; containing an Account of the Alphabetical Conferences. 2 vols. 33s.
3. *Analecta Ante-Nicæna*. 3 vols. 8vo. £2. 2s.

**Bunsen.** — *Lyra Germanica*.

Translated from the German by CATHERINE WINKWORTH. *Fifth Edition* of the FIRST SERIES, Hymns for the Sundays and Festivals of the Christian Year. SECOND SERIES, the Christian Life. Fcp. 8vo. 5s. each Series.

\*\* These selections of German Hymns have been made from collections published in Germany by Baron BUNSEN; and form companion volumes to

**Theologia Germanica**: Which setteth forth many fair lineaments of Divine Truth, and saith very lofty and lovely things touching a Perfect Life. Translated by SUSANNA WINKWORTH. With a Preface by the Rev. CHARLES KINGSLEY; and a Letter by Baron BUNSEN. Third Edition. Fcp. 8vo. 5s.

**Bunsen.** — *Egypt's Place in Universal History*: An Historical Investigation, in Five Books. By Baron C. C. J. BUNSEN, D.C.L., D.Ph. Translated from the German by C. H. COTTRELL, Esq., M.A. With many Illustrations. VOL. I. 8vo. 28s.; VOL. II. 8vo. 30s. VOL. III. IV. and V. completing the work, are in the press.

**Bishop Butler's Sketch of Modern and Ancient Geography**. New Edition, thoroughly revised, with such Alterations introduced as continually progressive Discoveries and the latest information have rendered necessary. Post 8vo. 7s. 6d.

**Bishop Butler's General Atlas of Modern and Ancient Geography**; comprising Fifty-two full-coloured Maps; with complete Indices. New Edition, enlarged, and greatly improved. Edited by the Author's Son. Royal 4to. 24s.

**Burton.** — *First Footsteps in East Africa*; or, an Exploration of Harar. By RICHARD F. BURTON, Captain, Bombay Army. With Maps and coloured Plate. 8vo. 18s.

**Burton.** — *Personal Narrative of a Pilgrimage to El Medinah and Meccah*. By RICHARD F. BURTON, Captain, Bombay Army. *Second Edition*, revised; with coloured Plates and Wood-cuts. 2 vols. crown 8vo. 24s.

**The Cabinet Lawyer: A Popular Digest** of the Laws of England, Civil and Criminal; with a Dictionary of Law Terms, Maxims, Statutes, and Judicial Antiquities; Correct Tables of Assessed Taxes, Stamp Duties, Excise Licenses, and Post-Horse Duties; Post-Office Regulations; and Prison Discipline. 17th Edition, comprising the Public Acts of the Session 1858. Fcp. 8vo. 10s. 6d.

**The Cabinet Gazetteer: A Popular Exposition of All the Countries of the World**. By the Author of *The Cabinet Lawyer*. Fcp. 8vo. 10s. 6d.

**Calendars of State Papers, Domestic Series**, published under the Direction of the Master of the Rolls, and with the Sanction of H.M. Secretary of State for the Home Department:

The Reign of JAMES I. 1603-23, edited by Mrs. GREEN. VOLS. I. to III. imperial 8vo. 15s. each.

The Reign of CHARLES I. 1625-26, edited by JOHN BRUCE, V.P.S.A. Imperial 8vo. 15s.

The Reigns of EDWARD VI., MARY, ELIZABETH, 1547-80, edited by R. LEMON, Esq. Imperial 8vo. 15s.

Historical Notes relative to the History of England, from the Accession of HENRY VIII. to the Death of ANNE (1509-1714), compiled by F. S. THOMAS, Esq. 3 vols. imperial 8vo. 40s.

State Papers relating to SCOTLAND, from the Reign of HENRY VIII. to the Accession of JAMES I. (1509-1603), and of the Correspondence relating to MARY QUEEN of SCOTS, during her Captivity in England, edited by M. J. THORPE, Esq. 2 vols. imperial 8vo. 30s.

**Calvert.** — *The Wife's Manual*; or, Prayers, Thoughts, and Songs on Several Occasions of a Matron's Life. By the Rev. W. CALVERT, M.A. Ornamented from Designs by the Author in the style of *Queen Elizabeth's Prayer-Book*. Crown 8vo. 10s. 6d.

**Catlow's Popular Conchology**; or, the Shell Cabinet arranged according to the Modern System: With a detailed Account of the Animals, and a complete Descriptive List of the Families and Genera of Recent and Fossil Shells. Second Edition, improved; with 405 Woodcuts. Post 8vo. 14s.

**Cecil.** — *The Stud Farm*; or, Hints on Breeding Horses for the Turf, the Chase, and the Road. Addressed to Breeders of Race-Horses and Hunters, Landed Proprietors, and Tenant Farmers. By CECIL. Fcp. 8vo. 5s.

**Cecil's Stable Practice**; or, Hints on Training for the Turf, the Chase, and the Road; with Observations on Racing and Hunting, Wasting, Race-Riding, and Handicapping: Addressed to all who are concerned in Racing, Steeple-Chasing, and Fox-Hunting. Fcp. 8vo. with Plate, 5s.

**Chronicles and Memorials of Great Britain and Ireland during the Middle Ages**, published by the authority of H. M. Treasury under the Direction of the Master of the Rolls:—

Capgrave's Chronicle of England, edited by the Rev. F. C. HINGESTON, M.A. Royal 8vo. 8s. 6d.

Chronicon Monasterii de Abingdon, edited by the Rev. J. STEVENSON, M.A. VOL. I. royal 8vo. 8s. 6d.

Lives of Edward the Confessor, edited by the Rev. H. R. LUARD, M.A. 8s. 6d.

Monumenta Franciscana, edited by the Rev. J. S. BREWER, M.A. 8s. 6d.

Fasciculi Zizaniorum Magistri Johannis Wyclif cum Trinitico, edited by the Rev. W. W. SHIRLEY, M.A. 8s. 6d.

Stewart's Bulk of the Cronicis of Scotland, edited by W. B. TURNBULL, Barrister. VOL. I. royal 8vo. 8s. 6d.

Johannis Capgrave Liber de Illustribus Henricis, edited by the Rev. F. C. HINGESTON, M.A. Royal 8vo. 8s. 6d.

English Translation of Capgrave's *Book of the Illustrious Henries*, by the Rev. F. C. HINGESTON, M.A. 10s. 6d.

Elmham's Historia de Monasterii S. Augustini Cantuarensis, edited by the V. C. HARDWICKE, M.A. 8s. 6d.

**Chapman.** — *History of Gustavus Adolphus*, and of the Thirty Years' War up to the King's Death: With some Account of its Conclusion by the Peace of Westphalia, in 1648. By B. CHAPMAN, M.A. 8vo. Plans, 12s. 6d.

**Chevreul On the Harmony and Contrast of Colours, and their Applications to the Arts**: Including Painting, Interior Decoration, Tapestries, Carpets, Mosaics, Coloured Glazing, Paper-Staining, Calico-Printing, Letterpress-Printing, Map-Colouring, Dress, Landscape and Flower-Gardening, &c. &c. Translated by CHARLES MARTEL. With 4 Plates. Crown 8vo. 10s. 6d.

**Connolly.** — *History of the Royal Sappers and Miners*: Including the Services of the Corps in the Crimea and at the Siege of Sebastopol. By T. W. J. CONNOLLY, Quartermaster of the Royal Engineers. Second Edition; with 17 coloured Plates. 2 vols. 8vo. 30s.

**Conybeare and Howson's Life and Epistles of Saint Paul**: Comprising a complete Biography of the Apostle, and a Translation of his Epistles inserted in Chronological Order. Third Edition, revised and corrected; with several Maps and Woodcuts, and 4 Plates. 2 vols. square crown 8vo. 31s. 6d. " The Original Edition, with more numerous Illustrations, in 2 vols. 4to. price 48s. — may also be had.

**Dr. Copland's Dictionary of Practical Medicine**: Comprising General Pathology, the Nature and Treatment of Diseases, Morbid Structures, and the Disorders especially incidental to Climates, to Sex, and to the different Epochs of Life; with numerous approved Formulae of the Medicines recommended. Now complete in 3 vols. 8vo. price £5. 11s. cloth.

**Bishop Cotton's Instructions in the Doctrine and Practice of Christianity**. Intended as an Introduction to Confirmation. 4th Edition. 18mo. 2s. 6d.

**Cresy's Encyclopaedia of Civil Engineering**, Historical, Theoretical, and Practical. Illustrated by upwards of 3,000 Woodcuts. Second Edition, revised; and extended in a Supplement, comprising Metropolitan Water-Supply, Drainage of Towns, Railways, Cubical Proportion, Brick and Iron Construction, Iron Screw Piles, Tubular Bridges, &c. 8vo. 63s.

**Crosse.** — **Memorials, Scientific and Literary, of Andrew Crosse, the Electrician.** Edited by Mrs. CROSSE. Post 8vo. 9s. 6d.

**Crowe.** — **The History of France.** By EYRE EVANS CROWE. In Five Volumes. VOL. I. 8vo. 14s.

**Cruikshank.** — **The Life of Sir John Falstaff.** Illustrated in a Series of Twenty-four original Etchings by George Cruikshank. Accompanied by an imaginary Biography of the Knight, by ROBERT B. BROTH. Royal 8vo. price 12s. 6d. cloth.

**Lady Cust's Invalid's Own Book :** A Collection of Recipes from various Books and various Countries. *Second Edition.* Fcp. 8vo. 2s. 6d.

**The Rev. Canon Dale's Domestic Liturgy and Family Chaplain,** in Two Parts: PART I. Church Services adapted for Domestic Use, with Prayers for Every Day of the Week, selected from the Book of Common Prayer; PART II. an appropriate Sermon for Every Sunday in the Year. *Second Edition.* Post 4to. 2ls. cloth; 3ls. 6d. calf; or £2. 10s. morocco.

THE FAMILY CHAPLAIN, 12s.  
Separately { THE DOMESTIC LITURGY,  
10s. 6d.

**Davies.** — **Algiers in 1857:** Its Accessibility, Climate, and Resources described with especial reference to English Invalids; with details of Recreation obtainable in its Neighbourhood added for the use of Travellers in general. By the Rev. E. W. L. DAVIES, M.A. Oxon. Post 8vo. 6s.

**Delabecque.** — **Report on the Geology of Cornwall, Devon, and West Somerset.** By Sir H. T. DELABECQUE, F.R.S. With Maps, Plates, and Woodcuts. 8vo. 14s.

**Davy (Dr. J.)** — **The Angler and his Friend;** or, Piscatory Colloquies and Fishing Excursions. By JOHN DAVY, M.D., F.R.S., &c. Fcp. 8vo. 6s.

By the same Author,

**The Angler in the Lake District;** or, Piscatory Colloquies and Fishing Excursions in Westmoreland and Cumberland. Fcp. 8vo. 6s. 6d.

**De la Rive's Treatise on Electricity in Theory and Practice.** Translated for the Author by C. V. WALKER, F.R.S. 3 vols. 8vo. Woodcuts, £3. 13s.

**Abbe' Domenech's Missionary Adventures in Texas and Mexico:** A Personal Narrative of Six Years' Sojourn in those Regions. Translated from the French under the Author's superintendence. 8vo. 10s. 6d.

**The Eclipse of Faith; or, a Visit to a Religious Sceptic.** *9th Edition.* Fcp. 8vo. 5s.

**Defence of The Eclipse of Faith,** by its Author: Being a Rejoinder to Professor Newman's *Reply*: Including a full Examination of that Writer's Criticism on the Character of Christ; and a Chapter on the Aspects and Pretensions of Modern Deism. *Second Edition*, revised. Post 8vo. 5s. 6d.

**The Englishman's Greek Concordance of the New Testament:** Being an Attempt at a Verbal Connexion between the Greek and the English Texts; including a Concordance to the Proper Names, with Indexes, Greek-English and English-Greek. *New Edition*, with a new Index. Royal 8vo. 42s.

**The Englishman's Hebrew and Chaldee Concordance of the Old Testament:** Being an Attempt at a Verbal Connexion between the Original and the English Translations; with Indexes, a List of the Proper Names and their Occurrences, &c. 2 vols. royal 8vo. £3. 13s. 6d.; large paper, £4. 14s. 6d.

**Ephemera's Handbook of Angling;** teaching Fly-fishing, Trolling, Bottom-Fishing, Salmon-Fishing: With the Natural History of River-Fish, and the best Modes of Catching them. *Third Edition*, corrected and improved; with Woodcuts. Fcp. 8vo. 5s.

**Ephemera's Book of the Salmon:** The Theory, Principles, and Practice of Fly-Fishing for Salmon; Lists of good Salmon Flies for every good River in the Empire; the Natural History of the Salmon, its Habits described, and the best way of artificially Breeding it. Fcp. 8vo. with coloured Plates, 14s.

**Fairbairn.—Useful Information for Engineers:** Being a Series of Lectures delivered to the Working Engineers of Yorkshire and Lancashire. By WILLIAM FAIRBAIRN, F.R.S., F.G.S. *Second Edition*; with Plates and Woodcuts. Crown 8vo. 10s. 6d.

**Fischer.** — **Francis Bacon of Verulam:** Realistic Philosophy and its Age. By DR. K. FISCHER. Translated by JOHN OXFORD. Post 8vo. 9s. 6d.

**Forester.** — *Rambles in the Islands of Corsica and Sardinia: With Notices of their History, Antiquities, and present Condition.* By THOMAS FORESTER. With coloured Map; and numerous Lithographic and Woodcut Illustrations from Drawings made during the Tour by Lieut.-Col. M. A. Biddulph, R.A. Imperial 8vo. 28s.

**Garratt.** — *Marvels and Mysteries of Instinct; or, Curiosities of Animal Life.* By GEORGE GARRATT. Second Edition, improved. Fcp. 8vo. 4s. 6d.

**Gilbart.** — *A Practical Treatise on Banking.* By JAMES WILLIAM GILBART, F.R.S., General Manager of the London and Westminster Bank. Sixth Edition. 2 vols. 12mo. 16s.

**Gilbart.** — *Logic for the Million: a Familiar Exposition of the Art of Reasoning.* By J. W. GILBART, F.R.S. 5th Edition; with Portrait. 12mo. 3s. 6d.

**Gleig.** — *Essays, Biographical, Historical, and Miscellaneous, contributed chiefly to the Edinburgh and Quarterly Reviews.* By the Rev. G. R. GLEIG, M.A., Chaplain-General to the Forces, and Prebendary of St. Paul's. 2 vols. 8vo. price 21s.

**The Poetical Works of Oliver Goldsmith.** Edited by BOLTON CORNEY, Esq. Illustrated by Wood Engravings, from Designs by Members of the Etching Club. Square crown 8vo. cloth, 2ls.; morocco, £1. 16s.

**Gosse.** — *A Naturalist's Sojourn in Jamaica.* By P. H. GOSSE, Esq. With Plates. Post 8vo. 14s.

**Greathed.** — *Letters from Delhi during the Siege.* By H. H. GREATHED, Esq., Political Agent. Post 8vo.

**Green.** — *Lives of the Princesses of England.* By MRS. MARY ANNE EVERETT GREEN, Editor of the *Letters of Royal and Illustrious Ladies*. With numerous Portraits. Complete in 6 vols. post 8vo. 10s. 6d. each.

**Greyson.** — *Selections from the Correspondence of R. E. GREYSON, Esq.* Edited by the Author of *The Eclipse of Faith*. New Edition. Crown 8vo. 7s. 6d.

**Grove.** — *The Correlation of Physical Forces.* By W. R. GROVE, Q.C., M.A. Third Edition. 8vo. 7s.

**Gurney.** — *St. Louis and Henri IV.*: Being a Second Series of Historical Sketches. By the Rev. JOHN H. GURNEY, M.A. Fcp. 8vo. 6s.

**Evening Recreations; or, Samples from the Lecture-Room.** Edited by Rev. J. H. GURNEY. Crown 8vo. 5s.

**Gwilt's Encyclopædia of Architecture, Historical, Theoretical, and Practical.** By JOSEPH GWILT. With more than 1,000 Wood Engravings, from Designs by J. S. GWILT. 8vo. 42s.

**Hare (Archdeacon).** — *The Life of Luther, in Forty-eight Historical Engravings.* By GUSTAV KÖNIG. With Explanations by Archdeacon HARE and SUSANNAH WINKWORTH. Fcp. 4to. 28s.

**Harford.** — *Life of Michael Angelo Buonarroti.* With Translations of many of his Poems and Letters; also Memoirs of Savonarola, Raphael, and Vittoria Colonna. By JOHN S. HARFORD, Esq., D.C.L., F.R.S. Second Edition, revised; with 20 Plates. 2 vols. 8vo. 25s.

**Illustrations, Architectural and Pictorial, of the Genius of Michael Angelo Buonarroti.** With Descriptions of the Plates, by the Commendatore CANINA; C. R. COCKERELL, Esq., R.A.; and J. S. HARFORD, Esq., D.C.L., F.R.S. Folio, 73s. 6d. half-bound.

**Harrison.** — *The Light of the Forge; or, Counsels from the Sick-Bed of E.M.* By the Rev. W. HARRISON, M.A., Domestic Chaplain to the Duchess of Cambridge. Fcp. 8vo. 5s.

**Harry Hieover's Stable Talk and Table Talk; or, Spectacles for Young Sportsmen.** New Edition, 2 vols. 8vo. Portrait, 24s.

**Harry Hieover.** — *The Hunting-Field.* By HARRY HIEOVER. With Two Plates. Fcp. 8vo. 5s. half-bound.

**Harry Hieover.** — *Practical Horsemanship.* Second Edition; with 2 Plates. Fcp. 8vo. 5s. half-bound.

**Harry Hieover.** — *The Pocket and the Stud; or, Practical Hints on the Management of the Stable.* By HARRY HIEOVER. Fcp. 8vo. Portrait, 5s.

**Harry Hieover.** — *The Stud, for Practical Purposes and Practical Men: Being a Guide to the Choice of a Horse for use more than for show.* Fcp. 5s.

**Hassall.—A History of the British Freshwater Algae :** Including Descriptions of the Desmideæ and Diatomaceæ. By ARTHUR HILL HASSALL, M.D. 2 vols. 8vo. with 103 Plates, £1. 15s.

**Hassall.—Adulterations Detected ; or, Plain Instructions for the Discovery of Frauds in Food and Medicine.** By ARTHUR HILL HASSALL, M.D. Lond. Analyst of *The Lancet* Sanitary Commission, and Author of the Reports of that Commission published under the title of *Food and its Adulterations* (which may also be had, in 8vo. price 28s.) With 225 Illustrations, engraved on Wood. Crown 8vo. 17s. 6d.

**Col. Hawker's Instructions to Young Sportsmen** in all that relates to Guns and Shooting. 10th Edition, revised by the Author's Son, Major P. W. L. HAWKER. With Portrait, Plates, and Woodcuts. 8vo. 21s.

**Haydn's Book of Dignities :** Containing Rolls of the Official Personages of the British Empire, Civil, Ecclesiastical, Judicial, Military, Naval, and Municipal, from the Earliest Periods to the Present Time. Together with the Sovereigns of Europe, from the Foundation of their respective States ; the Peerage and Nobility of Great Britain, &c. 8vo. 25s.

**Hayward.—Biographical and Critical Essays,** reprinted from Reviews, with Additions and Corrections. By A. HAYWARD, Esq., Q.C. 2 vols. 8vo. 24s.

**The Heirs of Cheveleigh : A Novel.** By GERVaise ABBOTT. 3 vols. post 8vo. 31s. 6d.

**Sir John Herschel's Outlines of Astronomy.** Fifth Edition, revised and corrected to the existing state of astronomical knowledge ; with Plates and Woodcuts. 8vo. 18s.

**Sir John Herschel's Essays** from the *Edinburgh* and *Quarterly Reviews*, with Addresses and other Pieces. 8vo. 18s.

**Hinchliff.—Summer Months among the Alps :** With the Ascent of Monte Rosa. By THOS. W. HINCHLIFF, Barrister-at-Law. Post 8vo. 10s. 6d.

**Hints on Etiquette and the Usages of Society :** With a Glance at Bad Habits. New Edition, revised (with Additions) by a Lady of Rank. Fcp. 8vo. 2s. 6d.

**Holland.—Medical Notes and Reflections.** By Sir HENRY HOLLAND, M.D., F.R.S., &c., Physician in Ordinary to the Queen and Prince-Consort. Third Edition. 8vo. 18s.

**Holland.—Chapters on Mental Physiology.** By Sir HENRY HOLLAND, Bart., F.R.S., &c. Founded chiefly on Chapters contained in *Medical Notes and Reflections* by the same Author. Second Edition. Post 8vo. 8s. 6d.

**Hooker.—Kew Gardens ; or, a Popular Guide to the Royal Botanic Gardens of Kew.** By Sir WILLIAM JACKSON HOOKER, K.H., &c., Director. With many Woodcuts. 16mo. 6d.

**Hooker's Museum of Economic Botany ; or, Popular Guide to the Useful and Remarkable Vegetable Products of the Museum in the Royal Gardens of Kew.** 16mo. 1s.

**Hooker and Arnott's British Flora** ; comprising the Phænogamous or Flowering Plants, and the Ferns. Seventh Edition, with Additions and Corrections ; and numerous Figures illustrative of the Umbelliferous Plants, the Composite Plants, the Grasses, and the Ferns. 12mo. with 12 Plates, 14s. ; with the Plates coloured, 21s.

**Horne's Introduction to the Critical Study and Knowledge of the Holy Scriptures.** Tenth Edition, revised, corrected, and brought down to the present time. Edited by the Rev. T. HARTWELL HORNE, B.D. (the Author) ; the Rev. SAMUEL DAVIDSON, D.D. of the University of Halle, and LL.D. ; and S. PRIDEAUX TREGELLES, LL.D. With 4 Maps and 22 Vignettes and Facsimiles. 4 vols. 8vo. £3. 13s. 6d.

**Horne.—A Compendious Introduction to the Study of the Bible.** By the Rev. T. HARTWELL HORNE, B.D. New Edition, with Maps, &c. 12mo. 9s.

**Hoskyns.—Talpa ; or, the Chronicles of a Clay Farm : An Agricultural Fragment.** By CHANDOS WREN HOSKYNS, Esq. Fourth Edition. With 24 Woodcuts from Designs by GEORGE CRUIKSHANK. 16mo. 5s. 6d.

**How to Nurse Sick Children :**

Intended especially as a Help to the Nurses in the Hospital for Sick Children; but containing Directions of service to all who have the charge of the Young. Fcp. 8vo. 1s. 6d.

**Howitt (A. M.)—An Art-Student in Munich.** By ANNA MARY HOWITT. 2 vols. post 8vo. 14s.

**Howitt.—The Children's Year.** By MARY HOWITT. With Four Illustrations. Square 16mo. 5s.

**Howitt.—Tallangetta, the Squatter's Home: A Story of Australian Life.** By WILLIAM HOWITT. 2 vols. post 8vo. 18s.

**Howitt.—Land, Labour, and Gold; or, Two Years in Victoria: With Visit to Sydney and Van Diemen's Land.** By WILLIAM HOWITT. Second Edition. 2 vols. crown 8vo. 10s.

**W. Howitt's Visits to Remarkable Places: Old Halls, Battle-Fields, and Scenes illustrative of Striking Passages in English History and Poetry.** With about 80 Wood Engravings. New Edition. 2 vols. square crown 8vo. 25s.

**William Howitt's Boy's Country Book: Being the Real Life of a Country Boy, written by himself; exhibiting all the Amusements, Pleasures, and Pursuits of Children in the Country.** With 40 Woodcuts. Fcp. 8vo. 6s.

**William Howitt's Rural Life of England.** With Woodcuts by Bewick and Williams. Medium 8vo. 21s.

**Huc.—Christianity in China, Tartary, and Thibet.** By M. l'Abbé Huc, formerly Missionary Apostolic in China. Vols. I. and II. 8vo. 21s.; and Vol. III. 10s. 6d.

**Huc.—The Chinese Empire: A Sequel to Huc and Gabet's *Journey through Tartary and Thibet*.** By the Abbé Huc, formerly Missionary Apostolic in China. Second Edition; with Map. 2 vols. 8vo. 21s.

**Hudson and Kennedy's Ascent of Mont Blanc by a New Route and Without Guides.** Second Edition, with Plate and Map. Post 8vo. 5s. 6d.

**Hudson's Plain Directions for**

Making Wills in conformity with the Law: With a clear Exposition of the Law relating to the distribution of Personal Estate in the case of Intestacy, two Forms of Wills, and much useful information. Fcp. 8vo. 2s. 6d.

**Hudson's Executor's Guide.**

New and improved Edition; with the Statutes enacted, and the Judicial Decisions pronounced since the last Edition incorporated. Fcp. 8vo. 6s.

**Humboldt's Cosmos. Translated,**

with the Author's authority, by Mrs. SABINE. VOLS. I. and II. 16mo. Half-a-Crown each, sewed; 3s. 6d. each, cloth; or in post 8vo. 12s. each, cloth. VOL. III. post 8vo. 12s. 6d. cloth; or in 16mo. Part I. 2s. 6d. sewed, 3s. 6d. cloth; and Part II. 3s. sewed, 4s. cloth. VOL. IV. PART I. post 8vo. 15s. cloth; 16mo. 7s. 6d. cloth.

**Humboldt's Aspects of Nature.**

Translated, with the Author's authority, by Mrs. SABINE. 16mo. price 6s.: or in 2 vols. 3s. 6d. each, cloth; 2s. 6d. each, sewed.

**Humphreys.—Parables of Our**

Lord, illuminated and ornamented in the style of the Missals of the Renaissance by H. N. HUMPHREYS. Square fcp. 8vo. 21s. in massive carved covers; or 30s. bound in morocco, by Hayday.

**Hunt.—Researches on Light in its Chemical Relations; embracing a Consideration of all the Photographic Processes.** By ROBERT HUNT, F.R.S. Second Edition, with Plate and Woodcuts. 8vo. 10s. 6d.

**Hutchinson.—Impressions of**

Western Africa: With a Report on the Peculiarities of Trade up the Rivers in the Bight of Biafra. By J. T. HUTCHINSON, Esq., British Consul for the Bight of Biafra and the Island of Fernando Po. Post 8vo. 8s. 6d.

**Idle.—Hints on Shooting, Fishing, &c., both on Sea and Land, and in the Fresh-Water Lochs of Scotland: Being the Experiences of C. IDLE, Esq.** Fcp. 8vo. 5s.

**Mrs. Jameson's Legends of the**

Saints and Martyrs, as represented in Christian Art: Forming the FIRST SERIES of *Sacred and Legendary Art*. Third Edition; with 17 Etchings and upwards of 180 Woodcuts. 2 vols. square crown 8vo. 31s. 6d.

**Mrs. Jameson's Legends of the Monastic Orders**, as represented in Christian Art. Forming the **SECOND SERIES of Sacred and Legendary Art**. Second Edition, enlarged; with 11 Etchings by the Author and 88 Wood-cuts. Square crown 8vo. 28s.

**Mrs. Jameson's Legends of the Madonna**, as represented in Christian Art: Forming the **THIRD SERIES of Sacred and Legendary Art**. Second Edition, corrected and enlarged; with 27 Etchings and 165 Wood Engravings. Square crown 8vo. 28s.

**Mrs. Jameson's Commonplace-Book of Thoughts, Memories, and Fancies, Original and Selected**. Second Edition, revised and corrected; with Etchings and Woodcut. Crown 8vo. price 18s.

**Mrs. Jameson's Two Lectures on the Employment of Women**:-

1. **SISTERS of CHARITY**, Catholic and Protestant, Abroad and at Home. Second Edition, with new Preface. Fcp. 8vo. 4s.
2. **The COMMUNION of LABOUR**: A Second Lecture on the Social Employments of Women. Fcp. 8vo. 3s.

**Jaquemet's Compendium of Chronology**: Containing the most important Dates of General History, Political, Ecclesiastical, and Literary, from the Creation of the World to the end of the Year 1854. Post 8vo. 7s. 6d.

**Jaquemet's Chronology for Schools**: Containing the most important Dates of General History, Political, Ecclesiastical, and Literary, from the Creation of the World to the end of the Year 1857. Fcp. 8vo. 3s. 6d.

**Lord Jeffrey's Contributions to The Edinburgh Review**. A New Edition, complete in One Volume, with Portrait and Vignette. Square crown 8vo. 21s. cloth; or 30s. calf.—Or in 3 vols. 8vo. price 42s.

**Bishop Jeremy Taylor's Entire Works**: With Life by Bishop HEBER. Revised and corrected by the Rev. CHARLES PAGE EDEN, Fellow of Oriel College, Oxford. Now complete in 10 vols. 8vo. 10s. 6d. each.

**Kemble. — The Saxons in England**: A History of the English Commonwealth till the Conquest. By J. M. KEMBLE, M.A. 2 vols. 8vo. 28s.

**Keith Johnston's Dictionary of Geography, Descriptive, Physical, Statistical, and Historical**: Forming a complete General Gazetteer of the World. Second Edition, thoroughly revised. In 1 vol. of 1,360 pages, comprising about 50,000 Names of Places, 8vo. 36s. cloth; or half-bound in Russia, 41s.

**Kesteven. — A Manual of the Domestic Practice of Medicine**. By W. B. KESTEVEN, F.R.C.S.E., &c. Square post 8vo. 7s. 6d.

**Kirby and Spence's Introduction to Entomology**; or, Elements of the Natural History of Insects: Comprising an Account of Noxious and Useful Insects, of their Metamorphoses, Food, Stratagems, Habitations, Societies, Motions, Noises, Hibernation, Instinct, &c. Seventh Edition, with an Appendix relative to the Origin and Progress of the work. Crown 8vo. 5s.

**Lardner's Cabinet Cyclopædia of History, Biography, Literature, the Arts and Sciences, Natural History and Manufactures**. A Series of Original Works by EMINENT WRITERS. Complete in 132 vols. fcp. 8vo. with Vignette Titles, price £19. 19s. cloth lettered.

The Works *separately*, in single Volumes or Sets, price 3s. 6d. each Volume, cloth lettered.

**Mrs. R. Lee's Elements of Natural History**; or, First Principles of Zoology: Comprising the Principles of Classification, interspersed with amusing and instructive Accounts of the most remarkable Animals. New Edition; Woodcuts. Fcp. 8vo. 7s. 6d.

**The Letters of a Betrothed**. Fcp. 8vo. price 5s. cloth.

**Letters to my Unknown Friends**. By a LADY, Author of *Letters on Happiness*. Fourth Edition. Fcp. 8vo. 5s.

**Letters on Happiness**, addressed to a Friend. By the Author of *Letters to my Unknown Friends*. Fcp. 8vo. 6s.

**L.E.L. — The Poetical Works of Letitia Elizabeth Landon**; comprising the *Improvisatrice*, the *Venetian Bracelet*, the *Golden Violet*, the *Troubadour*, and Poetical Remains. 2 vols. 16mo. 10s. cloth; morocco, 21s.

**Dr. John Lindley's Theory and Practice of Horticulture; or, an Attempt to explain the principal Operations of Gardening upon Physiological Grounds:** Being the Second Edition of the *Theory of Horticulture*, much enlarged; with 98 Woodcuts. 8vo. 21s.

**Dr. John Lindley's Introduction to Botany.** New Edition, with corrections and copious Additions. 2 vols. 8vo. with Plates and Woodcuts, 21s.

**Linwood. — Anthologia Oxoniensis**, sive Florilegium e Lusibus poetis diversorum Oxoniensium Gracis et Latinis deceptum. Curante GULIELMO LINWOOD, M.A. 8vo. 14s.

**Lorimer's Letters to a Young Master Mariner on some Subjects connected with his Calling.** Fcp. 8vo. price 5s. 6d.

**Loudon's Encyclopædia of Gardening:** Comprising the Theory and Practice of Horticulture, Floriculture, Aboriculture, and Landscape-Gardening. With 1,000 Woodcuts. 8vo. 50s.

**Loudon's Encyclopædia of Trees and Shrubs, or *Arboretum et Fructetum Britannicum* abridged:** Containing the Hardy Trees and Shrubs of Great Britain, Native and Foreign, Scientifically and Popularly Described. With about 2,000 Woodcuts. 8vo. 50s.

**Loudon's Encyclopædia of Agriculture:** Comprising the Theory and Practice of the Valuation, Transfer, Laying-out, Improvement, and Management of Landed Property, and of the Cultivation and Economy of the Animal and Vegetable Productions of Agriculture. With 1,100 Woodcuts. 8vo. 31s. 6d.

**Loudon's Encyclopædia of Plants:** Comprising the Specific Character, Description, Culture, History, Application in the Arts, and every other desirable Particular respecting all the Plants found in Great Britain. With upwards of 12,000 Woodcuts. 8vo. price £3. 13s. 6d.

**Loudon's Encyclopædia of Cottage, Farm, and Villa Architecture and Furniture.** New Edition, edited by Mrs. LOUDON; with more than 2,000 Woodcuts. 8vo. 63s.

**Loudon's Hortus Britannicus;** or, Catalogue of all the Plants found in Great Britain. New Edition, corrected by Mrs. LOUDON. 8vo. 31s. 6d.

**Mrs. Loudon's Lady's Country Companion;** or, How to Enjoy a Country Life Rationally. Fourth Edition. Fcp. 8vo. 5s.

**Mrs. Loudon's Amateur Gardener's Calendar, or Monthly Guide to what should be avoided and done in a Garden.** Second Edition, revised. Crown 8vo. with Woodcuts, 7s. 6d.

**Low's Elements of Practical Agriculture:** comprehending the Cultivation of Plants, the Husbandry of the Domestic Animals, and the Economy of the Farm. New Edition; with 200 Woodcuts. 8vo. 21s.

**Macaulay. — Speeches of the Right Hon. Lord MACAULAY.** Corrected by HIMSELF. 8vo. 12s.

**Macaulay. — The History of England from the Accession of James II.** By the Right Hon. Lord MACAULAY. New Edition. Vols. I. and II. 8vo. 32s.; Vols. III. and IV. 36s.

**Lord Macaulay's History of England** from the Accession of James II. New Edition of the first Four Volumes of the Octavo Edition, revised and corrected. 7 vols. post 8vo. 6s. each.

**Lord Macaulay's Critical and Historical Essays contributed to The Edinburgh Review.** Four Editions:—

1. A LIBRARY EDITION (the Eighth), in 3 vols. 8vo. price 36s.
2. Complete in ONE VOLUME, with Portrait and Vignette. Square crown 8vo. price 21s. cloth; or 30s. calf.
3. Another NEW EDITION, in 3 vols. fcp. 8vo. price 21s. cloth.
4. The PEOPLE'S EDITION, in 2 vols. crown 8vo. price 8s. cloth.

**Macaulay. — Lays of Ancient Rome, with *Ivy* and the *Armada*.** By the Right Hon. Lord MACAULAY. New Edition. 16mo. price 4s. 6d. cloth; or 10s. 6d. bound in morocco.

**Lord Macaulay's Lays of Ancient Rome.** With numerous Illustrations, Original and from the Antique, drawn on Wood by George Scharf, jun. Fcp. 4to. 21s. boards; or 42s. bound in morocco.

**Mac Donald.—Poems. By George MAC DONALD,** Author of *Within and Without*. Fcp. 8vo. 7s.

**Mac Donald.** — Within and Without; A Dramatic Poem. By **GEORGE MAC DONALD.** Fcp. 8vo. 4s. 6d.

**Mac Dougall.** — The Theory of War illustrated by numerous Examples from History. By Lieutenant-Colonel **MAC DOUGALL**, Commandant of the Staff College. *Second Edition*, revised. Post 8vo. with Plans, 10s. 6d.

**Mac Dougall.** — The Campaigns of Hannibal, arranged and critically considered, expressly for the use of Students of Military History. By Lieut.-Col. P. L. **MAC DOUGALL**, Commandant of the Staff College. Post 8vo. 7s. 6d.

**Mc Dougall.** — The Eventful Voyage of *H. M. Discovery Ship* Resolute to the Arctic Regions in search of Sir *John Franklin* and the Missing Crews of *H. M. Discovery Ships* Erebus and Terror, 1852, 1853, 1854. By **GEORGE F. M'DOUGALL**, Master. With a coloured Chart, Illustrations in Lithography, and Woodcuts. 8vo. 21s.

**Sir James Mackintosh's Miscellaneous Works** : Including his Contributions to The Edinburgh Review. Complete in One Volume; with Portrait and Vignette. Square crown 8vo. 21s. cloth; or 30s. bound in calf: or in 3 vols. fcp. 8vo. 21s.

**Sir James Mackintosh's History** of England from the Earliest Times to the final Establishment of the Reformation. 2 vols. 8vo. 21s.

**Macleod.** — The Elements of Political Economy. By **HENRY DUNNING MACLEOD**, Barrister-at-Law. 8vo. 16s.

**Macleod.** — The Theory and Practice of Banking: With the Elementary Principles of Currency, Prices, Credit, and Exchanges. By **HENRY DUNNING MACLEOD**, Barrister-at-Law. 2 vols. royal 8vo. 30s.

**M'Culloch's Dictionary**, Practical, Theoretical, and Historical, of Commerce, and Commercial Navigation. Illustrated with Maps and Plans. New Edition, corrected; with Supplement. 8vo. 50s. cloth; half-russia, 55s.

**M'Culloch's Dictionary**, Geographical, Statistical, and Historical, of the various Countries, Places, and principal Natural Objects in the World. Illustrated with Six large Maps. New Edition, revised. 2 vols. 8vo. 63s.

**Maguire.** — Rome; its Ruler and its Institutions. By **JOHN FRANCIS MAGUIRE**, M.P. With a Portrait of Pope Pius IX. Post 8vo. 10s. 6d.

**Mrs. Marcket's Conversations on Natural Philosophy**, in which the Elements of that Science are familiarly explained. Thirteenth Edition, enlarged and corrected; with 34 Plates. Fcp. 8vo. price 10s. 6d.

**Mrs. Marcket's Conversations on Chemistry**, in which the Elements of that Science are familiarly explained and illustrated by Experiments. New Edition, improved. 2 vols. fcp. 8vo. 14s.

**Martineau.** — Studies of Christianity: A Series of Original Papers, now first collected, or New. By **JAMES MARTINEAU**. Crown 8vo. 7s. 6d.

**Martineau.** — Endeavours after the Christian Life: Discourses. By **JAMES MARTINEAU**. 2 vols. post 8vo. price 7s. 6d. each.

**Martineau.** — Hymns for the Christian Church and Home. Collected and edited by **JAMES MARTINEAU**. *Eleventh Edition*, 12mo. 3s. 6d. cloth, or 5s. calf; *Fifth Edition*, 32mo. 1s. 4d. cloth, or 1s. 8d. roan.

**Martineau.** — **Miscellanies**: Comprising Essays chiefly religious and controversial. By **JAMES MARTINEAU**. Crown 8vo. 9s.

**Maunder's Scientific and Literary Treasury**: A new and popular Encyclopædia of Science and the Belles-Lettres; including all Branches of Science, and every subject connected with Literature and Art. Fcp. 8vo. 10s.

**Maunder's Biographical Treasury**; consisting of Memoirs, Sketches, and brief Notices of above 12,000 Eminent Persons of All Ages and Nations, from the Earliest Period of History: Forming a complete Dictionary of Universal Biography. Fcp. 8vo. 10s.

**Maunder's Treasury of Knowledge**, and Library of Reference; comprising an English Dictionary and Grammar, a Universal Gazetteer, a Classical Dictionary, a Chronology, a Law Dictionary, a Synopsis of the Peerage, numerous useful Tables, &c. Fcp. 8vo. 10s.

**Maunder's Treasury of Natural History;** or, a Popular Dictionary of Animated Nature: In which the Zoological Characteristics that distinguish the different Classes, Genera, and Species, are combined with a variety of interesting Information illustrative of the Habits, Instincts, and General Economy of the Animal Kingdom. With 900 Woodcuts. Fcp. 10s.

**Maunder's Historical Treasury;** comprising a General Introductory Outline of Universal History, Ancient and Modern, and a Series of Separate Histories of every principal Nation that exists; their Rise, Progress, and Present Condition, the Moral and Social Character of their respective Inhabitants, their Religion, Manners, and Customs, &c. Fcp. 8vo. 10s.

**Maunder's Treasury of Geography, Physical, Historical, Descriptive, and Political;** containing a succinct Account of Every Country in the World: Preceded by an Introductory Outline of the History of Geography; a Familiar Inquiry into the Varieties of Race and Language exhibited by different Nations; and a View of the Relations of Geography to Astronomy and the Physical Sciences. Completed by WILLIAM HUGHES, F.R.G.S. With 7 Maps and 16 Steel Plates. Fcp. 8vo. 10s.

**Merivale. — A History of the Romans under the Empire.** By the Rev. CHARLES MERIVALE, B.D., late Fellow of St. John's College, Cambridge. 8vo. with Maps.

Vols. I and II. comprising the History to the Fall of *Julius Caesar*. Second Edition. 28s.

Vol. III. to the Establishment of the Monarchy by *Augustus*. Second Edition.....14s.

Vol. IV. and V. from *Augustus* to *Claudius*, B.C. 27 to A.D. 54 .....32s.

Vol. VI. from the Reign of Nero, A.D. 54, to the Fall of Jerusalem, A.D. 70.....16s.

**Merivale. — The Fall of the Roman Republic:** A Short History of Last Century of the Commonwealth. By the Rev. C. MERIVALE, B. D., late Fellow of St. John's College, Cambridge. New Edition. 12mo. 7s. 6d.

**Merivale (Miss). — Christian Records:** A Short History of Apostolic Age. By L. A. MERIVALE. Fcp. 8vo. price 7s. 6d.

**Miles.—The Horse's Foot and How to Keep it Sound.** Eighth Edition; with an Appendix on Shoeing in general, and Hunters in particular. 12 Plates and 12 Woodcuts. By W. MILES, Esq. Imperial 8vo. 12s. 6d.

**Miles's Plain Treatise on Horse-Shoeing.** With Plates and Woodcuts. Second Edition. Post 8vo. 2s.

**Milner's History of the Church of Christ.** With Additions by the late Rev. ISAAC MILNER, D.D., F.R.S. A New Edition, revised, with additional Notes by the Rev. T. GRANTHAM, B.D. 4 vols. 8vo. 52s.

**James Montgomery's Poetical Works:** Collective Edition; with the Author's Autobiographical Prefaces, complete in One Volume; with Portrait and Vignette. Square crown 8vo. 10s. 6d. cloth; morocco, 21s.—Or, in 4 vols. fcp. 8vo. with Plates, 14s.

**Moore.—The Power of the Soul over the Body, considered in relation to Health and Morals.** By GEORGE MOORE, M.D. Fcp. 8vo. 6s.

**Moore.—Man and his Motives.** By GEORGE MOORE, M.D. Fcp. 8vo. 6s.

**Moore.—The Use of the Body in relation to the Mind.** By G. MOORE, M.D. Fcp. 8vo. 6s.

**Moore.—Memoirs, Journal, and Correspondence of Thomas Moore.** Edited by the Right Hon. LORD JOHN RUSSELL, M.P. With Portraits and Vignettes. 8 vols. post 8vo. £4. 4s.

**Thomas Moore's Poetical Works:** Comprising the Author's Recent Introductions and Notes. The *Traveller's Edition*, crown 8vo. with Portrait, 12s. 6d. cloth; morocco by Hayday, 21s.—Also the *Library Edition*, with Portrait and Vignette, medium 8vo. 21s. cloth; morocco by Hayday, 42s.—And the *First collected Edition*, in 10 vols. fcp. 8vo. with Portrait and 19 Plates, 35s.

**Moore. — Poetry and Pictures** from Thomas Moore: Being Selections of the most popular and admired of Moore's Poems, copiously illustrated with highly-finished Wood Engravings from original Designs by eminent Artists. Fcp. 4to. price 21s. cloth; or 42s. bound in morocco by Hayday.

**Moore's Songs, Ballads, and Sacred Songs.** New Edition, printed in Ruby Type; with the Notes, and a Vignette from a Design by T. Creswick, R.A. 32mo. 2s. 6d. — An Edition in 16mo. with Vignette by R. Doyle, 5s.; or 12s. 6d. morocco by Hayday.

**Moore's Sacred Songs, the Symphonies and Accompaniments, arranged for One or more Voices, printed with the Words.** Imperial 8vo.  
[Nearly ready.]

**Moore's Lalla Rookh: An Oriental Romance.** With 13 highly-finished Steel Plates from Original Designs by Corbould, Meadows, and Stephanoff, engraved under the superintendence of the late Charles Heath. New Edition. Square crown 8vo. 15s. cloth; morocco, 28s.

**Moore's Lalla Rookh. New Edition,** printed in Ruby Type; with the Preface and Notes from the collective edition of *Moore's Poetical Works*, and a Frontispiece from a Design by Kenny Meadows. 32mo. 2s. 6d.—An Edition in 16mo. with Vignette, 5s.; or 12s. 6d. morocco by Hayday.

**Moore's Lalla Rookh. A New Edition,** with numerous Illustrations from original Designs by JOHN TENNIEL, engraved on Wood by the Brothers DALZIEL. Fcp. 4to.  
[In preparation.]

**Moore's Irish Melodies. A New Edition,** with 13 highly-finished Steel Plates, from Original Designs by eminent Artists. Square crown 8vo. 21s. cloth; or 31s. 6d. bound in morocco.

**Moore's Irish Melodies, printed in Ruby Type;** with the Preface and Notes from the collective edition of *Moore's Poetical Works*, the Advertisements originally prefixed, and a Portrait of the Author. 32mo. 2s. 6d. An Edition in 16mo. with Vignette, 5s.; or 12s. 6d. morocco by Hayday.

**Moore's Irish Melodies. Illustrated** by D. Maclige, R.A. New Edition; with 161 Designs, and the whole of the Letterpress engraved on Steel, by F. P. Becker. Super-royal 8vo. 31s. 6d. boards; or £2. 12s. 6d. morocco.

**Moore's Irish Melodies, the Music, namely, the Symphonies and Accompaniments by Sir JOHN STEVENSON and Sir HENRY BISHOP,** printed with the Words. Imperial 8vo. 31s. 6d. cloth; or 42s. half-bound in morocco.

**The Harmonised Airs from Moore's Irish Melodies,** as originally arranged for Two, Three, or Four Voices, printed with the Words. Imp. 8vo. 15s. cloth; or 25s. half-bound in morocco.

**Moore's National Melodies, with Music. National Airs and other Songs, now first collected.** By THOMAS MOORE. The Music, for Voice and Pianoforte, printed with the Words. Imp. 8vo. 31s. 6d. cloth; or 42s. half-bound in morocco.

**Moore's Epicurean. New Edition,** with the Notes from the Collective Edition of *Moore's Poetical Works*; and a Vignette engraved on Wood from an original Design by D. MACLISE, R.A. 16mo. 5s. cloth; or 12s. 6d. morocco by Hayday.

**Morell.—Elements of Psychology: PART I.** containing the Analysis of the Intellectual Powers. By J. D. MORELL, M.A., One of Her Majesty's Inspectors of Schools. Post 8vo. 7s. 6d.

**Morning Clouds. Second and cheaper Edition,** revised throughout, and printed in a more convenient form. Fcp. 8vo. 5s.

**Morton.—The Resources of Estates: A Treatise on the Agricultural Improvement and General Management of Landed Property.** By JOHN LOCKHART MORTON, Civil and Agricultural Engineer; Author of Thirteen Highland and Agricultural Prize Essays. With 25 Lithographic Illustrations. Royal 8vo. 31s. 6d.

**Moseley's Mechanical Principles of Engineering and Architecture.** Second Edition, enlarged; with numerous Woodcuts. 8vo. 24s.

**Memoirs and Letters of the late Colonel ARMIN MOUNTAIN, Aide-de-Camp to the Queen, and Adjutant-General of Her Majesty's Forces in India.** Edited by Mrs. MOUNTAIN. Second Edition, Portrait. Fcp. 8vo. 6s.

**Mure.—A Critical History of the Language and Literature of Ancient Greece.** By WILLIAM MURE, of Caldwell. VOLS. I. to III. 8vo. price 36s.; VOL. IV. 15s.; and VOL. V. 18s.

**Murray's Encyclopædia of Geography,** comprising a complete Description of the Earth: Exhibiting its Relation to the Heavenly Bodies, its Physical Structure, the Natural History of each Country, and the Industry, Commerce, Political Institutions, and Civil, and Social State of All Nations. Second Edition; with 82 Maps, and upwards of 1,000 other Woodcuts. 8vo. 60s.

**Murray.—French Finance and Financiers under Louis the Fifteenth.** By JAMES MURRAY. 8vo. 10s. 6d.

**Neale.—The Closing Scene; or, Christianity and Infidelity contrasted in the Last Hours of Remarkable Persons.** By the Rev. ERSKINE NEALE, M.A. 2 vols. fcp. 8vo. 6s. each.

**Normanby (Marquis of).—A Year of Revolution.** From a Journal kept in Paris in the Year 1818. By the MARQUIS OF NORMANBY, K.G. 2 vols. 8vo. 24s.

**Ogilvie.—The Master-Builder's Plan; or, the Principles of Organic Architecture as indicated in the Typical Forms of Animals.** By GEORGE OGILVIE, M.D. Post 8vo, with 72 Woodcuts, price 6s. 6d.

**Oldacre.—The Last of the Old Squires.** A Sketch. By CEDRIC OLDACRE, Esq., of Sax-Normanbury. Crown 8vo. 9s. 6d.

**Osborn.—Quedah; or, Stray Leaves from a Journal in Malayan Waters.** By Captain SHERARD OSBORN, R.N., C.B. With a coloured Chart and tinted Illustrations. Post 8vo. 10s. 6d.

**Osborn.—The Discovery of the North-West Passage by H.M.S. *Investigator*, Captain R. M'CLURE, 1850-1854.** Edited by Captain SHERARD OSBORN, C.B. Second Edition, revised; with Portrait, Chart, and Illustrations. 8vo. price 15s.

**Professor Owen's Lectures on the Comparative Anatomy and Physiology of the Invertebrate Animals, delivered at the Royal College of Surgeons.** Second Edition, with 235 Woodcuts. 8vo. 21s.

**Professor Owen's Lectures on the Comparative Anatomy and Physiology of the Vertebrate Animals, delivered at the Royal College of Surgeons in 1844 and 1846.** VOL. I. 8vo. 14s.

**Memoirs of Admiral Parry, the Arctic Navigator.** By his Son, the Rev. E. PARRY, M.A., Domestic Chaplain to the Bishop of London. Fourth Edition; with a Portrait and coloured Chart of the North-West Passage. Fcp. 8vo. 5s.

**Pattison.—The Earth and the Word; or, Geology for Bible Students.** By S. R. PATTISON, F.G.S. Fcp. 8vo. with coloured Map, 3s. 6d.

**Dr. Pereira's Elements of Materia Medica and Therapeutics.** Third Edition, enlarged and improved from the Author's Materials by A. S. TAYLOR, M.D., and G. O. REES, M.D. Vol. I. 8vo. 28s.; Vol. II. Part I. 21s.; Vol. II. Part II. 26s.

**Dr. Pereira's Lectures on Polarised Light, together with a Lecture on the Microscope.** 2d Edition, enlarged from the Author's Materials by Rev. B. POWELL, M.A. Fcp. 8vo. Woodcuts, price 7s.

**Perry.—The Franks, from their First Appearance in History to the Death of King Pepin.** By WALTER C. PERRY, Barrister-at-Law. 8vo. 12s. 6d.

**Peschel's Elements of Physics.** Translated from the German, with Notes, by E. WEST. With Diagrams and Woodcuts. 3 vols. fcp. 8vo. 21s.

**Phillips's Elementary Introduction to Mineralogy.** A New Edition, with extensive Alterations and Additions, by H. J. BROOKE, F.R.S., F.G.S.; and W. H. MILLER, M.A., F.G.S. With numerous Woodcuts. Post 8vo. 18s.

**Phillips.—A Guide to Geology.** By JOHN PHILLIPS, M.A., F.R.S., F.G.S., &c. Fourth Edition, corrected; with 4 Plates. Fcp. 8vo. 5s.

**Phillips.—Figures and Descriptions of the Paleozoic Fossils of Cornwall, Devon, and West Somerset: observed in the course of the Ordnance Geological Survey of that District.** By JOHN PHILLIPS, F.R.S., F.G.S., &c. 8vo. with 60 Plates, 9s.

**Piesse's Art of Perfumery, and Methods of Obtaining the Odours of Plants; with Instructions for the Manufacture of Perfumes for the Handkerchief, Scented Powders, Odorous Vinegars, Dentifrices, Pomatums, Cosmétiques, Perfumed Soap, &c.; and an Appendix on the Colours of Flowers, Artificial Fruit Essences, &c.** Second Edition; Woodcuts. Crown 8vo. 8s. 6d.

**Captain Portlock's Report on the Geology of the County of Londonderry, and of Parts of Tyrone and Fermanagh, examined and described under the Authority of the Master-General and Board of Ordnance.** 8vo. with 48 Plates, 24s.

**Powell.**—*Essays on the Spirit of the Inductive Philosophy, the Unity of Worlds, and the Philosophy of Creation.* By the Rev. BADEN POWELL, M.A., &c. Crown 8vo. Woodcuts, 12s. 6d.

**Powell.**—*Christianity without Judaism: A Second Series of Essays on the Unity of Worlds and of Nature.* By the Rev. BADEN POWELL, M.A., &c. Crown 8vo. 7s. 6d.

**Pycroft.**—*The Collegian's Guide; or, Recollections of College Days: Setting forth the Advantages and Temptations of a University Education.* By the Rev. J. PYCROFT, B.A. *Second Edition.* Fcp. 8vo. 6s.

**Pycroft's Course of English Reading;** or, How and What to Read: Adapted to every taste and capacity. With Literary Anecdotes. Fcp. 8vo. 5s.

**Pycroft's Cricket-Field; or, the Science and History of the Game of Cricket.** Second Edition; Plates and Woodcuts. Fcp. 8vo. 5s.

**Quatrefages (A. De).**—*Rambles of a Naturalist on the Coasts of France, Spain, and Sicily.* By A. DE QUATREFAGES, Memb. Inst. Translated by E. C. OTTE. 2 vols. post 8vo. 15s.

**Raikes (C.).**—*Notes on the Revolt in the North-Western Provinces of India.* By CHARLES RAIKES, Judge of the Sudder Court, and late Civil Commissioner with Sir Colin Campbell. 8vo. 7s. 6d.

**Raikes (T.).**—*Portion of the Journal kept by THOMAS RAIKES, Esq., from 1831 to 1847: Comprising Reminiscences of Social and Political Life in London and Paris during that period.* 2 vols. crown 8vo. price 12s.

**Rarey.**—*A Complete Treatise on the Science of Handling, Educating, and Taming all Horses; with a full and detailed Narrative of his Experience and Practice.* By JOHN S. RAREY, of Ohio, U.S. In 1 vol. with numerous Illustrations. [Just ready.]

**Dr. Reece's Medical Guide:** Comprising a complete Modern Dispensatory, and a Practical Treatise on the distinguishing Symptoms, Causes, Prevention, Cure, and Palliation of the Diseases incident to the Human Frame. Seventeenth Edition, corrected and enlarged by Dr. H. REECE. 8vo. 12s.

**Reade.**—*The Poetical Works of John Edmund Reade.* New Edition, revised and corrected; with Additional Poems. 4 vols. fcp. 8vo. 20s.

**Rees.**—*Personal Narrative of the Siege of Lucknow, from its commencement to its Relief by Sir Colin Campbell.* By L. E. REES, one of the surviving Defenders. Third Edition. Post 8vo. price 9s. 6d.

**Rich's Illustrated Companion to the Latin Dictionary and Greek Lexicon;** Forming a Glossary of all the Words representing Visible Objects connected with the Arts, Manufactures, and Every-Day Life of the Ancients. With about 2,000 Woodcuts from the Antique. Post 8vo. 21s.

**Richardson.**—*Fourteen Years' Experience of Cold Water: Its Uses and Abuses.* By Captain M. RICHARDSON. Post 8vo. Woodcuts, 6s.

**Horsemanship; or, the Art of Riding and Managing a Horse,** adapted to the Guidance of Ladies and Gentlemen on the Road and in the Field: With Instructions for Breaking-in Colts and Young Horses. By Captain RICHARDSON, late of the 4th Light Dragoons. With 5 Plates. Square crown 8vo. 14s.

**Household Prayers for Four Weeks:** With additional Prayers for Special Occasions. To which is added a Course of Scripture Reading for Every Day in the Year. By the Rev. J. E. RIDDLE, M.A. Crown 8vo. 3s. 6d.

**Riddle's Complete Latin-English and English-Latin Dictionary,** for the use of Colleges and Schools. *New Edition,* revised and corrected. 8vo. 21s.

**Riddle's Diamond Latin-English Dictionary.** A Guide to the Meaning, Quality, and right Accentuation of Latin Classical Words. Royal 32mo. 4s.

**Riddle's Copious and Critical Latin-English Lexicon,** founded on the German-Latin Dictionaries of Dr. William Freund. Post 4to. 31s. 6d.

**Rivers's Rose-Amateur's Guide;** containing ample Descriptions of all the fine leading variety of Roses, regularly classed in their respective Families; their History and Mode of Culture. Sixth Edition. Fcp. 8vo. 3s. 6d.

**Dr. E. Robinson's Greek and English Lexicon to the Greek Testament.** A New Edition, revised and in great part re-written. 8vo. 18s.

**Mr. Henry Rogers's Essays** selected from Contributions to the *Edinburgh Review*. Second Edition, with Additions. 3 vols. fcp. 8vo. 2ls.

**Dr. Roget's Thesaurus of English Words and Phrases** classified and arranged so as to facilitate the Expression of Ideas and assist in Literary Composition. Fifth Edition, revised and improved. Crown 8vo. 10s. 6d.

**Ronalds's Fly-Fisher's Entomology**: With coloured Representation of the Natural and Artificial Insects, and a few Observations and Instructions on Trout and Grayling Fishing. Fifth Edition; with 20 new-coloured Plates. 8vo. 14s.

**Rowton's Debater: A Series of complete Debates, Outlines of Debates, and Questions for Discussion; with ample References to the best Sources of Information.** Fcp. 8vo. 6s.

**Dr. C. W. Russell's Life of Cardinal Mezzofanti**: With an Introductory Memoir of eminent Linguists, Ancient and Modern. With Portrait and Facsimiles. 8vo. 12s.

**The Saints our Example.** By the Author of *Letters to my Unknown Friends*, &c. Fcp. 8vo. 7s.

**Scherzer.—Travels in the Free States of Central America: Nicaragua, Honduras, and San Salvador.** By Dr. CARL SCHERZER. 2 vols. post 8vo. 16s.

**SchimmelPenninck (Mrs.)—Life of Mary Anne SchimmelPenninck, Author of *Select Memoirs of Port Royal*, and other Works.** Edited by her relation, CHRISTIANA C. HANKIN. 2 vols. post 8vo. with Portrait, 15s.

**Dr. L. Schmitz's History of Greece**, from the Earliest Times to the Taking of Corinth by the Romans, B.C. 146, mainly based upon Bishop Thirlwall's History. Fifth Edition, with Nine new Supplementary Chapters on the Civilisation, Religion, Literature, and Arts of the Ancient Greeks, contributed by C. H. WATSON, M.A. Trin. Coll. Camb.; also a Map of Athens and 137 Woodcuts designed by G. Scharf, jun., F.S.A. 12mo. 7s. 6d.

**Scoffern (Dr.)—Projectile Weapons of War and Explosive Compounds.** By J. SCOFFERN, M.B. Lond., late Professor of Chemistry in the Aldersgate College of Medicine. Third Edition. Post 8vo. Woodcuts, 8s. 6d.

**Scrivenor's History of the Iron Trade**, from the Earliest Records to the Present Period. 8vo. 10s. 6d.

**Sir Edward Seaward's Narrative of his Shipwreck, and consequent Discovery of certain Islands in the Caribbean Sea.** 2 vols. post 8vo. 2ls.

**The Sermon in the Mount.** Printed by C. Whittingham, uniformly with the *Thumb Bible*. 64mo. 1s. 6d.

**Sewell (Miss).—New Edition of the Tales and Stories of the Author of *Amy Herbert*,** in 9 vols. crown 8vo. price £1. 10s. cloth; or each work complete in one volume, separately as follows:—

AMY HERBERT..... 2s. 6d.  
GERTRUDE..... 2s. 6d.  
The EARL'S DAUGHTER .. 2s. 6d.  
The EXPERIENCE of LIFE .. 2s. 6d.  
CLEVE HALL..... 3s. 6d.  
IVORS, or the Two COUSINS 3s. 6d.  
KATHARINE ASHTON .... 3s. 6d.  
MARGARET PERCIVAL .. 5s. 0d.  
LANETON PARSONAGE .. 4s. 6d.

*By the same Author, New Editions,*

**Ursula: A Tale of English Country Life.** 2 vols. fcp. 8vo. 12s.

**Readings for every Day in Lent:** Compiled from the Writings of Bishop JEREMY TAYLOR. Fcp. 8vo. 5s.

**Readings for a Month preparatory to Confirmation:** Compiled from the Works of Writers of the Early and of the English Church. Fcp. 8vo. 4s.

**Bowdler's Family Shakspeare:** In which nothing is added to the Original Text; but those words and expressions are omitted which cannot with propriety be read aloud. Illustrated with 36 Woodcut Vignettes. The *Library Edition*, in One Volume, medium 8vo. price 2ls.; a *Pocket Edition*, in 6 vols. fcp. 8vo. price 5s. each.

**Sharp's New British Gazetteer,** or Topographical Dictionary of the British Islands and narrow Seas: Comprising concise Descriptions of about 60,000 Places, Seats, Natural Features, and Objects of Note, founded on the best authorities. 2 vols. 8vo. £2. 16s.

**Short Whist; its Rise, Progress, and Laws:** With Observations to make any one a Whist-Player. Containing also the Laws of Piquet, Cassino, Ecarté, Cribbage, Backgammon. By Major A. New Edition; with Precepts for Tyros, by Mrs. B. Fcp. 8vo. 3s.

**Sinclair. — The Journey of Life.** By CATHERINE SINCLAIR, Author of *The Business of Life*. Fcp. 8vo. 5s.

**Sir Roger De Coverley.** From the *Spectator*. With Notes and Illustrations, by W. HENRY WILLS; and 12 Wood Engravings from Designs by F. TAYLER. Crown 8vo. 10s. 6d.; or 21s. in morocco by Hayday.

**The Sketches: Three Tales.** By the Authors of *Amy Herbert*, *The Old Man's Home*, and *Hawkstone*. Fcp. 8vo. price 4s. 6d.

**Smee's Elements of Electro-Metallurgy.** Third Edition, revised; with Electrotypes and numerous Woodcuts. Post 8vo. 10s. 6d.

**Smith (G.) — History of Wesleyan Methodism.** By GEORGE SMITH, F.A.S., Author of *Sacred Annals*, &c. VOL. I. *Wesley and his Times*; VOL. II. *The Middle Age of Methodism*, from 1791 to 1816. Crown 8vo. 10s. 6d. each.

**Smith (G. V.) — The Prophecies** relating to Nineveh and the Assyrians. Translated from the Hebrew, with Historical Introductions and Notes, exhibiting the principal Results of the recent Discoveries. By GEORGE VANCE SMITH, B. A. Post 8vo. 10s. 6d.

**Smith (J.) — The Voyage and Shipwreck of St. Paul:** With Dissertations on the Life and Writings of St. Luke, and the Ships and Navigation of the Ancients. By JAMES SMITH, F.R.S. With Charts, Views, and Woodcuts. Crown 8vo. 8s. 6d.

**A Memoir of the Rev. Sydney Smith.** By his Daughter, LADY HOLLAND. With a Selection from his Letters, edited by Mrs. AUSTIN. New Edition. 2 vols. 8vo. 28s.

**The Rev. Sydney Smith's Miscellaneous Works:** Including his Contributions to *The Edinburgh Review*. Three Editions: —

1. A LIBRARY EDITION (the *Fourth*), in 3 vols. 8vo. with Portrait, 36s.
2. Complete in ONE VOLUME, with Portrait and Vignette. Square crown, 8vo. 21s. cloth; or 30s. bound in calf.
3. Another NEW EDITION, in 3 vols. fcp. 8vo. 21s.

**The Rev. Sydney Smith's Elementary Sketches of Moral Philosophy,** delivered at the Royal Institution in the Years 1804 to 1806. Fcp. 8vo. 7s.

**Snow. — Two Years' Cruise off** Tierra del Fuego, the Falkland Islands, Patagonia, and in the River Plate: A Narrative of Life in the Southern Seas. By W. PARKER SNOW, late Commander of the Mission Yacht *Allen Gardiner*. With Charts and Illustrations. 2 vols. post 8vo. 24s.

**Robert Southey's Complete Poetical Works;** containing all the Author's last Introductions and Notes. The *Library Edition*, complete in One Volume, with Portraits and Vignette. Medium 8vo. 21s. cloth; 42s. bound in morocco. — Also, the *First collected Edition*, in 10 vols. fcp. 8vo. with Portrait and 19 Vignettes, price 35s.

**The Life and Correspondence** of the late Robert Southey. Edited by his Son, the Rev. C. C. SOUTHHEY, M.A. With Portraits, &c. 6 vols. post 8vo. price 63s.

**Southey's Doctor,** complete in One Volume. Edited by the Rev. J. W. WARTER, B.D. With Portrait, Vignette, Bust, and coloured Plate. Square crown 8vo. 21s.

**Southey's Life of Wesley;** and Rise and Progress of Methodism. Fourth Edition, edited by Rev. C. C. SOUTHHEY, M.A. 2 vols. crown 8vo. 12s.

**Spencer. — Essays, Scientific, Political, and Speculative.** By HERBERT SPENCER, Author of *Social Statics*. Reprinted chiefly from Quarterly Reviews. 8vo. 12s. cloth.

**Spencer. — The Principles of Psychology.** By HERBERT SPENCER, Author of *Social Statics*. 8vo. 16s.

**Stephen.** — *Lectures on the History of France.* By the Right Hon. Sir JAMES STEPHEN, K.C.B., LL.D. Third Edition. 2 vols. 8vo. 24s.

**Stephen.** — *Essays in Ecclesiastical Biography;* from The Edinburgh Review. By the Right Hon. Sir JAMES STEPHEN, K.C.B., LL.D. Third Edition. 2 vols. 8vo. 24s.

**Stonehenge.** — *The Dog in Health and Disease:* Comprising the various Modes of Breaking and using him for Hunting, Coursing, Shooting, &c.; and including the Points or Characteristics of Toy Dogs. By STONEHENGE. 8vo. with numerous Illustrations.

[In the press.]

**Stonehenge.** — *The Greyhound:* Being a Treatise on the Art of Breeding, Rearing, and Training Greyhounds for Public Running; their Diseases and Treatment: Containing also Rules for the Management of Coursing Meetings, and for the Decision of Courses. By STONEHENGE. With Frontispiece and Woodcuts. Square crown 8vo. 2ls.

**Stow's Training System, Moral Training School, and Normal Seminary for preparing Schoolmasters and Governesses.** Tenth Edition; Plates and Woodcuts. Post 8vo. 6s.

**Strickland.** — *Lives of the Queens of England.* By AGNES STRICKLAND. Dedicated, by express permission, to Her Majesty. Embellished with Portraits of every Queen, engraved from the most authentic sources. Complete in 8 vols. post 8vo. 7s. 6d. each.

**Memoirs of the Life and Services of Rear-Admiral Sir William Symonds, late Surveyor of the Navy.** Edited by J. A. SHARP. 8vo. with Illustrations, price 21s.

**Taylor.** — *Loyola: and Jesuitism in its Rudiments.* By ISAAC TAYLOR. Post 8vo. Medallion, 10s. 6d.

**Taylor.** — *Wesley and Methodism.* By ISAAC TAYLOR. Post 8vo. Portrait, 10s. 6d.

**Thacker's Courser's Annual Remembrancer and Stud-Book:** Being an Alphabetical Return of the Running at all Public Coursing Clubs in England, Ireland, and Scotland, for the Season 1857-8; with the *Pedigrees* (as far as received) of the Dogs. By ROBERT ABRAM WELSH, Liverpool. 8vo. 2ls.

... Published annually in October.

**Bishop Thirlwall's History of Greece.** Library Edition; with Maps. 8 vols. 8vo. £3.—An Edition in 8 vols. fcp. 8vo. with Vignette Titles, 28s.

**Thomson's Seasons.** Edited by BOLTON CORNEY, Esq. Illustrated with 77 fine Wood Engravings from Designs by Members of the Etching Club. Square crown 8vo. 2ls. cloth; or 36s. bound in morocco.

**Thomson (the Rev. Dr.)** — *An Outline of the necessary Laws of Thought: A Treatise on Pure and Applied Logic.* By WILLIAM THOMSON, D.D. New Edition. Fcp. 8vo. 7s. 6d.

**Thomson's Tables of Interest,** at Three, Four, Four-and-a-Half, and Five per Cent., from One Pound to Ten Thousand, and from 1 to 365 Days, in a regular progression of single Days; with Interest at all the above Rates, from One to Twelve Months, and from One to Ten Years. Also, numerous other Tables of Exchange, Time, and Discounts. New Edition. 12mo. 8s.

**The Thumb Bible; or, Verbum Sempiternum.** By J. TAYLOR. Being an Epitome of the Old and New Testaments in English Verse. Reprinted from the Edition of 1693. 6d. no. 1s. 6d.

**Tighe and Davis.** — *Annals of Windsor;* Being a History of the Castle and Town: With some account of Eton and Places adjacent. By R. R. TIGHE, Esq.; and J. E. DAVIS, Esq., Barrister-at-Law. With numerous Illustrations. 2 vols. royal 8vo. £4. 4s.

**Tooke.** — *History of Prices, and of the State of the Circulation, during the Nine Years from 1848 to 1856 inclusive.* Forming Vols. V. and VI. of Tooke's *History of Prices*; and comprising a copious Index to the whole work. By THOMAS TOOKE, F.R.S. and WILLIAM NEWMARCH. 2 vols. 8vo. 52s. 6d.

**Townsend.** — *Modern State Trials* revised and illustrated with Essays and Notes. By W. C. TOWNSEND, Esq., M.A., Q.C. 2 vols. 8vo. 30s.

**Trollope.** — *Barchester Towers:* a Novel. By ANTHONY TROLLOPE. New and cheaper Edition, complete in One Volume. Crown 8vo. 5s.

**Trollope.** — *The Warden.* By ANTHONY TROLLOPE. Post 8vo. 10s. 6d.

**The Traveller's Library: A Collection** of original Works well adapted for Travellers and Emigrants, for School-room Libraries, the Libraries of Mechanics' Institutions, Young Men's Libraries, the Libraries of Ships, and similar purposes. The separate volumes are suited for School Prizes, Presents to Young People, and for general instruction and entertainment. The Series comprises fourteen of the most popular of Lord Macaulay's Essays, and his Speeches on Parliamentary Reform. The department of Travels contains some account of eight of the principal countries of Europe; as well as travels in four districts of Africa, in four of America, and in three of Asia. Madame Pfeiffer's *First Journey round the World* is included; and a general account of the Australian Colonies. In Biography and History will be found Lord Macaulay's Biographical Sketches of Warren Hastings, Clive, Pitt, Walpole, Bacon, and others; besides Memoirs of Wellington, Turenne, F. Arago, &c.; an Essay on the Life and Genius of Thomas Fuller, with Selections from his Writings, by Mr. Henry Rogers; and a history of the *Leipsic Campaign*, by Mr. Gleig,—which is the only separate account of this remarkable campaign. Works of Fiction did not come within the plan of the TRAVELLER'S LIBRARY; but the *Confessions of a Working Man*, by Souvestre, which is indeed a fiction founded on fact, has been included, and has been read with unusual interest by many of the working classes, for whose use it is especially recommended. Dumas's story of the *Maitre-d'Armes*, though in form a work of fiction, gives a striking picture of an episode in the history of Russia. Amongst the works on Science and Natural Philosophy, a general view of Creation is embodied in Dr. Kemp's *Natural History of Creation*; and in his *Indications of Instinct* remarkable facts in natural history are collected. Dr. Wilson has contributed a popular account of the *Electric Telegraph*. In the volumes on the Coal-Fields, and on the Tin and other Mining Districts of Cornwall, is given an account of the mineral wealth of England, the habits and manners of the miners, and the scenery of the surrounding country. It only remains to add, that among the Miscellaneous Works are a Selection of the best Writings of the Rev. Sydney Smith; Lord Carlisle's *Lectures and Addresses*; an account of *Mormonism*, by the Rev. W. J. Conybeare; an exposition of *Railway management and mismanagement* by Mr. Herbert Spencer; an account of the Origin and Practice of *Printing*, by Mr. Stark; and an account of *London*, by Mr. McCulloch.—To be had, in *complete Sets only*, at £5. 5s. per Set, bound in cloth and lettered.

~~12~~ The Traveller's Library may also be had as originally issued in 102 parts, 1s. each, forming 50 vols. 2s. 6d. each; or any separate parts or volumes.

**Sharon Turner's Sacred History** of the World, Philosophically considered, in a Series of Letters to a Son. 3 vols. post 8vo. 31s. 6d.

**Sharon Turner's History of England** during the Middle Ages: Comprising the Reigns from the Norman Conquest to the Accession of Henry VIII. 4 vols. 8vo. 50s.

**Sharon Turner's History of the Anglo-Saxons**, from the Earliest Period to the Norman Conquest. 3 vols. 36s.

**Dr. Turton's Manual of the Land** and Fresh-Water Shells of Great Britain: With Figures of each of the kinds. New Edition, with Additions by Dr. J. E. GRAY, F.R.S., &c., Keeper of the Zoological Collection in the British Museum. Crown 8vo. with 12 coloured Plates, price 15s. cloth.

**Dr. Ure's Dictionary of Arts, Manufactures, and Mines**: Containing a clear Exposition of their Principles and Practice. Fourth Edition, much enlarged. With nearly 1,600 Wood-cuts. 2 vols. 8vo. 60s.

**Uwins. — Memoir of Thomas Uwins, R.A.** By Mrs. UWINS. With Letters to his Brothers during Seven Years spent in Italy; and Correspondence with the late Sir Thomas Lawrence, Sir C. L. Eastlake, A. E. Chalon, R.A., and other distinguished persons. 2 vols. post 8vo.

**Van der Hoeven's Handbook of Zoology.** Translated from the Second Dutch Edition by the Rev. WILLIAM CLARK, M.D., F.R.S., Professor of Anatomy in the University of Cambridge; with additional References by the Author. 2 vols. 8vo. with 24 Plates of Figures, price 60s. cloth; or separately, VOL. I. *Invertebrata*, 30s., and VOL. II. *Vertebrata*, 30s.

**Veihse.—Memoirs of the Court, Aristocracy, and Diplomacy of Austria.** By Dr. E. VEHSE. Translated from the German by FRANZ DEMMLER. 2 vols. post 8vo. 21s.

**Von Tempsky.—Mitla; or, Incidents and Personal Adventures on a Journey in Mexico, Guatemala, and Salvador in the Years 1853 to 1855: With Observations on the Modes of Life in those Countries.** By G. F. VON TEMPSKY. With numerous Illustrations. 8vo. 18s.

**Wade.—England's Greatness:** Its Rise and Progress in Government, Laws, Religion, and Social Life; Agriculture, Commerce, and Manufactures; Science, Literature and Arts, from the Earliest Period to the Peace of Paris. By JOHN WADE, Author of the *Cabinet Lawyer*, &c. Post 8vo. 10s. 6d.

**Wanderings in the Land of Ham.** By a DAUGHTER of JAPHET. Post 8vo. 8s. 6d.

**Waterton.—Essays on Natural History, chiefly Ornithology.** By C. WATERTON, Esq. With an Autobiography of the Author, and Views of Walton Hall. 2 vols. fcp. 8vo. 5s. each.

**Waterton's Essays on Natural History. THIRD SERIES;** with a Continuation of the Autobiography, and a Portrait of the Author. Fcp. 8vo. 6s.

**Webster and Parkes's Encyclo-pædia of Domestic Economy;** comprising such subjects as are most immediately connected with House-keeping: viz. The Construction of Domestic Edifices, with the Modes of Warming, Ventilating, and Lighting them—A description of the various Articles of Furniture, with the Nature of their Materials—Duties of Servants &c. With nearly 1,000 Woodcuts. 8vo. 50s.

**Weld.—Vacations in Ireland.** By CHARLES RICHARD WELD, Barrister-at-Law. Post 8vo. 10s. 6d.

**Weld.—A Vacation Tour in the United States and Canada.** By C. R. WELD, Barrister. Post 8vo. 10s. 6d.

**West.—Lectures on the Diseases of Infancy and Childhood.** By CHARLES WEST, M.D., Physician to the Hospital for Sick Children; Physician-Accoucheur to, and Lecturer on Midwifery at, St. Bartholomew's Hospital. 8vo. 14s.

**Willich's Popular Tables** for ascertaining the Value of Lifehold, Leasehold, and Church Property, Renewal Fines, &c. With numerous additional Tables—Chemical, Astronomical, Trigonometrical, Common and Hyperbolic Logarithms; Constants, Squares, Cubes, Roots, Reciprocals, &c. Fourth Edition. Post 8vo. 10s.

**Wilmot's Abridgment of Blackstone's Commentaries on the Laws of England,** in a series of Letters from a Father to his Daughter. 12mo. 6s. 6d.

**Wilson's Bryologia Britannica:** Containing the Mosses of Great Britain and Ireland systematically arranged and described according to the Method of Bruch and Schimper; with 61 Illustrative Plates. Being a New Edition, enlarged and altered, of the *Muscologgia Britannica* of Messrs. Hooker and Taylor. 8vo. 42s.; or, with the Plates coloured, price £1. 4s.

**Yonge.—A New English-Greek Lexicon:** Containing all the Greek Words used by Writers of good authority. By C. D. YONGE, B.A. Second Edition, revised. Post 4to. 21s.

**Yonge's New Latin Gradus:** Containing Every Word used by the Poets of good authority. For the use of Eton, Westminster, Winchester, Harrow, and Rugby Schools; King's College, London; and Marlborough College. Fifth Edition. Post 8vo. 9s.; or, with APPENDIX of *Epithets*, 12s.

**Yonge's School Edition of Horace.**—Horace, with concise English Notes for Schools and Students. By the Rev. J. E. YONGE, King's College, Cambridge; Assistant Master at Eton. PART I. *Odes* and *Epodes*, 12mo. 3s.; PART II. *Satires* and *Epistles*, 3s. 6d.

**Youatt.—The Horse.** By William Youatt. With a Treatise of Draught. New Edition, with numerous Wood Engravings, from Designs by William Harvey. (Messrs. LONGMAN and Co.'s Edition should be ordered.) 8vo. 10s.

**Youatt.—The Dog.** By William Youatt. A New Edition; with numerous Engravings, from Designs by W. Harvey. 8vo. 6s.

**Young.—The Christ of History:** An Argument grounded in the Facts of His Life on Earth. By JOHN YOUNG, LL.D. Second Edition. Post 8vo. 7s. 6d.

**Young.—The Mystery; or, Evil and God.** By JOHN YOUNG, LL.D. Post 8vo. 7s. 6d.

**Zumpt's Grammar of the Latin Language.** Translated and adapted for the use of English Students by Dr. L. SCHMITZ, F.R.S.E.: With numerous Additions and Corrections by the Author and Translator. 8vo. 14s.

[October 1858.]

