

LIBRARY OF CONGRESS.

Chap. SF 121 Caparight No. Shelf . L. 9

UNITED STATES OF AMERICA.



THOU ENDONY STORES

VIII SAFEME

20 10 mo 20 15

godalla: 3



.. LOVELOCK'S.

AMERICAN

Standard or ...

... Excellence

o.Fan...

Cattle, Sheep and Swine.





LOVELOCKS

AMERICAN

STANDARD OF EXCELLENCE

FOR

PURE-BRED CATTLE, SHEEP AND SWINE,

BEING A COMPILATION

OF THE "SCALES OF POINTS" ADOPTED BY THE DIFFERENT PURE-BRED LIVE-STOCK BREEDERS' ASSOCIATIONS OF THE UNITED STATES.

"Every animal should be judged by the standard established by the association of the breeders of that class of animals. * * * * * * No one need say that any intelligent breeder, of any class of thoroughbred animals, with the standard of characteristics and the scale of points as a chart, cannot judge fairly and profitably, animals bred for the same purpose as his,"—Col. F. D. Curtis.

FRANK A. LOVELOCK, EXPERT JUDGE, SALEM, VIRGINIA.

1893.

Entered according to Act of Congress, in the year 1893.

By FRANK A. LOVELOCK, Expert Judge, Salem, Virginia,
In the Office of the Librarian of Congress, at Washington.

SALEM, VA.:
THE TIMES-REGISTER BOOK AND JOB PRINT,

PREFACE.

It is now probably some ten or twelve years ago since the editor of this book first became acquainted with "The American Standard of Perfection" for poultry, a work for which his respect and admiration have steadily increased as he has witnessed year by year, at the different poultry shows throughout the country, the skillful work of intelligent expert judges, in determining the merits of competing specimens, by comparing them with the points of excellence laid down in that most reliable authority. Nor has it been only in the show room that the true worth of this perfect poultry guide has been tested, for there is not a careful breeder of pure-bred poultry in America to-day, but who turns with the same regularity for counsel and advice to his "Standard," as the Christian does to his daily guide, the holy Bible. All disputes in competition are settled by the "Standard"; prizes are won by selecting those specimens which approach nearest in excellence to the hundred points of perfection laid down in the "Standard"; buyers purchase those birds which score highest according to the "Standard": breeders mate their birds according to the requirements of the "Standard," and, inasmuch as the "Standard of Perfection" in poultry is the result of the combined experience and thought of the foremost breeders in the country, so the specimens which in excellence approximate nearest its requirements are considered the best specimens of their breed.

Seeing then, how good a thing was this "Standard of Perfec-

tion" as applied to poultry, the editor, who was formerly a breeder and exhibitor of pure-bred live-stock, often thought that a standard of excellence for pure-bred cattle, sheep and swine, if approved by the respective breeders' associations, would be equally as helpful to the thoughful breeder or judge of pure pred livestock, as those recognized as authorities by the poultry breeders of the United States. At that time it did not occur to the editor of this book to correspond with the secretaries of the different breeders' associations, but, later, after he had commenced his career as expert judge at the Fairs, he gradually obtained the standards of excellence from the aforesaid secretaries, and soon realized that they were of inestimable value in making awards. After having studied them all carefully, the editor is of the opinion that whilst improvements could be made in a few of these, yet any one of them is a vast improvement upon the "rule of thumb" system, (?) for breeding or judging so prevalent throughout the Eastern States. Feeling, therefore, that breeders and judges of pure-bred cattle, sheep and swine would welcome a collection of these standards of excellence in one handy volume, as a guide, and for reference, education and comparison, the undersigned has, after considerable correspondence and study, obtained and systematized almost every standard of excellence ever adopted by any pure-bred live-stock association in America. He trusts that it may become to the breeders and judges of pure-bred live-stock as useful as the "Standard of Perfection" is to the countless breeders of poultry throughout the country.

The undersigned, knowing full well that he could hardly emphasize sufficiently the great need for better judging at Fairs, has taken the liberty of re-publishing from that well-known publication, "The Country Gentleman," an essay upon this topic from the facile pen of the late illustrious Col. F. D. Curtis, which appeared in that excellent weekly, and which should be read by all.

FRANK A. LOVELOCK.

SALEM, VIRGINIA.

A Reform in Judging at Fairs.

EDS. COUNTRY GENTLEMAN-A fair, to fill its full mission, should be educational. When shows simply excite wonder, and only fill gaping mouths with a passing interest, there is not much instruction about them, and very little knowledge is carried home to stimulate improvement and provoke emulation. In all needed reforms, I am not particular about the way it may be done, provided it is done. How shall fairs be made more than an attraction for sight-seeing and the pleasure of meeting each other? It may be urged that there are reasons enough for holding fairs. I grant it, for the past, perhaps, but not for the future. Agriculture must stand in the immediate future upon broader and deeper foundations. There is too big a tide against it to enable it to move with so little power. The propelling force must be stronger, to push our business along in competition with others. The fair must be made more of a factor for instruction and improvement. As now conducted, the "picking up" system of getting judges is too common. This should never be done. None but experts should ever pass upon the merits of goods or animals. By experts I do not mean cranks or ax-grinders. Such men are always out of place, where opinions are asked. There is too much warp in their make-up.

There is a class of experienced and honorable men in every trade, farmers and stock-breeders not excepted. These are the men who should be invited to do the judging, and they should be well paid for it. It is unnecessary to have three experts, as one is ample. The old style judges were generally friends of the powers that be, and while this was no disqualification, it was not an equipment for skill and judgment which specially fitted them for this important and delicate work, nor would it carry much weight with exhibitors and lookers on.

In the West, where fairs are fairs, there is a rapid tendency towards the one-judge plan, and he a man "known and read of all men" in the special line in which he is called to act. Such judging must be instructive, and far in advance of the awards made

upon the "picked up" plan. The judging at some of our State fairs, where we expect a higher grade than at a county fair, is often simply a burlesque. At a State fair recently held, one of the judges, who assumed a degree of arrogance and importance equal to several ordinary men, and wisdom superior to several ordinary owls. did not know anything about swine herd-books or standards, or requirements of associations to constitute thoroughbreds, but he "knew a good hog and one which suited him." Under the dictation and awards of such a judge the exhibitors of all breeds stood back in disgust, and let the thing run. How much could any one learn from such decisions in regard to the characteristics or qualities of any breed or the valuable and best features in breeding?


I would make the exhibit of as great practical value as possible, as this would add to the attractions of the fair. When people found out that teaching by object lessons would take place, and by noted and accepted teachers, they would flock around the rings where stock, was being judged, and the pens, to compare the points and evidences of value. To make all the lessons of the exhibition of animals merely a sight, with printed records to follow, is not the full measure of an agricultural fair of any pretensions. We must get more out of it. The wheels of time now grind too close for so small a return. My idea is that each and every exhibition, especially of live stock, should be a school of thorough object teaching, to be added to all the other and stereotyped impressions. Every animal should be judged by the standard established by the association of the breeders of that class of animals. The standard should be publicly announced, and each animal tried by it, and its superiority over another, or where it may be equal, stated orally; so that those looking on, and the breeders, may see the value of good points and learn how to distinguish them. No one should be allowed to talk back or interfere, but let the judge give reasons for his preferences, and point out the blood markings and perfect features. This kind of judging is no mere dream; its practicability has been demonstrated. This little taste of common sense in judging has made a keen appetite for a full meal. judges must not be breeders of the same kind of animals, but of other breeds bred for the same purpose. It is difficult to get experts, breeding Jerseys, for instance, who are not identified with some family of this breed, and hence, however high-minded, they

would be liable to be accused of leaning toward their favorites. The same criticism might follow with the judges of sheep or swine or horses. Let us have a new track, and see if it will not carry us smoother and better than any old rut. Take the judges for any accepted butter breed from the breeders of butter breeds—from Jerseys to judge Guernseys, Ayrshires to judge Holsteins, and beef breeds in the same way—Short-Horns to judge Herefords—following the same rule with the Polled cattle. The same mismatching should be followed with the breeds of swine, giving, for instance, the Berkshire breeder dominion over the Duroc-Jersey, and the Chester White over the Poland-China, or one judge over each class, classed as large and small—this judge being taken from a class he does not breed.

The fine wool sheep-breeders will oppose a one-judge and an outside man, the strongest, for they have a conceit that a coarse or middle-wool breeder does not know anything about Merinos. Why not? Is there any unfathomable mystery about the breeding or appearance of Merino sheep? The truth is, there ought to be a little more of the middle-wool brains in them, and would it not be a wise thing for the sheep, and the breeders also, to pass in review before the breeders of larger sheep and those bred for a double purpose? There has been too much of the one-idea, or hang-on with the breeders of Merino sheep. They want to get out of it. I should consider it a privilege to have my Merinos judged with the Merino standard by a wide-gauged, middle-wool breeder, and why not the sheep of this last class by a close-texture, fine-staple, bigdewlap, compact-body and hardy-constitution, Merino-educated eye and brain? Sheep must now, of all stock, be bred for utility. and they must stand on their merits while in the hands of the farmer. The protection, trusts and inflation will come when out of the farmer's reach. No one need say that any intelligent breeder, of any class of thoroughbred animals, with the standard of characteristics and the scale of points as a chart, cannot judge fairly and profitably animals bred for the same purpose as his. Such an objection would be a reflection on the intelligence and sound judgment of the breeder. If it may in part hold good, it is a possibility for better results, than with "pick-up" judges, or those expert in their kind, with an inevitable round of dissatisfaction on account of possible prejudice or favoritism.

Kirby Homestead, New York,

F. D. Curtis.





ABERDEEN-ANGUS CATTLE.

Standard of Excellence for Aberdeen-Ang is Cattle, as adopted by the American Aberdeen-Angus Breeders Association, Thomas McFarlane, Secretary, Harvey, Illinois.

POINTS.	SCA	LE	OF	PC	NIC	TS	FO	RE	UL	L.			COUNTS.
I Color,													3
2. Head .		•											. 10
3 Throat,													3
4. Neck,													. 3
5. Shoulders,													6
6. Chest, .													. 10
7. Brisket,													4
8. Ribs, .													. 8
9. Back, .													10
- 10. Hindquarte:	rs,												. 8
11. Tail, .													3
12. Underline, .													. 4
13. Legs, .											٠.	1	4
14. Flesh,													. 4
15. Skin, .													10
16. General App)ear:	ince	٠,										10
				P	(RI	EC	T10	N,					100

When bulls are exhibited with their progeny in a separate class, add 25 counts for progeny.

DETAILED DESCRIPTION.

3.	ThroatClean, without any development of loose flesh un-	
	derneath,	3
4.	NECK.—Of medium length, muscular, with moderate crest (which increases with age), spreading out to meet the	
	shoulders, with full neck vein,	:3
5.	ShouldersModerately oblique, well-covered on the blades	.,
	and top; with vertebra or backbone slightly above the	
	scapula or shoulder-blades, which should be moderately	
	broad,	G
6.	Chest.—Wide and deep; also round and full just back of	
	elbows,	10
7.	Brisket.—Deep and moderately projecting from between	
	the legs, and proportionately covered with flesh and fat,	4
8.	RIBS.—Well sprung from the backbone, arched and deep,	
	neatly joined to the crops and loins,	8
9.	BACKBroad and straight from crops to hooks; loins strong,	
	hook bones moderate in width, not prominent, and well	
	covered; rumps long, full, level, and rounded neatly	
		10
1 0.	HINDQUARTERS.—Deep and full, thighs thick and muscu-	
	lar, and in proportion to hindquarters; twist filled out	
	well in its "seam" so as to form an even wide plain be-	
	tween thighs,	8
11.	Tail.—Fine, coming neatly out of the body on a line with	
	the back and hanging at right angles to it,	3
12.	Underline.—Straight as nearly as possible, flank deep and	
	full,	4
13.	LEGSShort, straight, and squarely placed, hind legs slightly	
	inclined forward below the hocks; forearm muscular;	
	bones fine and clean,	4
14.	Flesh.—Even and without patchiness,	4
15.	SkinOf moderate thickness and mellow touch, abundantly	
	covered with thick, soft hair. (Much of the thriftiness,	
	feeding properties, and value of the animal depend upon	
	this quality, which is of great weight in the grazier's and	
	butcher's judgment. A good "touch" will compensate	
	for some deficiencies of form. Nothing can compensate	
	for a skin hard and stiff. In raising the skin from the	
	body it should have a substantial, soft, flexible feeling,	
	and when beneath the outspread hand it should move	

~									- ,				10
Purity of bloo					ten	ced	ьу	re	gisti	y in	tne	AH	ierica
berdeen-Angu													,
When bulls ar				W	ith	the	ir pr	'oge	eny i	nas	вера	rate	e clas
dd 25 counts fo	r pr	ogei	ny.										
									-				
OINTS.	e.c	A 1 E	0.5	ь	o i n	JTC	FOR	2 0	ow.				COUNT
	30	MLL	٠.	'	O 1	• 10							
1. Color,			•		•								2
2. Head, .													. 10
3. Throat,													3
4. Neck,													. 3
5. Shoulders,													- 6
6 Chest, 7. Brisket,											٠,		. 10
7. Brisket,													4
8. Ribs, .													. 8
9. Back, .													10
10. Hindquarte	rs,												. 8
11. Tail, 🗋 .													3
12. Udder.													. 8
13. Underline.													4
14. Legs.													. 3
15. Flesh.													3
16. Skin													. 10
7. Brisket, 8. Ribs, 9. Back, 10. Hindquarte 11. Tail, 12. Udder, 13. Underline, 14. Legs, 15. Flesh, 16. Skin, 17. General Ap	pear	anc	e,										5
•	•												
				1	Ры	UFR	CHO	N,	-		~	-	100
In judging hei	fers	om	it. N	o.	12.	A	1d 3	ec	ount	s to	No	. 13	5 and
				٠.					,				
ounts to No. 17													

2.	HEAD.—Forehead moderately broad and slightly indented,	
	tapering toward the nose; muzzle line; nostrils wide and	
	open; distance from eyes to nostrils of moderate length;	
	eyes full, bright and expressive, indicative of good dispo-	
	sition; ears large, slightly rising upward and well fur-	
	nished with hair; poll well defined, and without any ap-	
	pearance of horns or scurs; jaws clean,	10
9	Throat.—Clean, without any development of loose flesh	10
٠,,	underneath	3
.1	Neck.—Of medium length, spreading out to meet the shoul-	.,
т.	ders, with full neck vein,	;;
5	SHOULDERS.—Moderately oblique, well covered on the blades	,,
.,,	and top; with vertebra or backbone slightly above the	
	scapula or shoulder-blades, which should be moderately	
	broad,	6
6	CHEST.—Wide and deep; round and full just back of elbows.	10
	Brisket.—Deep and moderately projecting from between	10
٠.	the legs, and proportionately covered with flesh and fat, .	4
8	RIBS.—Well sprung from backbone, arched and deep, neatly	4
.0,	joined to the crops and loins,	8
0	BACK.—Broad and straight from crops to hooks; loins	O
υ.	strong; hook bones moderate in width, not prominent,	
	and well covered; rumps long, full, level, and rounded	
	neatly into hindquarters,	10
10	HINDQUARTERS.—Deep and full, thighs thick and muscular,	10
10.	and in proportion with hindquarters; twist filled out	
	well in its "seam," so as to form an even wide plain be-	
	tween thighs,	8
11	TAIL.—Fine, coming neatly out of the body on a line with	0
11.	the back and hanging at right angles to it,	3
10	UDDER.—Not fleshy, coming well forward in line with the	•,
1~.	body, and well up behind; tests squarely placed, well	
	apart and of good size,	8
13	Underline.—Straight as nearly as possible, flank deep	O
10.	and full,	4
1.1	LEGS.—Short, straight, and squarely placed, hind legs	-1
11.	slightly inclined forward below the hocks; forearm mus-	
	cular; bones fine and clean,	3
15	FLESH.—Even and without patchiness,	3
	SKIN.—Of moderate thickness and mellow touch, abund-	o
-0.	and the country of the country and the country	

antly covered with thick, soft hair. (Much of the thriftiness, feeding properties, and value of the animal depend upon this quality, which is of great weight in the grazier's and butcher's judgment. A good "touch" will compensate for some deficiencies of form. Nothing can compensate for a skin hard and stiff. In raising the skin from the body it should have a substantial, soft, flexible feeling, and when beneath the outspread hand it should move easily as though resting on a soft cellular substance, which, however, becomes firmer as the animal ripens. A thin, papery skin is objectionable, especially in a cold climate),

GENERAL APPEARANCE.—Elegant, well bred, and feminine.
 The walk square, the step quick, and the head up,

PERFECTION, - - - - 100 evidenced by registry in the American

Purity of blood must be evidenced by registry in the American Aberdeen-Angus Herd Book.

In judging heifers omit No. 12. Add 3 counts to No. 15 and 5 counts to No. 17.

AYRSHIRE CATTLE.

Standard of Excellence for Ayrshire Cattle, as adopted by the Ayrshire Breeders Association, C. M. Winslow, Secretary, Brandon, Vermont, being similar to that adopted in Scotland in 1881, and changed in a few points to render them applicable to this country.

POINTS.	SCALE	OF	PC	INTS	FOR	BULL				COUNTS.
1. Head and Ho	rns,									10
2. Neck, .										10
 Forequarters 	, .									7
4. Back and Ril	18,									10
 5. Hindquarters 	4,									• 10
6. Scrotum, .										7
7 Legs, .										5
8. Skin, .										10
9. Color, .										3
10. Weight, .										10
11. General Appo	earance.	,								15
12. Escutcheon,										3
			PE	RFEC	TION.		-	-	-	100

The points desirable in the female are generally so in the male, but must, of course, be attended with that masculine character which is inseparable from a strong and vigorous constitution. Even a certain degree of coarseness is admissible; but then it must be so exclusively of masculine description as never to be discovered in a female of his get.

DETAILED DESCRIPTION.

POINTS.

COUNTS.

- 1. HEAD.—Head of the bull may be shorter than that of the cow, but the frontal bone should be broad, the muzzle of good size, throat nearly free from hanging folds; eyes full. The horns should have an upward turn, with sufficient size at the base to indicate strength of constitution, 10
- 2. Neck.—Of medium length, somewhat arched, and large in those muscles which indicate power and strength, . . . 10
- 3. Forequarters.—Shoulders close to the body, without any hollow space behind; chest broad, brisket deep and well

developed, but not to	oo la	rge,						. 7
4. BACK.—Short and str not in the same degr and body deep in the	ee as	in t	he c	ow;	ribs	well	sprui	ıg,
5. HINDQUARTERS.—Longapart; pelvis long, h	g, bro	oad ar	$_{ m dstr}$	aigh	t; h	ip boi	aes wi	ide
with the back; thig								
6. SCROTUM.—Large with								. 7
7. Legs.—Short in propo	rtion	to s	ize,	joint	s tir			
well apart, and not t								. 5
8. SKIN.—Yellow, soft, els								. 10
9. Color.—Red of any st								
these—each color be								. 3
10. Weight.—Average liv								
11. GENERAL APPEARANCE								
12. ESCUTCHEON.—Large	and f	ine de	velop	men	t, .			. 3
	Pπ	RFEC	TION.	_			_	100
			,					-00
POINTS. SCALE (OF PO	DINTS	FOR	cov	N	,	C	OUNTS.
1. Head and Horns,								10
2. Neck, 3. Forequarters, 4. Back and Ribs, 5. Hindquarters								5
3. Forequarters, .	•				•			5
4. Back and Ribs, .		•					•	10
5. Hindquarters. 6. Udder, Milk Veins an					•		•	$\frac{8}{30}$
7 Logs and Bones	u ie	aus,	•			•	•	3
7. Legs and Bones, 8. Skin and Hair, 9. Color, 10. Weight,	•				•			5
9. Color			٠.					3
10. Weight,								8
11. General Appearance,								10
12. Escutcheon,			•	٠		•	•	3
	Рег	RECT	ION.	-	_	_	_	100
DETAIL								0
POINTS.	LU	DESC	יחור	HON	٧.		•	COUNTS.
1. HEAD.—Short; forehe	ad, w	ide; r	iose,	fine	bety	veen t	he m	uz-
zle and eyes; muzzle	e larg	ge; e	yes f	ull a	and	lively	/; ho	rns
wide set on, inclinin	gup	vards.		,				. 10
2. NECK.—Moderately lo	ng, a	nd str	aight	fro	m th	e hea	d to	the
top of the shoulder,	free	from l	oose	skin	on t	the u	ndersi	de,
fine at its junction	with 1	the be	ad. a	nd e	nlar	ging	symu	et-
une at no junetion	. 1011					55	J	

AYRSHIRE CATTLE.

	rically towards the shoulders,	5
3.	FOREQUARTERS Shoulders, sloping; withers, fine; chest,	
	sufficiently broad and deep to insure constitution; brisket	
	and whole forequarters light, the cow gradually increas-	
	ing in depth and width backwards,	
4.	BACK.—Short and straight; spine, well defined, especially at the shoulders; short ribs, arched; the body deep at	
	the flanks, ,	
5.	HINDQUARTERS.—Long, broad and straight, hookbones wide	
	apart, and not overlaid with fat; thighs deep and broad;	
	tail, long, slender, and set on level with the back,	
6.	UDDERCapacious, and not fleshy, hindpart broad and	
	firmly attached to the body, the sole nearly level and ex-	
	tending well forward; milk veins about udder and abdo-	
	men well developed; the teats from $2\frac{1}{2}$ to 3 inches in	
	length, equal in thickness—the thickness being in propor-	
	tion to the length—hanging perpendicularly; their dis-	
	tance apart at the sides should be equal to one-third of the	
	length of the vessel, and across to about one-half of the	
~ .	breadth, ,	
1.	Legs.—Short in proportion to size, the bones fine, the joints	
	firm,	
8.	SKIN.—Yellow, soft and elastic, and covered with soft, close,	
0	woolly hair,	5
9.		
10		
	WEIGHT.—Average live weight, in full milk, about 1,000 pounds,	8
	GENERAL APPEARANCE, including style and movement,	
12.	Escutcheon.—Large and fine development,	3
	PERFECTION,	 100

DEVON CATTLE.

Standard of Excellence for Devon-Cattle as adopted by the American Devon-Cattle Club, L. P. Sisson, Secretary, Wheeling, West Virginia.

POINTS. SCALE O	F PC	ראונ	rs F	OF	B	JLL				€,	OUNTS.
 Head and Horns, Cheek, Neck, Shoulders, Chest, Ribs, Back, Loin and Rumps, Hindquarters, Tail and Switch, Legs, Skin, Color and Hair, Size, General Appearance, 											.)
-1-1								٠,			
	Pε	RFF	ECTI	[ON	,	-	-		-	~	100
POINTS. 1. Head.—Masculine, full which should be flemuzzle broad; eye for flesh-colored ring; a horns medium size, head, or slightly eleva darker shade, 2. Cheek—Full and broad to the shoulder head to the shoulder strong with firm join 5. Chest.—Deep, broad a 6. Ribs.—Well sprung from with flanks fully deviced.	landesh-care full sears grovated tagth ss, are at, seats, und som the	bro color and of t win t, w roo and stop come	ead, red; pla med g a axy . tof mu tron ing	tap; neidini it i at to at to at at at	perinost nost nost nost right nost language v se nost right nost right nost right nost right nost right nost right nost right nost right nost right nost right nost right nost right nost righ right right right right right right right right right right right right right right right right righ righ righ righ righ righ righ righ	ng rils rils size nt s ne b	tow hi an ang as thr der li fer r,	gh cour d t les , tip out out lesh	and ndec hicl from ppec cle gfro . ued,	encopper of the control of the contr	en, ith ss: the ith . 10 . 2 the . 4 ms . 6 . 10 ep, *

7. BACK.—Straight and le	ve	lfro	m t	he	wi	$th\epsilon$	rs	to	the	set	ttin	g
on of the tail: loin bro	ad	and	ful	l; h	ips	ane	d ru	mp	of	mee	diu	m
width and on a level	wi	th t!	ie l	ae	k,							. 20
8. HINDQUARTERS.—Deep), t	hick	an	d s	qua	ue,						. 12
9. Tail.—Well set on at a	ri;	ght:	ลกย	de '	wit	h t}	ie i	ack	i, t	aDe	ring	g,
, with a switch of wl	iite	or	ro	an	ha	ir	and	re	ae]	hin	g th	16
hocks,												. 3
10. LEGS.—Short, straight												
from behind, not to												
${f formed}, \qquad . \qquad .$												
11. SKIN.—Moderately th												
. abundant coat of riel												
admissible unless aro	นน	d th	e p	urs	е.				٠			. 8
12. Size.—Minimum weigh	t a	tth	ree	ye	ars	old	1,4	00 1	JOU	ind:	٠,	. 4
13. GENERAL APPEARANC												
movement, form, con												
line as nearly as pos												
baek,												
	P	ERE	'EC	FIO	Ν,				-		-	100
Purity of blood must be	evi	iden	ced	b	v r	egi	stry	z in	th	e A	me	rican
Devon Record.							-					
POINTS. SCALE (` E	201	NT	e E	Λ p	C 0	1al				C	OUNTS.
1. Head and Horns.		FUI		3 7	оn							8
2. Neck,												4
3. Shoulders,											•	4
4. Chest,		٠		•		•				٠		8
6. Back, Loin and Rump	· ·		•		•		•		•			16
7. Hindquarters, .	٠.						,					8
8. Udder and Teats, .										•		50
9. Tan and Switch,	•		٠		٠		•		٠		•	2
11. Skin. Color and Hair.		•		•		•		•		•	,	ŝ
12. Size,												-3
1. Head and Horns, 2. Neck, 3. Shoulders, 4. Chest, 5. Ribs, 6. Back, Loin and Rump, 7. Hindquarters, 8. Udder and Teats, 9. Tail and Switch, 10. Legs, 11. Skin, Color and Hair, 12. Size, 13. General Appearance,									•		٠	8
		PEF	RFE	ĊТI	ON	,	-	-			-	100
DETAI	LE	D E	ES	sci	218	TIC	ИC					
POINTS. 1. HEAD.—Moderately los												OUNTS.
		*****	l, c	l	.00	a :	nd.	m + a	17 6	Ore	han	AT.

tapering considerably towards the nostrils; the nose of a

	flesh color, nostrils high and open, the jaws clean, the eye	
	bright, lively and prominent, and surrounded by a flesh	
	colored ring, throat clean, ears thin, the expression gen-	
	tle and intelligent; horns matching, spreading and	
	gracefully turned up, of waxey color, tipped with a darker	
	shade,	8
2.	NECKUpper line short fine at head, widening and deep at	
	withers and strongly set to the shoulders,	4
3.	SHOULDERS.—Fine, flat and sloping, with strong arms and	
	tirm joints,	4
4.	Chest -Deep, Broad, and somewhat circular in character,	8
5.	Ribs.—Well sprung from the back-bone, nicely arched,	
	deep, with flanks fully developed,	8
6.	BACK Straight and level from the withers to the setting	
	on of the tail; loin broad and full; hips and rump of me-	
	dium width, and on a level with the back,	16
7.	HINDQUARTERS.—Deep, thick and square,	8
8.	UDDER.—Not fleshy, coming well forward in line with the	
	belly and well up behind; teats moderately large, and	
	squarely placed,	20
9.	TAIL.—Well set on at a right angle with the back, tapering,	
	with a switch of white or roan hair and reaching the	
	hocks,	2
10.	LEGS.—Straight, equarely placed when viewed from behind,	
	not to cross or sweep in walking; hoof well formed,	4
11.	SKIN.—Moderately thick and mellow, covered with an abun-	
	dant coat of rich hair of a red color; no white spot ad-	
	missible, except the udder,	8
	Size.—Minimum weight at three years old, 1,000 pounds, .	2
13.	GENERAL APPEARANCE.—As indicated by stylish and quick	
	movement, form, constitution and vigor, and the under-	
	line as nearly as possible parallel with the line of the back,	8
	PERFECTION, ' 1	00
I	Purity of blood must be evidenced by registry in the America	
	von Record.	

COUNTS.

DUTCH-BELTED CATTLE,

Standard of Excellence for Dutch-Belted Cattle, as adopted by the Dutch-Belted Cattle Association of America, H. B. Richards, Secretary, Easton, Pa.

Z109	TS.	SCAL	E OF	POI	NTS	5 F	OR	вι	ILL.			C	OUNTS
1.	Body-color	and B	elt,										13
2.	Head, Muzz	le and '	Γong	me,									- 6
3.	Eyes and H	orns,											4
4	Eyes and H Neck,												6
5.	Shoulders,												9
6.	Barrel and	Ribs,											10
7.	Hips, Chine	and L	ein,										10
8.	Rump,												- 6
9.	Rump, Hindquarte	rs, Tail	and	Swi	tch,								- 8
10.	Legs, .												3
11.													
12.	Escutcheon.												2
13.	Hair and Sk	kin.											:3
14.	Disposition,												4
15.	General Con	dition.											6
	Rudimentar												
				PER	FEC	TI	ο ν ,		_	-	-	_	100

The scale of points for males shall be the same as those given for females, except that No. 11 shall be omitted, and the bull credited 10 points for size and wide spread placing of rudimentary teats, 5 points additional for development of shoulder, and 5 additional points for perfection of belt.

DETAILED DESCRIPTION.

POINTS.

1.	Body-Color.—Blac	k, with	ı a clearly	defined	continuor	ıs
	white belt. The	belt to	be <mark>of me</mark> d	ium widtl	ı, beginnin	g
	behind the should	er and	extending	nearly to	the hips,	10
2.	HEAD.—Comparativ	ely lon	g and som	ewhat disl	hing; broa	.d
	between the eyes.	Poll.	prominent	; inuzzle	fine ; dar	k
ton	gne.					. (

3. Eyes.—Black, full and mile	\mathbf{d} .	\mathbf{H} orr	ıs,	long	com	pare	d w	ith
their diameter, .								. 4
4. NECK.—Fine and moderate	lv tl	iin. a	and	shou	ld h	a.r1110	nize	in
symmetry with the head								
5. Shoulders.—Fine at the to								
they extend backward a								
6. Barrel.—Large and deep,								
ribs well rounded and free								
7. HIPS.—Broad and chine, lev								. 10
8. Rump.—High, long and bro								. 6
9. HINDQUARTERS.—Long and								
long, slim, tapering to a l								
10. Legs.—Short, clean, standi			-					. 3
11						•	•	•
						•	٠	. 2
13. HAIR.—Fine and soft; skin								
dark or yellow color,					•			. 3
14. DISPOSITION.—Quiet, and f								
15. General Condition and a								
16. RUDIMENTARY TEATS.—Fo	r sız	e an	d w	ide s	preac	l plac	eing	of
rudimentary teats, .								. 10
						,		
P	ERE	ECT	107	١,				- 100
POINTS. SCALE OF PO	INT	SFC)R	cow			C	OUNTS.
1. Body-color and Belt, .								8
2. Head, Muzzle and Tongue.	,							6
3. Eyes and Horns, .								4
3. Eyes and Horns, 4. Neck, 5. Shoulders								6
			•			•	•	$\frac{4}{10}$
6. Barrel and Ribs,	•	•		•	•			10
8. Rump,			•			٠.	•	6
8. Rump,	itch	١,		, .				8
10. Legs,								3
11. Udder, Teats and Mamma 12. Escutcheon,	ry V	ems.				•	•	20
13. Hair and Skin		•		•	•			2 3
13. Hair and Skin, 14. Disposition,			•		_	•	•	4
15. General Condition, .		•			•			Ĝ
-								
1'1	RFF	CTI	ΟN,					100

DETAILED DESCRIPTION.

POINTS. COUNTS
1. Body colorBlack, with a clearly-defined continuous white
belt. The belt to be of medium width, beginning behind
the shoulder and extending nearly to the hips, 8
2. Head.—Comparatively long and somewhat dishing; broad
between the eyes. Poll, prominent; muzzle, fine; dark
tongue,
3. Eyes.—Black, full and mild. Horns, long compared with
their diameter.
4. NECK.—Fine and moderately thin and should harmonize in
symmetry with the head and shoulders,
5. Shoulders.—Fine at the top, becoming deep and broad as
they extend backward and downward, with a low chest,
6. BARREL.—Large and deep, with well-developed abdomen;
ribs well rounded and free from fat,
7. Hips.—Broad and chine, level, with full loin, 10
8. Rump.—High, long and broad,
9. HINDQUARTERS.—Long and deep, rearline incurving. Tail
· long, slim, tapering to a full switch,
10. Legs.—Short, clean, standing well apart,
11. Udder.—Large, well-developed front and rear. Teats of
convenient size and wide apart; mammary veins large,
long and crooked, entering large orifices,
12. Escurcheon,
13. HAIR.—Fine and soft; skin of moderate thickness of a rich
dark or yellow color,
14. DISPOSITION.—Quiet and free from excessive fat,
15 GENERAL CONDITION and apparent constitution,
Perfection, 10

POINTS.

GALLOWAY CATTLE.

Standard of Excellence for Galloway Cattle, compiled by L. P. Muir, Secretary of the American Galloway Breeders' Association, Independence, Mo., from a detailed description drawn up in 1883 by the Council of the Galloway Society of Great Britain. [This standard was kindly sent to me by Mr. Muir at my request, for this publication, and only to be used until the American Galloway Breeders' Association shall adopt one of their own.—Ed.]

SCALE OF POINTS FOR GALLOWAY CATTLE.

COUNTS.

1011111		77.		•	• • • • • • • • • • • • • • • • • • • •			• • •			•••		~ .	~	•		
1. Co														L			3
	ead,												٠		٠		5
3. Ey				•				•		٠		٠		٠		٠	2 2
4. Ea			•		•		•				•		•		•		2 3
5. Ne		•		•		•						٠		•			10
6. Bo							•						•		•		6
	oulder	s,		•		•		٠		٠		٠		٠			8
	east,	aъ.			•		•		•		•		•		٠		8
9. Bi	ek and	ıĸı	սար	γ,		٠				٠		•					8
	os, oin and	e:	lain		•		•						•		•		10
	ook Bo			,		•				-		•		•		•	2
	indqua				•		•		•		•		•		•		$\tilde{ ilde{8}}$
	maqaa ank.	пен	٠,		•	•		•		•		•		•		•	4
	nighs,		•		•		•		•		•		•		•		4
16. Le	ue ueme			•		•		•		•		•		•		•	$\overset{\star}{4}$
17. Ta					•		•		•		•		•		•		3
18. Ŝk		•		•		•		•		•		•		•		•	3 5
19. Ha			•		•		•		•		•		•		•		5
10. 110	,	•		•		•		•		•		•		•		•	
						Pι	ERF	ΈC	TIO	N,	-		-	-		-	100
			DE	T	AILE	- n	n		CD	ıbı		VI.					
POINTS.			שנ	' '	HILE		U		Ch	11-	ııçı	١.				(COUNTS.
1. Co.	LOR.—	Blac	ek, v	wi	th a	br	ow	nis	h ti	nge	∍, .						. 3
9. HE	AD.—S	hor	t an	ıd	wid	e. 1	witl	h l	roa	d f	oreh	ea	d ai	nd :	wid	le n	08-
	rils, wi					,											
3. Ev	е.—La	rge	and	lp	rom	ine	ent.				٠.						. 2
	п.—Мо																
							,				•						. 2
u	pward	WII	tn n	[11]	ige c) [[ong	; II:	aır,	•	•		•			•	. 3

GALLOWAY CATTLE.

5.	5. Neck.—Medium in length; clean and fitting well	int	o the	
	shoulders, the top in a line with the back in a fe	$mal\epsilon$, and	
	in a male naturally rising with age,			3
6.	5. Bony.—Rounded, deep and symmetrical,			10
	7. Shoulders.—Fine and straight; moderately wic			
	Coarse shoulder points, and sharp or high shoulder			
	objectionable,			6
	B. Breast.—Full and deep,			8
). BACK AND RUMP.—Straight,			8
). Ribs.—Deep and well sprung,			
	LOIN AND SIRLOIN.—Well filled,			
	2. Hook Bones.—Not prominent,			
	3. HINDQUARTERS.—Long, moderately wide and well			
	4. Flank.—Deep and full,			
	5. Тиібня.—Broad, straight and well let down to hock			
	ed buttocks are very objectionable,			
16.	5. Legs.—Short and clean with fine bone,			4
17.	7. TAIL.—Well set on and moderately thick, .			3
	B. Skin.—Mellow and moderately thick,			5
). HAIRSoft and wavy, with mossy undercoat. W			
	ly coarse hair is very objectionable,			
	PERFECTION,	-	_	100

GUERNSEY CATTLE.

Standard of Excellence for Guernsey Cattle, as adopted by the American Guernsey Cattle Club, W. H. Caldwell, Secretary, Peterboro, N. H., also by the Guernsey Breeders' Association, W. B. Harvey, Secretary, West Grove, Pa.—[Slightly changed in arrangement for this publication.]

POINTS.	SCALE O	F POII	NTS F	OR BU	LL.		COUNTS.
1. Color of Skir	o						20
1. Color of Skir 2. Handling of	Skin and	Hair,					. 10
3. Escutcheon,							8
4. Milk Veins,							. 6
5, 6 and 7,							
8. Position of '	reats.						. 4
9. Size of Teats	8, .						4
10. Size,							. 5
11. Bone,							1
12. Barrel, .							. 4
12. Barrel, 13. Hips and Lo	in, .						2
14. Rump							. 2
15. Thighs and	Withers,						. 2 2 2 3
16. Back, .							
17. Throat,							1
18. Legs, .							. 2
19. Tail,							1
20. Horns, .							. 2
21. Head, 22. General App	•						
22. General App	earance,						. 2
		P	ERFEC	TION,	-		82
For Bulls dedu	et 18 eour	its for	udder	, poin	ts 5, 6 :	and 7.	
	DETAI	LED	DESC	DIDT	ON		
POINTS.	DETAI	LLD	0630	nie i	OIV.		COUNTS.
1. Skin.—Deep	vellow in	ear. o	n end	of bo	ne of	tail, at	base
of horns, or	•						
,							
2. Skin.—Loose							
3. Escutcheon	.—Wide o	n thig	hs, hig	th and	l broad	, with t	high
ovals, .							8
4. MILK VEINS.							
5. 6 and 7, .							
S. UDDER TEAT	rs.—Squa	rely pl	aced,	•			. 4

0.01	RNSI	EY (ATT	LE.					21
9. Upder Teats.—Of goo	od si:	ze.							. 4
10. Size.—For the breed,									
11. BONE.—Not too light,				•			•	•	. 1
12. BARREL.—Round and c	1001	+ ()	Land-	•		•	•	•	. L
13. HIPS AND LOIN.—Wide	recp	at II	191118	1	•	•	•	•	. 4
13. HIPS AND LOIN.—WIGH 14. RUMP.—Long and broad	٠,	•	•	•		٠	٠		. 2
14. RUMP.—Long and broad	(I,	•	•			٠			. 2
15. Thighs and Withers.	-T1	iin,							. 2
Back.—Level to setting	g on c	of ta	til,						. 3
17. Throat.—Clean, with a	smal	l de	wlaj),					. 1
17. Throat.—Clean, with a 18. Legs.—Not too long, w	ith b	iock	s we	Haj	art	in w	alkii	ıg,	. 2
19. TAIL.—Long and thin,									. 1
20. Horns.—Curved and no	ot eo	arse							. 0
21. Head.—Rather long an	d fin	D 10	ith	unie	t an	പ് സ	ntla	4 V 117	·00.
sion,									
22. GENERAL APPEARANCI		•		•			•	•)
22. GENERAL APPEARANCI	ь,	•	•	•		•	•	•	. 2
POINTS. SCALE O	F PO	INT	SFO	OR C	ow.			C	OUNTS.
1 Color of skin									90
1. Color of skin, 2. Handling of skin and l	nair,								20 10
2. Handling of skin and l	ıair,								
2. Handling of skin and l	nair,								10 8 6
2. Handling of skin and l3. Escutcheon,4. Milk veins,5. Udder in front.	٠						•		10 8 6 6
 Handling of skin and l Escutcheon, Milk veins, Udder in front, Udder behind. 	٠						•		10 8 6 6 8
 Handling of skin and l Escutcheon, Milk veins, Udder in front, Udder behind. 	nair,								10 8 6 6 8 4
 Handling of skin and l Escutcheon, Milk veins, Udder in front, Udder behind, Size of ndder, Position of teats, 							•		10 8 6 6 8 4 4
 Handling of skin and l Escutcheon, Milk veins, Udder in front, Udder behind, Size of ndder, Position of teats, Size of teats, 									10 8 6 6 8 4
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of ndder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone.									10 8 6 6 8 4 4
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of ndder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone.									10 8 6 6 8 4 4 4 5 1
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of ndder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone.									10 8 6 6 8 4 4 4 5 1
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of udder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone, 12. Barrel, 13. Hips and loin, 14. Rump,									10 8 6 6 8 4 4 4 5 1
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of ndder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone, 12. Barrel, 13. Hips and loin, 14. Rump, 15. Thighs and withers,									10 8 6 6 8 4 4 4 5 1
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of ndder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone, 12. Barrel, 13. Hips and loin, 14. Rump, 15. Thighs and withers,									10 8 6 6 8 4 4 4 5 1 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of ndder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone, 12. Barrel, 13. Hips and loin, 14. Rump, 15. Thighs and withers, 16. Back, 17. Throat, 18. Lors									10 8 6 6 8 4 4 4 1 5 1 4 2 2 2 3 3 1
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of ndder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone, 12. Barrel, 13. Hips and loin, 14. Rump, 15. Thighs and withers, 16. Back, 17. Throat, 18. Lors									10 8 6 6 8 4 4 4 1 1 2 2 2 2 2 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of ndder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone, 12. Barrel, 13. Hips and loin, 14. Rump, 15. Thighs and withers, 16. Back, 17. Throat, 18. Lors									10 8 6 6 8 4 4 4 1 1 2 2 2 2 2 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of udder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone, 12. Barrel, 13. Hips and loin, 14. Rump, 15. Thighs and withers, 16. Back, 17. Throat, 18. Legs, 19. Tail, 20. Horns, 21. Head,									10 8 6 6 8 4 4 4 5 1 4 2 2 2 2 2 1 1 2 1 2 2 2 2 2 2 2 2 2
2. Handling of skin and l 3. Escutcheon, 4. Milk veins, 5. Udder in front, 6. Udder behind, 7. Size of ndder, 8. Position of teats, 9. Size of teats, 10. Size, 11. Bone, 12. Barrel, 13. Hips and loin, 14. Rump, 15. Thighs and withers, 16. Back, 17. Throat,									10 8 6 6 8 4 4 4 1 1 2 2 2 2 2 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1

POI	DETAILED	DES	SCRI	PTIO	N.		C	oun	TS
1	SkinDeep yellow, in ear	r. on	end o	f bon	e of	tail.	at ba	ıse	·
••	of horns, on udder, teat								20
9	Skin.—Loose, mellow, wit		-	-	-				10
	ESCUTCHEON.—Wide on t								
	thigh ovals,								8
4.	MILK VEINS Long and 1								6
	UDDER.—Full in front,								6
	UDDER Full and well up								8
	UDDERLarge, but not fl								4
	UDDER TEATS Squarely	-							4
9.	UDDER TEATS.—Of good s	ize.							4
	Size.—For the breed, .								5
11.	BoneNot too light,								1
12.	BARRELRound and dee	p at	flank,						4
13.	HIPS AND LOINWide,								2
14.	Rump.—Long and broad,								2
15.	THIGHS AND WITHERS !	Гbib,							2
16.	BACK.—Level to setting or	n of t	ail,						3
17.	THROAT.—Clean, with sma	all de	wlap,						1
18.	LEGSNot too long, with	hoel	cs wel	Lapa	rt in s	valkir	ıg,		2
	TAIL.—Long and thin,								1
20.	Horns.—Curved and not	coars	e,						2
21.	HEAD.—Rather long and f	ine, v	vith c	quiet.	and g	entle	expr	es-	
	sion								3
22.	GENERAL APPEARANCE,								2
	P	r D r r	remio:	N	_			- 1	100

HEREFORD CATTLE.

In answer to an enquiry from the editor of this publication, Mr. C. R. Thomas, of Independence, Mo., the secretary of the American Hereford Cattle Breeders' Association, wrote that the association had not adopted an official standard of excellence, but advised the editor to apply for one to Mr. S. W. (Anderson, of Asbury, W. Va., who is quite a large breeder, and is considered a good Hereford judge. Acting upon the suggestion of the Secretary, the editor corresponded with Mr. Anderson, who thereupon kindly furnished the following standard of excellence for Herefords.

POINTS.	SCALE	ΟF	PO	INTS	FOR	HE	REF	ORD	CAT	TTL	E٠		
1. Color,													3
2. Head,													10
3. Horns	3,												4
4. Neck,													-1
5. Shoul	ders,												6
6 Heart	-girth,												10
7. Chest													6
8. Briske													
9. Ribs,													
10. Back,													13
11. Hinde	marter	×,											8
12. Tail,		,											2
13. Under	rline,												4
14. Legs,													4
15. Flesh.													
16. Size,													
17. Skin,													6
					Per	lecti	υl1 ,	-	-		-	-	100

DETAILED DESCRIPTION.

COUNTS.

1. Color.—In color the Hereford should invariably be a red (either light or dark), with white face, throat, chest, lower part of the body and less together with the crest or mane.

POINTS.

part of the body and legs, together with the crest or mane, tip of tail; and, generally a white strip along the withers, 2. HEAD.—The bull should have a good masculine head; broad

between the eyes, which should be full and lively. The countenance should present a placid appearance, denoting a good temper and that quietude of disposition so essential to the successful grazing of all ruminating animals. The cow's head should be much the same, but finer. The nose should be a pure white or flesh color. The cheeks

	and throat should be full, with tongue root large and loose.	10
3.	HORNS.—The horns of the bull should be large at the butt,	
	and a good length is not objectionable. Those of the cow	
	should be long, but much smaller. The horns of either	
	should be waxey white, although they are occasionally	
	found dark at the points,	4
J	NECK.—Short and meaty, and well set on the shoulders,	4
	SHOULDERS.—Deep, sloping, thick and fleshy. So beauti-	-1
	fully should the shoulder blades blend into the body that	
	it would be difficult to tell in a well-fed animal where	
	they are set on,	6
6.	HEART-GIRTHFull and deep in foreflank behind the arm;	
	full behind the shoulders without depression, and broad	
		10
7.	CHEST.—Expanded, deep and full; well covered on the out-	
	side with mellow flesh,	6
8.	Brisket.—Well developed, and projecting firmly from be-	
	tween the legs; proportionately covered with flesh and fat,	4
9.	RibsWell sprung, wide, and evenly covered with flesh, .	8
	BACK.—Straight and level from crops to hips, which latter	
	should be moderately broad; loin, strong, wide and deep,	12
11.	HINDQUARTERS.—Should be long from the hip back; the	
	rump forming a straight line with the back, and at a	
	right angle with the thigh, which should be full of flesh	
	down to the hocks; twist good, well filled up with flesh	
	even with the thigh,	8
12.	TAIL.—Well set on and falling in a plumb line to the hocks,	5
13.	Underline.—As nearly straight as possible; the flank full	
	and about on a straight line with the belly,	4
14.	LEGS.—Short and well apart; muscular hocks and knees, .	4
15.	FLESH.—The whole carcass well and evenly covered with a	
	rich, mellow flesh,	5
16.	Size.—Minimum weight for bull at three years old, 1,800	
	pounds; minimum weight for cow at three years old,	
	1,500 pounds,	4
17.	SKIN.—The hide, thick, yet mellow, and well covered with	
	soft, glossy hair, having a tendency to curl; the hide giv-	
	ing the impression when you touch it that it will stretch to any extent,	8
	Prefection	00

THE AMERICAN HOLDERNESS CATTLE.

The Holderness is a pure-breed of cattle raised for many years by T. A. Cole, of Solsville, N. Y., and numbering several hundred head, of excellent animals. Whilst no standard of excellence has yet been adopted for them, the following description by Lewis F. Allen, author of "American Cattle." will be of interest:

"Mr. Cole calls his cattle "Holderness," a name seldom heard of at the present day; yet several specimens of such a breed of cattle were imported 50 years ago into Massachusetts, to my certain knowledge, and I believe also into this State, and Mr. Knox, from whom Mr. Cole bought his original cow, stated that she was from imported stock, but who was the importer or how long ago the importation was made, was not ascertained. In Youatt's "Cattle, their Breeds and Management," published in London in the year 1834, in which the several breeds of England are described, is mentioned the "Holderness," existing in a district of that name, in the West Riding of Yorkshire. They are noted as great milkers, a branch probably [of the ancient unimproved Shorthorns, as they resemble that breed more than any other, except in color and rotundity of form.

The imported ones of tifty years ago were usually dark red or brown on the sides, striped with white on the backs and bellies, and occasionally a little spotted, and Mr. Cole's cows much resemble them in form and size. So there can be little if any doubt of the descent of the latter from the original importations. Yet a marked change in color has been developed in Mr. Cole's herd. His original tow was light red on her sides, with white back and belly. Her first bull calf and several succeeding ones of the herd were also of these colors. But gradually they began in calfhood, and in successive years, to turn the red into black, and now the color of nearly every one of the grown cows and bulls is a dark brown or jet black and white line-back. Why the colors are so changed is a physiological secret. The fact is positive, and their intense in-and-in breeding may have set them back to the color of their long ago ancestry in Holderness."

HOLSTEIN-FRIESIAN CATTLE.

Standard of Excellence for Holstein-Friesian Cattle, as adopted by the Holstein-Friesian Association of America, F. L. Houghton, Secretary, Brattleboro, Vermont; also by the American Branch Association of the North Holland Herd Book, F. H. Beach, Secretary, No. 6 Harrison street, New York; also by the Holstein-Friesian Association of Canada, G. W. Clemens, Secretary, St. George, Ont.

SCALE OF POINTS FOR BULL.

	SUML	.E Or	PUI	1412	run	BUL				
POINTS.										(OUNTS.
1. Head, .										2
2. Forehead, .										2
3. Face, .										2
4. Ears,										$\frac{2}{1}$
5. Eyes, .										3
6. Horns,										2
7. Neck, .										5
8. Shoulders, .										4
9. Chest, .										8
10. Crops, .										4
11. Chine, .										3
12. Barrel,										6
13. Loin and Hip	s, .									5
14 Rump, .										5
15. Throat, .										4
16. Quarters, .										5
17. Flanks,	•								•	2
18, Legs and Fee						,				6
19. Tail and Swit					•				•	2
20. Hair and Hai	adling.	,							,	10
21, Mammary Ve	ins,				•					10
22. Rudimentary	Teats	, .								2
23. Escutcheon,	•				•					8
			D #							
		1	Perfe	ectio	1),		-	-	-	100
	DET	AILE	D D	ESC	RIP	TION	4.			
POINTS.										COUNTS.
1. HEAD.—Show	ing ful	l vigo	or; e	lega	nt in	con	tom	٠, .		. 2
2. Forehead,—1	Broad	betwe	een '	the ϵ	ves:	dist	ning			. 2
3. FACE.—Of med									alle	11111
der the eyes										
	, one	oriage	e 01	the i	uose :	sorat,	gnt	,	e mu	
broad,		•	•							. 2

	•	Eaus.=Of medium size, of fine texture; the hair	4.
1		and soft; the secretions oily and abundant,	
2		Exes.—Large, full, mild, bright,	
		Horns.—Short, of medium size at base, gradually d	6.
0		ing toward tips; oval, inclining forward; mo	
2		curved inward; of fine texture; in appearance, w	н.,
		NECK.—Long, finely crested (if the animal is matt	6 .
5		and clean at juncture with the head; nearly to	
•)		dewlap: strongly and smoothly joined to should SHOULDERS:-Of medium height, of medium thick	C.
		smoothly rounded at tops; broad and full a	٠٠.
4		smoothly founded at tops, broad and full a	
7		CHEST.—Deep and low; well filled and smooth in	G
		ket; broad between the forearms; full in the fo	47.0
8		or through at the heart,	
4		CROPS —Comparatively full, nearly level with the sl	10.
3		CHINE.—Straight; broadly developed; open,	
	ongly and	BARREL -Well rounded, with large abdomen; stro	
6	- v	trimly held up,	
		LOIN AND HIPS.—Broad, level or nearly level betwe	13
		bones; level and strong laterally; spreading	
	nes fairly	chine broadly and nearly level: the hook-bor	
5		promiuent,	
		RUMP —Long, broad, high: nearly level laterally;	14.
-5		atively full above the thurl,	
4		THURL.—High; broad,	
		QUARTERS.—Deep, broad: straight behind; wide	16.
5			
2		FLANKS.—Deep; full,	
		LEGS AND FEET.—Comparatively short, clean an	18.
		straight; wide apart; firmly and squarely set u	
0		body; arms wide, strong and tapering; feet of	
6		size, round, solid and deep, TAIL AND SWITCH.—Large at base, the setting wel	10
		tapering finely to switch; the end of the bone rea	11).
2	_	hocks or below; the switch full,	
~		HAIR AND HANDLING.—Hair healthful in appearan	20
		soft and furry; skin of medium thickness and loo	~11.
		low under the hand; the secretions oily, abundar	
10		a rich brown or yellow color,	
-0	, .		

21. MAMMARY VEINS.—La ous orifices; double such as forks, branch 22. RUDIMENTARY TEATS 23. ESCUTCHEON.—Larges	extens hes, c .—La	sion; w onnecti rge, we	ith spe ions, et Il plac	ecial de tc., . ed, .	velopu	nents, . , 10 2
	P	ERFEC	TION,	-		- 100
POINTS. SCALE	OF P	STAIC	FOR C	ow.		COUNTS.
1. Head, 2. Forelread, 3. Face, 4. Ears, 5. Eyes, 6. Horns, 7. Neck, 8. Shoulders, 9. Chest, 10. Crops, 11. Chine, 12. Barrel, 13. Loin and Hips, 14. Rump, 15. Thurl, 16. Quarters, 17. Flanks, 18. Legs, 19. Tail, 20. Hair and Handling, 21. Mammary Veins, 22. Udder and Teats, 23. Escutcheon,						. 2 2 1 2 2 4 3 6 2 3 4 4 5 5 4 4 2 10 10 10 10 10 10 10 10 10 10 10 10 10
zo. Escutcheon, .			•	•	•	
DETAIL		FECTIO			-	- 100
POINTS.						COUNTS.
 HEAD.—Decidedly fen FOREHEAD.—Broad be FACE.—Of medium lender the eyes, showing straight; the muzzle 	etwee ngth; ng fac	n the e clean ial veir	yes; d and t is; thé	ishing, rim, e bridg	speciall e of the	y un-
4. Ears.—Of medium siz	e, of f	ine ter	ture;	the h	air ple	ntiful

	and soft; the secretions oily and abundant,	1
5.	EYES.—Large, full, mild and bright,	2
6.	HORNS. — Small, tapering finely toward the tips; set	
	moderately narrow at base; oval; inclining forward;	
	well bent inward; of fine texture; in appearance, waxy,	2
7.	NECK.—Long; fine and clean at juncture with the head;	
	free from dewlap; evenly and smoothly joined to shoul-	
	ders,	4
8.	Shoulders.—Slightly lower than hips; fine and even over	
	tops; moderately broad and full at sides,	3
9.	Chest.—Of moderate depth and lowness; smooth and mod-	
	erately full in the brisket; full in the foreflanks [or	
	through at the heart],	6
10.	Crops.—Moderately full,	2
11.	CHINE.—Straight; broadly developed; open,	3
12.	BARRELOf wedge shape; well rounded; with a large ab-	
	domen; trimly held up [in judging the last item, age	
	must be considered],	4
13.	Loins and Hips.—Broad; level, or nearly level between the	
	· hook bones; level and strong laterally; spreading from	
	chine broadly and nearly level; hook bones fairly promi-	
	nent,	5
14.	Rump.—Long, high; broad, with roomy pelvis; nearly	
	level laterally; comparatively full above the thurl,	5
15.	THURL.—High; broad,	4
	QUARTERS.—Deep; straight behind; roomy in the twist;	•
	wide and moderately full at the sides,	4
17.	FLANKS.—Deep; comparatively full,	2
	LEGS.—Comparatively short; clean and nearly straight;	
	wide apart; firmly and squarely set under the body; feet	
	of medium size, round, solid and deep,	5
19.	TAIL.—Large at base, the setting well back; tapering finely	,
101	to switch; the end of the bone reaching to the hocks or	
	below; the switch full,	2
90	HAIR AND HANDLING.—Hair healthful in appearance; fine,	~
~0.	soft and furry; the skin of medium thickness and loose;	
	mellow under the hand; the secretions oily, abundant	
		1.0
91	and of a rich brown or yellow color,	10
~1.	taken into consideration in judging of size and crooked.	
	TAKED DOO COUSTOPIALION IN HIGUIDU OF SIZE AND CLOCKAD.	

	ness]; entering very large or nu extension; with special developm						
	connections, etc.,						. 10
22.	UDDER AND TEATS.—Very capacio	us;	very	z flex	ible	; qu	ar-
	ters even, nearly filling the space	in	the	rea	r bel	ow t	he'
	twist, and extending well forwa	$^{\mathrm{rd}}$	in fi	ont:	bro	ad a	nd
	well held up; teats well formed,	wid	e ar	art,	plui	nb a:	nd
	of convenient size,						. 12
23.	ESCUTCHEON.—Largest; finest, .						. 8
	Ринисто	N.					100

JERSEY CATTLE.

Standard of Excellence for Jersey cattle, as adopted May 6tn, 1885, by the American Jersey Cattle Club, J. J. Hemingway, secretary, 8 West 17th street, New York.

POINTS.	SCALE	OF	РО	INTS	FOR	В	JLL.				C	OUNTS.
1. Head and Fa												2
2. Eyes and Ho						•				•		1
3. Neck, .												8
4. Back,												1
5. Loins, .												6
6. Barrel,												10
7. Hip and Rui												10
8. Legs,												2
9. Tail and Sw	itelı,											1
10. Color and H												5
11 and 12, .												
13. Teats,												10
14,												
15. Disposition,												5
16. General App												10
		F	ER	FECT	ЮN,		-	-	-		-	$\frac{-}{71}$

The same scale of points as for cows shall be used in judging bulls, omitting Nos. 11, 12 and 14, and making due allowance for masculinity; but when bulls are exhibited with their progeny, in a separate class, add 30 counts for their progeny.

	DETAILED DESCRIPTION.			COUN	ma
	NTS. HEAD.—Small and lean; face dished, broad	bet	tween		18.
1.	eyes and narrow between the horns, .				2
2.	EYES Full and placid; horns small, crumple	ed, a	nd an	ber-	
	colored,				1
3.	NECKThin, rather long, with clean three	oat,	and	\mathbf{not}	
	heavy at the shoulders,				8
4.	BACK.—Level to the setting-on of the tail,				1
5.	Loins.—Broad across the loins,				6

6. BARRELLong, hoop	ed	l, bi	roa	1, a	nd	dee	ра	t th	e fla	nk,	. 10
7. Hips.—Wide apart; ru	ım	p le	ng	,							. 10
8. Leas.—Short, .		٠.									. 2
9. Tall—Fine, reaching	ťh	e lie	oek	s. v	vith	gr	od	swii	tch,		. 1
10. Color.—Color and me	2116	1221	1085	of	hic	اءِ.	ins	ide	of e	ars v	rel-
											_
•								•	•	•	• ''
									صامر		. 10
13. TEATS.—Rather large,											
14											
15. Disposition.—Quiet,											. 5
16. GENERAL APPEARANCE	E	and	l aj	pai	ent	ec	nst	itnt	ion,		. 10
			T)								71
			1'F	RF	ECT	10.	Ν,	-	-	-	11
POINTS. SCALE O) F	РО	ואו	S	OR	С	οw.			(COUNTS.
1. Head and Face,											2
2. Eyes and Horns,	•		•		•		•		٠.	•	1
3. Neck,		•									8
4. Back,											1
5. Loins,											6
6. Barrel,				•							10
7. Hips and Rump,			•		•						10
8. Legs,				•		•		•			$\frac{2}{1}$
9. Tail and Switch. 10. Color and Handling,	٠				•		•		•		5
10. Color and nandling,		•		•				•	•		13
11. Fore Udder, . 12. Hind Udder, .	•		•		•		•		٠.	•	11
13. Teats,		•		•		•		•			10
	•		•		•		٠		٠.	•	5
14. Milk Veins,		•		•		•		•	. '		5
16. General Appearance,	•	-									10
in denerti in properties											
								-	-	-	100
In judging heifers, omit	N	os.	11,	12 a	and	14					
DETAIL	-	ם נ	150	: C F	31 D	TIC	N				
POINTS.											COUNTS.
1. HEAD.—Small and lear	n;	fa	ce	dis	hed	, 1	roa	d 1	etwe	een	the
eyes and narrow bet	we	en	$_{ m the}$	lio	rns						. 2
2. EYES.—Full and placid	1 .	ho	ns	sm	a 11	eri		oled	and	amb	er-
colored,	٠,	1101	110	13111		C.I.	~·11	a e u	Cond		1
colored,	٠			٠,	• '		٠.	•	, .		, 1
3. NECK.—Thin, rather le	ong	3, 11	ith	cle	an	thi	oat	, an	a no	thea	ivy
at shoulders, .							•	•	•	•	. 8

	JERSEY CATTLE.	39
4.	BACK.—Level to the setting on of tail,	1
5.	Loins.—Broad across the loins,	- 6
6.	BARRELLong, hooped, broad, and deep at the flank,	10
	HIPS.—Wide apart, rump long,	10
8.	Legs.—Short,	 2
	TailFine, reaching the hocks with good switch,	1
	ColorColor and mellowness of hide; inside of ears	
	low,	5
11.	Fore-UpderFull in form and not fleshy	13
12.	HIND-UDDER.—Full in form and well up behind, .	 11
	TEATS Rather large, wide apart, and squarely placed	10
	MILK VEINS.—Prominent,	5
15.	Disposition.—Quiet,	 5
16.	GENERAL APPEARANCE and apparent constitution,	10
	Perfection,	100
- 1	n indeing heifers omit Nos 11 19 and 14	

KERRY CATTLE.

In the United States quite a number of Kerry cuttle have been imported from time to time, but as there is neither a Kerry Cattle Club, nor a Kerry herd book in this country, their valuable characteristics are not as fully recognized here as they should be. The cows are good milkers for their size (some weighing only 300 pounds), giving from 10 to 20 quarts daily, and, whilst, from the case with which they are kept in a limited space, they are often called the poor man's cow, they might just as truly be termed the rich man's cow, in that they are small and handsome, and so docile that they can be easily tethered on a kown. The following Standard of Excellence, approved by Mr. Henry S. Ambler, of Chatham, N. Y., the principal breeder of Kerry Cattle in America, may be of assistance to judges and breeders:

POINTS.	SCALE	OF	POII	VT5	FO	Ri	ERRY	Y CA	TTL	Ξ.	('	OUNTS.
1. Head,												.2
2. Cheeks,												1
3. Throat,												1
4 Muzzle,												2
5. Nostrils												1
6. Horns,												53
7. Ears,												.2
8. Eyes,												1
9. Neck,												6
10. Shoulde												3
·11. Chest,												
12. Barrel,												- 6
13. Ribs.												4
14. Back, 15. Rump a												2
15. Rump a	aid Thig	;lı,										6
16. Tail,												~
17. Skin an	d Hand	lling	ζ, .								٠	10
18. Udder,	•					٠						12
19. Teats, 20. Milk Ve	. •	•										10
20. Milk V€	ins, .					٠	٠.					8
21. Fore-leg	rs,											5
22. Hind-le 23. Hoofs,	gs, .	•				٠						2
23. Hoofs,	•	•					-					1
24. Color,												- 11
25. Disposit	1011,		,		٠						•	()
				РЕ	RFE	СТ	ION,	-	-		_	100

In judging bulls and heifers, omit Nos. 18 and 20.

	DETAILED DESCRIPTION.	177	DUNTS
	NTS.	Ct	
	HEAD.—Fine and small and tapering,		. 2
2.	CHEEKS.—Clean,	•	. 1
3.	Throat.—Full, and well set,	•	. 1
	MUZZLE.—Fine, and of a rich black color,		. 2
	Nostrills.—Well placed and rather open,		. 1
6.	Horns.—Well spring; smooth; rather thick at bas		
	gently tapering; white in color, with black tips,		
7.	EARS.—Small, fine, and of a fine, pink-orange color wi	thin	, . 2
	EYES.—Mild and full, but animated,		
9.	NECK Straight and fine; evenly and smoothly join	æd	to
	the shoulders,		. 6
10.	Shoveners.—The height at the shoulders should not	exce	ed
	4 feet, though 3 feet 6 inches is more desirable, .		. 3
11.	Chest.—Deep and broad,		. 6
12.	BARREL.—Deep, full and well hooped,		. (
	Ribs.—Well sprung,		
	BACK Even and straight from withers to top of hip,		
	RUMP.—Rather narrow, long, but straight from top o		
	to setting on of tail. Thigh, light,		•
16.			
	Skin.—Of good rich orange color; loose, mellow, an		
	ered with a good coat of soft hair,		. 10
18.	ered with a good coat of soft hair,	wi	th
10	belly and well up behind, TEATS—Well placed; large and rather far apart,	•	. 1~
19.	Milk Vrins.—Very prominent	•	. 10
21.	FORE LEGS.—Short and straight; full above the knee	e : tir	ne
22.	below. HIND LEGS.—Not too close together and squarely p	lace	d ;
00	fine bone,	•	. 2
	Hoofs.—Small,	8011	
~ 1.	very good-animals black and white, and occasion		
		,	. 3 . 5
25.	few of other colors,		. 5
	Perfection		100
1 -	n judging bulls and heifers omit Nos. 18 and 20,	-	100
	the Devter variety is distinguished from the nurs or tr	L	

The Dexter variety is distinguished from the pure or true Kerry in having a round plump body, short and rather thick legs; the head is heavier and wanting in that lineness which marks the true Kerry, and the horns are longer, straighter and coarser.

RED POLLED CATTLE.

The following letters explain themselves and need no further introduction.

RED POLLED CATTLE CLUB OF AMERICA.

SECRETARY'S OFFICE, Davton, Ohio, Sept. 22, 189 '. \(\)

FRANK A. LOVELOCK, SALEM, VA.:

DEAR SIR: Your postal of the 20th received. No regular "scale of points" has been adopted for Red Polls. They should be judged, however, both for beef and dairy qualities, as they claim to excel in both lines.

The most desirable points are smooth, level form, much like the Devons, but larger. A deep, rich red color, without white, except the switch, and it may be a little white; a white spot on the udder. No horns or scars; a fine head, clean throat, deep body; level rump, broad back or well rounded, and the points generally of a good beef animal.

Then for cows, a large udder and good milk veins, but not always prominent to the eye, on account of the thick, mossy coat of hair. The indications of a good milker, with smooth, compact form, fine bone, rich color, and good size are my own preference.

Very truly,

J. McLAIN SMITH, Secretary.

RED POLLED CATTLE CLUB OF AMERICA.

Secretary's Office,
Dayton, Ohio, July 4, 1892.

FRANK A. LOVELOCK, SALEM, VA.:

DEAR SIR—Yours of the 2nd received. The Club has not yet adopted any "scale of points," and no movement has been made

to that end. There are no changes to make in my former letter. I do not now remember just what I wrote, but I should make very emphatic the requirements of a good show for MILK. Other things being nearly equal, I should give decided preference to the cow showing best milking qualities. Where there is any claim to beef qualities, the strong tendency is to give beef the preference in a show ring. It ought not to be so with Red Polls.

Very truly,

J. McLAIN SMITH,

Secretary.

POINTS.

SHORT-HORN CATTLE.

Mr. J. H. Pickrell, of 510 East Monroe street, Springfield, Illinois, Secretary of the American Short-Horn Breeders' Association, writes the editor of this publication that his association deals primarily—with pedigrees and only incidentally with the animals, and has never made up a scale of points. The following standard of excellence, was compiled especially for this work by Col. A. M. Bowman, of Salem, Va., formerly of the firm of Palmer & Bowman (for many years owners of the largest herd of registered Short-Horns in the world), and an ex-member of the Board of Directors of the American Short horn Breeders' Association.

SCALE OF POINTS	FOR	SHOP	T-HO	AN CA	TTLE.	COUNTS.
1. Head and Face,						
2. Horns,						:;
3. Neck,						
5. Shoulders,						
6. Chest,						
7. Brisket,						. 6
9. Ribs,						
10. Back, Loius and Rump,11. Hindquarters, Thighs a						
12. Tail,				,		2
13. Underline and Flank,						
14. Legs, 15. Flesh,						
16. Skin, Handling and Hai	ir.					10
	PE	REECT	105,			100

DETAILED DESCRIPTION.

COUNTS.

1. Head.—Short; forehead broad, gracefully uarrowing along the face toward the muzzle; face slightly concaved, but not dished; eye prominent, but with mild expression. Fine, wide, open nostrils; color of nose, yellow or nutty drab; ear should be upright, large, and not too thick, but well covered with a mossy cost of hair.

2. Horns.—For bull, strong, but not coarse, standing wide at the base, bending gracefully forward in an outward

	curve, and then may incline downward or upward, with waxy or creamy tint, rather than white, and no dark or black except at the tips. For the cow the same general character should prevail, except that the horn should be	
3	smaller and finer, ,	
	NECK.—Short, well set in the shoulders and tapering to the head, running back on a level in the cow, and with a	3.
	gradually rising crest in the bull; free from dewlap or	
3	hranging skin,	
	HEART-GIRTH.—Full and deep in fore-flank; full behind	4.
8	the shoulders, without depression,	
	SHOULDERS.—Broad and even at top, working backward	5.
	into a level with the chine; smooth at forward points and	
-6	tapering gracefully to the knees,	
	Chest.—Deep, broad and full, without coarseness; a deep,	6.
	broad and full chest with some coarseness, is however,	
8	prefered to a narrow chest, however smooth,	
	BrisketProminent, well set forward, almost perpendicu-	7.
4	lar in front; broad and well let down,	
6	Crops.—Broad and full without depression, ,	8.
	RIBS.—Fore-ribs springing in a well rounded arch from the	
	back-bone, long and deep; hind-ribs should spring well	.,
	out from the back-bone, long, deep and well set back to-	
8	wards the hips,	
	BACK.—Spine straight from chine to root of tail; loins	10.
	broad, full and level with the spine and hips; hips wide-	
	spread, smooth and on a level with the spine; rump long,	
12		
-	HINDQUARTERS.—Should drop perpendicularly from the	11.
	points of the rump; thighs broad and full and running	
	well down to the hocks; twist broad and full and running	
10		
	Tail.—Fine, strongly connected with the spine, on a straight	12.
2	line,	
-	UNDERLINE.—As nearly straight as possible; flank low, full	13.
4	and on a straight line with belly and brisket,	
-	LEGS.—Front legs should be fine boned and stand well apart;	14.
	knees round and muscular. Hind legs straight, standing	
	well apart, with a muscular hock and a fine boned, flat	
4	leg below, ,	
-		

15.	Flesh.—Firm, evenly laid on, and free from lumps or
	patches, 4
16.	Skin.—Moderately thick, not so loose as to separate from
	the tissue beneath, but at the same time not tight. It
	should move easily by action of the hand, showing plenty
	of cellular tissue beneath. The touch or handling quali-
	ties should be elastic, mellow (not flabby) and springy.
	The hair should be close, long, soft, and mossy; the more
	of it the better, if of the right quality, 10
	Perfection, 100

POLLED DURHAM CATTLE.

For this breed a Standard of Excellence has not yet been adopted, but for the present, that for Short-horns may be used for judging them, in conjunction with the following registry requirements, adopted by the Polled Durham Breeders' Association, J. H. Miller, Secretary, Mexico, Illinois.

- RULE 1.—Animals for registry must be at least one year old.
- RULE 2.—Cattle to be eligible to registry must be calved hornless.
- Rule 3.—Color and markings characteristic of the Short-horn.
- Rule 4—Animals to be eligible to entry must have seventy-five per cent. or more of Short-horn blood, but where there is a remainder of blood not Short-horn, it must be in part or all of the old native Muley strain.
- RULE 5.—Produce of animals already recorded, proyided they conform to rules 1, 2 and 3.
- Rule 6.—The produce of any bull in the Polled Durham Herd Book, when out of a cow registered in the Short-horn Herd Book, provided they conform to Rules 1, 2 and 3.
- RULE 7.—The produce of any cow in Polled Durham registry when by a bull recorded in the American Short-horn Herd Book, provided they conform to Rules 1, 2 and 3.
- Rule 8.—After September 4, 1893, no animal shall be registered whose ancestors are not at that time registered, except under Rules 6 and 7, with less than fifteen-sixteenths Short-horn blood, in addition to requirements of Rules 1, 2, 3, and 4.

SUSSEX CATTLE.

Standard of Excellence for Sussex Cattle, compiled from particulars furnished by Overton Lea, of Nashville, Tennessee, owner of the principal herd of Sussex Cattle in the United States, and Secretary of the American Sussex Association, and approved by him.

SCALE OF POINTS FOR SUSSEX CATTLE.

POINTS.									(COUNTS.
1. Color, .										5
2. Head and Horns.	,									10
3. Neck, .										5
4. Shoulders,										6
5. Chest, .			•		٠		•		•	10
6. Heart-girth,						•				10
7. Ribs,	,				•		•		•	.8
8: Back, Loin and I	Kump,	•		•		٠		•		15
9. Tail, 10. Legs, .	•		٠		•		•		٠	2
11. Thighs,	•	•		•		•		•		4
12. Skin and Handli	nor		•		•		•		٠	8
13. Size,	115,	•		•		•		•		6
14. General Appeara	ence.		•		•		•		•	ä
za central repocure	,	•		•		•		•		
		PER	FEC	TIO	v.	_	_	-	-	100
		_ 3			. ,					

DETAILED DESCRIPTION.

POINTS.

COUNTS.

- 1. Color.—Solid red, varying from the light to the very dark red; sometimes the shades are mingled in the same animal, producing a dappled appearance. A little white about the udder is not objectionable in the cow. In both sexes, a few gray or white hairs scattered throughout the coat, sometimes so thick as to be easily noticed in spots, particularly upon the foretop, are regarded with favor rather than otherwise,
- HEAD.—Decidedly neat in appearance; nose tolerably wide; muzzle bright, almost golden; thin between the nostrils and the eyes; eye rather prominent; forehead wide;

	horns long, longer in cows than in bulls; heavier than in	
	the Devon, and without the Devon's peculiar waxy color;	
	clean and transparent with age, projecting at various an-	
	gles, similar to those of the Hereford-both with the same	
	angle or curve, however, unless distorted by accident,	10
3.	NECK.—Short, strongly set on and clean,	5
4.	SHOULDERS.—Straight and without any projection at the	
	points,	6
5.	Chest.—Wide, open and projecting forward	10
6.	HEART-GIRTH,—Full and deep,	10
7.	Ribs.—Broad and deep, and well spring,	8
8.	BACK Straight and level from the withers to the setting	
	on of the tail; loin and entire back full of flesh; hips	
	moderately large, but well covered, with a wide space be-	
	tween, and on a level with the back; rump long and	
	slightly sloping.	15
9.	TailWell set on, and dropping perpendicularly,	2
	Legs.—Of medium length,	4
	THIGHS.—Flat outside and full inside,	
I2.	Skin.—Having a mellow touch, with soft and silky coat,	8
13,	SizeMedium weight for bull at three years old, 2,000	,
	pounds; same for cow at three years old, 1,500 pounds, .	
14.	GENERAL APPEARANCE Stylish and well bred. The	
	walk square, the step quick, and the head up,	
	Perfection,	$\overline{100}$

BROWN SWISS CATTLE.

Standard of Excellence for Brown Swiss cattle, as adopted by the Brown Swiss Cattle Breeders' Association, N. S. Fish, secretary, Groton, Connecticut.

POINTS.	SCAL	E O	P	DINTS	FOR	BULL.			CC	UNI	Υ.
1. Head,										2	
2. Face.										2 1	
2. Face, 3. Ears, 4. Nose and To										1	
4. Nose and To	mgue,									2	
5. Eyes,										1	
5. Eyes, 6. Horns, .										ő	
5. Horns, 7. Neck, 8. Chest, 9. Back and L 10. Barrel, 11. Hips and R 12. Thighs and 13. Legs and H 14 Tail and Sw 15 Hide										4	
8. Chest,										4	
9. Back and L	oiu,									- 6	
10. Barrel, .										8	
-11. Hips and R	ump,									-1	
12. Thighs and	Quart	ers,				•		•		4	
13. Legs and H	oofs,									-1	
14 Tail and Sw	ritch,									4 3	
										6	
16. Color, .									•	ь	
17. Hair, . 18. and 19 omitt				1 1				•			
										5	
24 Teats, 21. Omitted for				•						1)	
				11.5	•				•	140	
22. Escutcheon	,		•			•				- 4	
23. Disposition,	•		•	•	•	•		•		-1	
			176	REEC	TON,	-		-		76	
POINTS.									C	un:	re
POINTS.	DET	AIL	ED	DESC	RIP	TION.			1,1	/U.S.	LD.
1. HEAD.—Med	ium si	ze a	nd i	ather	long.						2
2. FACE.—Dish							110 222	w be	twe	∍n	
AL . L	ea, me	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CUN	CCH UI	ic cyc	is control	.,				0
the horns, 3. Ears.—Of a			•				•	•	•	•	4
3. Ears.—Of a	deeb (rang	45 G	dor w	ithiu,					•	1
4 NoseBlac	k, squ	are,	and	with	the m	ouths	urro	unde	d by	a	
light, mea											
5. Eyes.—Full											
o. Eles.—Full	and p	аси	•			•	•	•	•	•	1

	orys.—I											
	tips, Teck.—S											. (
7. N	ECKS	traight	, rat	her	long,	and	l no	t to	o h	eavy	$\mathfrak{i}\mathfrak{t}$	
	shoulde	rs, .										. "
8. C	незт1	Broad a	and d	еер.	, .							
	ACK.—Le											
10. B	loin, BARREL	-Hoon	ed, b	roac	l and	deep	at tl	ie fla	nk.			. :
11. H	IIPSW	ide apa	irt. r	ann	long	and	broa	d.				
12. T	нівня.—	Wide	with	hea	vv au	arte	rs.					
13. L	EGS.—SI	ort an	d str	aigh	t witl	1.200	d ho	ofs.				
14 T	AIL.—Sle	ender	nliah	de i	ot to	a lon	o wi	th e	had	swite	di.	
	пъ. – Т											
	COLOR.—S											
10. 0	some sea											
	near b											
	back,											-
	IAIR.—B											
	ears lig! 18 and 19	ht (no	point	(s),				•	•	•		٠
20. T	'EATS.—l											
	down,								. •	-		
21.—	Omitted	for bul	ls an	d he	ifers,							
22. E	SCUTCHE	ion.—I	High	and	broac	Lan	Lfull	i.i tl	uigh	s,		
23. D) ISPOSITI	ρ)uiet	and	l good	natu	red,					
					10		2. (017.6			_		-
					Ρ.	KRF	ECTIC	ON,	-	-	-	7
POINT	s.	s	CALE	OF	POIN	TS F	ORC	OW.			CC	DUNT
1.	Head,									,		2
5	Face,											2 2
3.	Ears, Nose and						٠,					1
4.	Nose and	Tongt	le, .						•			2
о. 6	Eyes,		•								•	1 5
7.	Neck.				•			•	•			4
8.	Chest,	•		•			•			٠.		4
9.	Eyes, Horns, Neck, Chest, Back and Barrel,	l Lain,					.*					6
10.	Barrel,											8
11	Hine and	Pnin	`									- 1

12. Thighs and Quarters,			4
13. Legs and Hoofs, , ,			-1
13. Legs and Hoofs, , , , , , , , , , , , , , , , , , ,			4
15. Hide,		•	3 6
17 Hair			1,
18. Fore Udder,		•	10
19. Hind Udder, ,			10
20. Teats,	٠		$\frac{5}{4}$
21. Milk Veins,	•	•	7
23. Disposition,			4
•		~	
Perfection, -	-	-	100
DETAILED DESCRIPTION.		414	OUNTS.
POINTS. 1. HEAD.—Medium size and rather long,			. 2
2. FACE.—Dished; broad between the eyes and narro	ar ba	two.	
the horns,		. we	. 2
3. Ears.—Of a deep orange color within,		•	. 1
4. Nose.—Black, square, and with the mouth surr		- ! 1	
a light, meal-colored band; tongne, black,			
	•	•	. 1
5. EYES.—Full and placid,6. HORNS.—Rather short, flattish and regularly set	with	ida.	
tips,			5
7. NECK.—Straight, rather long and not too heavy	at.	داین	
· · · · · · · · · · · · · · · · · · ·		. 11191	. 4
		•	. 4
8. CHEST.—Broad and deep,			
	acro	יט מה	. 6
loins,	•	•	. 8
	•	•	. 4
			. 4
		•	. 4
13. LEGS.—Short and straight, with good hoofs,			. 4
14. TAIL.—Slender, pliable, not too long, with good s			. 4
15. Hide.—Thin and movable,			
16. Color.—Shades from dark brown to light bro			
some seasons of the year, gray; slight splashes			
near udder not objectionable; light stripe along			
17. Hair —Between horns light, not reddish; hair o	n ins	ide	ot
ears light (no points)			
18. Fore Udder.—Full in form and carried up, re	achi	ug f	
forward on the abdomen,			. 10

19.	HIND UDDER	Not to	oo de	eply	hu	ng,	full	in fo	rm a	nd w	ell	
	up behind,											10
20.	TEATS.—Rat	her large	, set	well	apa	rt a	nd 1	ang	ings	traig	ght	
	down,											
21.	MILK VEINS. ESCUTCHEON	Promi:	aent.	,								-4
22.	ESCUTCHEON	.—High a	and l	proac	dan	i tul	l in t	high	ν,		-	7
23.	Disposition	.—Quiet	and	good	lnat	nred	, .					4
			P	ERF:	ECTI	08,	-	-			1	(1(1)
I	n judging bul	ls and he	eifers	s, on:	rit N	os. 1	8, 19	and	21.			

WEST HIGHLAND CATTLE.

Although quite a number of these picturesque and hardy little beef cattle have been sold to come to the states, there is no one at this writing who is known to be maintaining a breeding herd, but as the day is, perhaps, not far distant when there may be several herds in this country, the following detailed description is published:

The head should be beautifully proportioned to the rest of the animal; a fine head, with large tuft of hair on it; the nostrils full; the eyes large and liquid.

The horns should be lengthy, and should come level out of the head, inclining forward and upward; in the cow they should rise up with a graceful slope. Perfection in a cow's horns is of two kinds, according to taste, but some prefer them to come out level from the head, with a peculiar back-set curve and a wider sweep. In the bull the horns should be decidedly strong. The cow's horns rise sooner from the head and are a little longer, preserving their substance and rich color to the very tips.

The neck should be proportionate in length, clean below, and in cows forming a straight line from the head to the shoulders. In point of thickness it should be fully developed, and the bulls should have a crest.

The shoulders should be thick and immensely filled out downward from the point to the lower extremity of the fore-arm.

The back, from the very back of the shoulder, should have a fully rounded development; a hollow behind the shoulder is exceedingly objectionable. Across the hips there should be great breadth; while from the hips backward the quarters should have a very large development, being square betwixt the hips and the tail and betwixt the tail and the hind feet. As in the foreshoulders, the hind thighs should have an immense development.

The tail should be thick and strong, with a full bunch of hair hanging down toward the ground.

The bone, both in the fore and hind legs, should be thick, broad and straight; the hoofs large and well set on, and the legs feathered with hair. There should be great breadth betwixt the fore-

legs, and the animals should walk with great dignity of motion; indeed, unless an animal possesses this dignified style of carriage, he will have small chances of winning prizes in the show-ring.

The hair should be long, with a graceful wave in it, but a curl in it is a decided fault. The lack of wave in the hair is considered to be a great objection in many of the modern herds, though it is to be accounted for by the growing desire to make Highlanders grow big, and consequently from too careful treatment.

The whole points of the animal have to be considered in the light that he has to make a living in a bare and storm-exposed locality; that, indeed, he has to thrive where a Polled Angus or an Ayrshire would starve.

The question of thickness of skin, where fat, is one which is not left out of consideration; as in other animals, the sweetest beef being, as a rule, that under the thinnest skin. But a West Highlander with too thin a skin would not thrive well on a side of a wind-swept hill.


As a rule the color is black, but fashion now runs on yellow or light duns and on brindles. A well arranged herd should have a mixture of colors, avoiding all those which indicate unhealthy thrivers. A well marked brindle bull is, however, all things being equal, a difficult one to beat at any North British show.

It must always be borne in mind that the Highlanders are one of the most ancient breeds of cattle; that they are a combination of great hardiness with splendid quality of meat, which latter commands the highest price in the principal English markets. At all times they look by far the most noble of the bovine race, whilst their picturesque appearance makes them a handsome addition to the woodland scenery of large estates."

SHEEP

----AND----

GOATS.




How to Judge Wool On the Sheep's Back.

In Henry Stewart's "Shepherd's Manual," page 154, will be found the following excellent advice as to how to judge wool on the sheep's back:

"To determine the evenness or uniformity of the fleece, the shoulder is first examined. Here the finest and best wool should be found. Taking this as the standard, the wool from the ribs, thigh, rump and breech is compared with it; the nearer the latter approaches this in quality, the better. If it is all equal in fineness, the fleece will be "EVEN" in regard to fineness. If the wool on all the parts mentioned is reasonably regular in length, and near to the standard in this respect, the fleece is "EVEN" as regards length of staple. The density is then tested. The hand is closed upon a portion of the rump and on the loin, and if the fleece is found to be as dense and elastic, or springy on those parts as it is at the shoulder, the fleece is "EVEN" as regards density. A perfect fleece will be found of nearly equal fineness from the shoulder to the thigh; of nearly equal length at the shoulder, rib, thigh and back; of equal density on the shoulder and across the loins and free from any of the defects before mentioned."

In August, 1893, in a communication to the "Country Gentleman," Henry Stewart defined the positions of the different quali-

ties of wool upon the sheep, with the following illustration and explanatory notes:



"The wool from the centre of the sides, marked 1, is of the finest quality—At 2 and 3 the fleece becomes coarser and shorter, and as the breech is approached, at 4, this coarseness, and length, too, are increased. The most inferior part of the fleece is on the belly and brisket, as at 5 and 6, that on the legs, 7, being almost like hair."

CHEVIOT SHEEP.

Standard of Excelience for Cheviot Sheep, as adopted by the American Cheviot Sheep Breeders Association, R. L. Davidson, Secretary, Cooperstown, N. Y.; also by the National Cheviot Sheep Society, J. A. Guilliams, Secretary, Fincastle, Indiana.

SCALE OF POI	YTS FO	OR CH	EVIC)T S	HEE	Р.		
POINTS.							C	DUNTS.
1. Blood.	•					•		15
2. Constitution and Qual	ну,		•					20
3. Size, 4. General Appearance,								10
4. General Appearance,								10
5. Body,								10
6. Head,								10
7. Neck, . 8 Legs and Feet, .								5
8 Legs and Feet, .								5
9. Covering,								10
9. Covering,	•		٠.			٠.	٠	5
		ECTIO					_	100
	1 Part	RCITO	ΙΝ,	-	-	-	-	100
Points. 1. Blood.—Pure bred fro Scotland, . 2. Constitution and Q body; deep and large back wide and straig; wide and full in the rand pink in color; predeficiency of brisket of Size.—In fair condition weigh not less than bred in America). In	m one	or n 	uore . dicat , and cove in t s, her objec y me	imp . ed b thro red w che f dthfu ctions ature s, 150	. oy tugh uith lank alco able d, ra) pou	he for the lean : c; ski unter , .	fro orm nean in so nano hou	. 15 of et; et; oft ee; . 20 old en
ewes, 100 to 125 pound								
4. GENERAL APPEARANC	E — Gr	nd ea	rrise	re l	1ear	Wel	i n	1) :
clastic movement; sl								
formity of character t								
formity of character t	mougi	ione,	•	•	•		•	. 10
						-		

5. BodyWell proportioned; small bone; great scale and	
length; well finished bindquarters; thick back and loins;	
standing with legs well placed outside; breast wide and	
prominent in front; tail wide and well covered with wool,	10
6. HEAD.—Long and broad, and wide between the eyes; ears	
of medium length and erect; face white, but small black	
spots on head and ears not objectionable; straight or	
Roman nose, a white nose objectionable, end of nose dark	
(but never smut nose on top with black or brown); no tuft	
of wool on head,	
7. NECK Of medium length, thick and well placed on the	
shoulders,	
8. Legs and FeetShort legs, well set apart; color, white;	
no wool on legs; fore legs round, hind legs flat and	
straight; hoofs black and well shaped,	5
9. Covering,—Body and belly well covered with fleece of	
medium length and good quality,	
10. QUALITY OF WOOL-Medium, such as is known in market	
as half combing wool,	5
Perfection	100°

COTSWOLD SHEEP.

Standard of Excellence for Cotswold Sheep, as adopted by the American Cotswold Association, George Harding, Secretary, Wankesba, Wisconsin.

POINTS.	SCA	LE (OF I	POI	NTS	, i.	OR	RA	: IVI .				1	COUNTS.
1. Head, .							-							3
 Head, Face, 														4
3 Nostrils, .														1
4. Eyes, .														2
5. Ears, .														4
6 Collar and N	eck,													6
7. Shoulders,														8
7. Shoulders, 8. Fore-legs, 9. Breast and G														4
9. Breast and G	tirth,													10
10 Fore flank,														5
10 Fore flank, 11. Back, Ribs a	$\operatorname{nd}\operatorname{Lc}$	in,												12
12. Belly, .														3
12. Belly, . 13. Quarters,	nd Le													8
										:				2 5
15. Twist, .														
16. Fleece,														18
			-											4.00
PERFECTION, 100														
DETAILED DESCRIPTION.														
	DE	Γ Δ:					,	TI	O N					200
FOINTS.	DE	ΓAI					,	TI	ON					COUNTS.
			LE	D I	DES	sc	RIF							COUNTS.
1. HEAD.—Not t	oo tin	e, n	LE I	D i	DES	SC SI	RIP nall	l, a:	nd	bro	oad	be	tw	counts.
1. HEAD.—Not t	oo tin id nos	e, n tril	LEI nod s, k	D i erai	DES tely wit	si ho	RIP nall ut a	l, ai	nd iori	bro t, tl	oad	l be k aj	tw pp	counts. een ear-
1. HEAD.—Not t	oo tin id nos	e, n tril	LEI nod s, k	D i erai	DES tely wit	si ho	RIP nall ut a	l, ai	nd iori	bro t, tl	oad	l be k aj	tw pp	counts. een ear-
1. Head.—Not t the eyes an ance, and in	oo tin id nos 1-you	e, n tril ng	LEI nod s, k anii	D i erai out mal	tely wit	sı hotell	nall ut a	l, a: u sl ver	nd iori	bro t, tl	oad nic	l be k aj	tw ppe	counts. een ear- eith
1. HEAD.—Not t the eyes an ance, and in long lustron	oo tin id nos 1 you 1s woo	e, n tril ng ol,	LEI nod s, k anii	D i erat out mal	DES tely wit s w	si hot ell	RIF nall ut a co	l, a: i sl ver	nd iori ed	bro t, tl on	oad nic erc	be kaj	tw ppe	counts. een ear- ith , 8
1. HEAD.—Not the eyes and ance, and in long lustror 2. FACE.—Eithe	oo tin id nos i you is woo r whit	e, n tril ng ol, te o	LEI nod s, t anii r s	D I erat out mal	tely wit s w	si hor ell mi	RIP nall ut a co	l, a: ver	nd norted ed ith	bro t, tl on gr	oad nic er er	be kaj owi	tw ppo wi wi	een ear- ith , 8
1. Head.—Not the eyes an ance, and in long lustron 2. Face.—Eithe dappled with	oo tin id nos i you is woo r whit th bro	e, n tril ng ol, te o wn	LEI nodes, k anii or s	eratout mal	tely wit s w	si hor ell mi	nall ut a co ixed	l, a ver l w	nd nort ed ith	bro t, tl on gr	oad nic ere	be kaj owi	tw ppe wi wi	een ear- ith , 8 nite . 4
1. HEAD.—Not the eyes an ance, and in long lustron 2. FACE.—Eithe dappled wit 3. NOSTRILS.—W	oo tin id nos i you is woo r whit th bro	e, n tril ng ol, te o wn	LEI nod s, k anii r r s	eratout mal	tely wit s w ntly	si hor ell mi	RIF nall ut a co . ixed	l, a ver l w e d	nd norted ed ith	bro t, tl on gr	oad nic er ay,	be kaj owi	tw ppe wi wi	een ear- ith . 8 nite . 4
1. Head.—Not the eyes an ance, and in long lustron 2. Face.—Eithe dappled with	oo tin id nos i you is woo r whit th bro	e, n tril ng ol, te o wn	LEI nod s, k anii r r s	eratout mal	tely wit s w ntly	si hor ell mi	RIF nall ut a co . ixed	l, a ver l w e d	nd norted ed ith	bro t, tl on gr	oad nic er ay,	be kaj owi	tw ppe wi wi	een ear- ith . 8 nite . 4
1. HEAD.—Not the eyes an ance, and in long lustron 2. FACE.—Eithe dappled wit 3. NOSTRILS.—V4. EYES.—Promise	oo tin id nos i you is woo r whit th bro Vide a inent	e, n tril ng ol, te o wn nd but	LEI node s, k anin r s r s	eratout mal	tely wit s w itly led.	si hot ell mi	RIF nall ut a co ixed Nos	l, at ver l w.	nd norted ith ark	brott, tl	oad nic ere	be ka owr	tw ppo wi wi	een ear- eith , 8 nite . 4
1. HEAD.—Not the eyes an ance, and in long lustron 2. FACE.—Eithe dappled wit 3. NOSTRILS.—W4. EYES.—Promi 5. EARS.—Broad	oo tin nd nos n you ns woo r whit th bro Vide a inent l, long	e, n tril ng ol, te o wn nd but	LEI node s, k anir or s exp mode	eratemal deratemal deratem	tely wit s w itly led. loo ely	si si hot ell mi kin kin	nall ut a co ixed Nosing,	l, a: ver l w: e d	nd norted ith ark	bro t, tl on gr	oad nic erc ay,	be kaj owi or or	tw ppe wi	counts. een ear- ith , 8 nite . 4 . 1 , 2
1. HEAD.—Not the eyes an ance, and in long lustron 2. FACE.—Eithe dappled wit 3. NOSTRILS.—W 4. EYES.—Promit 5. EARS.—Broad hair,	oo tin nd nos n you ns woo n whit th bro Vide a inent l, long	e, n tril ng ol, te o wn nd but , m	LEI node s, k anii or s , exp ode	erateraterat	tely wit s w itly led. loo ely	si horell mi kin thi	nall ut a co ixed Nos- in a:	l, a ver l w e d	nd norted ith ark	bro t, tl on gr	oad oric erc ay,	beka owi or	tw ppo wh wh	een ear- eith , 8 nite . 4 . 1 , 2 cort . 4
1. HEAD.—Not the eyes an ance, and in long lustron 2. FACE.—Eithe dappled wit 3. NOSTRILS.—V 4. EYES.—Promi 5. EARS.—Broadhair, 6. COLLAR.—Ful	oo tin nd nos n you ns woo r whit th bro Vide a inent l, long	e, n tril ng ol, te o wn nd but g, m	LEI node s, k anii r s , exp mode	erar out mal oance ild erat	tely with some with the solution with the soluti	si si horell mi kin thi	RIF nall ut a co . ixed . Nos ig, in a	l, a sl sl ver l w	nd norted ith ark cov	brott, tl on gr	onic cre ay,	bekanown	tw ppo wi wi	een ear- eith , 8 nite . 4 . 1 , 2 cort . 4
1. HEAD.—Not the eyes an ance, and in long lustron 2. FACE.—Eithe dappled wit 3. NOSTRILS.—V 4. EYES.—Promi 5. EARS.—Broadhair, 6. COLLAR.—Fulually all the	oo tin nd nos n you ns woo r whit th bro Vide a inent l, long	e, notril ng obling of the obline obline of the obline obline of the obline obline obline obline obl	LEI Bood s, k ani r s exp mode reas whe	eraverate out on the content of the	tely wit s with the wild s with the wind the win	sthorell	RIF nall nt a co . xec . Nos ng, n a . noul	l, a sl ver l w de de an	nd norted ith ark cov	brott, tll	oadonic cre ay, d w	be kay or or ng	tw ppo wh	counts. een ear- ith , 8 nite , 4 , 2 cort , 4 rad-
1. HEAD.—Not the eyes an ance, and in long lustron 2. FACE.—Eithe dappled wit 3. NOSTRILS.—V 4. EYES.—Promi 5. EARS.—Broadhair, 6. COLLAR.—Ful	oo tin nd nos n you ns woo r whit th bro Vide a inent l, long	e, notril ng obling of the obline obline of the obline obline of the obline obline obline obline obl	LEI Bood s, k ani r s exp mode reas whe	eraverate out on the content of the	tely wit s with the wild s with the wind the win	sthorell	RIF nall nt a co . xec . Nos ng, n a . noul	l, a sl ver l w de de an	nd norted ith ark cov	brott, tll	oadonic cre ay, d w	be kay or or ng	tw ppo wh	counts. een ear- ith , 8 nite , 4 , 2 cort , 4 rad-

stitutional vigor, and									
7. Shoulders.—Broad a ually to the collar fo	rward	land	ehin	e ba	ieky	vare	l as	not	to
leave the least hollo 8. Fore-legs.—The mut	ton o	n the	e arn	or	for	e-th	igh	chon	ld -
come quite to the bone—being clear fra									
lock, and may be mi	xed w	ith g	rav.		. , ,,				. 4
9. BreastBroad and	well_f	orw:	ird,	kee	oins	gth	e lag	· w;	de
apart. Girth or che 10. FORE-FLANK.—Quite i	st full	and	deep	٠,					. 10
10. FORE FLANK.—Quite is shoulder.	full,)	iot sl	iowie	ng l	io∏e	W	behir	id tl	he . 5
shoulder, 11. BACK AND LOIN.—Bro.	ac, 11:	t an	d str.	uigh	t. 1	're n	ı whi	ch t	te.
ribs must spring with									
12. Belly.—Straight on u	nderli	ine,							. ::
13. QUARTERS.—Long and	full,	with	mut	ton	qui	te c	lon n	(to t)	1111
hock,									. 8
14. Hock.—Should stand i									
15. Twist.—Twist or june									
full, which, with a 1									
and upright,		٠,				•	٠	•	. 5
16.—FLEECE.—The whole									
lustrous wool, .									
	Рев	FEC.	rion,		_	_	-	-	100
POINTS. SCALE	OF PO	INTS	FO	REV	VE.			CC	UNTS.
1. Head, 2. Face, 3. Nostrils, 4. Eyes, 5. Ears, 6. Collar and Neck, 7. Shoulders, 8. Fore-legs, 9. Breast and Girth, 10. Fore-flank, 11. Back, Ribs and Loin, 12 Belly, 13. Quarters, 14. Hock,		,							8
2. Face,									4
4 Eyes			٠		•		٠.		$\frac{1}{2}$
5. Ears,			٠.			•			4
6. Collar and Neck,									5
7. Shoulders, .					•			٠	8
9. Breast and Girth.			٠.	•					10
10. Fore-flank,									.4
11. Back, Ribs and Loin,									19 5
13 Deny,									8
14. Hock,	٠.				•		٠.		9

10. 1 11.00	5
Perfection, 16	_
POINTS. DETAILED DESCRIPTION.	NTS.
1. Head,—Moderately fine, broad between the eyes and nos-	
trils, but without a short, thick appearance, and well cov-	
ered on crown with long, lustrous wool,	8
2. FACE.—Either white or slightly mixed with gray, or white	
dappled with brown,	. 4
3. Nostries.—Wide and expanded; nose, dark,	. 1
4. Eyes.—Prominent, but mild looking,	. 2
5. EARS.—Broad, long, moderately thin, and covered with	ı
short hair,	. 4
6. COLLAR.—Full from breast and shoulders, tapering gradu-	-
ally all the way to where the neck and head join; the	
neck should be fine and graceful, and free from coarse	,
and loose skin,	. 5
7. SHOULDERS.—Broad and full, and at the same time join so)
gradually to the collar forward and chine backward, as	4
not to leave the least hollow in either place,	. 8
8. FORE-LEGS.—The mutton on the arm or fore-thigh should	i
come quite to the knee; leg upright, with heavy bone	,
being clear from superfluous skin, with wool to fetlock	,
and may be mixed with gray,	. 4
9. BreastBroad and well forward, keeping the legs wide)
	. 10
10. FORE-FLANKQuite full, not showing hollow behind the	3
shoulder,	. 4
11. BACK AND LOINBroad, flat and straight, from which the	e
ribs must spring with a fine circular arch,	. 12
12. Bealty.—Straight on underline,	. 5
13. QUARTERS - Long and full with mutton quite down to the hock.	. 8
14. Hock.—Should stand neither in nor out,	. 2
15. Twist.—Twist or junction inside the thighs, deep, wide and	l
full, which, with a broad breast, will keep the legs open	
and upright,	. 5
lustrous wool,	. 18
PERFECTION,	100

DORSET-HORN SHEEP.

Standard of Excellence for Dorset Horn Sheep, as adopted by the Dor et Horn Sheep Breeders' Association, of America, M. A. Cooper, Secretary, Washington, Pennsylvania.

Pennsylvania.	
SCALE OF POINTS FOR DORSET-HORN SHEEP.	
POINTS.	ZTS
1. General Appearance, .	20
2. Chest and Brisket,	10
3. Back and Ribs,	15
4. Quarters and Legs, .	1()
5. Color of Legs and Hoofs,	-
6. Head and Face,	-
7. Neck,	in
S. HOFR,	10
10. Wool	10
1. General Appearance, 2. Chest and Brisket, 3. Back and Ribs, 4. Quarters and Legs, 5. Color of Legs and Hoofs, 6. Head and Face, 7. Neck, 8. Horn, 9. Foretop and Belly Covering, 10. Wool,	
Perfection, 1	00
. DETAILED DECODIFIED	
POINTS. COL	NTS.
1. General Appearance,—Head well up, eyes bright an	1
alert, and standing square on legs,	. 20
2. Chest and Brisket.—Broad full chest, brinket wen for	
2. CHEST AND DRISKET.—Broad 1011 Glest, Mark & well 101	1.0
ward,	. 10
3. BACK AND RIBS.—Broad straight back, with weil sprun	i i
ribs,	. 15
4. QUARTERS AND LEGS Heavy square quarters set on short	,
straight legs, well apart,	. 10
5. Color of Legs.—Legs white, with small light colore	d
boof	- 5
hoof, 6. HEAD AND FACE.—Head small, face white, nostrils well ex	/
panded, nose and lips pink in color,	. 5
7. NECK.—Neck short and round, set well on shoulders,	. 5
8. Horn.—Horn neat, curving forward, and light in color,	10
- 6 Farron and Brilly Cavering —Good fareton and We	11
covered on belly and legs,	. 10
covered on belly and legs, 10. Wool.—Wool of medium quality and good weight, presen	t-
ing an even, smooth, white surface,	. 10
Perfection,	too
PERFECTION,	LUI

HAMPSHIREDOWN SHEEP.

Standard of Excellence for Hampshire lown Sheep, as adopted by the Hampshiredown Breeders' Association of America, John I. Gordon, Secretary, Mercer, Pa. [Slightly changed in arrangement for this publication].

SCALE OF POINTS FOR HAMPSHIREDOWN SHEEP

SCALE OF POIN		۲٥	L. L	. ~	• • •			· · ·				
POINTS.												COUNTS.
1. Head,						•						5
2. Ears and Eyes.												3
 Head, Ears and Eyes. Color of Head and 	Le_i	gs,										-1
4. Legs,												73
4. Legs,												5
6. Shoulders												10
6. Shoulders. 7. Chest, 8. Back and Loin,												15
8. Back and Loin,												20
9. Quarters,												25
10. Wool,												10
		1,	ER:	FIEC	LIG	N,				٠.	-	100
DE.	T 0 1		~ 1	500	-	פוס	710	.	-		_	
POINTS.		L. K.	יי	J = .	30	nir	110	٠,٠.			(COUNTS.
1. HEAD.—Moderately	lai	·o·e	but	ne	t e	oars	e :	wel	Lec	over	ed w	ith
wool on foreliead												
									,			
2. Ears and Eyes.—H												
brown or black ec	əlor	; e	yes	pr	om:	iner	t a	nd !	lus	tron	8,.	3
3. Color of Head an	n I	Æ	s	-Da	rk	bro	wn	or	bla.	ek,		. 4
4. Legs.—Well under												
of bone; black, .												
5. NECK.—A regular t.												rny
hollow in front of		a 1	.1									
6. Shoulders.—Slopi	ng	; f	uH,	ยา	id :	not	hi	ghe	r tii	ian 1	the l	ine
6. Shoulders.—Slopi of back and neck,	ng	; f	ull,	a i	id ji	not	hi;	ghe	r ti	an i	the l	ine . 10
6. SHOULDERS.—Slopi of back and neck, 7. CHEST.—Deep and	ng ful	; f	ull, n t	a1 he	id ;: . be	not · ·art	hi;	ghe loce	rti ', v	nan 1 with	the l bre	ine . 10 east
6. SHOULDERS.—Slopi of back and neck, 7. CHEST.—Deep and prominent and fu	ng ful ill _f	; f	ull, n t	ai he	id ; . be	not eart	hi;	ghe lace	r ti ', '	nan 1 vith	the l bre	ine . 10 east . 15
6. SHOULDERS.—Slopi of back and neck, 7. CHEST.—Deep and prominent and fu	ng ful ill _f	; f	ull, n t	ai he	id ; . be	not eart	hi;	ghe lace	r ti ', '	nan 1 vith	the l bre	ine . 10 east . 15
6. SHOULDERS.—Slopi of back and neck, 7. CHEST.—Deep and prominent and fa 8. BACK AND LOIN.—I	ng ful ill _é Bacl	; f	ull, n t stra	at he igh	id ; The it s	not eart with	hi; P	ghe lace	r ti ', V spr	an t vith	the l bre of r	ine . 10 east . 15
6. SHOULDERS.—Slopi of back and neck, 7. CHEST.—Deep and prominent and fu 8. BACK AND LOIN.—I loin, wide and st	ng ful ill _f Bacl trai	; f ll i k, s glit	ull, n t stra	ai he ligh vith	id ; t t ; out	not eart vit! t dé	hi; p f; pre	ghe loce ill essic	r tl ', V spr on	ian t vith ing in t	the l bre of r fron	ine . 10 east . 15 eib; t of
6. SHOULDERS.—Slopi of back and neck, 7. CHEST.—Deep and prominent and fu 8. BACK AND LOIN.—I loin, wide and st hips,	ng ful ill _f Bacl trai	; f	ull, n t stra	he ligh vith	id : be it : iout	not eart wit! t de	hi; p f spre	ghe loce ill essio	r tl r, V spr on	nan t vith ing in t	the l bre of i fron	ine . 10 east . 15 :ib; t of . 20
6. SHOULDERS.—Slopi of back and neck, 7. CHEST.—Deep and prominent and fu 8. BACK AND LOIN.—I loin, wide and st	ng ful ill _f Bacl trai	; f	ull, n t stra	he ligh vith	id : be it : iout	not eart wit! t de	hi; p f spre	ghe loce ill essio	r tl r, V spr on	nan t vith ing in t	the l bre of i fron	ine . 10 east . 15 :ib; t of . 20

HAMPSHIREDOWN SHEEP.

	deep i	in the	thig	glı, .		. 1	0.	Broa	id in	hips	and	run	ip,
	with i	full ha	ams,	10.	-1n	sid	e of	thig	hs fu	ıll, .	. 5,		. 25
10.	WOOL.	-Fore	head	land e	hee	ks,			2.	Bell	y we	ll co	οy-
	ered.		3.	Quali	ty,			5,			•		. 10
						PE	RFE	ECTIC	N,	-	-	-	100

HIGHLAND BLACK-FACED SHEEP.

Whilst quite a number of these hardy little sheep have been brought to the United States, there has not so far been formed any Association of Breeders of them similar to those who watch the interests of other breeds. The following description from Henry Stewart's "Shepherd's Manual" will therefore serve, at present, in place of a "Standard of Excellence":

They are a horned breed, the horns of the ram being massive, and spirally curved. The face is black, with a thick muzzle; the eye is bright and wild; the body square and compact, with good quarters and a broad saddle. They are very muscular and active, and remarkably hardy, able to endure the privations incident to a life of continual exposure upon bleak and storm-beaten mountains. Only the heaviest snow-drifts, followed by thawing, freezing and crusting of snow, overcome them. The mutton of this breed is of peculiarly fine flavor, and the saddles are in great request. The carcass weighs about 65 pounds, and the fleece averages about 3 pounds of washed wool. The breed improves easily under the care of a judicious breeder, but the natural qualities of this sheep are such that it is fitted for a place where no others would profitably thrive, and a change in its character that would cause it to lose this quality would unfit it for its position, and deprive it of its chief value. How vast the room in our exposed mountain localities, or on our unsheltered northern plains for such a sheep as this; a race hardy and self-dependent, and that would produce choice mutton, and a fleece well adapted for rural manufactures of coarse cloths, carpets, blankets and rugs."

LEICESTER SHEEP.

A Standard of Excellence for Leicester Sheep has not yet been compiled in the United States, but the following description of the breed is taken from Vol. I. of the American Leicester Record, published in 1893, by The American Leicester Breeders' Association, A. J. Temple, Secretary, Cameron, Illinois.

"The Leicester has been bred in Scotland and the border counties of England for more than a century and consequently is not a "fleeting thing of a day," but a distinct breed, and for purity of breeding can compare favorably with any other breed of sheep. They are becoming more popular each year in the United States and Canada. One point of their popularity being the ready sale of rams at good prices for use in crossing on other breeds to produce early lambs for the market. The Leicesters mature very early and are of a good size; the rams weighing 250 to 300 pounds, and the ewes 200 to 250 pounds each, fine bone and very little offal, making them a profitable animal for market as well as for wool. The average weight of fleece is 10 to 15 pounds. Wool, 10 to 12 inches long, glossy, of firm fibre, and is conceded to be the best species of long or combing wool.

In appearance the Leicester is a fine looking animal, white in the face, eyes clear and prominent, ears well set and free from blue. Sometimes black spots appear on the ears, but are considered no disadvantage. The neck is set well into the shoulder, full and broad at the base; the shoulders deep and wide, breast full and broad and no uneven or angular formation where the shoulder joins the neck or back; deep in flank, quarters long and square. The legs are bare, being covered with hair rather than wool, and stand wide apart with no looseness of skin on them, bone fine and hard, legs of moderate length; straight on back and broad, light in the belly, nearly as straight below as above (showing light offal), noble bearing, style and action, and the best appearing of any of the long wooled breeds."

LINCOLN SHEEP.

Standard of Excellence for Lincoln Sheep, as adopted by The National Lincoln Sheep Breeders' Association, H. A. Daniels, Secretary, Elva, Michigan.

LINCOLN SHEEP.

8. FLEECE.—Of even length and quality	ovei	bod	ly; r	ot l	ess
than eight inches long for one year's g	grow	th,			. 10
9. QUALITY OF WOOL.—Rather fine, long	woo	ol; s	trong	ζ, l	us-
trous fiber; no tendency to cot, .					. 5
Perfection,	-	-	-	-	100

[The American Lincoln Breeders' Association, of which Lyman C. Graham, of Cameron, Illinois, is secretary, has not yet adopted a "Standard of Excellence."—Ed.]

American Rambouillet Merino Sheep.

Mr. L. G. Townsend, of Ionia, Miehigan, Secretary of the American Rambouillet Sheep Breeders' Association, writes the editor that a committee of breeders of this valuable breed is preparing a scale of points and standard of excellence for adoption by the association, and that it will probably be ready in a few months.— In the meantime, the following description, published in the American Rambouillet Record, from the pen of Mr. Thomas Wyckoff, a prominent breeder, and one of the Board of Directors of the association, will be a safe guide:

CHARACTERISTICS OF RAMBOUILLET SHEEP AND THEIR WOOL.

AMERICAN RAMBOUILLET SHEEP should have large frame, large, strong bone, well rounded and symmetrical bodies, well up on legs, bright pink skin, always plain and free from wrinkles. Broad head, bright eyes, quick movement, broad backs and broad chests are indispensable.

These sheep have long been noted as a mutton sheep, their fine juicy flesh having no superior.

They are noted for their early maturity and quick-feeding properties, being fully equal to the down breeds in this respect.

The rains are usually well horned, but not always, and weigh at maturity from 175 to 250 pounds.

The ewes are noted as good mothers, heavy milkers, one-half usually producing twins. They weigh 110 to 150 pounds. Wethers attain 150 to 200 pounds,

Being strong, vigorous and healthy, their impressive power is very great, and they are not liable to constitutional break-down in service.

They will bear herding in large flocks, and their great hardiness permits them to stand all kinds of weather without housing.

Their fullness of carcass, brightness of look, length of body, vigor of carriage and great strength, make them excellent and reliable re-producers, and quick, healthy feeders on the range.

Rambouillet wool is of the finest quality, has a beautiful crimp, is usually white, sometimes of a buff color, very compact, opens

in large layers, has just yolk enough to promote a rapid and vigorous growth, shows no crust formation, seldom any jar hairs, and is always noted for its length, strength and elasticity.

It is from three to five inches in length, often six and one-half inches for one year's growth.

Rambouillet sheep should be well wooled to the feet and to the nose.

Rams shear annually from 12 to 24 pounds; ewes from 6 to 10 pounds.

The wool scours from 50 to 55 per cent. for the manufacturer, and no other Merino wool shows so deep a staple.

"No finer wool can be produced."

The fineness, length, soundness of staple, and remarkable freedom from grease have brought these sheep into deserved favor.

American wools having this standard of excellence cannot fail to be in demand.

Black-Top Spanish Merino Sheep.

Standard of Excellence for Black-Top Spanish Merino Sheep, as adopted by The Black-Top Spanish Merino Sheep Breeders' Publishing Association. W. G. Berry, Secretary, Houstonville, Washington county, Pennsylvania.

SCALE OF POINTS FOR BLACK-TOP SPANISH MERINO SHEEP.

POINTS.						COUNTS.						
1. Blood,												
2. Constitution,						15						
3. Size,						12						
4. General Appearance,					•	3						
5. Body,		•		•	•	15						
6. Head,					•	5						
7. Neck,	•	•		•	•	4						
8. Legs and feet, .		•	•	•	•	10						
9. Covering,	•	•	•	•	•	$rac{8}{7}$						
10. Quality,	•	•	•	•	•	7						
11. Density,	•		•	. •		8						
13. Oil,		•	•	•		. 6						
10. 011,	•	•	•	•								
Perfection, 100												
DETAILED DESCRIPTION.												
POINTS.				••		COUNTS.						
1. BLOOD.—Purely bred	from th	ie Hui	nphrey	impo	ortatio	on of						
Merino sheep from S												
R. Dickinson, of Ste												
2. Constitution.—Indic												
and large in the bro												
back; very heavy, so	quare q	uarters	; skin	of fir	ie text	ture,						
and pinkish in colo												
healthful countenan												
3. Size.—In good condition, with fleece of five months' growth,												
full grown rams sho				than 1'	75 pou	ınds,						
and ewes not less tha	an 120 p	ounds,	, .			. 12						
4. GENERAL APPEARANCE	EHe	ad carr	ied we	ell up	; stan	ding						
squarely on feet and	legs.	rell rou	nded b	a v boo	howin	og in						
					,, 11	. 3						
all points symmetry	oi iorm	, .		•		. 3						

5.	Body.—Throughout, heavy boned; well proportioned in
	length; smooth joints; ribs starting horizontally from
	the back-bone, and well rounded to breast-bone; breast-
	bone wide, strong and prominent in front; strong,
	straight and heavy back-bone; heavy, muscular quarters,
	deep through and squarely formed before and behind;
	shoulders broad and flat, and not projecting sharply
	above the back-bone; muscles firm and heavy, and body
	entirely free from folds. There may be a slight throati-
	ness, and a small dew-lap—smaller on the ewes than on
	the rams,
6	HEAD.—Wide, medium in length; eyes clear and bright;
	prominent ears, medium in size and covered with soft fur.
	Ewes should give no appearance of horns, while upon the
	rams the horns should be well developed, clear in color,
	and symmetrically curved, without tendency to extreme
	expansion, 5
7.	NECK.—Medium in length and very heavy, especially with
	the rams, deepening toward the shoulder, 4
8.	LEGS AND FEET.—Legs medium in length, set well apart,
	medium bone and smooth joints. The feet must be well
	shaped, medium sized, firm and solid, 10
9.	COVERING.—Evenness of fleece and crimp; body and legs
	covered to the knees; head covered forward between
	the eyes; the surface should be free from hair or gare, . 8
10.	QUALITY Medium or fine, such as is known in the market
	as fine delaine,
11.	Density.—Shown by compactness of fleece, which should
	open freely, and have no tendency to be stringy or knotty, 7
12.	LENGTH.—At twelve months, growth must be not less than
	three inches, and as near as may be of uniform length, . 8
13	OIL.—Evenly distributed, white, soft and flowing freely
	from skin to surface, forming on the exterior a uniform
	dark coating, 6
	Dupyparay
	PERFECTION, 100

Improved Black-Top Merino Sheep.

Standard of Excellence for Improved Black-Top Merino Sheep, as adopted by The Improved Black-Top Merino Association, L. M. Crothers, Secretary, Crothers Washington county, Pennsylvania.

SCALE OF POINTS FOR IMPROVED BLACK-TOP MERINO SHEEP. POINTS. COUNTS. 1. Constitution. 16 2. Size, 1.1 3. General Appearance, -3 16 4. Body, 5. Head. 4 6. Neck, 7. Legs, 9 8. Covering, 9. Quality of Wool, 10. Fleece, 11. Staple. 12. Oil. PERFECTION. 100 DETAILED DESCRIPTION. POINTS. COUNTS. 1. Constitution.— 2. Size.—Rams shall weigh at maturity 180 pounds; ewes 130 pounds, , 4. Body.—Large, well proportioned and symmetrical in all its parts, 5. HEAD.-Medium in size, well carried up; wool extending forward between the eyes, . . . 6. Neck.—Short and well shaped, . . . 7. LEGS.—Short, set well apart, with smooth joints and small,

_		
-8.	Covering.—An even fleece, beautifully crimped, covering	
	the body and legs to the knees, and extending well for-	
	ward between the eyes,	8
9.	QUALITY OF WOOL.—Medium or fine delaine,	7
10.	FLEECE.—Compact and even quality,	6
11.	STAPLE.—A year's growth should not be less than three	
	and one-half inches,	8
12.	OIL.—Evenly distributed, flowing to the surface and form-	
	ing a uniform dark or black top,	6
	Perfection, · · · ·	
	IERPECTION,	LOO

National Delaine Merino Sheep.

Standard of Excellence for National Delaine Merino Sheep, as adopted by The National Delaine Merino Sheep Breeders' Association, John C. McNary, Secretary, Canonsburg, Pennsylvania.

SCALE OF POINTS FOR NATIONAL DELAINE MERINO SHEEP.

POINTS.										COUNTS.
1. Constitution, . ,						,				10
2. Heavy Around the Hear	rt,									6
3. Short, Heavy Neck, .										6
4. Good Dewlap,										5
5. Broad Back,										8
										5
7. Short Legs,										6
8. Heavy Bone,										8
9. Small, Sharp Foot, .										10
10. Length of Staple, 1 Yea	r's G	rov	vth	. 3	inc	hes	3.			8
11. Density of Fleece,									•	8
12. Darkish Cast on Top,										5
13. Opening up White, .										5
14. Good Flow of White Oi	l, .									5
15. Good Crimp in Staple,										5
	Per	fect	:ion	ί,	-		-	-	-	100

Weight of rams at maturity not less than 150 pounds. Weight of ewes at maturity not less than 100 pounds.

DETAILED DESCRIPTION.

POINTS.					COU	NTS.
1. Constituti	ON,				,	10
Requisites-	-Robust; ey	es brig	ht; com	pactly bu	ilt; head	
and no	eck on line w	ith the	back.			
v	-A dull, lang low on top	,	,	-	,	
back.	•	, .				
2. HEAVY ARO	UND THE HE	EART,				6
Requisites-	The entire	chest	uniform	in size,	deep and	
round	ing.					

	the forelegs, and high hip bones.	
3.	SHORT, HEAVY NECK,	6
	Requisites—Straight and short from the top of the head to	
	shoulder; deep and folded.	
	Objections-Long, round neck; concave on top and	
	smooth.	
4.	GOOD DEWLAP,	5
	Requisites—Starting on top of neck near the shoulder and	
	widening on each side and hanging deep in front of	
	the forelegs, with small folds at intervals to back of	
	head.	
	Objections-Neck tucked up and narrow in front of fore-	
	legs; and back of the jaws round and straight on un-	
	der side.	
5.	Broad Back,	8
	Requisites—Straight and flat from shoulder to tail.	
	Objections—Sharp on top; curving and drooping from hip	
	bones to tail.	
6.	Well-Sprung Ribs,	5
-	Requisites—Starting at right angles from backbone; curv-	
	ing and deep, as long before as behind, making a bar-	
	rel-like chest.	
	Objections-Starting low and downward; flat and shorter	
	before than behind.	
7.	Short Legs,	6
	Requisites—Straight; short and flat boned; standing fair	
	under the body.	
	Objections—Long; crooked; slender; drawn together; try-	
	ing to stand upon the least ground possible.	
8.	HEAVY BONE,	8
	Requisites—Flat, broad-limbed; strong ribs; heavy shoul-	
	der blade.	
	Objections—Round, small limbs; narrow ribs.	
9.	SMALL, SHARP FOOT,	10
	Requisites—Neat foot, well under the leg; wide at heel.	
	Objections—A clubby foot, growing long in toes; narrow	
	and close at heel; large foot joints, and standing for-	
	ward of the legs.	
0.	LENGTH OF STAPLE,	8

	Requisites—Uniform length all over the body, belly and	
	limbs to the knees, and covering the face square to	
	the eyes.	
	Objections—Growing shorter on sides and belly, bare on	
	legs and face.	
11.	DENSITY OF FLEECE,	8
	Requisites—The fleece presenting a smooth, uniform surface.	
	Objections—Opening up along the back, hanging in strings	
	on shoulder, bare between the legs, and from the	
	knees down, with a thin, open, light fleece.	
12.	DARKISH CAST ON TOP,	5
	Requisites—Uniformly dark on outer end of wool.	
	Objections-Black, crusty top along the back, white and	
	bare along the sides and belly.	
13.	OPENING UP WHITE	5
	Requisites—Pure, soluble white oil evenly distributed along the fiber.	
	Objections—Yellow, gummy, curdled oil, causing a black,	
	crusty top, will not dissolve in washing, leaving the	
	fleece when shorn, yellow and unsalable.	
14.	GOOD FLOW OF WHITE OIL,	5
	Requisites—Oil enough to protect the fleece, giving it a	
	healthy and rich appearance.	
	Objections—Oil in excess of wool.	
15.	GOOD CRIMP IN STAPLE,	5
	Requisites—Short spiral crimp, evidence of pure Merino wool,	
	Objections—Coarse, harsh, stringy fiber, evidence of mixed or impure blood.	
	Perfection, 1	100

COUNTS.

National Dickinson Merino Sheep.

Standard of Excellence for National Dickinson Merino Sheep, as adopted by The National Dickinson Record Company, H. G. McDowell, Secretary, Canton, Ohio. [Slightly changed in arrangement for this publication.]

SCALE OF POINTS FOR NATIONAL DICKINSON MERINO SHEEP.

POIN	TS.											(OUNTS.
1	Blood,												
2.	Body,			-									
3.													4
4.													4
5.			•										3
	Ears, .												3
	Horns,												3
8													4
9.		s.											5
	Back, .	,											8
	Loins,												3
	Hips, .												3
	Thighs,												4
	Limbs,												5
	Hoofs,												4
	Size, .												5
	Internal												4
	Maturity												3
19.	Density of	œf	Fle	ece	,								6
	Staple,												4
21.	Quality,		~										6
29.	Quantity	٠.											6
	Covering												8
	Oil, .												5
						Pe	rfe	etic	m.	_	-	_	100

DETAILED DESCRIPTION.

POINTS.

 Blood.—Tracing their descent to the standard bred flock of James McDowell, of Canton, Stark county, Ohio, (without admixture of impure blood), which flock descends directly from the thoroughbred flock of W. R. Dickinson, of Ohio, which were purely bred from Merino sheep imported from Spain to the United States by David Humphreys, of Derby, New Haven county, Connecticut, in the year 1802.

2. Body.—Deep, round, wide and long, showing mutton capacity, good feeding and thriving qualities; heavy, thick

	flesh; straight under the top lines, well proportioned,	
	filling every part of its skin when fully matured	
3.	Skin.—Thick, soft, not raised in corrugations, pink red,	4
4,	HEAD.—Small, carried high; quiet, placid eye, . , .	4
5.	NoseWhite, not mottled, covered with fine, soft white,	
	hair, wide and slightly arched,	3
6.	EARS.—Short, thick; covered with fine glossy hair,	3
7.	Horns.—Small, neatly curved, light yellow color; better	
	without any horns,	3
8.	NECK.—Short, arched under and on top; the base very	
	strong, , ,	4
9.	ShouldersWide, deep, rounded; breast bone projecting	
	forward of front limbs,	5
10.	BACK.—Straight, wide, ribs extending out horizontal from	
	spinal column, rounding in line with shoulders extending	
	close back to hips,	8
11.	Loins.—Strong, wide,	3
12.	HIPS.—Wide, long,	3
13.	THIGHSWide, thick; flesh extending close down to hock	
	joints,	4
14.	LIMBS.—Short, bone heavy; joints smooth and flat, the	
	contour of to show perpendicular lines from elbow and	
	stifle joints to center of hoofs, and from base of tail to cen-	
	ter of a straight line drawn horizontally from caps of	
	hock joints, when standing erect on limbs,	5
15.	Hoofs.—Deep, thin white texture, tough and elastic,	4
16.	Size.—Full-grown rams 200 pounds, and ewes, 150 pounds, .	5
17.	INTERNAL ORGANS.—Strong,	4
18.	MATURITY.—Mature early, two and one-half years,	3
	DENSITY OF FLEECE.—Smooth, even, dense soft to the	
	touch,	6
20.	STAPLE.—Three to five inches, fibers glossy, crimped,	4
$21 \cdot$	-QualityXX, XXX or above, fine Delaine combing,	6
22.	QUANTITY.—Rams, 15 to 25 pounds; ewes, 10 to 15 pounds unwashed wool,	6
23.	COVERING.—Entire body covered with even length and	
	grade of wool, except parts injuring thrift and comfort of	
	the sheep, entirely free from gum and hair	8
24.	OIL.—Very fluid, white or nearly so, enough to preserve the	5
	wool, raising to outer ends of fibers,	
	Department 1	nn

National Improved Saxony Merino Sheep.

Standard of Excellence for National Improved Saxony Sheep, as adopted by

The National Improved Saxony Sheep Breeder's Association, John G. Clark, secretary, Toledo, Pa. SCALE OF POINTS FOR NATIONAL IMPROVED SAXONY SHEEP. COUNTS. POINTS. 1 Blood. 2. Constitution, 1.5 3. Size, . . 10 12 4. Body, 5. Head, 6. Neck. . 7. Legs and Feet. 8. Evenness of Fleece, 9. Density of Fleece, 19 10. Staple, 10 10 11. Oil. Perfection, - -Only the three highest grades, Picknic, Picklock, and XXX are admitted. Every sheep not making XXX is rejected. DETAILED DESCRIPTION. POINTS. COUNTS. 1. Blood.—Tracing through some of the best flocks to imported stock, and the wool must grade XXX or above, . 1 4. Body.—Well proportioned and free from wrinkles, 6. Neck.—Short, well set, only slight dewlap, . . . 7. LEGS AND FEET.—Legs short and heavy boned, 8. Evenness of Fleece.—Well covered on belly, face and

9.	DENSITY OF FLEECE,									. 12
10.	LENGTH OF STAPLE.	-And	fine	crir	np,					. 10
11.	OILWool opening w	vhite,								. 10
]	PERE	ECT	TON,	_	_	_	-	100

The Improved Saxony Sheep should be large, strong, heavy boned, well proportioned, compactly built, free from wrinkles or folds, short, well-set neck with only slight dewlap, good carriage, stylish, large girt around the heart, and well-shaped feet. The wool must grade XXX or above, long, white, dense crimpy, free from curly spots on top of shoulders or back, and evenly over the whole body.

Standard American Merino Sheep.

Standard of Excellence for Standard American Merino Sheep, as adopted by the Standard American Merino Sheep Breeders' Association, John P. Ray, Secretary, Hemlock Lake, N. Y., and republished by his permission. [Slightly changed in arrangement for this publication.]

POI	CALE OF POINTS FOR STANDARD AMERICAN MER		COUNTS.
I I I	A. Constitution,		
	Perfection,	-	100
POI	DETAILED DESCRIPTION.		COUNTS.
101	CONSTITUTION—FIFTEEN POINTS.		coenas.
1. 2.	Bone,		5
	FORM-FORTY POINTS.		
3.	A broad head, broad, wrinkly nose and face, cover		
	soft velvety coat,		
	Short, broad, muscular neck, well set on shoulders		
	Massiveness of shoulder, as to depth and breadth,		
6.	Level, straight back and rotundity of rib,		
4.	Breadth and length of hips,	•	0
0.	Straight forelegs, well set apart,		
IJ.	Straight hind legs, and set so as to give a perpend	пеше	ır ap-
10	pearance to hind parts,		i
11	Soft, thick, velvety ear,		:
11.	WRINKLES—FIFTEEN POINTS.		,
4.0			
	Heavy, pendulous neck,		
13.	Across arm and point of shoulder on side, and rununder,		

					AND) UP	WAR.	D.					
	A deep												5
13.	Heavy												
		lder,											
14.	Heavy	tail,					•						Ę
		DEN	TTF	OF	FL	EEC	E - F	TFT	EEN	Роп	NTS.		
	On nec												6
	On bac												3
17.	On side	·, .											f.
18.	On hip	and e	xten	ding	tof	lank.							5
19.	On beli	У,										,	5
			COV	ER	ING	–Fi	FTEI	en P	OINT	rs.			
20.	Crown	of hea	d or	сар,									9
21.	Cheek,												2
33.	Fore le	g,											2
	Arm pi												2
	Hind le												2
	Inside												9
26.	Connec	tion l	etwe	en t	ag w	rool a	and I	belly	,				1
					73						-	- 1	

COUNTS.

Standard Delaine Spanish Merino Sheep.

Standard of Excellence for Standard Delaine Spanish Merino Sheep, as adopted by the Standard Delaine Spanish Merino Sheep Breeders' Association, S. M. Cleaver, Secretary, East Bethlehem, Washington county, Pa.

SCALE OF POINTS FOR STANDARD DELAINE SPANISH MERINO SHEEP.

POINTS.											C	OUNTS.
1. Blood,												
2. Constitution,												50
3. Fleece,												10
4. Density of Fleece, .												* }
5. Evenness of Surface,												8
6. Evenness of Crimp,												* ?
7. Length of Fiber, .												2
s. Oil,												9
9. Head,												4
10. Eyes,												:3
11. Nose,												-1
12 Ears,												5
13. Neck,												4
14. Covering and Skin,												4
15. Legs,												¥
16. Feet,												-1
17. Quarters and Back,												10
18. Weight,												8
19. General Appearance,	•						•		٠			5
]	Рег	RFE	СТІ	ON	,	-		-	-	100

Any sheep scaling below 60 per cent. in any point cannot be recorded.

DETAILED DESCRIPTION.

POINTS.

- 3. FLEECE.—Fleece XX and Delaine wool. This includes the quantity and quality as shown by weight of fleece, the

	length and strength of staple, crin	ın fi	nenes	ss an	d tro	enes	s.
	of fiber,						. 10
.4	DENSITY OF FLEECE,	•	•	•	•	•	. 3
4.	Expression Submace	•		•	•		. 3
	EVENNESS OF SURFACE,						
	. EVENNESS OF CRIMP,	•	•	٠	•	•	. 3 . 2
	. LENGTH OF FIBER,						
8.	. OIL.—Free flowing oil of the best	-	•				
	quantity to protect the sheep and						
9.	. Head—Head medium size. Ewes						
	pearance; Rams, a masculine, wit	-	•	•			
10.	. Eyes.—Eyes bright, prominent and	l wel	l set	apa	rt, w	ith a	
	thick, soft eyelid,						
11.	. Nose.—Nose short, broad, with well						
	thick and covered with a thick fu	ırry	coati	ng, j	oinir	ig the	е
	wool I inch below the eyes, .						. 4
12.	. EARS Ears medium size, set well a	part	, thi	ckly	coat	ed,	. 2
	. NECKNeck short on top, deep an						
	shoulders, tapering to head; Ram	s wi	th a	fold	acro	ss th	e
	breast, and deep neck,						
14.	. COVERING AND SKIN.—Fleece cover						
	head and legs; skin thick and spi						
15	. Legs.—Legs short, strong and well		t.	,			. 2
	. FEET.—Feet neatly shaped, thin l						е
10.	leg,						
47	QUARTERS AND BACK.—Quarters, d	ر دون	and	well	י מוניי	nded	
16.	back broad, straight and strongly						
10	Weight.—Weight of ewes at mat		•	-			
18.	above; Rams, 150 and above, .						
4.1							
19.	GENERAL APPEARANCE.—General						
	riage, bold and vigorous style, syr	шие	tricai	TOTH	1,	•	. 0
	Perfect	ion,	-	-	-	-	100

Other Merino Associations.

The following associations have not adopted standards of excellence for Merinos, viz:

The National Merino Sheep Register Association, R. O. Logan, Secretary, California, Michigan.

The New York State American Merino Sheep Breeders' Association, J. Horatio Earll, Secretary, Skaneateles, N. Y.

The Ohio Spanish Merino Sheep Breeders' Association, F. C. Stanley, Secretary, Edison, Ohio.

The Vermont Atwood Club Register, Geo. Hammond, Secretary, Middlebury, Vt.

The Vermont Merino Sheep Breeders' Association, C. A. Chapman, Ferrisburg, Vt.

OXFORD DOWN SHEEP.

Standard of Excellence for Oxford Down Sheep, as adopted by the American Oxford Down Sheep Record Association, W. A: Shafor, Secretary, Middletown, Ohio.

	GCAL	E OF	POI	NT	SF	OR	ОХ	FO	RD	DOV	N N	SH	IEE	P.		
POINTS.															CO	UNTS.
1. Head	1,															8
2. Face 3. Nost	٠, .															4
3. Nost	rils.															1
3. Nost 4. Eyes 5. Ears 6 Coll: 7. Shot 8. Fore 9. Brea 10. Fore 11. Back 12. Bell: 13. Quai 14 Hoel 15. Twis 16. Flee	š, .															1
5. Ears	,															4
6 Colla	tr,															6
7. Shou	ılder,															8
S. Fore	legs,											•				4
9. Brea	st,										•					
10. Fore	flank	ζ, .						٠		•		٠				5
- 11. Back	and	Loin	•	٠			٠		٠		•				•	
12. Belly	·, ·			٠							•	•	•			3
- 13. Quai	ters,														٠	8
14 Hock	ζ, .							•		•		•		•		
15. Twis	t or J	tunci	10H,						•		٠		•		•	6
16. Flee	ee,			٠				•		•		•		•		18
					P	ERI	FEC	TIC	N,	-		-	-	-	1	00
			0	r	, ,	~ n		~ F		ΓΙΟΙ						
0.073389.3			UL	IAI	LE	טע	ES	CF	ישוו	1101	ν.				COL	INTS.
POINTS.	Y.		. 6.5		1	0.33.0	+ o 1 **			Lond	1 155		a i			
1. Head																
	eyes															
ane	e; cr	own	well	cov	rere	ed v	witl	ı ge	\mathbf{boc}	woo	·l, .					. 8
2. Face.																
	h a w															
3 Nosti	RILS	VV 10	ie a	nd (exp	anc	iea,	an	e a	ark,		•	٠	٠		. 1
4. EYES.	—Pro	omine	ent,	bu	t m	ild,										. 1
5. Ears.	-Bre	oad.	mo	lera	itel	v I	ons	r. 1	hin	, ai	d	cov	ere	d v	vitl	1
	rt bro															
6. Coll																
uall	y all	the	way	to	wł	iere	th	e h	ead	ane	l n	eck	jo	ın;	th	Э

OXFORD DOWN SHEEP.

	neck short, thick and strong (with masculine appearance in rams), indicating constitutional vigor, and free	
	from coarse or loose skin,	6
7.	SHOULDER.—Broad and full, and at the same time join so gradually to the collar forward and the chine backward	
	as not to leave the least hollow in either place	8
8	FORE LEGS.—The mutton on the arm or forethigh should	
٠.	come quite to the knee; leg heavy bone and upright, be-	
	ing clear from superfluous skin; dark brown or smoky in	
	color; should stand square and well apart,	.1
a	Breast.—Broad and well forward, keeping legs well apart;	7
•/•	girth or chest full and deep,	10
10	FORE FLANK.—Quite full, not showing hollow behind	111
10.		
11	shoulder,	()
11.	BACK AND LOIN.—Broad, flat and straight, from which the	4.5
40	ribs must spring with a fine circular arch,	
	Belly.—Straight on underline,	- 3
13.	QUARTERS.—Long and full, with mutton quite down to the	
	hoek,	
	Hock.—Stand neither in nor out, but straight,	3
15.	Twist or Junction.—Inside the thigh deep, wide and full,	
	which with a broad breast, will keep the legs open and	
10	upright,	6
10.	a close texture, a good length, and fine quality,	18
	Perfection, 1	100

SHROPSHIRE SHEEP.

Standard of Excellence for Shropshire Sheep, as adopted by the American Shropshire Registry Association, Mortimer Levering, Secretary, La Fayette Indiana.

Indiana.	,		, , ,			-
SCALE OF POIN	TS FOR S	HROP	SHIRE	SHEE	P.	
POINTS.						COUNTS.
1. Constitution, .						. 25
2. Size,						10
3. General Appearance,						. 10
4. Body,						15
5. Head ,						. 10
6. Neck,				•		5
7. Legs and Feet, .						. 10
8. Fleece,					•	10
2. Size, 3. General Appearance, 4. Body, 5. Head, 6. Neck, 7. Legs and Feet, 8. Fleece, 9. Quality of Wool,						. 5
		CTION,				- 100
DETAI	LED DE	SCRIE	TION	l.		
POINTS.						COUNTS.
1. Constitution.—And	quality ir	dicated	t by th	e foru	a of be	ody;
deep and large in						
wide, straight and v						
wide and full in the						
soft and of a pink						
healthful countenar	ice, .			•		. 25
Objections.—Deficien	cy of bris	ket, lig	ht are	ound	the h	eart,
fish back, pointed	Should <i>e</i>	ers. tuc	ked in	flan	k. pa	le or
too dark skin obje					. •	
				4 1101	no ob	ould
2 SIZE.—In fair conditi	on when	runy r	пасите	u, rai	110 011	Julia
weigh not less than						
175 pounds,						
Objections—Rams in	full flesh	175 pc	ounds	or un	der;	ewes
in full flesh 150 po						
3. GENERAL APPEARAN			acter	ഉഹർ	carri	age:
bed small and design	ow.—-mi	ant al	owina.	mnon+	oveni.	otev
head well up; elasti	е шочеш	ent, sn	owing	great	оуши:	1001 y
of form and uniform	nity of ch	aracter	throu	gnout	, .	. 10
					-	

	Objections-Head drooping, low in neck, sluggish move-	
	ment. Body.—Well proportioned, medium bones, great scale and	
4.	length, well finished hind-quarters, thick back and loins,	
	twist deep and full, standing with legs well placed out-	
	side, breast wide and extending well forward,	15
	Objections—Too fine bones, short body, deficient in twist,	
	legs close together, light in brisket.	
5	HEAD.—Short and broad; wide between the ears and be-	
υ.	tween the eyes; short from top of head to tip of nose;	
	ears short of medium size; eyes expressive; head should	
	be well covered with wool to a point even with the eyes,	
	without any appearance of horns; color of face dark	
	brown,	10
	Objections—Horns disqualify, white face disqualifies, head	
	with prominent bones, bare on top of head.	
6.	NECKMedium length, good bone and muscular develop-	
	ment; and especially with the rams heavier toward the	
	shoulders, well set high up, and rising from that point to	
	· the back of the head, · · · · · · · ·	5
7.	LEGS AND FEETBroad, short, straight, well set apart,	
	well shaped; color dark brown, and well wooled to the	
	knees,	10
8.	FLEECE.—Body, head, belly and legs to knees well covered	
	with fleece of even length and quality; scrotum of rams	
	well covered with wool,	10
9.	QUALITY OF WOOLMedium, such as is known in our	
	markets as "medium-delaine" and "half-combing wool"	
	strong, fine, lustrous fiber, without tendency to mat or	
	felt together, and at one years growth not less than three	
	and one-half inches in length,	5
	Perfection,	100

SOUTHDOWN SHEEP.

Standard of Excellence for Southdown Sheep, as adopted by The American Southdown Association, John G. Springer, Secretary, Springfield, Illinois.

SCALE OF POINTS FOR SOUTHDOWN SHEEP.

POINTS.								COUNTS.
1. Head,								. 5
2. Lips,				•				1
3. Ears,								. 3
4. Lyes,								3
5. Face,	•							. 3
6. Neck,	•	•					•	4
7. Shoulders,					•	•	•	. 5 5
8. Breast, 9. Back and I	r	•				•	•	. 7
10. Ribs, .	DOILL,					•	•	. 6
10. Kros, . 11. Rump,	•			•	•	•		. 6
12. Hips,	•		•					. 6
13. Thighs,				٠.		٠.		6
14. Limbs.	•	•		•				. 3
15. Forelegs,								
16. Hindlegs,								. 2 2 5
17. Belly and	Flank,							
18. Fleece,								. 12
19. Form,								9
20 General A _l	ppearai.	ice,			•			. 8
			Рег	RECTI	ox,			. 100
	_				,			
POINTS.	D	ETA	ILED	DESC	SHIP	ION.		COUNTS
1. HEAD.—He	od mod		in size	and b	ovnlos	e 6no	aannia	
up; the f								
cially bet		ie ea	ırs anc	I on th	e chee	ks, an	d in th	ie ewe
slightly d								
2. Lips.—Lips	and u	ıder	jaw fi	ne and	I thin,			
3. EARS.—Ear								
with fine								
				1011	, 11) (CAL COLL	. 101111
movemen	,	٠			•		•	
4. Eyes.—Eye	es full a	and b	night.					:

SOUTHDOWN SHEEP.

5.	FACE.—Face a uniform tint of brown, or gray, or mouse	
	color,	:3
6.	NECKNeck short, fine at the head, but nicely tapering,	
	and broad and straight on top at the shoulders,	4
ĩ.	SHOULDERS.—Shoulders broad and full, smoothly joining	
	the neck with the back,	5
8	Breast.—Breast wide, deep, and projecting well forward,	
	the forelegs standing wide apart,	5
9.	BACKJAND LOIN.—Back and loin broad and straight from	
	shoulders to rump,	7
10.	RIBS.—Ribs well arched, extending far backward, the last	
	projecting more than the others,	G
11.	RUMP.—Rump broad, square and full, with tail well set up,	G
	HIPS.—Hips wide, with little space between them and last	
	ribs,	6
13.	THIGHS.—Thighs full and well let down in twist, the legs	
	standing well apart,	6
14.	LIMBS.—Limbs short and fine in bone, and in color to agree	
	with the face,	3
15.	Forelegs well wooled and carrying mutton	
	to the knees, but free from meat below,	2
16.	HINDLEGS.—Well filled with mutton and wooled to the	
	hocks, neat and clean below,	5
17.	Belly and Flank.—Belly straight and well covered with	
	wool, the flank extending so as to form a line parallel with	
	the back or top line,	5
18.	FLEECE.—Fleece compact, the whole body well covered with	
	moderately long and close wool, white in color, carrying	
	some yolk,	12
19.	Form.—Form throughout smooth and symmetrical, with no	
	coarseness in any part,	9
20.	GENERAL APPEARANCE.—General appearance spirited and	
	attractive, with a determined look, a proud and firm step,	
	indicating constitutional vigor and thorough breeding, .	8
	Perfector 1	100

SUFFOLK SHEEP.

Standard of Excellence for Suffolk Sheep, as adopted by the American Suffolk Flock Registry Association, George W. Franklin, Secretary, Atlantic, Iowa.

SCALEJOF POINTS FOR SUFFOLK SHEEP.	
POINTS.	COUNTS
1. General Appearance,	. 7
2. General Form,	15
3. Head	. 15
4. Neck,	5
5. Fore-quarters,	. 15
6. Barrel,	10
7. Hind-quarters,	. 15
8. Feet and Legs,	8 -
4. Neck, . 5. Fore-quarters, . 6. Barrel, . 7. Hind-quarters, . 8. Feet and Legs, . 9. Fleece, .	. 10
PERFECTION,	100
DETAILED DECODIBIION	
DETAILED DESCRIPTION.	COUNTS.
1. GENERAL APPEARANCE.—Pleasing Joutline; Igood carr	iage
and symmetry of development,	
2. GENERAL FORM.—Large in size; inclined to be long in b	
medium strength of bone; somewhat cylindrical in st	iape,
and straight above, below and in the rear,	. 15
3. HEAD.—Medium in size, inclining to be long and cov	
with fine, short, glossy, black hair to the junction	
the neck; a small quantity of clean, white wool on	
forehead is not objected to; muzzle moderately fine	, es-
pecially in ewes; eyes bright and full; ears of mee	
length and fineness,	
4. NECK.—Moderately long and well set, and blending	
with the body with some crest in the lambs, =	
5. Fore-quarters.—Well developed; breast wide, deep	and
full; brisket, broad; chest, capacious, with good 1	
girth; shoulders broad, oblique and well filled in the	ook
vein and crops; withers broad; arm, well developed,	
6. BARREL.—Roomy; back, straight, broad and well fle	shed [

	throughout its entire length; ribs, well sprung and mod-	
	erately deep; fore and hind flanks, full and deep,	10
7.	HIND-QUARTERS Long, deep and full; tail, broad and well	
	set up; buttock, broad; twist full; thigh, broad and full	15
8.	FEET AND LEGS Straight, of medium length with flat	
	bone; bare of wool below the knee and hock, glossy	
	black in color and set well apart,	8
9.	FLEECE.—Moderately short, with close, fine, lustrous fiber,	
	and without tendency to mat or felt together, or to shade	
	off into dark or gray wool or hair, especially about the	
	neck and tail. The fleece should cover the whole body	
	except the head and the legs below the knee and hock;	
	and the skin underneath it should be fair, soft and of a	
	pink color,	10
	DIADIAGONO	100

ANGORA GOATS.

In reply to a request, Mr. C. P. Bailey, of San Jose, California, the principal breeder of Angora Goats in the United States, sent the editor the following scale of points and detailed description, copied from the minutes of a meeting of the Angora Goat Breeders' Association, held September 22, 1887:

SCALE OF POINTS FOR ANGORA GOATS.


POINTS.					_									counts.
	FL	EECE	T-1	HIR	тт	·ox	E	Po	INI	S.				
1. Fineness,														9
2. Weight,														8
3. Evenness,														6
4. Shape,	•													4
5. Lustre, .			•											4
		BOD.	Y-8	SIXI	CEF	en :	Po	INT	s.					
6. Constitutio														6
7. Symmetry	of S	hape,												5
8. Weight,														5
		EAR	s-	Тнв	REI	₹ F	oI.	NTS.						
9. Ear Lock,												•		2
10. Lop Ears,			-								-			1
			Pi	ERF.	EC:	r 10:	N,	-		-	-		-	50

DETAILED DESCRIPTION OF ANGORA GOATS.

A perfect goat when in full fleece should appear like a parallelogram. The body should be full and long and of straight build. It should be densely and evenly covered with long, lustrous, fine, curly hair, appearing from a distance as if it had been trimmed off below the body. The chest and shoulders, especially with the males, should be broad and strong, and legs straight and chunky; the head clear cut and trim, not coarse like that of a common goat. The horns of the buck are long and strong, inclined toward the back, and of spiral like shape. The horns of the does, short and thin, and curved backwards.

In Mr. Bailey's descriptive circular it is stated that the average fleece of pure-bred goats is from four to six pounds, but frequently eight and ten pounds have been obtained from choice, well-kept animals.

⊗ SWINE. >>



Nomenclature for Hog.

Head.	Ears.

9. Sides.10. Ribs.11. Loin.

13. Flank. 14. Ham.15. Tail.16. Legs.

12. Belly.

Jowl.
 Neck.

^{5.} Brisket.

^{6.} Shoulder.7. Girth Around Heart.8. Back.

COUNTS.

BERKSHIRE SWINE.

Standard of Excellence for Berkshire Swine, as adopted by The American Berkshire Association, Charles F. Mills, Secretary, Springfield, Illinois.

POINTS.

SCALE OF POINTS FOR BERKSHIRE SWINE.

POL	115.																DATE.
1.	Color,																4
	Face and			,													7
3.	Eve,									,							2
4.	Ear,																4
5.	Jowl,																4
6.	Neck,																4
7.	Hair,																3
8.	Skin,																4
9.	Shoulder,																7
10.	Back,																8
11.	Side,																6
12.	Flank,		. ,														5
	Loin,																9
	Ham,								•								10
15.	Tail,																2
16.	Legs,																5
17.	Symmetry	γ,															6
	Condition	,															5
19.	Style,											•					5
	Perfection, 100																
			_	· E ·	T A I		ь.	` E		215	TIO	N					
POIN	TS.		L	,	IAI	ᄕ	וט) E :	3 C r	חור	110	14	•			CO	UNTS.
	Color-Bl	ac	k w	itl	ı wl	rit.	e or	fe	et. f	face	e. ti	D	of t	ai	l. ar	ad a	ın
1.			,						,		,	•					
	occasion																
2.	FACE AND																
	and broa	d I	betw	ee	n th	ie e	eyes	۶,						٠		,	. 7
8.	EYE-Very	· cl	lear.	ra	the	r la	ırge	e. d	ark	ha	zel o	r	grav				. 2
	Ear-Gen																
1.																	
	ward wit				• •		,									υ,	
	Jowt-Fu																. 4
6.	NECK—She	ort	and	lb	roac	1 0	n te	эp,									. 4
7.	HAIR—Fin	e a	and	sof	t; n	ied	lim	u tl	nick	пе	ss,						. 3

8. SKIN—Smooth and pliable,
9. Shoulder-Thick and even, broad on top, and deep
through chest,
10. Back-Broad, short and straight; ribs well sprung, coup-
ling close to hips, ,
11 Side-Deep and well let down; straight on bottom lines, . 6
12, FLANK-Well back, and low down on leg, making nearly a
straight line with lower part of side,
13. Loin-Full and wide,
14. HAM—Deep and thick, extending well up on back, and hold-
ing thickness well down to nock,
15 Tait—Well set up on back; tapering and not coarse, 2
16. LEGS—Short, straight and strong; set wide apart, with hoofs
erect, and capable of holding good weight,
17. Symmetry-Well proportioned throughout, depending
largely on condition,
18 CONDITION-In a good, healthy growing state; not over fed 5
19. Style—Attractive, spirited, indicative of thorough breeding
and constitutional vigor,
Perfection, 100

Standard of Excellence for Berkshire Swine, as adopted by the National Association of Expert Judges on Swine, W. M. Lambing, Secretary, West Liberty, Iowa, and by The National Berkshire Record Association, E. K. Morris, Secretary, 467 South Illinois Street, Indianapolis, Indiana.

SCALE OF POINTS FOR BERKSHIRE SWINE.

SOALL OI	, 0	11412	On 0	LINGI	11111 - 31	VIII C.	
POINTS.							COUNTS
 Head and Face, 							. 4
2. Eyes, .							5
3 Ears,							. 2
4. Neck,							2
5. Jowl,							. 2
6. Shoulder, .				:			6
7. Chest,							. 12
s. Back,							15
9. Sides and Ribs,							. 8
10. Belly and Flank,							6
11. Ham and Rump,				. *			. 10
12. Legs and Feet,							10
13. Tail							. 1

		BERF	KSHIRI	E SWI	NE.				101
14. 15. 16. 17. 18. 19.	Coat, Color, Size,	le,							0/0/0440
									100
		DISO			TIONS				
brol Si thir Co blin So	ression in back exen down, so that ZE: Overgrown ds large enough DINDITION: Bardness from any CORE: Less that EDIGREE: Not	it the a n, gan for ag rennes cause. n sixty	nnima' gling, e. s; def point	l walk narro formed ss.	s on pa ow, co	astern ntract	joints. ed or	not	two-
2.	HEAD AND FACE at poll; face s' tween the eyes face even and Objections—Head and narrow; tending bey eyes; nose c EYES—Very clea Objections—Smal impaired by EARS—Generally ward with adv Objections—Large large knuck	hort and stape regula long long long long long long long long	nd fine ring fr r, and pper; thick, her lan blood les, fa st erec g age; se, thi rence	e and rom e . narrov w or ec face or crc rge, da lshot, t or otet, but medi ek, ro in fo	well yes to . v; coo ontract long; ooked, ark-haz deepse cher ca some um siz und or rm, si	dished point	t; broad of nose of nose of nose of nose of nose of the limits of the li	ad se, s	be- ur- , 4 ow ex- een . 2 ion Cor- , 2 ; or
4.	with the oth position. NECK—Full, dee well connected	p, shoi	rt, and	sligh	tly are	hed; l	oroad (on t	op,

Objections—Long, flat; !acking in fullness and depth.

5. Jown—Full, firm and neat; carrying fullness back to shoulder and brisket,

	Objections—Light, flabby, thin, tucked up or wrinkled. Shoulder—Broad, deep and full, not extended above line of back and being as wide on top as back, carrying size down to line of belly, and having lateral width, Objections—Lacking in depth or width, thick beyond the line of sides and hams or extending above line of back; heavy shields on hogs under eighteen months of age. Chest—Large, wide, deep and roomy; full girth; breast	
	Objections-Flat; narrow at top or bottom; small girth;	1
	lacking depth or fullness; breast bone crooked or tucked up.	
8.	BACK—Broad and straight, carrying same width from shoulder to ham, surface even and smooth without creases or	1
9.	SIDES AND RIBS—Sides full, smooth, firm and deep; carrying size down to belly and evenly from ham to shoulder; ribs long, strong, well sprung at top and bottom, Objections—Flat, thin, flabby; not as full at bottom as top. Ribs weak, not well sprung at top or bottom.	
10.	Belly and Flank—Wide, full, and straight on bottom line,	
11	tucked up. HAM AND RUMP—Hams broad, full and long; the lower front	
	part of ham should be full and stifle well covered with flesh; coming well down to hock, Rump should have a rounding slope from loin to root of tail; same width as	
	back and filling out on each side and above the tail, Objections—Ham narrow, short, thin; not projecting beyond and coming down on lock; cut up too high in crotch. Rump flat, narrow and too steep.	1
12.	LEGS AND FEET—Legs short, straight and strong; set wide apart with hoofs erect and capable of holding good weight,	
	pastern long, slim or flat, feet long or sprawling.	

BERKSHIRE SWINE.

13.	Tail—Set well up, fine, tapering and neatly curled, Objections—Coarse and straight; too low.	1
14	COAT-Fine, straight, smooth; laying close to and covering	
11.	the body well; not clipped; evenly distributed over body,	2
	Objections—Hair coarse, harsh, wavy or curly; not evenly	~
	distributed over body; swirls or clipped.	
15		
10.	Color-Black, with white on feet, face, tip of tail and an	0
	occasional splash on arm,	3
	Objections-Solid black or black points, or white spots on	
	body.	
16.	Size-Large for age. Boar two years and over not less than	
	450 pounds; sows same age 400 pounds. Boars eighteen	
	months, 350 pounds; sows same age, 325 pounds. Boars	
	twelve months, 300 pounds; sows same age, 275 pounds.	
	Boars and sows six months, 150 pounds,	5
	Objections—Under weight; coarse; not in good form to fatten.	
17.	ACTION and STYLE-Action vigorous. Style, graceful and	
	attractive,	4
	Objections - Dull, sluggish and clumsy.	
18.	CONDITION-Healthy; skin clear of scurf, scales or sores,	
•	soft and mellow to the touch; flesh fine, evenly laid on	
	and free from lumps; hair soft and lying close to body;	
	good feeding qualities,	4
	Objections-Unhealthy; skin scaly, scabby or harsh, flabbi-	
	ness or lumpy flesh; too much fat for breeding. Hair	
	harsh, dry and standing up from body; poor feeders;	
	deafness, partial or total.	
16	DISPOSITION—Quiet and gentle and easy to handle,	3
-0.	Objections—Cross, restless, vicious or wild.	• • •
	Onjections—O1088, 168ticss, Victoris 01 wild.	
	Perfection,	100

CHESHIRE SWINE.

Standard of Excellence for Cheshire Swine, as adopted by the Cheshire Swine Breeders' Association, R. D. Button, Secretary, Cottons, N. Y.

SCALE OF POINTS FOR CHESHIRE SWINE

SCA	LE O	F POI	NISF	OR CF	IFOHI	HE SU	VINE.		
POINTS.									COUNTS.
1. Head,									8
2. Face,									8
3. Jowl,									3
4. Ears,									5
5. Neck,									3
6. Shoulders	, .								6
7. Girth Aro	und F	Ieart,							8
8. Back,									10
9. Sides,									7
10 Flank,									3
11. Hams, .			•						10
12. Legs,									10
13. <u>T</u> ail, .				•					3
14. Hair,							•		3
15. Color,						•	•		$\frac{2}{3}$
16. Skin,									
17. Symmetry	,	•	•	•	•	•			8
			PE	RFECTI	ON,	-		-	100
	_			DESC	DIDT	- N			
POINTS.	D	E I AI	LED	DESC	RIPII	ON.		(COUNTS.
1. Head—Sho	ort to	medi	nın in	lengt	h sho	et in	nronor	tion	to
length of									. 8
0									. 8
2. FACE—Som							-		
3. Jown—Med									
4. Ears—Sma	ill, fin	e, ere	ct, an	d in ole	d anin	nals s	lightly	po	int-
ing forwa									. 5
5. NECK-Sho	rt an	d broa	ad.						. 3
6. SHOULDERS			,						. 6
		,			,			•	. 8
7. GIRTH ARC								•	
		~ ~ ~ ~ ~ ~	ad atma	iacht n	early	to roo	t of ta	il	. 10
8. Back—Lon									
9. SIDES—Dec									. 7
	ep and	l full	; near	ly stra	ight o	n bott	tom lin	ie,	. 7

CHESHIRE SWINE.

	equal to heart girth,	3
11.	HAMS-Broad and nearly straight with back and running	
	well down towards hock,	10
12.	LEGS-Small and slim, set well apart, supporting body well	
	on toes,	10
13.	Tail—Small, slim and tapering,	;;
	HAIR-Fine, medium in thickness and quantity,	
15.	Color-White, any colored bairs to disqualify,	2
	SKIN-Fine and pliable, small blue spots objectionable but	
	allowab'e,	3
17.	SYMMETRY—Animal well proportioned, handsome and stylish, and when grown and well fattened should dress from	
	400 to 600 pounds,	8
	-	
	Perfection,	w

CHESTER WHITE SWINE.

Standard of Excellence for Chester White Swine, as adopted by the National Chester White Record Association, Thomas Sharpless, Secretary, West Chester, Pennsylvania.

SCALE OF POINTS FOR CHESTER WHITE SWINE.

POINTS.					COUNTS	3.
1. Color—White,					. 3	
2. Head-Small, broad, and	face slightly	dishe	d,		5	
3. Ears—Fine and drooping			· .		, 2	
4 Jowl-Neat and full,					2	
5. Neck—Short, full and slig	thtly arched				. 3	
6 Brisket-Full					. 2 . 3 . 3	
7 Shoulders—Broad and de	en.	٠.			. 6	
8. Girth Around the Heart-					10	
9. Back-Straight and broa					. 7	
10. Sides—Deep and full,					6	
11. Ribs—Well sprung, .	·	٠.			. 7	
12. Loin—Broad and strong,				٠,	7	
13. Belly-Wide and straight			٠.		. 4	
14. Flank-Well let down,					3	
15 Ham-Broad, full and de	· ер				. 10	
16. Tail—Tapering, not coar						
17. Limbs—Strong, straight a					. $\begin{array}{c} 2\\ 7\\ 3 \end{array}$	
18. Coat—Thick and soft,					3	
19. Action—Prompt, easy an	d graceful.				. 5	
20, Symmetry—Adaptation of	of the severa	l parts	to e	ach d	other, 5	
, , , , , , , , , , , , , , , , , , , ,		1				
PEI	REECTION.	-			- 100	
POINTS. DETAILED	DESCRIPT	TION.			COUNTS	e
						3
	• • •	•		•		9
Objections—Blue spots on						
black spots in hair dis	squalify ther	n'and 1	heir	offsi	ring.	
2. HEAD-Short, broad betw						
2. HEAD Short, broad Set	face eli	~1. + l+	diab	.d.	books	
from eyes to point of ne	ose; race su	gnuy	disn	eu; c		
full,						5
Objections—Head coarse; fa	ace long and	narro	v, an	d too	much	
dished; snout coarse						
	and thick					
0 Fine Tone !		intina	f	.o.nd	anda	
3. Ears—Drooping, fine an		inting	forw	ard	and a	

	little outward; well proportioned to size of body,	2
	Objections—Too large and coarse; thick, lopping and lying	
	too near the face; stiff, erect or too round.	
4.	Jowl-Full, firm, neat and carrying fullness well back to	
	shoulders and brisket,	2
	Objections-Flabby, light, too thick in cheek, tucking up	
	under the throat.	
5.	Neck-Full, deep, short and slightly arched,	3
	Objections—Long, flat or narrow.	
6.	BRISKET-Full, well let down, and well joined to jowl and	
	in a line with belly,	3
	Objections—Narrow or tucked up.	
7.	Shoulders-Broad, deep, thickness in proportion to the	
	sides and hams, and full and even on top,	6
	Objections-Lacking in depth or width, thick beyond the line	
	of side and ham, or blade too prominent.	
8.	GIRTH AROUND THE HEART-Full back of the shoulders,	
	ribs extending well down; wide and full back of fore legs,	10
	Objections-Less than flank measure, or length of body from	
	top of head to root of tail, or creased back of shoulders.	
9.	BACK-Broad, straight or slightly arched, carrying width	
	well back to hams, and of medium length,	7
	Objections-Narrow, creasing back of shoulder, narrow	
	across the loins, swayed, too long or sun-fish shape.	
10.	Sides-Full, deep, carrying size well down and back,	6
	Objections—Too round or flat, shallow or thin at flank.	
11.	RIBS-Well sprung and long, carrying fullness and depth	
	well back,	7
	Objections—Too flat, or curve too short,	
12.	Loin—Broad, strong and full,	7
	Objectious—Narrow and weak,	
13.	Belly Wide and straight,	4
	Objections—Sagging; narrow.	
14.	FLANK-Well let down and full,	3
	Objections—Thin, tucked in or cut up too high.	
15.	Ham-Full, broad, deep, holding width and coming down	
	well over hock,	10
	Objections—Narrow, short, too steep at rump, or cut up too	
	high in crotch.	
16.	Tail-Well set on, small, smooth and well tapered,	2

	Objections-Coarse, too large or too prominent at root.
17. 3	LIMBS-Medium length, set well apart and well tapered.
	Bone firm and flinty; muscles full above knee and hock;
	pastern and foot both short
	Objections-Long, siim, coarse, crooked, muscles light, pas
	tern long, slim or flat; foot long or sprawling.
15 (Coat-Fine, thick, and covering the body well, 3
	Objections—Coarse, bristly, harsh, wiry.
19. 7	Action—Easy, prompt and graceful, 5
	Objections—Dull, sluggish and clumsy.
20 8	Symmetry-A harmonious combination of the foregoing
	Scale of Points,
	Objections-Too much development in some points and lack-
	ing in others.
	Perfection, 100

Standard of Excellence for Chester White Swine, as adopted by The Chester White Record Association, W. H. Morris, Secretary, Indianapolis, Indiana; also by The National Association of Expert Judges on Swine, W. M. Lambing, Secretary, West Liberty, Iowa.

SCALE	OF I	20 I	NTS	FOF	≀ СН	EST	TER.	wн	ITE	SWINE.	
POINTS.											COUNTS
1. Head and	face.										4
2. Eyes,											2
3 Ears, .											2
4. Neck,											2
5. Jowl, .											2
6. Shoulders.											6
7. Chest, .											12
8. Back and	Loin	,	,							. •	15
9. Sides and	Ribs										8
10. Belly and	Flan	k.									6
11. Ham and											10
12. Legs and 1											10
4.0 (6)								•			1
14. Coat,											2
15. Color, .											2

CHROTER WHITE CHIEF								
16. Size,								
FORM: Unright pare: small grammed about arouse around back								
FORM: Upright ears; small, cramped chest; crease around back of shoulders and over the back, causing a depression easily noticed; feet broken down, causing the animal to walk on joints; deformed or badly crooked legs. Size: Chuffy or not two-thirds large enough for age. CONDITION: Squabby fat; deformed, seriously diseased: barrenness; total blindness. Score: Less than sixty points. Prdigree: Not eligible to record. Color: Black or sandy spots in hair.								
DETAILED DESCRIPTION.								
POINTS. COUNTS.								
1. Head and Face—Head short and wide; cheeks neat but not too full; jaws broad and strong; forehead medium, high and wide; face short and smooth; wide between the eyes; nose neat and tapering and slightly dished, 4 Objections—Head long, narrow and coarse; forehead low and narrow; jaws contracted and weak; face long, narnow and straight; nose coarse, clumsy or dished like a Berkshire,								
 2. EYES—Large, bright, clear and free from wrinkles or fat surroundings,								
and drooping so as to give a graceful appearance,								
4. Neck—Wide; deep; short and nicely arched, 2 Objections—Long; narrow; thin; flat on top; tucked up; not extending down to breast bone.								

CHESTER WHITE SWINE.

109

5. Jowl—Full; smooth; neat and firm; carrying fulness batto shoulder and brisket when the head is carried up level Objections—Light; too large and flabby; rough and deely wrinkled; not carrying fullness back to shoulder as	el. 3 p-
brisket. 6. Shoulder-Broad, deep and full, extending in a straig line with the side, and carrying size down to line of bell Objections—Narrow at top or bottom, not full nor sat depth as body; extending above line of back; shiel on boars too coarse and prominent.	y. 6 ne
7. CHEST—Large; deep and roomy so as not to cramp vit organs; full in girth around the heart; the breast bo extending forward so as to show slightly in front of leg and let down so as to be even with line of belly, showin a width of not less than 7 inches between forelegs of a figrown hog,	ne gs, og oll oll olk
crooked or too short. 8. Back and Loin—Back broad on top; straight or slight arched; uniform width; smooth; free from lumps rolls; shorter than lower belly line; same height as width at shoulder as at ham; loin wide and full, Objections—Back narrow; creased back of shoulders; su fished shape; humped; swayed; too long or lumprolls; uneven in width; loin narrow, depressed	ly or nd . 15 n-
humped. 9. Sides and Ribs—Sides full; smooth; deep; carrying sidown to belly; even with line of ham and shoulder; rilong; well sprung at top and bottom, giving hog a squaform,	bs re . 8
10. Belly and Flank—Same width as back; full, making straight line and dropping as low at flank as at bottom chest; line of lower edge running parallel with sides; flanfull and even with body,	of ik , 6

11. HAM and RUMP—Ham broad; full; long; wide and deep; admitting of no swells; buttock full; neat and clean, thus avoiding flabbiness; stifle well covered with flesh, nicely tapering towards the hock; rump should have a slightly rounding shape from loin to root of tail; same width as back, making an even line with sides. . Objections-Ham narrow; short; not filled out to stifle; too much cut up in crotch or twist: not coming down to hock; buttocks flabby; rump flat, narrow, too long, too steep, sharp or peaked at root of tail. 12. Legs and Fret-Legs short: straight; set well apart and squarely under body; bone of good size; firm; well muscled: wide above knee and hock; below knee and hock round and tapering, enabling the animal to carry its weight with ease; pasterns short and nearly upright feet short, firm, tough and free from defects, Objections-Legs too short; long; slim; crooked; too coarse: too close together; weak muscles above hock and knee: bone large and coarse, without taper: pasterns long; crooked, slim like a deer's; hoofs long, slim; weak: toes spreading, crooked or turned up. 13. Tail-Small; smooth; tapering, well set on; root slightly covered with flesh; carried in a curl, . Objections-Coarse; long; clumsy; set too high or too low, hanging like a rope. 14. COAT—Fine: straight or wavy: evenly distributed and covering the body well; nicely clipped coats no objection, Objections—Bristles; hair coarse; thin; standing up; not evenly distributed over all the body except the belly. 15. Color-White (blue spots or black specks in skin shall not argue impurity of blood), . Objection's—Color any other than white. 16. Size-Large for age and condition: boars two years old and over, if in good flesh, should weigh not less than 500lbs. Sows same age and condition, not less than 450ths. Boars 18 months old in good flesh should weigh not less than 400 pounds. Sows, 350. Boars twelve months old not less than 300 pounds; sows 300. Boars and sows 6 months old,

not less than 150lbs each, and other ages in proportion, . Objections—Overgrown; coarse; uncouth; hard to fatten.

17. ACTION and STYLEAction easy and graceful; style attrac-
tive; high carriage; in males testicles should be readily
seen; same size and carriage, , 4
Objections-Sluggish; awkward low carriage; wabbling
walk; in males testicles not easily seen; not of same
size or carriage, or only one showing.
18. Condition—Healthy; skin clear and bright; free from

scurf and sores; flesh fine and mellow to the touch; evenly laid on and free from lumps; good feeding qualities, . 4

Objections—Unhealthy; skin scaly, scabby or harsh; flesh lumpy or flabby; hair harsh, dry and standing up from

body; poor feeders; total deafness.

Disposition—Quiet; gentle and easily handled; with ambition enough to look out for themselves if neglected, . 3 Objections—Cross; restless; vicious or wild; no ambition.

Perfection, - - - 100

DUROC-JERSEY SWINE.

Standard of Excellence for Duroe-Jersey Swine, as adopted by the American Duroc-Jersey Swine Breeders' Association, S. E. Morton, Secretary, Camden, Ohio: by the National Duroc-Jersey Record Association, R. J. Evans, Secretary, El Paso, Illinois; and by the National Association of Expert Judges On Swine .W. M. Lambing, Secretary, West Liberty, Iowa.

SCALE OF POINTS FOR DUROC-JERSEY SWINE.

SCALE OF	POIN	13 1	OR :	3 U n	00-	JERS	F. Y	SWITHE.	
POINTS.									COUNTS
1. Head and Face,									. 4
2. Eyes,									2
3. Ears, .									. 2
4. Neck,									2
5. Jowl, .									. 2
6. Shoulders, .	•								- 6
7. Chest,									
8. Back and Loin,	,								15
9. Sides and Ribs, 10. Belly and Flank									. 8
10. Belly and Flank									(5
11 Ham and Rump	,								10
12. Legs and Feet.									10
13. Tail, .									. 1
14. Coat									2
15. Color, .	•								. 2
16. Size,	,					-	•		9
17. Action and Style	е.								-‡
18. Condition, .									4
19. Disposition,									. 0
		P	ERF	ECT	ION,				100

DISQUALIFICATIONS.

FORM: Ears standing erect; small cramped chest and crease back of shoulders and over back so as to cause a depression in the back easily noticed; seriously deformed legs, or badly broken down feet.

Size: Very small, or not two-thirds large enough as given by the standard.

Score: Less than fifty points. Pedigree: Not eligible to record.

POINTS. DETAILED DESCRIPTION.	cT8
1. HEAD AND FACE—Head small in proportion to size of body;	11.
wide between eyes; face nicely dished (about half way be-	
tween a Poland-China and a Berkshire) and tapering well	
down to the nose; surface smooth and even,	
Objections—Large and coarse; narrow between the eyes; face straight; crooked nose, or too much dished.	
2. EYES—Lively, bright and prominent,	6
Objections—Dull, weak and obscure.	
3. Ears-Medium; moderately thin; pointing forward, down-	
ward and slightly outward, carrying a slight curve, attached to head very neatly,	
Objections-Very large; nearly round; too thick; swinging	
or flabby; not of same size; different position and not under control of animal.	
4. NECK-Short, thick, and very deep and slightly arching, .	
Objections—Long, shallow and thin.	,
5. Jown-Broad, full and neat; carrying fullness back to point	
of shoulders and on a line with breast bone,	,
Objections—Too large, loose and flabby, small, thin and wedging.	
6. Shoulders—Moderately broad; very deep and full; carrying thickness well down and not extending above line of	
back,	,
back. Boars under one year old heavily shielded.	
7. Chest—Large; very deep; filled full behind shoulders; breast-bone extending well forward so as to be readily	
seen,	1:
Objections—Flat, shallow, or not extending well down be- tween forelegs.	
8. BACK AND LOIN-Back medium in breadth; straight or	
slightly arching; carrying even width from shoulder to	
ham; surface even and smooth,	
Objections—Narrow; creased behind shoulders; swayed or	
humped backed.	
9. Sides and Ribs-Sides very deep; medium in length; level	
between shoulders and hams and carrying out full down to line of belly. Ribs long, strong and sprung in propor- tion to width of shoulders and hams,	
CION DO WALLES OF DISCONDENS CONTRACTOR OF C	

	Objections—Flabby, creased, shallow and not carrying	
	proper width from top to bottom.	
10.	Belly and Flank-Straight and full and carrying well out	
	to line of sides. Flank well down to lower line of sides, .	6
	Objections-Narrow; tucked up or drawn in; sagging or	
	flabby.	
11.	HAMS AND RUMP-Broad, full and well let down to the	
	hock; buttock full and coming nearly down and filling	
	full between hocks. Rump should have a round slope,	
	from loin to root of tail; same width as back and well	
	filled out around tail,	10
•	Objections-Ham narrow; short; thin; not projecting well	
	down to hock; cut up too high in crotch. Rump narrow;	
	flat or peaked at root of tail; too steep.	
12.	LEGS AND FEET-Medium size and length; straight; nicely	
	tapered; wide apart and well set under the body; pas-	
	terns short and strong. Feet short, firm and tough,	10
	Objections—Legs extremely long, or very short; slim;	
	coarse; erooked; legs as large below knee and hock as	
	above; set too close together; hocks turned in or out of	
	straight line. Feet—hoofs long, slim and weak; toes	
	spreading or crooked.	
13.	TAIL-Medium; large at base and nicely tapering and	
	rather bushy at end,	1
	Objections—Extremely heavy; too long and ropy.	
14.	COAT-Moderately thick and fine; straight, smooth and	
	eovering the body well,	2
	Objections—Too many bristles; hair coarse, harsh and	
	rough; wavy or curly; swirls, or not evenly laid over the	
	body.	
15.	Color-Cherry red without other admixtures,	2
	Objections-Very dark red or shading brown; very pale	
	or light red; black spots over the body; black flecks on	
	belly and legs not desired but admissable.	
16.	Size-Large for age and condition. Boars two years old	
	and over should weigh 600 pounds; sows same age and	

condition, 500 pounds. Boars, eighteen months, 475 pounds; sows, 400 pounds. Boars, twelve months, 350 pounds; sows, 300 pounds; Boar and sow pigs six months, 150 pounds. These figures are for animals in a fair show

condition	5
Objections—Rough and coarse and lacking in feeding qualities.	
17. ACTION AND STYLE—Action vigorous and animated. Style	
free and easy. Objections—Dull or stupid; awkward and wabbling. In	4
boars testicles not easily seen nor of same size or carriage; too large or only one showing.	
18. CONDITION—Healthy; skin free from any scurf, scales, sores and mange; flesh evenly laid over the entire body and free from any lumps,	.1
Objections—Unhealthy; scurfy; scaley; sores; mange; too fat for breeding purposes; hair harsh and standing up; poor feeders.	
19. DISPOSITION—Very quiet and gentle; easily handled or driven,	3
Perfection, 10	 00

ESSEX SWINE.

. Standard of Excellence for Essex Swine, as adopted by the American Essex * Association, F. M. Srout, Secretary, McLean, Illinois.

SCALE OF POINTS FOR ESSEX SWINE.

SOALE OF FORMESSE,	٠.	J-40 1		••		
POINTS.					C	OUNT
1. Color—Black,						- 3
2. Head—Small, broad and face dished, .						
3. Ears-Fine, erect, slightly drooping with						
4. Jowl—Full and neat,						
5. Neck-Short, full and slightly arched,						3
6. Shoulders—Broad and deep,						7
7. Girth around heart,						6
8. Back—Straight, broad and level,						15
9. Side—Deep and full,						6
10. Ribs—Well sprung,						ī
11. Loin—Broad and strong, .						12
12. Flank—Well let down,						2
13. Ham—Broad, full and deep, .						
14. Tail—Medium, fine, and curled,						
15. Legs—Fine, straight and tapering,						3
16. Feet—Small,						- 3
17. Hair—Fine and silky, free from bristles,						
18. Action+Easy and graceful,						4
19. Symmetry-Adaption of the several parts						10
•						
Perfection, -		-	-	-		100

POLAND-CHINA SWINE.

Standard of Excellence for Poland-China Swine, as adopted by the National Poland-China Breeders' Association, E. C. Rouse, Secretary, Albion, Michigan. Also by the Ohio Poland-China Record Company, Carl Freigau, Secretary, Dayton, Ohio. Also by the American Poland-China Record Company, W. M. McFadden, Secretary, West Liberty, Iowa. Also by the Standard Poland-China Record Association, George F, Woodworth, Secretary, Maryville, Missouri. Also by the Northwestern Poland-China Record Association J. B. Besack, Secretary, Washington, Kansas.

1. Color—Dark spotted or black, 3 2. Head—Small, broad, face slightly dished, 5 3. Ears—Fine and drooping, 2 4. Jowl—Neat and full, 2 5. Neck—Short, full, slightly arched, 3 6. Brisket—Pull, 3 7. Shoulder—Broad and deep, 6 8. Girth around heart, 10 9. Back—Straight and broad, 7 10. Loin—Broad and strong, 7 11. Sides—Deep and full, 6 12. Ribs—Well sprung, 7 13. Belly—Wide and straight, 4 14. Flank—Well let down, 3 15. Ham—Broad, full and deep, 10 16. Tail—Tapering and not coarse, 2 17. Limbs—Strong, straight and tapering, 7 18. Coat—Thick and soft, 3 19. Action—Prompt, easy and graceful, 5 20. Symmetry—Adaptation of the several points to each	SCALE OF POINTS FOR POLAND-CHINA SWIT	
2. Head—Small, broad, face slightly dished. 5 3. Ears—Fine and drooping. 2 4. Jowl—Neat and full, 2 5. Neck—Short, full, slightly arched. 3 6. Brisket—Full, 3 7. Shoulder—Broad and deep. 6 8. Girth around heart, 10 9. Back—Straight and broad, 7 10. Loin—Broad and strong, 7 11. Sides—Deep and full, 6 12. Ribs—Well sprung, 7 13. Belly—Wide and straight, 4 14. Flank—Well let down, 3 15. Ham—Broad, full and deep, 10 16. Tail—Tapering and not coarse, 2 17. Limbs—Strong, straight and tapering, 7 18. Coat—Thick and soft, 3 19. Action—Prompt, easy and graceful, 5 20. Symmetry—Adaptation of the several points to each	polNTS.	COUNTS
3. Ears—Fine and drooping, 2 4. Jowl—Neat and full, 2 5. Neck—Short, full, slightly arched, 3 6. Brisket—Full, 3 7. Shoulder—Broad and deep, 6 8. Girth around heart, 10 9. Back—Straight and broad, 7 10. Loin—Broad and strong, 7 11. Sides—Deep and full, 6 12. Ribs—Well sprung, 7 13. Belly—Wide and straight, 4 14. Flank—Well let down, 3 15. Han—Broad, full and deep, 10 16. Tail—Tapering and not coarse, 2 17. Limbs—Strong, straight and tapering, 7 18. Coat—Thick and soft, 3 19. Action—Prompt, easy and graceful, 5 20. Symmetry—Adaptation of the several points to each	1. Color—Dark spotted or black,	. 3
4. Jowl—Neat and full, 5. Neck—Short, full, slightly arched, 6. Brisket—Full, 7. Shoulder—Broad and deep, 8. Girth around heart, 9. Back—Straight and broad, 7. Loin—Broad and strong, 7. Sides—Deep and full, 8. Ribs—Well sprung, 7. Belly—Wide and straight, 7. Hann—Broad, full and deep, 7. Limbs—Strong, tull and deep, 7. Limbs—Strong, straight and tapering, 7. Scoat—Thick and soft, 7. Symmetry—Adaptation of the several points to each	2. Head—Small, broad, face slightly dished,	. 5
4. Jowl—Neat and full, 5. Neck—Short, full, slightly arched, 6. Brisket—Full, 7. Shoulder—Broad and deep, 8. Girth around heart, 9. Back—Straight and broad, 7. Loin—Broad and strong, 7. Sides—Deep and full, 8. Ribs—Well sprung, 7. Belly—Wide and straight, 7. Hann—Broad, full and deep, 7. Limbs—Strong, tull and deep, 7. Limbs—Strong, straight and tapering, 7. Scoat—Thick and soft, 7. Symmetry—Adaptation of the several points to each	3. Ears—Fine and drooping,	. 2
5. Neck—Short, full, slightly arched,	4. Jowl—Neat and full,	. 2
6. Brisket—Full, 7. Shoulder—Broad and deep, 8. Girth around heart, 9. Back—Straight and broad, 7. The loin—Broad and strong, 11. Sides—Deep and full, 12. Ribs—Well sprung, 13. Belly—Wide and straight, 14. Flank—Well let down, 15. Ham—Broad, full and deep, 16. Tail—Tapering and not coarse, 17. Limbs—Strong, straight and tapering, 18. Coat—Thick and soft, 19. Action—Prompt, easy and graceful, 20. Symmetry—Adaptation of the several points to each		. 3
7. Shoulder—Broad and deep, 6 8. Girth around heart, 10 9. Back—Straight and broad, 7 10. Loin—Broad and strong, 7 11. Sides—Deep and full, 6 12. Ribs—Well sprung, 7 13. Belly—Wide and straight, 4 14. Flank—Well let down, 3 15. Ham—Broad, full and deep, 10 16. Tail—Tapering and not coarse, 2 17. Limbs—Strong, straight and tapering, 7 18. Coat—Thick and soft, 3 19. Action—Prompt, easy and graceful, 5 20. Symmetry—Adaptation of the several points to each		. 3
8. Girth around heart,		. 6
9. Back—Straight and broad,		. 10
10. Loin—Broad and strong, 7 11. Sides—Deep and full, 6 12. Ribs—Well sprung, 7 13. Belly—Wide and straight, 4 14. Flank—Well let down, 3 15. Ham—Broad, full and deep, 10 16. Tail—Tapering and not coarse, 2 17. Limbs—Strong, straight and tapering, 7 18. Coat—Thick and soft, 3 19. Action—Prompt, easy and graceful, 5 20. Symmetry—Adaptation of the several points to each		. 7
11. Sides—Deep and full, 6 12. Ribs—Well sprung, 7 13. Belly—Wide and straight, 4 14. Flank—Well let down, 3 15. Ham—Broad, full and deep, 10 16. Tail—Tapering and not coarse, 2 17. Limbs—Strong, straight and tapering, 7 18. Coat—Thick and soft, 3 19. Action—Prompt, easy and graceful, 5 20. Symmetry—Adaptation of the several points to each		. 7
12. Ribs—Well sprung, 7 13. Belly—Wide and straight, 4 14. Flank—Well let down, 3 15. Han—Broad, full and deep, 10 16. Tail—Tapering and not coarse, 2 17. Limbs—Strong, straight and tapering, 7 18. Coat—Thick and soft, 3 19. Action—Prompt, easy and graceful, 5 20. Symmetry—Adaptation of the several points to each		. 6
13. Belly—Wide and straight, 4 14. Flank—Well let down, 3 15. Ham—Broad, full and deep, 10 16. Tail—Tapering and not coarse, 2 17. Limbs—Strong, straight and tapering, 5 18. Coat—Thick and soft, 3 19. Action—Prompt, easy and graceful, 5 20. Symmetry—Adaptation of the several points to each		. 7
14. Flank—Well let down,		. 4
15. Ham—Broad, full and deep,		. 3
16. Tail—Tapering and not coarse,		. 10
17. Limbs—Strong, straight and tapering,		
19. Action—Prompt, easy and graceful,		7
19. Action—Prompt, easy and graceful,		·
20. Symmetry—Adaptation of the several points to each		
other	other,	. 5
Other,	omer,	
Perfection, 100	PERFECTION,	- 100

DISQUALIFICATIONS.

CONDITION: Excessive fatness; barren; deformed; unsound or diseased; ridgling or one-seeded. More than one-half white or sandy.

Score: A score of less than sixty of the standard.

PEDIGREE: Lack of eligibility to record.

DAL	DETAILED DESCRIPTION.	TS.
	Color—Black or dark spotted with white points. (Sandy	
1.	spots and speckled color shall not argue impurity of blood,	.,
	but are not desirable).	3
	Objections—Solid black or with more sandy or white than black hairs over body.	
0	HEAD—Short, broad between the eyes and nicely tapering	
~.	from eyes to point of nose; face slightly dished; cheeks	_
	full,	ō
	ObjectionsHead coarse, long and narrow; face too much dished; snout coarse and thick.	
3	EARS-Drooping, fine and silky; pointing forward and a	
	little outward; well proportioned to size of body,	2
	Objections-Too large and coarse; thick, lopping; lying	
	too near the face; stiff, erect or too round.	
4.	Jowl-Full, firm and neat; carrying fullness well back to	
	shoulder and brisket,	2
	Objectious-Flabby; light; too thin in cheeks; tucking up	
	under the neck.	
5.	Neck-Full, deep, short and slightly arched,	;;
	Objections-Long; flat; lacking in fullness or depth.	
6.	BRISKET-Full; well let down, extending well forward and	
	on line of the belly,	;;
	Objections-Narrow or tucked up.	
7.	SHOULDERS—Broad, deep; thickness in proportion to the	
	sides and hams; full and even on top,	(i
	Objections-Lacking in depth or width, thick beyond the	
	line of the sides and hams; blade too prominent.	
8.	GIRTH AROUND HEART-Full back of shoulders; ribs ex-	
	tending well down, wide and full back of forelegs,	10
	Objections-Less than flank measure or length of body from	
	top of head to root of tail, or creased back of shoulders,	
9.	BACK—Broad, straight or slightly arched carrying width	
	well back to hams and of medium length,	7
	Objections-Narrow; creasing back of shoulder; narrow	
	across the loins; swayed; too long; sunfish shape.	
10.	Loin—Broad, strong and full,	7
	Objections—Narrow; weak.	
11.	Sides—Full, deep, carrying size well down and back, Objections—Too round or flat; shallow or thin at the flank,	6

12. Ries-Well sprung and long, carrying fullness and depth	
well back,	7
Objections Too flat; curve of rib too snort.	
13. Belly—Wide and straight,	4
Objections-Sagging; narrow.	
14. FlankWell let down and full,	3
Objections-Thin, tucked in, cut up too high.	
15. Ham-Full, broad, deep, holding width and coming down	
well over hock,	10
Objections-Narrow, short, too deep at the rump and cut up	
too high in crotch.	
	2
Objections-Coarse, large, too prominent at the root.	
17. Limbs-Medium length, well set apart and well tapered,	
bone firm and flinty, not coarse, muscles full above knee	
and hock, pastern short, foot short,	7
ObjectionsLong, slim, coarse, crooked, muscles light, pas-	
tern long, slim or flat, feet long or sprawling.	
	3
Objections-Coarse, bristly, harsh, and wiry.	
19. Action—Easy, prompt, fine and graceful,	5
ObjectionsDull, sluggish, clumsy.	
20. Symmetry—A harmonious combination of the foregoing	
scale of points,	5
Objections—Too much developed in some points and lack-	
ing in others.	
-	
	00
SERIOUS OBJECTIONS.	
Form-Small growth; upright ears; small, cramped ches	t;

FORM—Small growth; upright ears; small, cramped chest; crease back of the shoulders, so as to be readily seen; deformed and badly crooked legs; feet broken down so that the animal walks on pastern joint and dew claws.

Standard of Excellence for Poland-China Swine, as adopted by the Central Poland China Record Association W. H. Morris Secretary Indianapolis, Indiana:

Found China Record Masociation, W. H. Morris, Decretary, th	careti-cponi	o, inchance,
also by the National Association of Expert Indges on Swine, W.	M. Lamb	ing, Secre-
tary, West Liberty, Iowa.		
SCALE OF POINTS FOR POLAND-CHINAS	SWINE.	
POINTS.		COUNTS.
1. Head and Face,		. 4

	i	iot.	A N)-(Hì	NΑ	S	WIN	łi.				151
2. Eyes, 3. Ears, 4. Neck, 5. Jowl, 6. Shoulders, 7. Chest, 8. Back and Lo 9. Sides and Ril 10. Belly and Fla					:								-1
3. Ears,													2) 2: 22
4. Neck, .													.)
5. Jowl, .													65
7 Chost			•										12
8. Back and Lo	oin.			,									15
9. Sides and Ril	bs,												8
10. Belly and Fla	ank	ζ,											fi
11. Hair and Ru	mp	,											10 10
12. Legs and Fee	et,												10
13. Tall, .				•									ō
15. Color	•												.)
16. Size		•											õ
17. Action and S	Styl	e,											-1
18. Condition,													4
10. Beny and Ru 11. Hair and Ru 12. Legs and Fee 13. Tail, 14. Coat, 15. Color, 16. Size, 17. Action and S 18. Condition, 19. Disposition,			-										*1
			1) IE F	3 16 1-	ceri	ON		_	_		-	100
		TATS						, Tod					
FORM: Uprigl shoulders and over easily noticed; does not the animal Size: China 1 Connition: Ediseased; total befat or loose and we Score: Less to Pedigree: N	er efor al w buil xce lind vrin than Jot	the rme valk d, o ssiv lnes ikle a siz elig	bacd or sor ne fa s, c d, sl cty iblo	eks r ba ot ot tne tin po e to	so adlast two ess sed ov int	ns y cr eru o-th ; ba by er r s.	to jo jo ird ird de the	caus ked l ints. Is lar ennes fecti eyes	e a d legs; ge ei ss; de ve ey s.	lepi fec ion; for	essio t brol gli fo med :	n in ken / r age r ser r rea	down, down, ionsly son of
POINTS.									ION.				OUNTS.
1. Head and Face—Head short and wide; checks full; jaws													
broad; forehead high and wide; face short; smooth; wide													
between eyes; tapering from eyes to point of nose and													
slightly dished; surface even and regular, 4													
Objections-Head long; narrow; coarse; forehead low and													
narrow or contracted; lower jaw extending beyond upper;													
face long, s	face long, straight and narrow between eyes; nose coarse,												
thick or crooked, ridgy or dished as much as a Berkshire.													
WHER OF CIT	JOIL	,	,	7.					1	1		1 6	

	short and small knuck; tips pointing forward and slightly	
	outward, and the forward half drooping gracefully; fully	
	under control of animal; both of same size, position and	
	shape,	2
	Objections—Large; straight; stiff; coarse; thick; round;	
	long or large knuck; dropping close to face; swinging and	
	flabby; difference in form, size or position.	
4.	NECK-Wide; deep; short, and nicely arched at top, from	
	poll of head to shoulder,	2
	Objections-Long; narrow; thin; flat on top; not extend-	
	ing down to breast bone; tucked up.	
5.	Jowl-Full; broad; deep; smooth, and firm; carrying full-	
	ness back near to point of shoulders, and below line of	
	lower jaw, so that lower line will be as low as breast bone	
	when head is carried up level,	2
	Objections—Light; flabby; thin; wedge shaped; deeply	~
	wrinkled; not drooping below line of lower jaw, and not	
	carrying fullness back to shoulder and brisket.	
(*	SHOULDERS—Broad; deep and full; not extending above	
υ.		
	line of back, and being as wide on top as back; carrying	c.
	size down to line of belly, and having good lateral width,	6
	Objections-Narrow; not same depth as body; narrow at top	
	or bottom or extending above line of back; less than body	
	in breadth at top or bottom portions, or lacking in lateral	
	width; shields on boars under eight months of age, or	
	large, heavy shields, on hogs under eighteen months of	
	age.	
7.	CHEST—Large; wide; deep; roomy, indicating plenty of	
	room for vital organs, and making a large girth just back	
	of shoulders; the breast bone extending forward so as to	
	show slightly in front of legs, and extending in a straight	
	line back to end of breast bone; showing a width of not	
	less than six inches between forelegs in a large full grown	
	hog,	12
	Objections-Flat; pinched; narrow at top or bottom; drawn	
	or tucked underneath between forelegs or at either end of	
	breast bone; breast bone crooked or not extending	
	slightly in front of forelegs.	
8.	BACK AND LOIN—Broad; straight; or slightly arched; car-	
	rying same width from shoulder to ham; surface even;	

smooth, free from lumps, creases or projections; not too long, but broad on top, indicating well sprung ribs; should not be higher at hip than at shoulder, and should fill out at junction with side, so that a straight-edge placed along top of side will touch all the way from point of shoulder to point of ham; should be shorter than lower—belly line, 15

Objections—Narrow; creased back of shoulders; swayed or hollow; dropping below a straight line; humped or wrinkled; too long, or suntish shaped; loin high, narrow, depressed, or humped up; surface lumpy, creased, ridgy or uneven; width at sides not as much as shoulder and ham.

9. Sides and Ribs—Sides full; smooth; firm and deep; carrying size down to belly and evenly from ham to shoulder; ribs long, strong, well sprung at top and botton, . . .

Objections—Flat; thin; flabby; pinched; not as full at bottom as top; drawn in at shoulders so as to produce a crease, or pinched and tucked up, and in, as it approaches the ham; lumpy or uneven surface; ribs flat or too short.

10 Belly and Flank—Wide, straight and full, and dropping as low at flank as bottom of chest, back of foreleg, making a straight line from forelegs to hindlegs; flank full and out even with surrounding portions of body; the belly at that point dropping down on a line with lower line of chest; the loose skin connecting ham and belly, being on line even with bottom of side.

Objections—Belly narrow; pinched; sagging or flabby. Flank thin; tucked up or drawn in.

11. Hams and Rump—Hams broad; full, long and wide. They should be as wide at point of the hip as at the swell of the ham. Buttocks large and full; should project beyond and come down upon and fill full between the bocks. The lower front part of the ham should be full, and stifle well covered with flesh, and a gradual rounding towards the bock. Rump should have a rounding slope from loin to root of tail; same width as back, and filling out full on each side of, and above the tail,

Objections—Ham narrow; short; thin; not projecting beyond and coming down to hock; cut up too high in crotch or twist; lacking in fullness at top or bottom; lacking in

	width from stifle straight back; lower fore part thin and	
	flat; straight from root of tail to hock; buttocks light,	
	thin or flabby. Rump flat, narrow and peaked at root of	
	tail; too steep.	
12.	LEGS AND FEET-Legs medium length; straight; set well	
	apart and squarely under body; tapering; well muscled	
	and wide above knee and hock; below lock and knee	
	round and tapering, capable of sustaining weight of ani-	
	mal in full flesh without breaking down; bone firm and	
	of fine texture; pasterns short and nearly upright. Feet	
	firm; short; tough and free from defects,	1
	Objections—Legs long; slim; coarse; crooked; muscles	•
	small above hock and knee; bone large, coarse; as large	
	at foot as above knee; pasterns long, slim, crooked or	
	weak; the hocks turned in or out of straight line; legs	
	too close together; hoofs long, slim and weak; toes spread-	
	ing or crooked, or unable to bear up weight of animal	
	without breaking down.	
13.	TAIL-Well set on; small, smooth, tapering, and carried in	
10.	a curl,	
	Objections—Coarse; long; crooked, or hanging straight	
	down like a rope.	
14.	COAT—Fine; straight; smooth; laying close to and cover-	
	ing the body well; not clipped; evenly distributed over	
	body,	
	Objections-Bristles; hair coarse; harsh; thin; wavy or	
	curly; swirls; standing up; ends of hair split and brown;	
	not evenly distributed over all of the body except belly.	
	Clipped coats should be cut 1.5 points.	
15.	Color-Black, with white in face or on lower jaw; white	
	on feet and tip of tail, and a few small, clear white spots	
	on body not objectionable,	
	Objections-Solid black, more than one-fourth white; sandy	
	hairs or spots; a grizzled or speckled appearance.	
16.	Size-Large for age and condition; boars two years old and	
	over, if in good flesh, should not weigh less than 500	
	pounds. Sows same age and condition, not less than 450	
	pounds. Boars eighteen months old, in good condition,	

not less than 400 pounds; sows, 350 pounds. Boars twelve months, not less than 300 pounds; sows, 300 pounds.

POLAND-CHINA SWINE.

	Boar and sows, six months, not less than 150 pounds. Other ages in proportion,	5
	Objections—Overgrown; coarse; gangling, or hard to fatten at any age.	
	Action and Style—Action vigorous; easy; quick and graceful. Style, attractive; high carriage; and in males, testicles should be of same size, carriage, readily seen, and yet not too large,	4
	CONDITION—Healthy; skin clear of scurf, scales, or sores; soft and mellow to the touch; flesh fine, evenly laid on and free from lumps or wrinkles. Hair soft and lying close to body; good feeding qualities,	4
19.		3
	Perfection, 1	00

SMALL YORKSHIRE SWINE.

Standard of Excellence for Small Yorkshire Swine, as adopted by the Small Yorkshire Club, G. W. Harris, Secretary, 340 Third Avenue, New York; also by the American Yorkshire Club, W. F. Wilcox, Secretary, 148 Highland Avenue, Minneapolis, Minn, [Slightly changed in arrangement for this publication.]

SCALE OF POINTS FOR SMALL YORKSHIRE SWINE	
POINTS.	COUNTS
A. Head,	15
B. Truńk,	30
U. Hams,	25
E Lors	$\frac{10}{5}$
F. Skin.	5
B. Trunk, C. Hams, D. Shoulders, E. Legs, F. Skin, G. Hair,	5 5
H. General Appearance,	5
Perfection,	100
DETAILED DESCRIPTION.	
POINTS.	COUNTS.
HEAD-FIFTEEN POINTS.	
1. SMALLER THE BETTER,	. 2
2. Nosk—Shorter the better,	
3. Dish—Greater the better,	. 3
4. WIDTH BETWEEN EARS—Greater the better,	
5. EARS SMALL, THIN, ERECT-More so the better, and	
be pricked forward, but not lopped,	
	. ~
TRUNK-THIRTY POINTS.	
6. TOP LINE—Straighter the better, from shoulder to tail.	. 5
7. Belly Line—The more level the better;	. 5
8. GIRTH IN EXCESS OF LENGTH-More the better, if	\mathbf{not}
more than ten per cent.,	. 5
9. Depth—Greater the better,	. 5
10. Width-Greater and evener the better, from shoulde	r to
ham.	. 5
ham,	. 3
12. FLANK—Deeper and fuller the better,	. 3
13. Flank—Deeper and runer the better,	. ~

	SMALL YORKSH	IRE	SWI	ΝE.				13	27
	HAMS-TWENTY	FIV	в Ро	INT	s.				
14.	LENGTH—Longer the better, BREADTH—Broader the better, THICKNESS—Greater the better		· ·						10 10 5
	SHOULDERS-T	EN	PO1	NTS	3 .				
17.	LENGTH—Longer the better, BREADTH—Broader the better, THICKNESS—								5 5 0
	LEGS-FIVE	PO	INT	3.					
20.	Shorter the better, Straighter the better,	, iore	so th	ie be	etter	. M	ust 1	iot	3 2
	from old sores; not pale and and free from eruption, HAIR—Evener, finer, and thick GENERAL APPEARANCE—Symmorous health,	ash er tl netr	y, bi he be y an	at l tter d e	iealt , . vide	hy i · nce	n co · · of v	lor ig-	5 5 5
	PER	FECT	rion,		-	-	-	- 1	00
	DISCOUNTS AND DIS	SQU.	ALII	FICA	T1(DISCO	UNTS	
	Pedigree—Lack of registration registered disqualifies, Sterility—Inability to produce						100 p	oin	ts.
	fies,		٠.			dis-	100		
4.	qualifies, DISEASE—Any evidence of, or t disqualifies,					ise,	100 100		
6.	excema; etc., COLORED HAIR—Disqualifies, COLORED SPOTS—Dark spots in SIZE—Inordinate size, with co	ski arse	n, .	of	bone	5 to 5 to e or	o 25 100 o 25		
8.	form,	:				10 to 5 to 5 to	25		

SUFFOLK SWINE.

Standard of Excellence for Suffolk Swine, as adopted by the American–Suffolk Association, W. F. Watson, Secretary, Winchester, Indiana.

SCALE OF POINTS FOR SUFFOLK SW	INE.	4.	
POINTS,			COU
1. Color—White,			
 Color—White,			
3. Ears—Fine, erect, slightly drooping with age			
4. Jowl—Full and neat,			
6. Shoulders—Broad and deep,			
7. Girth around heart,			
8. Back—Straight, broad and level,			
9. Sides—Deep and full,			
10. Ribs—Well sprung,			
11. Loin—Broad and strong,			
12. Flank—Well let down,			
13. Ham—Broad, full and deep,			
14. Tail—Medium, fine and curled,			
15. Legs -Fine, straight and tapering,			
16. FeetSmall,			
17. Hair—Fine and silky, free from bristles, .			
18. Action—Easy and graceful,			
19. Symmetry-Adaptation of the several parts	to	each	
other,			1
Perfection, -	-		- 10

TAMWORTH SWINE.

Quite recently many specimens of the Tamworth breed of swine have been imported from England into the United States and Canada. At the time this book goes to press the Tamworth breeders have failed to organize an association of their own, although an attempt was made in Massachusetts. The following description from the Breeders' Gazette, October 18th, 1893, gives an excellent idea of the breed, especially as they appeared at the World's Fair, at Chicago:

"If the caricaturist were asked to describe this big, sandyhaired breed of swine as most of them appeared at the Columbian he would probably depict them as all snouts and slab-sides. And the caricature would be so near the truth as almost to miss being a caricature. As a matter of fact the Tamworths shown from Canada were the sensation of the swine show. They were sui generis and so suggestive in their conformation of the thoroughbred "hazel-splitter" as to be the butt of ridicule throughout the showing. It is said that the bacon curers of Canada are strongly urging these swine upon the Dominion pig-breeders. We can readily believe it, for the bacon-curer cares nothing for the hams or shoulders, and the Tamworths have little of either. He wants sides, and the Tams are literally "long" on sides, and deep also, They are tremendously high and deep-sided, remarkably light in hams and shoulders, and prodigiously prodigal of snout and ears. Lean side meat they grow in great quantity, but if it approaches in quality the finer-grained breeds our ideas of form as related to quality of flesh need revision. That such long-nosed, slab-sided swine can be easy feeders is a proposition which no amount of argument could force upon the grower of pigs for the American markets. Mr. Thomas Bennett, Rossville, Ill., was showing an entirely different type of Tamworths. Ten years ago he personally made an importation of this breed, selecting a shorter-legged, wider-backed, more compact type, and he has been improving them ever since, having imported another boar for this purpose about two years ago. The type he now shows is that most in favor in American feed-lots, and as the judge, Mr. F. D. Coburn, was looking for the kind which more nearly meets modern ideas in pork-making, Mr. Bennett's pigs came in for chief recognition. The story of the showing is a brief one. Exhibitors were Thomas Bennett, Rossyille, Ill.; James Calvert, Thedford, Ont., and John Bell, Amber, Ont.

VICTORIA SWINE.

Detailed description of Victoria Swine, as adopted by the Victoria Swine Breeders' Association, George F. Davis, Secretary, Dyer, Indiana, at their annual meeting, November, 1888, as an aid to Judges at Fairs, in place of the score eard, and to assist breeders to establish uniformity.

DISQUALIFICATIONS.

Color: Other than white or creamy white, with occasional dark spots in skin.

FORM: Crooked jaws or deformed face; crooked or deformed legs; large, coarse, drooping ears.

CONDITION: Excessive fatness; barrenness; deformity in any part of the body.

Pedigree: Not eligible for record.

POINTS. DETAI

DETAILED DESCRIPTION.

- 1. Color—White, with occasional dark spots in the skin.
- 2. Head and Face—Head rather small and neat—Face medium dished and smooth; wide between eyes; tapering from eyes to nose.
- 3. EYES-Medium size, prominent, bright; clear and lively in young and quiet expression in aged animals.
- 4. Ears—Small, thin, fine, silky; upright in young pigs, pointing forward and slightly outward in aged animals.
 - 5. NECK-Medium wide, deep, short, well arched and full at top.
- 6. Jown-Medium full, nicely rounded, neat and free from loose, flabby fat.
- 7. Shoulders—Broad, deep and full, not higher than line of back, and as wide as top of back.
- 8. CHEST-Large, wide, deep and roomy, with large girth back of shoulders.
- 9. Back and Loin—Broad, straight or slightly arched, carrying same width from shoulder to ham; level and full at loin; sometimes slightly higher at hip than at shoulders.
- 10. RIBS AND SIDES—Ribs well sprung at top; strong and firm; sides deep, full, smooth and firm; free from creases.
 - 11. Belly and Flank-Wide; straight and full; as low or slightly

lower at flank than at chest. Flank full and nearly even with sides.

- 12. HAMS AND RUMP—Hams long; full and wide; nicely rounded; trim and free from loose fat. Buttocks large and full; reaching well down to hocks. Rump slightly sloped from end of loin to root of tail,
- 13. Legs and Fert-Legs short; set well apart and firm; wide above knee and hock tapering below. Feet firm and standing well up on toes.
 - 14. TAIL—Small; fine and tapering; nicely curled.
 - 15. COAT—Fine and silky; evenly covering the body.
- 16. Size—Boars two years old and over when in good condition should weigh not less than 500 pounds; sow same age and condition, 450 pounds. Boars twelve months old not less than 300 pounds; sows in good flesh 300 pounds. Pigs five to six months old 140 to 160 pounds.
 - 17. ACTION-Easy and graceful but quiet.
- 18. CONDITION—Healthy; skin clean, and white or pink in color: free from scurf; flesh firm and evenly laid on.
 - 19. DISPOSITION—Quiet and gentle.

«APPENDIX.»

SHETLAND PONIES.

Standard of Excellence for Shetland Ponies, as adopted by the American Shetland Pony Club, Mortimer Levering, Secretary, Lafayette, Indiana.

POINT	SCALE OF 1	CINIS	FOR	5H	E L,	טאו	PON	ILS.		COUNTS
1.	Constitution, .									10
2.	Size,									25
3.	Head,									10
4.	Body,									10
5.	Legs,									25
6.	Size, Head, Body, . Legs, Mane and Tail,						,			10
7.	Feet,								•	10
		1	ener.	.CTT	DN.	_	_	_	_	100
					,					200
	DE	TAILE	D DE	sci	RIPT	101	1.			
POINT										COUNTS.
1. (Constitution—C					_				•
	appearance, per		-					-		
2. S	Size—Ponies over	· four	years	old,	42 i	nche	es an	d ur	ıder	in
	height; two poi	nts to l	oe ded	ucte	d fo	r ev	ery i	nch	ove	r 42
	inches up to 46 i	nches.	fracti	onal	por	tions	s to e	count	as	full
	inches. Ponies									
					_		-			_
о т	try,									
3. F	HEAD—Head sym			-	-				_	
	between the eye									
4. I	Body—Barrel wel	lroun	\det	back	sho	ort a	ınd	level	, d	eep
	chested, good br	east, c	ompac	et, "	pon	y bu	ild ''			. 10
5. I	LEGS-Legs muscu	ılar, fla	t-bone	ed, h	ind	legs	not	cow-	hoc	ked
	or too crooked,					_				
6 N	IANE AND TAIL-									. 10
1. I	EET-GOOU, .		•	•	•	•	•		•	. 10
			P	ERF:	ЕСТІ	on,	-	-		100

MEASUREMENTS REQUIRED.

Height at withers in li							Inches
Measurement of the gir	rth	arour	id h	eart,			Inches
Weight,			٠				Pounds

N. B.—The following letter will be found to contain several valuable suggestions in regard to judging Shetland ponies:

AMERICAN SHETLAND PONY CLUB.

SECRETARY'S OFFICE, La Fayette, Iud., April 18, 1893.

FRANK A. LOVELOCK, Esq.:

DEAR SIR:—In answer to your favor of 10th instant will say, the maximum height of ponies, as you will see by the rules, is 46 inches. The smaller the pony, if he is blocky and well formed, the higher he will be considered in class. Some of the finest Shetlands in the country, and the highest priced are from 28 to 31 inches high, and weigh about 200 pounds. The type of Shetland is as far from the thoroughbred horse type as possible to get. The pony must be square-built, strong, large limbs, small head and ears. All ponies on the thoroughbred type are undesirable. It is said the pure-bred Shetland cannot kick over eight inches from the ground. They are intended for children's pets, and we do not want to type a pony that can stand and kick a man's hat off, as can some of the Welch Exmoor ponies. Ponies of 44 to 45 inches high should weigh from 350 to 400 pounds.

Yours respectfully,

MORTIMER LEVERING, Secretary.

SHORT-HORN CATTLE.

A few days before this book went into the hands of the binder, the editor found on the agricultural page of the Philadelphia Public Ledger, the following standard of excellence for Short-Horn Cattle, as established by the Massachusetts State Board of Agriculture, for use at the Fairs of that State. Without wishing to criticise, the editor would say that he prefers for his own use the standard of excellence for Short-Horn Cattle as found on pages 44, 45 and 46 of this work.

SCALE OF BOINTS FOR SHORT-HORN COM

SCALE	O F	PC	2114	18	FOI	٦ :	HC	BT-	·HC	RN	CC	ΣW.			
POINTS.														C	OUNTS.
1. Head, .															3
2. Face, .															3
3. Eye, .															2
4. Horns,															1
5. Neck, .															5
6. Chest,															14
7. Brisket, .															5
8. Shoulder,															4
9. Crops, .															8
9. Crops, 10. Back, Loin s	and	Hij	Jo,												8
11. Kump															5
11. Rump, 12. Pelvis,															-2
13. Twist, .															3
14. Quarters,															5
15. Carcass, .															4
16. Flanks,															3
17. Legs, .															2
17. Legs, 18. Plates of the	: Ве	elly,													3
19. Tail, .															2
20. Carriage,															2
21. Quality, .															15
22. Coat, .															2
23. Udder, .						٠									3
				70											
	′			17	ERF	ΈC	TIC	λ,				-			100
		DE.	TA	LE	D	DE	SC	RIE	TI	ON					
POINTS.														C	OUNTS.
1. Head-Small	. le	an a	and	Lbo	nv.	t.	me	ring	rto	the	n	11173	de.		3
2. Face—Some															
light, delica	ite	core	л,		•		•					٠	-		. 2
3. Eyes—Of gr	eat	ទខ្	gni:	fica	nce	, ;	ınd	she	oul	d E	e	pro	mii	ıeı	ıt,

	bright and clear-"prominent" from an accumulation of	
	"adeps" in the back part of its socket, which indicates a	
	tendency to lay on fat, "bright" as an evidence of a good	
	disposition, "clear" as a guaranty of the animal's health;	
	whereas a dull, sluggish eye belongs to a slow feeder, and	
	a wild, restless eye betrays an unquiet, fitful temper,	1
4.	Horns-Light in substance and waxy in color, and symmetri-	
	cally set on the head; the ear large, thin, and with con-	
	siderable action,	
5.	NECK-Rather short than long, tapering to the head, clean	
	in the throat, and full at its base, thus covering and filling	
	ont the points of the shoulders,	5
6.	CHEST-Broad from point to point of the shoulders, deep	
	from the anterior dorsal vertebra to the floor of the ster-	
	num, and both round and full just back of the elbows,	
	sometimes designated by the phrase "thick through the	
	heart." These are unquestionably the most important	
	points in every animal, as constitution must depend on	
	their perfect development, and the ample room thus af-	
	forded for the free action of the heart and lungs,	1
7.	Brisket-However deep or projecting, must not be con-	
	founded with capacity of chest, for though a very attrac-	
	tive and selling point, it, in reality, adds nothing to the	
	space within, however it may increase the girth without.	
	It is, in fact, nothing more nor less than a muscular adi-	
	pose substance, attached to the anterior portion of the	
	sternum, or breast bone, and thence extending itself back.	
	This form, however, of the brisket indicates a disposition	
	to lay on fat generally throughout the frame, and in this	
	point of view is valuable,	
8.	SHOULDER-Where weight, as in the Shorthorn, is the	
	object, should be somewhat upright and of good width at	
	the points, with the blade-bone just sufficiently curved to	
	blend its upper portion smoothly with the crops,	4
9.	Crops—Must be full and level with the shoulders and back,	
	and is, perhaps, one of the most difficult points to breed	
	right in a Shorthorn,	8
10.	BACK, LOIN AND HIPS-Should be broad and wide, forming	
	a straight and even line from the neck to the setting on of	
	the tail, the hips or hooks round and well covered,	8

11.	Rumps-Laid up high, with plenty of flesh on their extremi-	
	ties,	-5
12.	Pelvis-Should be large, indicated by the width of the hips	
	(as already mentioned) and the breadth of the twist,	2
13.	Twist-Should be so well filled out in its "seam" as to form	
	nearly an even and wide plain between the thighs,	3
14.	QUARTERS-Long, straight and well developed downwards,	5
	CARCASS-Round, the ribs nearly circular and extending	
	well back,	4
16.	FLANKS-Deep, wide and full in proportion to condition, .	3
17.	Legs—Short, straight and standing square with the body,	2
	PLATES-Of the belly strong, and thus preserving nearly a	
	straight underline,	3
19.	TAIL—Flat and broad at its root, but fine in its cord, and	
	placed high up and on a level with the rumps,	2
20.	CARRIAGE—Of an animal gives style and beauty; the walk	
	should be square and the step quick, the head up,	2
21.	QUALITY—On this the thriftness, the feeding properties and	
	the value of the animal depend; and upon the touch of	
	this quality rests, in a good measure, the grazier's and the	
	butcher's judgment. If the "touch" be good, some defi-	
	ciency of form may be excused; but if it be hard and stiff,	
	nothing can compensate for so unpromising a feature. In	
	raising the skin from the body, between the thumb and	
	finger, it should have a soft, flexible and substantial feel,	
	and when beneath the outspread hand it should move	
	easily with it, and under it, as though resting on a soft,	
	elastic, cellular substance; which, however, becomes	
	firmer as the animal ripens. A thin papery skin is objec-	
		15
99	COAT-Should be thick, short and mossy, with longer hair	
•••	in winter, fine, soft and glossy in summer,	2
23.	UDDER—Pliable and thin in its texture, reaching well for-	~
	ward, roomy behind, and the teats standing wide apart,	
	and of convenient size,	3
	<u> </u>	
	Perfection, 1	.00

THE BULL,

The points desirable in the females are generally so in the male,

but must, of course, be attended by that masculine character which is inseparable from a strong, yigorous constitution. Even a certain degree of coarseness is admissible, but then it must be so exclusively of a masculine description as never to be discovered in the females of his get.

In contradistinction to the cow, the head of the bull may be shorter, the frontal bone broader, and the occipital flat and stronger, that it may receive and sustain the horn, and this latter may be excused if a little heavy at the base, so its upward form, its quality and color be right. Neither is the looseness of the skin attached to and depending from the under jaw to be deemed other than a feature of the sex, provided it is not extended beyond the bone, but leaves the gullet and throat clean and free from dewlap.

The upper portion of the neck should be full and muscular, for it is an indication of strength, power and constitution. The spine should be strong, the bones of the loin long and broad, and the whole muscular system wide and thoroughly developed over the entire frame.

TUNIS OR BROAD-TAILED SHEEP.

Standard of Excellence for Tunis or Broad-Tailed Sheep, as adopted by the American Tunis Sheep Breeders' Association, G. A. Guilliams, P resident, and M. A. Bridges, Secretary, Fincastle, Indiana. [This standard was sent to the editor just as this book was ready for the binder, hence could not appear in the sheep department.]

department.]								•	•			
SCALE OF POINTS FO	R	TUN	ıs	OR	вR	OAI	D-T	AIL	.ED	SH	EE	P.
POINTS.											(OUNTS.
1. Blood, 2. Constitution, 3. Fleece, 4. Covering, 5. Form and Tail, 6. Head and Ears, 7. Neck, 8. Legs, 9. Size, 10. General Appearance												20
2. Constitution, .												-15
3. Fleece,									•			10
4. Covering,												10
5. Form and Tail, .												12
6. Head and Ears, .												10
7. Neck,												5
S. Legs,						,						6
9. Size,												- 6
10. General Appearance	,											6
	P	ERFI	ЕСТ	101	ī,	-						100
DETA												
POINTS.		ED	<i>J</i> <u>C.</u>	30	NIF	110	<i>)</i> 14.	•			(OUNTS
1. Blood—Imported from	^111 1	Tun	ie	or	har	zinc	<i>r</i> 9	ne	rfec	t li	ne.	of
1. BEOOD—Imported its	. 1.	1- 4	110,	b.	3	ייוני, הייוני,		.4.	and	L	o.d	l.rr
ancestors extending	; 0	ack t	o t	ne .	пос	K O	WH	eu	апе		ea	. Uy
Judge Richard Pe												
who received his fi	rst	pair	fr	$^{ m om}$	Tu	nis	in	1779	9, a	$\mathbf{n}\mathbf{d}$	bı	ed
them pure for more												
2. Constitution—Heal												
erect, deep chest, ri	bs	well	arc	chec	1, r	oun	a i	ooa	y w	un	go	ou
length. Strong, str	ai,	ght 1)ac	k;	mu	scle	s f	ine	and	1 1i i	ım,	. 15
3. FLEECE—Medium len												
ty, color tinetured												
ness throughout,												
4. Covering—Body and												
bare or slightly cov	er	ed; f	ace	fre	e fi	om	w	ool	and	co	ver	ed
with fine hair, .												
5. FORM AND TAIL-BO												
J. FURMAND TAIL-DO	u y	SUL	ugi	υı,	010	au	an		v C 11	171	$\sim P$	01

	tioned. Small bone; breast wide and prominent in front.	
	Tail—the little end should be docked, leaving the fleshy	
	part fan-shaped, or tapering; five to ten inches broad,	
	six or eight inches long and well covered with wool,	12
6.	HEAD AND EARS—Head small and hornless, tapering to end.	
	of nose; face and nose clean, in color brown and white.	
	Ears broad, thin, pendulous, covered with fine hair; in	
	color brown to light fawn,	10
7.	NECK-Medium in length, well placed on shoulders; small	
	and tapering,	5
8.	LEGS-Short. In color, brown and white; slightly wooled	
	not objectionable,	6
9.	SIZE—In fair condition, when fully matured, rams should	
	welgh 150 pounds and upwards; ewes, 120 pounds and	
	upwards,	6
10.	GENERAL APPEARANCE—Good carriage; head well up;	
	quick elastic movements, showing symmetry of form and	
	uniformity of character throughout,	6
	T	-
	Perfection, 1	00

CONTENTS.

Α.

					PAGES.
Aberdeen-Angus Cattle.					10-14
Angora Goats, .					. 96
Ayrshire Cattle,					$15\ 17$
	_				
	В.				
Berkshire Swine, .					99 103
					200
	C.				
Cheshire Swine, .					104-105
Chester-White Swine,					106 112
Cheviot Sheep, .					58, 59
Cotswold Sheep, .					60-62
-	D.				
Devon Cattle, .					18 20
Dorset-Horn Sheep, .					63
Duroc-Jersey Swine,					113-116
Dutch-Belted Cattle, .					21-23
	E.				
Essex Swine,		•			117

G.	
Galloway Cattle,	24, 25
Guernsey Cattle,	26 28
н.	
Hampshire down Sheep,	64, 65
Hereford Cattle,	29, 30
Highland Black Faced Sheep,	66
Holderness Cattle,	31
Holstein-Friesian Cattle,	$32 \ 36$
"How to Judge Wool on the Sheep's Back,"	56, 57
J.	
Jersey Cattle,	37 39
ĸ.	
Kerry Cattle,	40, 41
L.	
Leicester Sheep,	67
Lincoln Sheep,	68, 69
M.	
MERINO SHEEP,	70-87
American Rambouillet Sheep Breeders' Association, Black Top Spanish Merino Sheep Breeders' Publishing	70, 71
Association,	72, 73
Improved Black-Top Merino Association,	74, 75
National Delaine Merino Sheep Breeders' Association,	76-78
National Dickinson Record Company,	79, 80
National Improved Saxony Sheep Breeders' Association, .	81, 82
National Merino Sheep Register Association,	86
New York State American Merino Sheep Breeders' Asso.,	87
Ohio Spanish Merino Sheep Breeders' Association,	87
Standard American Merino Sheep Breeders' Association, Standard Delaine Spanish Merino Sheep Breeders' Asso.,	83, 84
Transfer and the second	85, 86 87
Vermont Atwood Club Register,	97

CO.	NTEN	TS.				143
	N.					
Nomenclature for Bull, .						. 8
Nomenclature for Cow, .						9
Nomenclature for Hog,	•					. 98
	Ο,					
Oxford Down Sheep, .						. 88, 89
	_					
*	Р.					
Poland China Swine,						$118\ 125$
Polled Durham Cattle, .						46
Preface,						3, 4
	R.					
Red Polled Cattle, .						42, 43
Reform in Judging at Fairs,						5 7
	S.					
Shetland Ponies, .						133, 134
Short-horn Cattle,	٠.	•	•	•	44.4	
Shropshire-down Sheep,						
Small-Yorkshire Swine,						126, 127
Southdown Sheep,						92, 93
Suffolk Sheep,						94, 95
Suffolk Swine,			٠			
Sussex Cattle,						47, 48
Swiss (Brown) Cattle, .	•					49 59
_	T.					
Tamworth Swine,						129
Tunis or Broad Tailed Sheep,						139, 140
	V.					
Victoria Swine,						130, 131
	W.					
West Highland Cattle,						53, 54

