



FERRISIAN STONES 8 RANGES










PENINSULAR STOVES & RANGES

Catalog-No.625

THE PENINSULAR STOVE CO.

DETROIT CHICAGO




WORKS, SALESROOMS AND GENERAL OFFICES
DETROIT, MICHIGAN

The largest, most up-to-date and best equipped stove factory in America. Every modern appliance for making first-quality goods is installed in this immense plant. Occupies six city blocks and has more than 2,500,000 square feet of floor area.







WESTERN OFFICES, SALESROOMS AND WAREHOUSE
434-500 South Canal Street
CHICAGO, ILLINOIS

Our Chicago Warehouse is the largest exclusive Stove and Furnace Warehouse in the United States. 25,000 stoves, gas ranges and furnaces are carried at all times. Our location in Chicago is so close to all the western railroads that it enables us to make very prompt shipments to our western trade.





TERMS

All Prices Subject to Change Without Notice

All accounts are due and payable net 30 days from date of invoices.

Accounts paid within 10 days from date of invoices will be subject to a cash discount of two per cent.

All bills not paid at maturity are subject to sight draft with interest charges at legal rate, from due date to date of payment.

All bills payable in New York, Chicago or Detroit Par Funds. No allowance for exchange or express charges.

Claims against invoices must be made within five days after receipt of goods.

Transportation companies make two classifications, viz.: Carrier's risk and Owner's risk (released). When shipped at carrier's risk, rates are two or three times higher than when shipped at owner's risk. Hence we always ship at owner's risk released unless otherwise directed.

Breakages and Freight Overcharges

We deliver to the Transportation Company in good order, and thereupon our responsibility ceases. If not delivered to you in good order, and in accordance with quantity shown on Bill of Lading, follow these directions:

- 1st. Sign Railroad receipt "short" or "damaged" and have your freight agent mark the freight bill accordingly.
- 2nd. If packages are delivered in apparent good order, but, on opening, contents are found crushed or broken, call freight agent or purchaser to view same, and have him mark freight bill relative to such concealed damage.
- 3rd. We will, on request, send you the original Bill of Lading and

- also, if desired, send a duplicate
- 4th. Charge the claim against the Transportation Co., on your books, sending a bill of same to your freight agent, with the original Bill of Lading, paid freight bill and copy of our invoice to support it.
- 5th. Make your claim promptly, for the Transportation Co. will not consider a claim unless presented within four months from date of shipment.


WE SHALL BE GLAD TO ASSIST YOU IN ANY WAY WE CAN,
BUT A SETTLEMENT NECESSARILY REQUIRES CONSIDERABLE TIME, FOR
A CLAIM MAY HAVE TO BE PASSED UPON BY TWO OR
MORE TRANSPORTATION COMPANIES
IF JUST, IT WILL BE PAID.





The New Modern Peninsular Porcelain Cast Range

The Range Without a Fault



Sectional cut of the Celebrated Peninsular One-piece Steel Oven Cast Range, showing Entire Interior and the Sheet Flue Construction

IN building the New Modern Peninsular, much serious thought, time and energy were given the designing of this range. We consider it the very best cast iron range for either coal or wood made.

The Modern is furnished as illustrated in grey or blue porcelain.

The Peninsular Patent Steel Ovens such as used in the Modern, are made in one piece, can never fire crack nor leak ashes, as there are no corner joints.

They are sanitary, can be washed out like a china howl

They require less fuel to heat them thoroughly, consequently take less fuel to operate, therefore are more economical.

In mounting Peninsular Steel Oven Cast Ranges, the oven supports help to hold the range body together.

A Cast Oven in a Cast Range is made in four or more parts and is held together usually with rods. The oven plates must be extremely thin to allow the heat to radiate through them to bake. Being very thin they fire crack easily, due to the constant expansion

and contraction. Then they leak ashes and don't bake as they used to.

Peninsular Patent Steel Oven Ranges are the only line on the market with true individuality which can't be duplicated elsewhere, therefore no competition.

Twice the Baking Capacity of an Ordinary Oven

Peninsular Steel Ovens are square and even, the same height front and back, and bake on oven rack and oven bottom at the same time, giving twice the baking capacity of an ordinary range.

The oven top is reinforced by an extra heavy steel plate and cast protection plates, so that fire cannot act directly on the oven top, thus increasing the life of the range.

A cold rolled heavy gauge steel oven rack is provided with each range. It can never break like the cast rack nor bend like a wire one and when placed on oven bottom allows plenty of circulation under pan.

Notice how large the Peninsular Fire Box is. It is like a powerful engine. You don't have to run it at full



Extra Large Deep Fire Box

speed all the time. A moderate fire does the ordinary work and when you want more power for extra baking, water heating, etc., you have it at once by running the fire a little harder.

THE LININGS are extra heavy cast iron with air space behind. They rest solidly on a special frame.


This lining rest, instead of acting as a support for the grates as in ordinary ranges, is entirely independent.

DUPLEX GRATES can be removed through the grate door without disturbing the linings or water front.

ALL PENINSULAR CAST RANGES can be furnished with water fronts fitted or shipped separately.








The New Modern Peninsular Pearl Grey Porcelain Cast Range

Sanitary Pearl Grey Porcelain Cast-Iron Body and Grey and White High Closet, Sanitary White Porcelain Oven Door Panel, Fire Door Panel and High Closet Door Panels. Ground and Polished Top. Oven Thermometer and Five-Piece Nickel Base.

Number	Holes	Oven	Weight
6820	Six 8-Inch	20 x 20 x 12	535
6920	Six 9-Inch	20 x 20 x 12	535







Reservoir and High Closet Coal, Coke or Wood


The New Modern Peninsular Pearl Grey Porcelain Cast Range

Sanitary Pearl Grey Porcelain Cast-Iron Body and Grey and White High Closet, Sanitary White Porcelain Oven Door Panel, Fire Door Panel, Reservoir Panel and High Closet Door Panels. Ground and Polished Top. Oven Thermometer, Five-Piece Nickel Base and Large Encased Copper Reservoir

Number	Holes	Oven	Weight
6820	Six 8-Inch	20 x 20 x 12	615
6920	Six 9-Inch	20 x 20 x 12	615







The New Modern Peninsular Pearl Grey Porcelain Cast Range with Cabinet Base

Sanitary Pearl Grey Porcelain Cast Iron Body and Grey and White High Closet, Sanitary White Porcelain Oven Door Panel, Fire Door Panel, Reservoir Panel and High Closet Door Panels. Ground and Polished Top. Oven Thermometer, Cabinet Base and Large Encased Copper Reservoir.

Number	Holes	Oven	Weight
6820	Six 8-Inch	20 x 20 x 12	635
6920	S: 0 T 1		033
0 720	Six 9-Inch	20 x 20 x 12	635



The New Defender Peninsular Pearl Grey Porcelain Cast Range

The Kitchen Range Supreme

GREAT changes have been effected since the time of the first Kitchen Range. The Defender Peninsular was conceived by artist designers and wrought by master craftsmen. It possesses the very acme of perfect taste, and serves a definite need. By its style and type, it reflects a distinct advance, not alone in appearance, but in general construction as well.

Its lustrous grey porcelain cast body in a superb grey and white trim is most delightful, and leaves nothing to be desired. Moreover its many features of extraordinary merit and importance pertaining to performance, labor and fuel saving, places the new Pioneer Peninsular far in the lead of desirable kitchen ranges.

The porcelain construction is a tremendous step forward in modernizing the kitchen and lightening the housekeeper's burdens. It is produced in our own plant by the best process known to science. It is fused into and made an integral part of the cast iron. Peninsular Porcelain is a superior quality, being smoother and has a more luxurious, mirror-like finish, and possesses unusual strength and durability.

FLUES are large without any pockets, rightly proportioned, assuring a free and perfect circulation, making certain a uniform heating of the oven and reducing the required amount of fuel to a minimum.

MAIN TOP—The frame is made in four sections and so fitted as to allow for expansion and contraction. Entire top is ground and polished perfectly smooth and needs no blackening.

FIRE BOX is properly designed and scientifically correct in size, shape and weight, so as to hold the correct relation to the flues, and insure perfect combustion without waste of heat and the minimum consumption of fuel. Air space behind fire back front and end linings allows same to be thoroughly ventilated and is a guarantee of their lasting qualities.

DUPLEX GRATES, simple in operation—save fuel. This grate can be used for either coal or wood, in a moment's time by simply removing or replacing the end linings and reversing the grates. Can be easily and quickly removed.

LEFT END DRAFT—The fire box is not dependent for draft from the front only. At the left end of the range a draft slide is provided which extends from one end of the fire box to the other through which a proper amount of air can be admitted the entire length of the fire box in evenly distributed quantities and thus cause perfect combustion.

ASH PIT is large and roomy. There are ash chutes which conduct the ashes directly into the ash pan. The ash pan is large and made of heavy gauge steel.

OVEN is of the proper height and depth. Top oven plate is cross ribbed to strengthen same and prevent cracking; is cemented to equalize the heat in the oven.

OVEN DOOR, made with beautiful White Porcelain Enamel Panel, surrounded by a wide Nickel Door Frame, without any bolts or rivets showing. The drop door is spring balanced and when open forms a convenient shelf.

PORTABLE TOWEL ROD, made of Nickeled Steel Tubing, extends across front of range; acts as a guard to protect clothes from contact with heated top of range. Convenient for drying towels.


RESERVOIR—The Reservoir is made of heavy copper, coated on the inside with pure block tin.


HIGH CLOSET is a thing of beauty as well as of usefulness, being made of a special grade of American Ingot iron and finished in Grey and White Porcelain. It is washable and therefore easy to keep clean.

Has spacious warming compartment which provides just the space desired.

Two drop doors convenient for resting articles on.








The New Defender Peninsular Pearl Grey Porcelain Cast Range

Sanitary Pearl Grey Porcelain Cast-Iron Body and Grey and White High Closet, Sanitary White Porcelain Oven Door Panel, Fire Door Panel and High Closet Door Panels, Ground and Polished Top, Five-Piece Nickel Base.

Number	Holes	Oven	Weight
1868	Six 8-Inch	18 x 18 x 12	450








Reservoir and High Closet Coal, Coke or Wood

The New Defender Peninsular Pearl Grey Porcelain Cast Range

Sanitary Pearl Grey Porcelain Cast-Iron Body and Grey and White High Closet, Sanitary White Porcelain Oven Door Panel, Fire Door Panel, Reservoir Panel and High Closet Door Panels. Ground and Polished Top. Five-Piece Nickel Base. Large Copper Contact Reservoir.

Number	Holes	Oven	Weight
1868	Six 8-Inch	18 x 18 x 12	500





The New Defender Peninsular Pearl Grey Porcelain Cast Range with Cabinet Base

Sanitary Pearl Grey Porcelain Cast-Iron Body and Grey and White High Closet, Sanitary White Porcelain Oven Door Panel, Fire Door Panel and High Closet Door Panels, Ground and Polished Top, Cabinet Base.

Number	Holes	Oven	Weight
1868	Six 8-Inch	18 x 18 x 12	470





The Reward and Pioneer Peninsular Cast Ranges

Medium in price but Peninsular Quality throughout. These plain mission finish square oven cast Ranges are big sellers; they meet the requirement and fit the purposes of the majority of people. They are distinctive because of their Sanitary White Porcelain features consisting of Sanitary White Porcelain oven door and fire door panels and White Porcelain Splashers on High Closet.

HESE ranges in their new White Porcelain dress are most carefully mounted and fitted by the highest class of skilled labor. If our customers could have the privilege of watching the process of building Peninsular Cast Ranges, they would appreciate what it means to build a really high-

class range. Every detail is carefully executed and a most rigid inspection made of every range before being crated for shipment.

Fire Box for Hard Coal

The regular Peninsular fire box for the burning of hard coal and wood is perfectly proportioned, extra wide, of proper depth, and includes a sectional back with keyed center, so

Extra Large Deep Fire Box

fitted as to draw the draft up through the grate.

The front grate opening or fingers match those of the grate, and are on a line with the end draft slide, permitting a splendid draft for the fire.

Fire Box for Soft Coal

The Peninsular Hot Blast Fire Box is very efficient in the consumption of soft coal.

Each box can be fitted with ventilated hot blast cast linings, which consume all gases and smoke given off by the soft coal. (See illustration.) This feature allows nothing to escape unburned, thereby making fuel render the greatest service.

It is just the proper size to give the best results in baking and cooking, and to hold fire without waste.

DUPLEX GRATES are reversible for wood can be easily removed.

ALL NICKEL PARTS are specially prepared and plated by our own special process, giving same that everlasting highly polished, silvery lustre that has put Peninsular Stoves

and Ranges in a class by them-selves.

OVEN constantly provided with fresh heated air prevents dried up food.

ALL JOINTS perfectly air-tight, no cold air in flues.

NO RODS on inside to burn off.

TOP is in four pieces to allow for expansion and contraction. Cemented and protected top oven plates.



Hot Blast Fire Box for Soft Coal

LARGE BROILER pouch feed door.

INTERLOCKING LONG CENTER braced with heavy rib.

PENINSULAR QUICK HEATING, long lived, reinforced covers.

AIR-TIGHT CLEAN-OUT DOOR.

BROAD AIR-TIGHT CAST BACK FLUE.

ALL DOORS AND DAMPERS tightly fitted, give perfect control of fire and oven heat.


Can be furnished with straight or powerful L water front if desired.

LARGE CONTACT RESERVOIR made of pure copper, holds 40 quarts.

EXTRA HEAVY, highly polished, silvery nickel finish.

OVEN DOOR spring balanced. Opens perfectly level with the oven bottom, forming a very convenient shelf, when basting meats.







The New Reward Peninsular Steel Oven Cast Range

Duplex Grate. White Porcelain Splashers, Oven Door Panel with Nickel Door Frame. White Porcelain High Closet Doors with Nickel Frame. Ground and Polished Top. Oven Thermometer and Three-Piece Nickel Base.

Number	Holes	Oven	Weight With Reservoir	Weight Without Reservoir
6820	Six 8-Inch	20 x 20 x 12	605	520
6920	Six 9-Inch	20 x 20 x 12	605	520

Either regular or L water front can be furnished if desired SEE NET PRICE SHEET FOR PRICES






Reservoir, High Closet and 3-Piece Nickel Base Coal, Coke or Wood


The New Reward Peninsular Steel Oven Cast Range

Duplex Grate. White Porcelain Oven Door and High Closet Door Panels with Nickel Door Frames. Ground and Polished Top. Oven Thermometer and Three-Piece Nickel Base.

Number	Holes	Oven	Weight With Reservoir	Weight Without Reservoir
6820	Six 8-Inch	20 x 20 x 12	605	520
6920	Six 9-Inch	20 x 20 x 12	605	520

Either regular or L water front can be furnished if desired SEE NET PRICE SHEET FOR PRICES









The New Reward Peninsular Steel Oven Cast Range

Duplex Grate. White Porcelain Splashers. Oven Door Panel with Nickel Door Frame, White Porcelain High Closet Doors with Nickel Frames. Ground and Polished Top, Oven Thermometer and Cabinet Base.

Num ber	Holes	Oven	Weight With Reservoir	Weight Without Reservoir
6820	Six 8-Inch	20 x 20 x 12	625	540
6920	Six 9-Inch	20 x 20 x 12	625	540

Either regular or L water front can be furnished if desired





Reservoir, Enamel Splasher, High Closet and 3-Piece Nickel Base Coal, Coke or Wood

The New Pioneer Peninsular Cast Range

Duplex Grate. Sanitary White Porcelain Splasher, Oven Door Panel and High Closet.

Door Panels and Reservoir Panel with Nickel Door Frames and


Three-Piece Nickel Base.

Number	Holes	Oven	Weight With Reservoir	Weight Without Reservoir
1868	Six 8-Inch	18 x 18 x 12	500	450

Either regular or L water front can be furnished if desired








The New Pioneer Peninsular Cast Range


Duplex Grate. Sanitary White Porcelain Oven Door, Fire Door, High Closet Door. Panels and Reservoir Cheek Panel, Nickel Door Frames.

Number	Holes	Oven	Weight With Reservoir	Weight Without Reservoir
1868	Six 8-Inch	18 x 18 x 12	500	450

Either regular or L water front can be furnished if desired







The New Pioneer Peninsular Cast Range

Duplex Grate. White Porcelain Oven Door, Fire Door, High Closet Door Panels with Nickel Door Frames and Cabinet Base.

Number	Holes	Oven	Weight With Reservoir	Weight Without Reservoir
1868	Six 8-Inch	18 x 18 x 12	520	470

Either regular or L water front can be furnished if desired



The New Popular and Record Peninsular Cast Ranges Win the Attention of Buyers Everywhere

These new exclusive lines of ranges
will enable you to show your customers the latest and
most exclusive line of cast ranges made.

Each one a trade winner

THE ORNAMENTATION is clean cut and includes the character that is now in demand by the trade showing up the smooth black iron and silvery nickel as we alone finish it.

THE TOP END SHELF is solid and full depth of the body of the Range.

BEST GRADE OF MATERIAL is used throughout in their construction, and the best workmanship employed.

SPECIAL CARE is taken in the fittings of the various parts, and in every respect it will meet the expectancy of the most fastidious housewife.

ASH PAN is large and bailed, funnel is provided so that all the ashes go into the pan.

MAIN BOTTOM is cemented, forcing all the heat to the oven where it is required.

FIRE BOX is extra large and oblong in shape, with curved ends and round corners, and is adapted to any kind of fuel. It is supplied with an improved duplex grate, which is portable and can be used for either wood or coal. When the grate is turned up and the end linings are removed, the fire box is perfectly adapted for burning wood.

ALL LININGS are heavy tough cast iron, made in sections, with a liberal cold air space behind so that they will last indefinitely. If you want to use hard coal the regular lining is furnished. If soft coal is to be used a ventilating lining made especially is furnished.

GRATE can be removed without disturbing the linings or water front so that a new grate can be replaced and still keep the old linings in use.

THE TOP is made in sections, which prevents warping and is so planned that by changing the cross centers that hold the covers a wash boiler may be placed at the back of the Range leaving the two front holes for cooking.

PLENTY OF HOT WATER can be had either from a powerful water front, or from a large contact reservoir made of pure copper. Holds 40 quarts.

ROOMY HIGH CLOSET with rolling front, made of practically one piece of Polished Steel, can be furnished if desired.

A PENINSULAR RING COVER is furnished with each range and is very

convenient for setting a cup or small pan directly over the fire so that the contents may be quickly heated.









Reservoir and High Closet Coal, Coke or Wood

Popular Peninsular Cast Range

Duplex Grate

Number	Holes	Oven	Weight With Reservoir	Weight Without Reservoir
668	Six 8-Inch	18 x 18 x 11½	395	355

Water front can be furnished if desired







Record Peninsular Cast Range

Duplex Grate

Number	Holes	Oven	Weight With Reservoir	Weight Without Reservoir
668	Six 8-Inch	18 x 18 x 11½	395	355

Water front can be furnished if desired SEE NET PRICE SHEET FOR PRICES





High Closets for Peninsular Steel and Cast Ranges



No. 301



301 with White Porcelain Splashers



341 with White Porcelain Splashers



No. 301 Enameled No. 321



Domestic

No. 301 High Closet fits the 6016 C. & G. Combination Range in the High Finish. Also fits the 668 Popular and 17 Domestic when specified as wanted with a Drop Door High Closet.

No. 301 High Closet with White Porcelain Splasher, fits the 6016 C. & G. Combination Range in the High Finish; also fits the 668 Popular when specified as wanted with a Drop Door High Closet and Domestic.

No. 341 High Closet with White Porcelain Splashers, fits the 6820 and 6920 Reward Cast Range.

No. 301 Grey Porcelain High Closet fits the 6016 C. & G. Combination Range in Grey.

No. 341 Grey Porcelain High Closet fits the 6820 and 6920 Modern.

No. 321 High Closet fits the 6818 Pioneer Cast Range and 819 Domestic Steel Range.

No. 321 Grey Porcelain High Closet fits the 6818 Defender.

Nos. 15, 17, 19 Domestic High Closet fits the 815, 817 and 819 Domestic Steel Range and 1868 Pioneer.

No. 17 Domestic High Closet fits 668 Record and 6016 C. & G.






Peninsular Steel Ranges

Easily the Peer of All Steel Ranges

UANTITY production allows us to operate and maintain the most improved and up-to-date Steel Range Machinery. This advantage in turn is given to our dealers by supplying them with Ranges that are perfectly made, accurately fitted, and when once sold, stay sold.

Due to their everlasting wearing qualities, Peninsular Steel Ranges have won the endorsement of 2,000,000 users.



WALLS AND BODY are of Triple Thickness composed of two plates of heavy steel interlined with pure asbestos, all being riveted together with genuine Swedish iron steeple head rivets driven cold by hand; being set squarely to outside of body, can never pull through.

When a flat head rivet is used the steel is countersunk to receive the rivets.

This operation reduces the pulling strength of your steel just one-half, making the walls weak so they will not withstand the strain.

SOME MANUFACTURERS WELD THE BODY TO-GETHER. This is not satisfactory as the process of welding burns the iron where it is fused, causing it to pull out. You never see a steam boiler welded, it is always riveted; the same with a steel range, it should be riveted to withstand the strain. All Peninsular Steel Ranges are hand riveted.



Front and Right End of a Peninsular Steel Range Body, showing how all openings and holes are cut and punched at once

A Complete Body in One Operation


This one-piece Steel Body is the result of the modern Peninsular method in building Steel Ranges. SPECIALLY CONSTRUCTED MACHINERY cut, punch and form the plates so that they fit with exact precision. There is no unequal expansion or strain so common to other ranges. Peninsulars, therefore, are the tightest, strongest and best Steel Ranges made. All we ask is to have you examine the workmanship of Peninsulars as compared with others, and you will be convinced that what we say is absolutely true.



Square Ventilated Oven

The Oven is square and ventilated. Takes as many pans on the Oven Rack as it does on the Oven Bottom.

PENINSULAR PATENT OVEN VENTILATION—Fresh air is drawn through oven door frame which forms a hot air flue, drawing in the air at the bottom and heating it as it passes around and upward into oven, so all fumes are forced by fresh air out through vent into smoke flue and up the chimney. Roasts retain their sweet, natural flavor, entirely free from cooking odors. You would not think of sleeping in a room or living in a house that was not ventilated, so you see the importance of oven being ventilated and supplying fresh hot air to the food as it is cooked.



OVEN TOP consists not only of the original top of the oven, but an extra sheet of steel, which is further reinforced by heavy cast protection plates, making three thicknesses in all, assuring the user a top that will never burn out.







The New Domestic Peninsular Steel Range

Duplex or Flat Wood Grate. Sanitary White Porcelain Oven Door, Fire Door and Reservoir Cheek Panel. Nickel Door Frames.

Number	Holes	Oven	Weight With Reservoir	Weight Without Reservoir
815	Four 8—Two 6 inch	14 x 20 x 12		300
817	Six 8-Inch	16 x 20 x 12	380	330
819	Six 8-Inch	18 x 20 x 12	425	375

Either regular or L water front can be furnished if desired SEE NET PRICE SHEET FOR PRICES





The Peninsular No. 5 Army Range

The Peninsular No. 5 Army range is one of the heaviest and most substantial ranges manufactured. In fact, no sturdier range can be produced by any manufacturer. It is built strictly in accordance with U. S. Government specifications, and is the range that is used in the United States and abroad for cooking for the soldiers.

with U. S. Government specifications, and is the range that is used in the United States and abroad for cooking for the soldiers.

The body of this range is made of 14 gauge steel plates, and the oven of 12 gauge steel plates, closely riveted with extra heavy rivets. The door frames are made of wrought iron and all other parts subject to strain are made of malleable.

Can be furnished with large capacity U-shaped water back which has a capacity of heating a 100-gallon tank. No better range for the heaviest service can be found. This range can be furnished in pairs, the cooking top being connected and flush.

Number	Holes	Oven	Size Top	Size Fire Box	Weight
5	Eight 9-inch	28½ x 23 x 14	34 x 53	$17\frac{1}{2} \times 9 \times 9$	950
Double 5	Sixteen 9-inch	28¼ x 23 x 14	34 x 106	$17\frac{1}{2} \times 9 \times 9$	2000

Water back can be furnished if desired SEE NET PRICE SHEET FOR PRICES





The Reflex Peninsular Double Heating Base Burner

The Greatest Value for the Price in the World

THE Reflex embodies all that is modern and up-to-date in Base Burner construction. It includes the Peninsular Patent Triangular Double Heating Flue, Duplex Grates, Straight Side Fire Pots, Extra Large Reflector Top, Swell Front with Maximum Mica Surface, Big Flaring Nickel Side Wings, Handsomely Nickeled Legs and Heavy Foot Rails. It is one of the most attractive Base Burners ever built for the money. A study of its construction will show you it is strictly up-to-date.

Peninsular Duplex Grate

Improved Peninsular Duplex Grate with Annular Shaking Ring.

Duplex grate cuts out the clinkers and dead ashes and has ample space to turn them into the ash pan without crushing the clinkers or using a poker. Annular Shaking Ring clears the ashes from the outer edge of fire pot.



Duplex Grate and Annular Shaking Ring

LARGE ASH PIT with bailed steel ash pan.

FIRE POT is extra heavy and made nearly perpendicular so that the ashes will not lodge on its sides. Can be quickly removed by taking out two outside front bolts.

AUTOMATIC INNER MAGAZINE COVER rises and falls with the swing of the top, forms a tight covering under the nickeled top, affords a double preventive against escaping gas, also prevents nickel from tarnishing.

LARGE ONE-PIECE SELF-FEEDING MAGAZINE supplies a steady flow of coal to the fire, maintaining even temperature with little attention. Stove size or chestnut coal can be burned.



Peninsular Automatic Swing Cover with Machine Ground Fitting Faces


CLEANOUT DOOR is conveniently located at the front of the stove, providing easy access to the bottom flues for cleaning.

NICKEL PARTS are ventilated and are plated by a special process that keeps them bright indefinitely.


AIR TIGHT SCREW DRAFT REGISTER in ash pit door and check draft in back flue give positive control of the fire.

PENINSULAR DOUBLE HEATING FLUE, because of its shape and location, has at least one-third more efficiency than the ordinary double heating flue. Extends from the base to top at back of the stove, is surrounded by heating surfaces, draws cold air from the floor and expels it highly heated, thus adding greatly to the heating capacity of the Base Burner, and utilizing every inch of radiating surface. Keeps the air in the room in constant circulation, insuring even heat.









For Stove or Chestnut Hard Coal

(Always shipped fitted for Chestnut Coal, unless otherwise specified)

The Reflex Peninsular Double Heating Base Burner

Number of Heater	Diameter of Fire Pot, Inches	Weight
95	151/2	461
97	17	508





The Emerald Peninsular Double Heating Base Burner

A New, Neat, Substantial, Up-to-date Base Burner at a Very Low Price

HE Emerald Peninsular is one of the most popular selling base burners that we have ever built. In construction and finish it will compare favorably with the highest priced patterns of other makes, and in every respect it is a strictly high-grade and well-made stove that will give the best

satisfaction, and when sold, stay sold.

FIRE POT is made in one piece, extra deep, is almost perpendicular, so that ashes will not lodge on the sides. It can be easily removed through front of stove by simply unscrewing the two outside bolts in the lower front mica door frame.

THE AUTOMATIC NICKEL SWING COV-ER to which urn is bolted, swings to the

left when putting in fuel, and in so doing automatically lifts the gas cover from the top of the magazine. The swing cover and main top are both ground and fitted, making an absolutely tight joint over the magazine cover. If any gas forms in the magazine it is drawn downward by the fire through gas flue and burned by the fire, thus preventing any chance for gas to escape into the room.

MOUTH OF MAGAZINE hangs over the center of the fire pot, and the weight of the coal feeds the fire as rapidly as the coal is consumed in the fire pot. As lor as there is fresh coal in the magazine the fire is continuous.

GRATE is the well-known and popular Duplex design, with Annular Shaking Ring. Annular Ring shakes to the right and left, throwing all the ashes and clinkers to the center, when by turning the Duplex Grate a quarter turn, which is easily done by the crank furnished for that purpose, all the clinkers and ashes

are cleared from the bottom of the fire, permitting free circulation of air through the grate and fuel.

GRATE can be easily removed.

ASH PAN is large and supplied with handle, and is wired around the top and so placed in the spacious ash pit that all ashes will fall into pan.

DOUBLE HEATING HOT AIR FLUE draws the cold air from

the floor, passes it upwards and after being thoroughly heated is expelled from the removable perforated cap at top of stove. If desired, an extra pipe may be attached to the hot air collar and heat conducted to a register in the floor above.


TEA KETTLE ATTACHMENT at the back of the stove is supplied with a sixinch removable griddle, making it a convenient place to heat water, etc.

MICA DOORS are large and reflect all the light from the glowing fire to the room. Nickel work is all Peninsular Quality, triple electroplated. like silver.




Peninsular Automatic Swing Cover with Machine Ground Fitting Faces









No. 41













No. 24







No. 51 No. 48 Electrotypes for Newspaper Advertising furnished free of charge. Order by number and specify whether single or double column is desired also if with Reservoir or in Square Pattern.





Heats Five or Six Rooms Perfectly



HE Peninsular Warm Air Circulator is aptly named in that it describes exactly its function, namely it circulates moist, warm air. While many heaters radiate warm air in a restricted zone, the Peninsular Warm Air Circulator circulates this heat through

the entire house, heating five or six rooms perfectly.

Built scientifically with the same construction as a warm air furnace and designed to do the same work, this Circulator has a handsome appearance, permitting its being placed in any room surrounded with handsome furniture and adding to the general attractiveness of the house.

In homes where no basement is available the Peninsular Warm Air Circulator is particularly adapted. In the large home where cross currents of cold air or drafts from stairways are encountered, this Circulator functions efficiently and economically.

The present trend of small house construction leads to the conservation of space. To this condition the Circulator is well fitted. It occupies a very small space and can be placed amid furnishings of high quality without causing any damage to them by the usual attendant nuisance of ash dust. Because of the rigid construction and careful

fitting of parts, this Circulator can be shaken without any spreading of dust.

The Peninsular Warm Air Circulator takes the cold air from the floor and forces it up between the cast iron inner stove (or heating element) and the outer casing, warming it and circulating it scientifically, distributing it throughout the rooms and giving a healthy, constant heat.

There are many other features in this Circulator that are new, efficient and most practical. Prospective buyers of heating equipment are vitally interested in them. We have prepared handsome consumer literature for you to use in this direction.





Black Velvet Finish For Any Kind of Fuel

The New Peninsular Cabinet Warm Air Circulator

This heater is the same as the No. 61 except the outside casing is finished in a Black Velvet Finish in place of Porcelain.

Number	Inside Diameter of Fire Pot Inches	Diameter of Outside Casing Inches	Extreme Height Inches	Weight
62	16	25 x 25	511/2	450






Full Porcelain Finish For Any Kind of Fuel

The New Peninsular Cabinet Warm Air Circulator


Number	Inside Diameter of Fire Pot Inches	Diameter Outside Casing Inches	Extreme Height Inches	Weight
61	16	25 x 25	$51\frac{1}{2}$	450








THIS sectional view shows the sturdy all cast iron heating unit with inner casing and vitreous porcelain finished Armco Iron Cabinet.—Note the ample air space between inner casing and heating unit, which permits a maximum amount of air to be drawn from the floor and circulated as moist, warm air through the openings at the top.




STURDILY crated, wrapped in heavy water proofed paper and bound with steel straps, the Peninsular Warm Air Circulator comes to you mounted completely in good condition ready for installation in your customer's home.



SIMPLICITY and sturdiness of construction are illustrated above. Note large feed section with smoke curtain and easily removed triangular bar grate in large ash pit.



TRIANGULAR Grates are easily removed, ash pit is deep and roomy, equipped with large ash pan.



ASY accessibility of water pan is shown above. A water pan is furnished with every circulator. This feature assures sufficient moisture in the circulated air, which is conducive to good health and happiness.







The Radiant and New Peninsular Oak

Unsurpassed for Quality, Finish and Tight Fitting. Largest and Most Complete Line of Medium Priced Heaters on the Market.

All Built on the Peninsular System

ALL Castings in these heaters are made from Pen-Puri Metal. This metal is analyzed and tested by an expert chemist before it is melted to insure against imperfections of every kind.


All castings are carefully ground and fitted before being mounted. All mounting is done under the supervision of expert inspectors who watch every detail of construction and reject all work that does not come up to the standard of perfection for which Peninsular stoves are noted.



BODIES are made of extra heavy Wellsville steel, which has a highly polished surface that does not require blacking. This steel will not chip or peel and retains its beautiful blue lustre during the lifetime of the stove.

HEAVY CORRUGATED FIRE-POTS are made of Genuine Pen-Puri Metal, designed to burn a minimum amount of fuel. To insure the greatest heat radiating surface it is corrugated.

IMPROVED CUP JOINT of our own design is used on this series of heaters where the steel body is joined to the fire-pot. The bottom edge of the body is flanged and



Cut Showing Section of Hot Blast Ring and also How Body is Joined to Fire-Pot

fits into a recessed groove in the top of the fire-pot, packed in asbestos cement. An outer cast ring fits over this flange and is bolted to the fire-pot by heavy steel bolts. This joint never gives out.


HEATERS are equipped with extra large ash pit with ash pan and large ash pit door. Great care is exercised in fitting this door so that it is practically air tight.

LARGE FEED DOORS are provided. For feeding large chunks of wood or coal this large door is an especially desirable feature. Handle is the self-locking type. Perfect control of the fire is assured by the screw draft damper in ash pit door. All parts being fitted so they are air tight makes these Heaters great fire keepers.



GRATE is our own design of a draw center and shaking grate combined. Is acknowledged to be one of the best kinds of grates for burning coal in an Oak Stove.










The New Radiant Peninsular Oak Draw Center Shaking Grate

Number of Heater	Height Less Urn Inches	Pipe Collar Inches	Weight	
36	48	7	185	
40	53	7	225	



Most popular everywhere. Burns any kind of fuel. A great floor heater. Holds fire well. Its plain mission finish pleases every buyer.

pleases every buyer.
The lowest-priced first-class heater in the market. Built like other Peninsulars—The Best Way. Put this in your line in all sizes.




(Fitted with Draw Center Grate)

The New Peninsular Oak

Nı	umber of Heater	Height Less Urn-Inches	Pipe Collar—Inches	Weight
	28	40	6	115
	32	421/2	6	135
	36	45	7	170
	40	50	7	210

Magazine for Hard Coal can be furnished if desired. Gas Ring can be furnished if desired.

SEE NET PRICE SHEET FOR PRICES





The Granite Peninsular Hot Blast All Cast Iron Heater

Furnished With Cast Iron Body

FOR SOFT COAL, HARD COAL, COKE OR WOOD

THIS strictly high-grade, attractively designed, colonial heater is the most popular type of heating stove on the market today. The Granite is an entirely new construction, that is thoroughly modern and attractive, as a glance at the cut will convince you.

In ornamentation it is entirely different from anything that has ever been offered. The colonial idea has been followed very closely. All castings and nickel trimmings are of smooth, plain mission finish, and it cannot but be admitted that this is the handsomest of its type.

Entire Heater, including the body, is made of Genuine Pen-Puri Metal, which insures smooth, tough, lasting and quick-heating castings. Special care is taken to insure perfect fitting of every part.

The Granite Peninsular is designed on strictly scientific lines.

THE HOT BLAST DRAFT by means of which the coking of the coal is always assured, consists of the Hot Blast Ring with machined fitted screw draft register which fits directly above the fire pot. Air enters through the screw draft and passing



Duplex Grate and Annular Shaking Ring

into the Hot Blast Ring becomes warmed and is discharged into the fire chamber immediately over the fire zone where it unites with the smoke and gas, causing complete combustion. DUPLEX GRATE and Annular Shaking Ring is extremely easy to operate and economical with fuel. A slight agitation of the shaking ring forces out all dead ashes and clinkers into the large bailed ash pan. When reversed Duplex Grate makes a fine wood grate.

Special Machinery grinds the fitting faces of the Ash Pit and Ash Pit Door to



perfectly true surfaces so they are absolutely air-tight. Ash Pit Bottom is sunk, permits use of a deep ash pan. The sunken bottom also prevents drawing out ashes on the floor when removing ash pan.

MAGAZINE FOR HARD COAL is furnished in these heaters when so ordered.

FIRE POT is extra heavy and durable, made from Pen-Puri Metal. Deep corrugations insure maximum radiating power.

SMOKE PIPE COLLAR is very deep, avoiding any possibility of smoke pipe slipping off should the stove be heated to a high temperature.

FIRE DOOR is fitted air-tight and supplied with our heavy Standard turnbuckle; is supplied with mica which allows the rays of light from the burning coal into the room, giving out a very cheerful glow.


Notice handsome nickel ornamentation. It is the Peninsular special process, whitest, brightest, and long-lasting.





The Granite Peninsular

Number of Heater	Diam. of Fire Pot Inches	Height Less Urn Inches	Pipe Collar Inches	Weight	
36	151/2	50	7	300	







The Peninsular Hot Blast

With Ash Pan Base and Draw Center Shaking Grate—A-B Series

Number of Heater	Diameter of Body Inches	Height Less Urn Inches	Pipe Collar Inches	Weight
15-AB	15	39	6	140
16-AB	16	41	6	155
18-AB	18	43	7	175





Palace Peninsular Heater

Coal or Wood

THE Palace Peninsular is an all-around Heating Stove for all kinds of fuel. Tightly fitted and very dependable as a fire keeper. It is oval in shape, castings smooth—nickel ornamentation pleasing. It is a departure from the round body combination stoves. Mica illumination makes a cheerful and good heater. Don't compare this stove with the small undersized oval wood stoves, for it is a big, fine heater.

- 1—Nickel swing top, steel top band, foot rail, screw draft in ash pit door and lock door handles.
- 2—Oblong sectional Hot Blast cast fire-pot.
- 3—Heavy reversible duplex grate for coal or wood.
- 4—Grate shakes from outside.
- 5-8x12-inch feed door opening.
- 6—Mica wire gauze lined feed door.

- 7—5x12-inch ash pit door opening.
- 9—Heavy handled ash pan.
- 10-Reversible smoke pipe collar fitted on top or back.
- 11—Large size lift top to feed fire. Fitted with 7-inch
- 12—Substantial and very attractive urn.

Number of Heater	Length Inches	Width Inches	Height Inches	Weight
18	18	22	351/2	145
20	20	24	361/2	165
22	22	25	37 1/2	165 185





Prince
For Any Kind of Fuel

Number	Size of Covers	Weight	
8	Two 8-inch	80	

As a heat producer no stove equals the old standard pattern Cannon. Made from the best grade of grey iron, especially mixed by our chemists to resist heat without warping or cracking.

No. 22 is fitted with draw center shaking grate. Other sizes are fitted with dumping grate, side foot rails and large middle deflector ring. Griddle hole top, with drum flanges.

Suitable for light cooking or laundry. Fitted with shaking dump grate. Plenty of room for wash boiler.

Fire is close to top. Spacious pouch feed.



Cannon Peninsular

For Any Kind of Fuel

Number of Heater	Diameter of Fire Pot Inches	Height Inches	Weight
16	13	391/2	120
18	141/2		120
	/4	42	145
22	201/2	53	300






State Peninsular Water Heating Laundry Stove

For Any Kind of Fuel

 $T^{\rm HIS}$ is an extremely powerful Heater, recommended where it is desired to use a coal stove, for heating water and laundry purposes and specially desirable in connection with a gas range. Also suitable for cooking.

The water circulates around the entire fire pot and is heated very quickly. All stoves are tapped ready for connections to pressure boiler or tank. Two or four-hole top. Two-hole top has a lift-up feed door for feeding fire. Holds twelve flat-irons on top, also admits use of large sized wash boiler. Has a large ash pan and draw center type of grate. This stove will heat any boiler or tank holding from 30 to 100 gallons of water.



Number	Size of Covers	Weight
82W	Two 8-inch	120
84W	Four 8-inch	135

Upright Pressure Boiler, Stand and Brass Couplings, 30 gallons, at market prices.

State Peninsular

For Any Kind of Fuel

Suitable for light cooking or laundry. Fitted with draw center shaking grate and ash pan. Plenty of room for wash boiler. Fire is close to top. Spacious pouch feed, except on 84 State. Has heavy, durable covers and centers.

	TWO-HOLE TOP	
Number	Size of Covers	Weight
82	Two 8-inch	85





How to Order Repairs for Peninsular Stoves and Ranges

Please Read Carefully

STOVE NAMES—Every Stove we make is called "PENINSULAR," which is our Trade-Mark—but in addition to this, in almost every case, we use a separate and distinct Name and Pattern Letter, which shows at once to which class the Stove belongs; thus, in Cast Ranges for instance, one is called "Record" Peninsular, another "Reward" Peninsular, etc.

LOCATION OF NAME PLATE—Name is always placed conspicuously on Stove. On Cast Ranges, Cooks and Steel Ranges, Name and Pattern Letter will be found on Top of Stove, near stove pipe hole. On Base Burners and Heaters, name will be seen at once on name-plate at front of Stove, or on back of Stove over or below stove pipe hole.

PROMPT SHIPMENT—Recognizing that Prompt Shipment of repair parts is almost always desired, we would ask customers to bear in mind the following General Rules, which will greatly assist us in making prompt shipment and save much needless correspondence:

- 1st—Give Full Name, Number, Date and Pattern Letter (K, H, M, N, or A, if any), of Stove.
- 2nd—Describe part desired, by name given on Sectional Cuts, shown on pages 47


- to 51 of this Catalogue. If you cannot locate part there, give as full description as possible.
- 3rd—When ordering Castings of which kind there are two or more on Stove, please state whether "Front" or "Back," "Right" or "Left."
- 4th—Part of Stove directly opposite Pipe Collar is always called the Front.
- 5th—When you wish to describe any part of Stove as "Right" or "Left," stand in Front of Stove, and not to one side or behind it.
- 6th—In ordering Linings for Cook Stove or Range, state if Stove is fitted for burning Wood or Coal; whether you desire Brick or Cast Linings; and if Stove has a Flat or a Duplex Grate; Water Front or Water Back.
- 7th—In ordering outside parts of Cook Stove or Range, state if Stove has Reservoir or is Square.
- 8th—The names of parts as numbered on the Sectional Cut of the Peninsular Base Burner are not the same as all other Base Burners; this also applies to cut of the Cook, Steel and Cast Ranges.

Directions for Operating any Peninsular Stove, and an article containing "Extracts from various Publications regarding Chimneys, Drafts, etc.," will be mailed you on request.


Do not wait till fall to order your stock of repairs.



How to Order Repairs for Peninsular Stoves and Ranges



Duplex Grate
Specify if Short or Long Half is wanted.




C



Flat Grate



Three-Piece Fire Back Specify which Section wanted



Water Back and Lining Rest



Key Plate Without Lip



Two-Hole Key Plate with Lip




Key Plate with Lip

In ordering Key Plate Tops please specify whether "Front," "Center" or "Right Hand End" Key Plates.



Draw Center Grate

Specify if Grate Complete is wanted, or Draw Center or Ring only.



Duplex Grate


Specify if Complete Grate is wanted, or Long-half Duplex Grate (B) Short " (C) or Annular Shaking Ring (A)



Shaking Ring Rest

Specify if wanted, when ordering grate

- 1 Swing Top.
- 2 Swing Top Handle.
- 3 Magazine Cover
- 4 Double Heater Collar.
- 5 Front Section Nickel Jacket.
- 6 Side Section Nickel Jacket (Specify Right or Left).
- 7 Upper Section of Magazine.
- 8 Main Top.
- 9 Division Plate in Magazine.
- 10 Right Main Side.
- 11 Side Mica Dome (Specify Right or Left).
- 12 Inside Frame of Side Mica Dome.
- 13 Front Mica Dome.
- 14 Inside Frame of Front Mica Dome.
- 15 Upper Main Front.
- 16 Upper Left Side Door.
- 17 Upper Left Side Door Mica Frame.
- 18 Left Main Side.
- 19 Inside Main Back
- 20 Main Back.
- 21 Magazine.
- 22 Back Section Nickel Jacket.
- 23 Lower Main Front.
- 24 Ash Pit Door Frame.
- 25 Nickel Name Plate.
- 26 Direct Draft Damper.
- 27 Direct Draft Damper Handle.
- 28 Elbow
- 29 Attachment Top.
- 30 Back Flue Grating.
- 31 Ash Chute (Right or Left).
- 32 Inside Cold Air Flue.33 Upper Back Flue Strip.
- 34 Check Damper
- 34 Check Damper.
- 35 Upper Right Side Door.36 Upper Right Side Door Mica Frame.
- 37 Turnbuckle and Catch.
- 38 Lower Right Side Door.
- 39 Lower Right Side Door Mica Frame.
- 40 Upper Right Front Door.
- 40 Upper Right Front Do
- 41 Upper Right Front Door Mica Frame.
- 42 Fire pot.
- 43 Annular Shaking Ring.
- 44 Long ½ Duplex Grate.
- 45 Short ½ Duplex Grate.
- 46 Duplex Grate Cogs (Specify on Long or Short Half Duplex Grate).
- 47 Duplex Grate Cog Yoke (on all Base Burners except Palace and Peninsular Specify Duplex Grate Rest).
- 48 Duplex Grate Cog Cap.
- 49 Ash Pan Handle.
- 50 Ash Pit Bottom.
- 51 Lower Right Front Door Mica Frame.
- 52 Lower Right Front Door.
- 53 Right Nickel Wing.
- 54 Left Nickel Wing.
- 55 Upper Left Front Door.
- 56 Upper Left Front Door Mica Frame.
- 57 Lower Left Front Door.
- 58 Lower left Front Door Mica Frame.
- 59 Lower Left Side Door.



Sectional Drawing of Peninsular Base Burner, Showing Repair Parts.

In ordering repairs for Peninsular Base Burners, please locate piece wanted on Sectional Drawing by Number. Find same number on List of Parts.

This will give you the correct name and enable us to readily identify the part desired. Order by name, not by number

- 60 Lower Left Side Door Mica Frame.
- 61 Poker Drop.
- 62 Front Ash Slide.
- 63 Nickel Foot Rail (Specify Right or Left)
- 64 Leg Bottom.
- 65 Legs.
- 66 Attachment Cover.
- 67 Shaker.
- 68 Flue Stop.
- 69 Ash Pit Door Panel.
- 70 Ash Pit Door.


- 72 Circular Draft Regulator Handle and Screw.
- 73 Circular Draft Regulator Yoke.
- 74 Poker.
- 75 Leg Base (Specify whether Right, Left, Front or Back).
- 76 Ash Pan.
- 77 Grate Follower.
- 78 Check Damper Handle.
- 79 Hinge Pins.
- 80 Urn





List of Repair Parts for Peninsular Cast Range

- 1 Back Guard of High Shelf
- 2 High Shelf Platform
- 3 Nickel Band of High Shelf
- 4 Main Back of High Shelf
- 5 Nickel Panel of High Shelf
- 6 Tea Pot Stands
- 7 Tea Pot Stand Brackets
- 8 Direct Draft Damper Handle
- 9 Direct Draft Damper Plunger
- 10 Direct Draft Damper
- 11 Direct Draft Damper Socket
- 12 Back Flue
- 13 Collar Top
- 14 Pouch Feed Top
- 15 Pouch Feed.
- 16 Pouch Feed Door.
- 17 Pouch Feed Door Slide.
- 18 Pouch Feed Door Slide Knob.
- 19 Pouch Feed Door Knob.
- 20 Main Back
- 21 Water Front Cap.
- 22 Ash Pit Door.
- 23 Ash Pit Door Panel.
- 24 Ash Pit Door Damper.
- 25 Ash Pit Door Knob.
- 26 Main Front.
- 27 Wing Bottom.
- 28 Sliding Hearth.
- 29 Ash Pan.
- 30 Ash Pan Handle and Hinge.
- 31 Ash Pan Catch.
- 32 Front Ash Chute.
- 33 Back Ash Chute.
- 35 Duplex Grate Frame.
- 36 Duplex Grate Cap (Back).
- 37 Duplex Grate Cogs.
- 38 Long Half Duplex Grate.39 Short Half Duplex Grate.
- 40 Front Grate.
- 41 Duplex Grate Cap (Front).
- 42 Fire Door.
- 43 Fire Door Knob.
- 44 Front Ash Catch.
- 45 Brick Rest.
- 46 Front End Lining.
- 47 Right Section Fire Back.
- 48 Center Section Fire Back.
- 49 Left Section Fire Back.
- 50 Back End Lining.
- 51 Fire Back Clamp.
- 52 Center Post.
- 53 Front Top Over Oven Door.
- 54 Oven Top (Back).
- 55 Oven Ventilator Disc.
- 56 Right Back of Oven.
- 57 Oven Rack.



Sectional Drawing of Peninsular Cast Range, Showing Repair Parts

In ordering Repairs for Peninsular Cast Ranges, please locate piece wanted on Sectional Drawing by Number. Find same number on List of Parts. This will give you the correct name and enable us to readily identify the part. Order by name, not by number.


- 58 Right Oven Bottom.
- 59 Left Oven Bottom.
- 60 Oven Door
- 61 Oven Door Handle.
- 62 Oven Door Panel.
- 63 Oven Door Lining.
- 64 Oven Door Screw Register Disc.
- 65 Oven Door Screw Register Yoke.
- 66 Oven Door Screw Register Handle.
- 67 Pedal Oven Door Opener.
- 68 Front Oven Top.
- 69 Right End Top.
- 70 Name and Number Plate.
- 71 Nickel Band.
- 72 Back Section Reservoir Cover.

- 73 Front Section Reservoir Cover.
- 74 Back End Reservoir Casing.
- 75 Right Side Reservoir Casing.
- 76 Front Reservoir Casing.
- 77 Bottom Reservoir Casing.
- 78 Reservoir Top.
- 79 Reservoir Tank.
- 80 Reservoir Damper Handle.
- 81 Reservoir Damper.
- 82 Reservoir Damper Frame.
- 83 Leg Bottom.
- 84 Bottom Flue Strip.
- 85 Oven Shelf.
- 86 Legs
- 87 Front and Back Base Strips.
- 88 Right and Left Base Strips.
- 89 Leg Frame Caps.

- 90 Flue Stop
- 91 Flue Stop Turnbuckle.
- 92 Grate Draw Out Door.
- 93 Grate Draw Out Door Turn-Buckle.
- 94 Short Center.
- 95 Cut Long Center (Male).
- 96 Cut Long Center (Female).
- 97 Lids (Specify 7, 8 or 9 inch).
- 98 Black Lids.
- 99 Reducing Cover.
- 100 Lid Lifter.
- 101 Poker
- 102 Grate Shaker.
- 103 Towel Rod.104 Flue Scraper.
- 105 Oven Front.



List of Repair Parts for Peninsular Coal or Wood Cook



Sectional Drawing of Peninsular Cast Cook, Showing Repair Parts

In ordering Repairs for Peninsular Cast Cooks, please locate piece wanted on Sectional Drawing by Number. Find same number on List of Parts. This will give you the correct name and enable us to readily identify the part desired. Order by name, not by number.

- Left Side Top.
- Pouch Feed Top.
- Right Side Top.
- Collar Top.
- Reservoir Top.
- Left Side Oven Door Frame.
- Left Side Oven Door. Left Side Oven Door Lining.
- Left Side Oven Door Panel.
- Left Side Oven Door Panel Handle.
- Left Side Oven Door Handle.
- Pouch Feed Door. Pouch Feed Check
- 14 Front Door Frame.
- Front Door. 15
- Front Door Panel.
- Front Door Knob 18 Front Door Draft Slide.
- Sliding Hearth. Wing Bottom.
- Ash Catch (Specify Right or Left). Ash Pan.
- Ash Pan Handle and Hinge, Complete. 23
- Ash Pan Catch.
- Long Half Duplex Grate.
- 26 Short Half Duplex Grate.
- Inside Ash Chutes (Specify Right or Left). 27
- Number Plate.
- Duplex Grate Cogs.
- Duplex Grate Frame.
- 31 Duplex Grate Cap (Specify Right or Left).
- 32 Front Grate
- 33 Left End Lining.

- 34 Left Section Fire Back
- Center Section Fire Back 36
- Right Section Fire Back. 37 Right End Lining.
- Brick Rest.
- Fire Door.
- 40 Front Oven Plate
- Top Oven Plate 41
- Center Post.
- 43 Back Lining Clamp.
- 44
- Back Oven Plate. Direct Draft Damper Handle. 45
- Direct Draft Damper Plunger.
- 47 Direct Draft Damper.
- Direct Draft Damper Socket. 48
- Back Flue Strip (Specify Right or Left). 49
- "Never-Break" Steel Oven Rack.
- Right Oven Door.
- Right Oven Door Panel. 52
- Right Oven Door Screw Register Disc.
- Right Oven Door Screw Register Handle.
- Right Oven Door Screw Register Yoke.
- Right Oven Door Handle. Right Pedal Oven Door Opener.
- Front Oven Bottom.
- Back Oven Bottom.
- Leg Bottom.
- Main Right Side. 61
- Oven Shelf Oven Shelf Hinge.
- Left Section Reservoir Cover. 64
- Right Section Reservoir Cover.
- Left Side Reservoir Casing.

- Back Reservoir Casing.
- Bottom Reservoir Casing. Right Side Reservoir Casing. Reservoir Damper Handle.
- Reservoir Damper.
- Reservoir Damper Frame.
- 73
- Bottom Flue Strip (Specify Right or Left). Right Oven Door Lining.
- Legs.
- Right or Left Side Steel Base Strip.
- Front or Back End Steel Base Strip.
- Leg Frame Cap.
- Reservoir Tank. Flue Stop.
- 81 Flue Covers
- Covers (Specify 7, 8 or 9 inch). 82
- Reducing Cover.
- Short Center.
- 85 Cut Long Center (Female).
- Cut Long Center (Male.)
- Poker.
- Cven Ventilator Disc.
- 89 Towel Rod.
- Draw-out Grate Door.
- Draw-out Grate Door Turnbuckle.
- Flue Scraper.
- 93 Shaker.
- Reservoir Damper Clamp.
- Side Top Shelf. 95
- Teapot Shelf.
- Duplex Grate Cog Frame.
- 98 Fire Door Knob.
- Lid Lifter.
- Water Front Cap.

- 1 Short Section Nickel Band, High Closet Back Guard.
- 2 Nickel Top Band, High Closet Back Guard.
- 3 Nickel Corner Brackets, High Closet Back Guard.
- 4 Pipe, First Joint.
- 5 Upper Nickel Band, High Closet.6 Left Hinge, High Closet Door.
- 7 Right Hinge, High Closet Door.
- 8 Nickel Brackets, High Closet (Specify Right or Left).9 Lower Nickel Band, High Closet.
- 10 High Closet Door.
- 11 High Closet Panel.
- 12 High Closet Lift.
- 13 Tea Shelves.
- 14 Tea Shelf Brackets
- 15 Pipe Damper Frame.
- 16 Pipe Damper
- 17 Direct Draft Damper Handle.
- 18 Direct Draft Damper Plunger.
- 19 Name Plate.
- 20 Number Plate.
- 21 Pouch Feed Damper.
- 22 Pouch Feed Door.
- 23 Left End Top.
- 24 Collar Top. 25 Back Flue.
- 26 Extension Pocket.
- 27 Water Front Cap.
- 28 Left Main Cast End.
- 29 Front Lining (Brick Lining in Two Sections).
- 30 Back End (Brick or Cast).
- 31 Direct Draft Damper Frame.
- 32 Direct Draft Damper.
- 33 Direct Draft Damper Clamp.
- 34 Center Post.
- 35 Steel Oven Front Guard.
- 36 Left Section Fire Back (Brick or Cast).
- 37 Center Section Fire Back.38 Right Section Fire Back (Brick or Cast).
- 39 Cast Oven Top Guard.
- 40 Steel Oven Top Guard.
- 41 Reservoir Top.
- 42 Back End Reservoir Casing.
- 43 Back Section Reservoir Covers.
- 44 Front Section Reservoir Covers.
- 45 Right Side Reservoir casing.46 Front Top.
- 47 Large Towel Bar.
- 48 Towel Bar Brackets. (Specify Right or Left).
- 49 Towel Bar Knobs
- 50 Cast Main Front Top Guard. 51 Oven Door Catch.
- 52 Oven Door Latch
- 53 Oven Door Latch Dog.54 Oven Door Handle Socket (Specify Right or Left).
- 55 Oven Door Handle.
- 56 Oven Door Panel.
- 57 "Never-Break" Steel Oven Rack.
- 58 Reservoir Damper Frame.
- 59 Reservoir Damper.
- 60 Oven Door Frame.
- 61 Oven Ventilator Panel.
- 62 Nickel Front Reservoir Frame.
- 63 Reservoir Damper Handle.
- 64 Reservoir Panel.
- 65 Cast Reservoir Cheek
- 66 Cast Reservoir Casing Bottom.67 Right Hand Oven Door Hinge.
- 68 Clean Out Door.
- 69 Clean Cut Door Frame.
- 70 Hot Blast Flue Indicator.
- 71 Hot Blast Flue Panel
- 72 Left Oven Door Hinge.
- 73 Reservoir Tank.
- 74 Flue Scraper.



Sectional Drawing of Peninsular Steel Range Showing Repair Parts


In ordering repairs for Peninsular Steel Ranges, please locate piece wanted on Sectional Drawing by number. Find same location on List of Parts. This will give you the correct name and enable us to readily identify the part desired.

Order by name, not by number.

- 75 Cast Corners of Base.
- 76 Towel Rod.
- 77 Duplex Grate Cogs.
- Long 1/2 Duplex Grate.
- 79 Short 1/2 Duplex Grate.
- 80 Back Duplex Cap.
- 81 Duplex Grate Frame.
- 82 Left Duplex Grate Track.
- 83 Toaster Door Guard.
- 84 Toaster Door.
- 85 Toaster Door Draft Slide.
- 86 Lining Rest.
- 87 Front Blind End Lining.
- 88 Front Open End Lining.
- 89 Cast Main Front. 90 Front Grate Cap.
- 91 Right Grate Track.
- 92 Grate Frame.
- 93 Drop Feed Door Panel.
- 94 Drop Feed Door.
- 95 Ash Pan.
- 96 Ash Pan Lift (Complete).
- 97 Ash Pan "Draw Out" Handle.

- 98 Screw Draft Disc.
- 99 Screw Draft Yoke. 100 Screw Draft Handle.
- 101 Ash Pit Door.
- 102 Ash Pit Door Catch.
- 103 Ash Pit Door Turnbuckle.
- 104 Poker.
- 105 Inside Oven Ventilator Disc.
- 106 Grate Door.
- 107 Grate Door Turnbuckle.
- 108 Nickel Ash Guard on Grate Door.
- 109 Duplex Grate Shaker.
- 110 Lifter.
- 111 Short Center.112 Right Hand End Key Plate.
- 113 Center Key Plate.
- 114 Front Key Plate.
- 115 Lids (Specify 7, 8 or 9 inch). 116 Reducing Cover (Specify 7, 8 or 9 inch).
- 117 Nickel Band.
- 118 Cast Oven Rack Slides.
- 119 Toaster Door Turnbuckle. 120 Oven Door Hinge Spring.







FEMILIAN STOYES & RANGES

ALONGO CONTRACTOR CONT